



The AgResults Nigeria
Aflasafe™ Challenge Project
2019 Annual Report

Submitted on 24 October 2019

by

International Institute of Tropical Agriculture

The AgResults Nigeria Aflasafe™ Challenge Project

(With contributions from Adebowale Akande, Ranajit Bandyopadhyay,
Alejandro Ortega-Beltran, Titilayo Falade, Godwin Okpachu, Kenneth
Shenge, and Peter Cotty)



This report is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

Contents

| | | |
|------|--|----|
| 1.0 | Introduction | 1 |
| 1.1 | Project Summary | 1 |
| 1.2 | Objective..... | 2 |
| 1.3 | Key Achievements of 2018/ 2019 planting season | 2 |
| 1.4 | Obstacles..... | 3 |
| 2.0 | Materials and Methods..... | 3 |
| 2.1 | Identification of farmers' fields | 3 |
| 2.2 | Production and distribution of Aflasafe™ | 4 |
| 2.3 | Aflasafe™ deployment to farmers' fields..... | 5 |
| 2.4 | Sporulation checks in farmers' fields | 5 |
| 2.5 | Maize aggregation by implementers for sample collection..... | 6 |
| 2.6 | Protocol for sample collection at the aggregation point | 6 |
| 2.7 | Key assumptions surrounding aggregation and sampling..... | 6 |
| 2.8 | Sampling process | 6 |
| 2.9 | Sampling protocol followed for maize grain collection | 7 |
| 2.10 | Verification process | 8 |
| 2.11 | Procedure for aflatoxin analysis..... | 9 |
| 2.12 | Procedure to determine Aflasafe™ strain frequencies in maize samples using VCG analysis | 9 |
| 3.0 | Results | 9 |
| 3.1 | Sporulation check in Aflasafe™- treated fields | 9 |
| 3.2 | Aflatoxin concentration levels detected in samples from each implementer ... | 11 |
| 3.3 | Proportion of samples that met different acceptable limits for each implementer 12 | |
| 3.4 | Total quantity of grains available for sampling and recovery analysis | 14 |
| 3.5 | Recovery of Aflasafe™ strains from maize samples..... | 14 |
| 3.6 | Summary of market sales information and return on investment | 14 |
| 3.7 | Summary of household data collected for Aflasafe farmers in 2018/2019 cropping season..... | 15 |
| 4.0 | Conclusion | 23 |

| | | |
|-----|---|-----|
| 5.0 | Appendices | 24 |
| | Appendix 1. AAFPON Enterprise, 2018/ 2019 maize-growing season..... | 24 |
| | Appendix 2. Afex, 2018/ 2019 maize-growing season..... | 26 |
| | Appendix 3. Agbelere Integrated Farms, 2018/ 2019 maize-growingseason. | 28 |
| | Appendix 4. Agrisupply, 2018/ 2019 maize-growing season. | 35 |
| | Appendix 5. Ahalson Enterprise, 2018/ 2019 maize-growing season..... | 44 |
| | Appendix 6. Alaya, 2018/ 2019 maize growing season. | 56 |
| | Appendix 7. Babban Gona, 2018/ 2019 maize-growing season..... | 57 |
| | Appendix 8. Emiroglu 2018/ 2019 maize-growing season..... | 94 |
| | Appendix 9. Fantsuam Foundation 2018/ 2019 maize-growing season..... | 95 |
| | Appendix 10. Fortix cube 2018/ 2019 maize-growing season | 95 |
| | Appendix 11. Funmakin 2018/ 2019 maize-growing season | 96 |
| | Appendix 12. Grace FM 2018/ 2019 maize-growing season..... | 96 |
| | Appendix 13. John Vent 2018/ 2019 maize-growing season..... | 96 |
| | Appendix 14. Kawonlambu Farm Produce, 2017/ 2018 maize-growing season | 105 |
| | Appendix 15. Kiffco Project & Consultancy, 2018/2019 maize-growing season | 109 |
| | Appendix 16. Mandrakes Consultancy, 2018/ 2019 maize-growing season | 109 |
| | Appendix 17. Perfect Impact, 2018/2019 maize-growing season..... | 110 |
| | Appendix 18. Precious Bayonle and Associates, 2018/2019 maize-growing season | 110 |
| | Appendix 19. Pricewell Agrext, 2018/ 2019 maize-growing season | 111 |
| | Appendix 20. Saint Adba, 2018/ 2019 maize-growing season | 111 |
| | Appendix 21. Tomato Jos, 2018/ 2019 maize growing season | 119 |
| | Appendix 22. Tukwuyan Gwari, 2018/ 2019 maize growing season | 119 |
| | Appendix 23. Value Seeds, 2018/ 2019 maize growingseason..... | 135 |
| | Appendix 24. Yewa College, 2018/ 2019 maize growing season | 137 |

Statement of Purpose

This report documents the key activities that were carried under the AgResults Aflasafe Pilot Project during the 2018/ 2019 maize-growing season on the verification process to trigger premium payments for successfully harvested and aggregated Aflasafe™-treated maize.

1.0 Introduction

Aflatoxins are potent carcinogens produced by several fungal species of the genus *Aspergillus*. These potent toxins frequently contaminate maize, groundnut, and other economically important crops. The UN Food and Agriculture Organization estimates that up to 25% of the world's maize and groundnut produce become contaminated with aflatoxins. In Nigeria, an estimated 40 to 60% of maize contains unacceptably high aflatoxin levels. Aflatoxin contamination poses harmful health effects for consumers and negative economic consequences for growers, aggregators, distributors, and exporters.

On the health side, chronic ingestion of aflatoxin contributes to increased risk of liver cancer in both humans and animals and is associated with immune system suppression and stunted growth in children. In addition, consumption of high aflatoxin concentrations can lead to death. Aflatoxin contamination is particularly threatening to the poorest and most vulnerable smallholders who consume most of the food they produce. Accumulation of aflatoxins in valuable crops has severe economic repercussions for growers and their nations. Concerns about aflatoxin contamination have greatly reduced demand for grain exports from developing nations. Most developing nations are in the tropics and sub-tropics, and those regions possess ideal conditions for crop contamination with aflatoxins. New regulations in the EU alone have cost African traders an estimated USD \$400 million annually in lost export revenue.

The AgResults Aflasafe Pilot Project provided incentives for smallholder farmer adoption of a promising aflatoxin management technology called Aflasafe™. Aflasafe™ is a biocontrol product that contains four atoxigenic strains (i.e., non-toxin producers) of *A. flavus* native to Nigeria as active ingredients, which has been shown to reduce aflatoxin contamination in maize by more than 80% in commercial field tests in Nigeria. This Project focused on demonstrating a successful model for increasing smallholder adoption of Aflasafe™ in Nigeria, as the country is the largest producer and consumer of maize in the African continent and the first African country to obtain registration of a biocontrol product for aflatoxin mitigation.

1.1 Project Summary

Few maize-producing organizations and farmers in Nigeria are aware of the aflatoxin problem and will not invest in technologies aimed to reduce aflatoxin concentrations in crops without the confidence that there will be a market for aflatoxin-compliant crops. At the same time, regulators are highly constrained in their ability to enforce limits on aflatoxin contamination. An initial surplus of aflatoxin-reduced crops is needed to jumpstart the market.

The AgResults Aflasafe pull mechanism incentivized organizations (known as Implementers) in Nigeria with contract farming arrangements to work with smallholder maize farmers to adopt use of Aflasafe™ while also increasing productivity through input supplies. The pull mechanism built a core group of participants to anchor the market for maize treated with Aflasafe™, expanding from 2,500 farmers in year one to 26,260 farmers in year five. It featured payments for performance that pushes implementers to help smallholder farmers to produce maize treated with Aflasafe™.

The pull mechanism also features technical assistance from IITA to implementers, and in turn from implementers to farmers, with the goal of increasing participating farmer yields. Farmers that receive training are expected to share their knowledge of production technologies with other farmers that participate in the program.

1.2 Objective

To provide incentives to implementers aggregating maize harvested from fields treated with Aflasafe™. The incentive is triggered when the aggregated maize is verified to have high association with Aflasafe™ strains.

1.3 Key Achievements of 2018/ 2019 planting season

- Production and delivery of 208.74 tons (t) of Aflasafe™ by Harvestfield Industries Limited at the Aflasafe Manufacturing Plant located at the International Institute of Tropical Agriculture (IITA)-Ibadan. The product was used by farmers working with 24 implementers in Nigeria under the AgResults Aflasafe Pilot Project.
- Developed the sporulation, sample collection, and verification protocols to monitor the efficacy of Aflasafe™ in reducing aflatoxin content in maize from treated fields.
- Trained implementers and field officers who later transferred the acquired knowledge to farmers working directly with them.
- Organized innovation platform meetings between farmers and maize processors to create market linkages and enhance uptake of Aflasafe™-treated maize.
- Monitored field application of Aflasafe™ and sample collection after maize aggregation by implementers.
- Collected sporulation data after application of Aflasafe™ for farmers under each implementer.
- Analyzed a total of 2,751 samples for presence of aflatoxin and 97.3% of samples had aflatoxin levels below the US standards (20 ng/ g total aflatoxins).
- Analysed 320 samples containing above 4 ppb total aflatoxins for presence of Aflasafe atoxigenic strains by vegetative compatibility assays (VCA). Of these 320 samples, 40.9% had over ≥65% Aflasafe™ strains recovered after VCA, 1.9

% were borderline with 64% Aflasafe strain recovery and 57.2% failed with below 64% Aflasafe strain recovery.

1.4 Obstacles

The main obstacle regarding laboratory activities encountered during this year was limited time to conduct the VCA and verify frequencies of Aflasafe strains in the samples that required VCA. VCA is a lengthy process and is difficult to predict the time that will take to complete. For the samples examined towards the end of the season (July-August), it was difficult to obtain the results in a timely manner.

2.0 Materials and Methods

2.1 Identification of farmers' fields

In 2018, 24 implementers were recruited to participate in the AgResults Aflasafe™ Pilot Project in maize-growing zones across 10 states in Nigeria (Figure 2). Most implementers had a history of working with small-scale farmer groups in their respective states. The name of the implementers, the number of farmers working with each implementer, the proportion of male/ female farmers, the maize hectarage treated, and average hectarage per farmer is summarized in Table 1. Briefly, there were implementers in the states of Benue (1), Edo (1), Ekiti (1), Kaduna (7), Kano (1), Ogun (3), Osun (3), Oyo (5), and Taraba (2).

Table 1. Number of maize farmers recruited by each implementer and area treated with Aflasafe™ during the 2018/ 2019 maize-growing season.

| Implementers | State | Number of farmers | | | ^a Total area treated (ha) | ^b Average area/ farmer (ha) |
|---------------------|--------|-------------------|--------|--------|--------------------------------------|--|
| | | Total | Male | Female | | |
| AAFPON | Benue | 117 | 90 | 27 | 760 | 6.5 |
| AFEX | Kaduna | 450 | 426 | 24 | 450 | 1.0 |
| Agbelere Farm | Oyo | 1,240 | 1,004 | 236 | 1,500 | 1.2 |
| Agrisupply | Ogun | 602 | 409 | 193 | 2,006 | 3.3 |
| Ahalson Enterprises | Kano | 725 | 725 | 0 | 2,380 | 3.3 |
| ALAYA Limited | Kaduna | 121 | 110 | 11 | 511 | 4.2 |
| Babban Gona | Kaduna | 12,163 | 11,450 | 713 | 13,619.1 | 1.1 |
| Bayonle Ladipo | Oyo | 169 | 147 | 22 | 74 | 0.4 |
| Emiroglu Global | Osun | 185 | 100 | 85 | 1,013 | 5.5 |
| Fantsuam Foundation | Kaduna | 27 | 20 | 7 | 95.6 | 3.5 |
| Fortixcube | Ogun | 54 | 45 | 9 | 52.5 | 1.0 |
| Funmakin | Osun | 51 | 45 | 6 | 50 | 1.0 |
| Grace FM | Edo | 16 | 0 | 16 | 64 | 4.0 |

| Implementers | State | Number of farmers | | | ^a Total area treated (ha) | ^b Average area/ farmer (ha) |
|---------------------------|--------|-------------------|---------------|--------------|--------------------------------------|--|
| | | Total | Male | Female | | |
| John Vents Limited | Oyo | 211 | 165 | 46 | 1,800 | 8.5 |
| Kawon Lambu | Taraba | 566 | 484 | 82 | 800 | 1.4 |
| Kiffco Project | Taraba | 151 | 132 | 19 | 160 | 1.1 |
| Mandrakes Consultancy | Oyo | 135 | 97 | 38 | 135 | 1.0 |
| Perfect Impact | Osun | 6 | 5 | 1 | 6 | 1.0 |
| Pricewell Agrext | Oyo | 20 | 15 | 5 | 20 | 1.0 |
| St Adba | Ekiti | 912 | 632 | 280 | 1824 | 2.0 |
| Tomato Jos | Kaduna | 37 | 24 | 13 | 10.3 | 0.3 |
| Tukwuyan Gwari Enterprise | Kaduna | 3,000 | 2,719 | 281 | 3,000 | 1.0 |
| Value Seeds | Kaduna | 5,270 | 2,334 | 2,936 | 6,000 | 1.1 |
| Yewa College | Ogun | 32 | 23 | 9 | 70 | 2.2 |
| TOTAL | | 26,260 | 21,201 | 5,059 | 36,400.5 | 1.4 |

^a Sum of all the fields treated by farmers belonging to each of the implementers.

^b Total area treated divided by the number of farmers for each implementer.

2.2 Production and distribution of Aflasafe™

Aflasafe™ was produced at the Aflasafe™ Manufacturing Plant at IITA-Ibadan, which is now being operated by Harvestfield Industried Limited (HIL). HIL is the commercial organisation responsible for the sale of Aflasafe in Nigeria as agreed with IITA under the Technology Transfer and Licensing Agreement signed between IITA and HIL in 2018. All Aflasafe used was purchased by the Implementers.




Figure 1. Leak-proof truck being loaded with Aflasafe™ product at the Manufacturing Plant located at IITA-Ibadan (A). Truck containing Aflasafe™ product ready to be transported from the Manufacturing Plant (B) to an Implementer's warehouse.

2.3 Aflasafe™ deployment to farmers' fields

Aflasafe™ supply and deployment to farmers' fields took place between March 2018 and December 2018. In addition to facilitating Aflasafe™ delivery, implementers also supported farmers with services ranging from inputs to training on good management practices. Implementers and field officers were sensitized on the dangers of aflatoxin exposure and trained on the use of Aflasafe™, record keeping, and good agronomic practices that enhance good crop quality. These lectures were extended to farmers by implementers in all communities where their farmers participating in the project were located. Location of farmer fields under each implementer is indicated in Figure 2. Field visits were made as often as needed for evaluation, information sharing, and data collection.




Figure 2. Map of Nigeria showing locations of Aflasafe™ treated fields under each implementer (see inset) participating in the AgResults Aflasafe Pilot Project in the 2018/ 2019 season. Each point may represent up to 800 farmers.

2.4 Sporulation checks in farmers' fields

Visible signs of Aflasafe™ grains having the strains sporulating in treated fields were monitored. The visible sign of fungal growth on the carrier (sorghum) typically occurs between 5 to 15 days after application. After 15 days, the Aflasafe™ grains are completely, or almost completely, consumed by the atoxigenic strains. For this reason, sporulation evaluations are conducted before the 15th day after application. Field officers were recruited to collect this data. Implementers provided information on the list of farmers and guided the officers to fields where Aflasafe™ was applied. For each implementer, fields were randomly selected to collect the required sporulation data from each implementer (5% of farmer fields under each implementer). Field officers counted

the number of Aflasafe™ sorghum grains across fields in 1-m² area sections and computed the number of grains with visible sporulation.

2.5 Maize aggregation by implementers for sample collection

The implementers were responsible for both aggregating the maize that their farmers were willing to sell and finding premium markets for the aggregated maize. Some implementers assisted farmers with threshing, bagging, labeling, and transporting the maize to aggregation stores to ensure better crop quality. Aggregation stores were designated by the implementer. In the store, bags were tagged with farmers' details and arranged according to the quantity supplied by each farmer. Field officers collected maize samples as soon as about 30 tons of grains were aggregated. The quantity aggregated and sampled was defined as a batch and separated from the next quantity of maize aggregated.

2.6 Protocol for sample collection at the aggregation point

The sampling of aggregated maize was conducted between November 2017 and May 2018 at designated aggregation points of each implementer. The plan described below was adopted for sampling depending on the number of bags supplied by each farmer.

2.7 Key assumptions surrounding aggregation and sampling

- Sampling was carried out by IITA staff and the Project Manager (PM), with the support of contracted field officers. The average quantity of maize aggregated for sampling was 29.9 tons.
- Expectations for implementers and farmers:
 - The implementer had the responsibility to incentivize his/ her farmers to deliver harvested bags of Aflasafe™-treated maize for sale in a timely manner.
 - To avoid double counting and for traceability, each bag in a verification batch was tagged by the implementer with farmers' details and date of delivery.
 - IITA encouraged implementers to arrange the bags according to the quantity supplied by each farmer.
- Sampling assumptions:
 - It was expected that around 50% of maize produced by participating farmers would be aggregated. The final maize aggregation during 2018/ 2019 growing season was 82,290.6 tons.

2.8 Sampling process

IITA staff and the PM have outlined the following process based on Year 0 lessons learned to streamline the process and reduce the burden on implementers and farmers in the subsequent years. This is described in Figure 3.




Figure 3. Sampling process for maize aggregated from farmers' fields under the AgResults Aflasafe™ Pilot project.

2.9 Sampling protocol followed for maize grain collection

IITA devised the following sampling protocol to compensate for the variability in maize quality from the large number of individual farmers of each implementer. To reduce the variability, more bags were sampled (or more incremental samples with less weight) in each lot, and the whole aggregated sample that represented the 30-ton truck was analyzed. For each lot of 300 bags (a truckload), 100 bags were sampled.

The method described above gives a 90% confidence level that the sample is representative of the truck with a margin of error of $\pm 7\%$ and this equates to higher than 99% confidence level with a margin of error of $\pm 1\%$ that the overall sample size is representative of the total number of bags over the five months verification period.

Random start numbers of bags were used to avoid bias as follows:

- A 50-g sample from a sample bag was taken (every 3 bags in the truck).
- The total weight of the representative sample from each truck was $50\text{ g} \times 100\text{ bags} = 5\text{ kg}$.
- The 5 kg sample was transported to IITA-Ibadan.
- Samples were ground into a fine powder, transferred into a polyethylene plastic bag and stored in a cold room until submitted to the different analyses.

Quantity of maize grain to be aggregated was estimated as follows:

| | Quantity |
|---|-----------|
| ▪ Quantity of maize aggregated (tons) | 82,290.6* |
| ▪ Total number of 30 ton-trucks (82,290.6* tons/ 30-ton trucks) | 2,743.02 |
| ▪ Number of bags per 30 ton-truck (30,000 kg/ 100 kg bags) | 300 |
| ▪ Number of samples taken per truck (300 bags/ 3) | 100 |
| ▪ Total number of samples taken during verification period <ul style="list-style-type: none"> – Aflatoxin-level testing: 100% of samples – Aflasafe™-level testing: samples containing > 4 ng/ g total aflatoxin by vegetative compatibility group assay | 2,751* |

2.10 Verification process

- From the 5 kg sample, a 50-g sub-sample was taken for aflatoxin analysis, and about 100 g were used for (where necessary) VCG analyses. Aflatoxin quantification analyses were conducted on 100% of the samples. In previous years, verification of Aflasafe™ strains in maize samples was conducted in 100% of the samples using pyrosequencing analyses at the USDA-ARS Aflatoxin Reduction in Crops laboratory in Arizona, US. This year, pyrosequencing assays were not conducted. VCA was conducted only for samples containing more than 4 ppb total aflatoxins. It was assumed that samples with >4 ppb total aflatoxins were not treated or treated incorrectly. Selected samples were subjected to VCG assays which is the standard microbiological method used to track *Aspergillus* fungal strains. VCG assays were conducted when it was necessary to further verify strain recovery due to high levels of aflatoxins.
- This year, premium payments were determined by truck sampled as follows:
 - Pay 100% of the premium if the sample contained less than 4 ppb total aflatoxins.
 - Pay 100% of the premium if the sample contains over 4 ppb total aflatoxins but Aflasafe™ strains make up to 65% or more of the recovered fungal communities after conducting VCA.
 - Pay 0% of the premium if the sample contains over 4 ppb total aflatoxins and Aflasafe™ strains do not make up to 65% of the examined fungal communities from samples taken on a given truck.

- As one homogeneous sample was collected per truck or aggregation point, it is not possible to trace results back to a specific farmer. However, it is possible to know which farmers are represented in each truck. The data can help implementers target interventions if needed.

2.11 Procedure for aflatoxin analysis

Each maize sample was ground to a powder in a commercial blender to homogenize it. Samples were analyzed using Neogen Reveal® Q+ for Aflatoxin kits as follows. A 20-g subsample was weighed and transferred into a 500 ml media bottle and 100 ml 65% ethanol was added. The mixture was shaken for 3 min using an orbital shaker at 200 rpm. The mixture was allowed to settle for 3 min and then was filtered through Whatman No.1 filter paper into a Tri-Pour® beaker. Thereafter, 500 µl of sample diluent was transferred to a sample cup and 100 µl of sample extract was added. A 100-µl aliquot of diluted sample was transferred into a new cup and mixed thoroughly using a pipette. A 400-µl aliquot of sample extract and diluent was added to the Neogen Raptor cartridge read on a Neogen Raptor® display screen after the six-minute testing period.

2.12 Procedure to determine Aflasafe™ strain frequencies in maize samples using VCG analysis

Fungi belonging to *Aspergillus* section *Flavi* were isolated from the fine powder using a dilution plating technique on modified Rose Bengal agar medium. One gram of each sample was suspended in 10 ml sterile water, vortexed for 30 s, plated in 9 cm-diameter Petri dishes at appropriate dilutions, and incubated in the dark at 31°C for 3 days to allow the development of 8 to 10 discrete *Aspergillus* colonies per Petri dish. A total of 25 isolates of *Aspergillus* section *Flavi* from each sample were transferred to 5-2 agar for further characterization. Isolates were saved as agar plugs of sporulating cultures in 4-ml vials containing 2 ml sterile distilled water before inoculating on SEL medium for nitrate nonutilizing (*nit*) mutant development. *Nit* mutants developed after 10-25 days of incubation. *Nit* mutants were further purified on MIT medium and then transferred to 5-2 agar. After incubation for 5 days at 31°C, *nit* mutants were then saved as agar plugs of sporulating cultures as mentioned above. Mutants of isolates were complemented with tester pairs of the four atoxigenic VCGs to which the atoxigenic strains that comprise Aflasafe™ belong to. *Nit* mutants complementing a tester pair of the four atoxigenic VCGs were assigned to that VCG. Complementation was conducted in media designed to conduct complementation assays: Starch media. A dense zone of fungal growth (positive complementation) was readily observed when mutants possessed complementary mutations and possessed the same genetic information in the genome regions that control vegetative incompatibility. The frequency of the Aflasafe™ strains was recorded from analyses.

3.0 Results

3.1 Sporulation check in Aflasafe™- treated fields

Good sporulation in the field depends on the quality of the inoculum and weather conditions at the time of application. Time of application influences the efficacy of the product in the fields. The fields were evaluated for the number of Aflasafe™ grains with

visible colonization. Generally, the average proportion of fields with visible sporulation across implementer fields was 93%. The mean grain sporulation in a m² was highest in Fantsuam Foundation (20) and lowest in Babban Gona (3) (

Table 2). Fields with no sporulation could be due to wrong information on the actual Aflasafe™ application date and/ or absence of rain/ moisture in the treated fields that reduce sporulation of Aflasafe™.

Table 2. Proportion of fields for each implementer and percentage of fields with visible sporulation

| Implementers | State | ^a No. of farmers | ^b No. of fields visited | ^c % of fields visited | ^d No. of fields with spores | ^e Fields with visible spores (%) | ^f Mean No. of sporulated grains / m ² | ^g Range |
|-----------------------|---------|-----------------------------|------------------------------------|----------------------------------|--|---|---|--------------------|
| AAFPON | Benue | 117 | 66 | 56.4 | 66 | 100 | 12 | 2 - 59 |
| AFEX | Kaduna | 450 | 11 | 2.4 | 11 | 100 | 7 | 0 - 33 |
| Agbelere Farm | Oyo | 1,240 | 165 | 13.3 | 165 | 100 | 15 | 9 - 25 |
| Agrisupply | Ogun | 602 | 112 | 18.6 | 112 | 100 | 15 | 9 - 25 |
| Ahalson Enterprises | Kano | 725 | 84 | 11.6 | 84 | 100 | 7 | 0 - 39 |
| ALAYA Limited | Kaduna | 121 | 27 | 22.3 | 24 | 88.89 | 6 | 0 - 33 |
| Babban Gona | Kaduna | 12,163 | 101 | 0.8 | 72 | 71.29 | 3 | 0 - 37 |
| Bayonle Ladipo | Oyo | 169 | 51 | 30.2 | 51 | 100 | 15 | 11 - 25 |
| Emiroglu Global | Osun | 185 | 50 | 27.0 | 50 | 100 | 13 | 7 - 25 |
| Fantsuam Foundation | Kaduna | 27 | 16 | 59.3 | 16 | 100 | 20 | 0 - 71 |
| Fortixcube | Ogun | 54 | 30 | 55.6 | 30 | 100 | 14 | 6 - 25 |
| Funmakin | Osun | 51 | 16 | 31.4 | 16 | 100 | 16 | 12 - 20 |
| Grace FM | Edo | 16 | 0 | 0.0 | NA | NA | NA | NA |
| John Vents Limited | Oyo | 211 | 41 | 19.4 | 41 | 100 | 16 | 12 - 22 |
| Kawon Lambu | Taraba | 566 | 116 | 20.5 | 116 | 100 | 3 | 1 - 11 |
| Kiffco Project | Taraba | 151 | 71 | 47.0 | 71 | 100 | 10 | 1 - 83 |
| Mandrakes Consultancy | Oyo | 135 | 61 | 45.2 | 61 | 100 | 15 | 10 - 21 |
| Perfect Impact | Osun | 6 | 4 | 66.7 | 4 | 100 | 13 | 9 - 17 |
| Pricewell Agrext | Oyo | 20 | 10 | 50.0 | 10 | 100 | 10 | 6 - 15 |
| St Adba | Ekiti | 912 | 126 | 13.8 | 126 | 100 | 15 | 9 - 25 |
| Tomato Jos | Plateau | 37 | 33 | 89.2 | 33 | 100 | 13 | 3 - 31 |

| Implementers | State | ^a No. of farmers | ^b No. of fields visited | ^c % of fields visited | ^d No. of fields with spores | ^e Fields with visible spores (%) | ^f Mean No. of sporulated grains / m ² | ^g Range |
|---------------------------|--------|-----------------------------|------------------------------------|----------------------------------|--|---|---|--------------------|
| Tukwuyan Gwari Enterprise | Kaduna | 3,000 | 288 | 9.6 | 285 | 98.96 | 9 | 0 - 67 |
| Value Seeds | Kaduna | 5,270 | 156 | 3.0 | 139 | 89.10 | 4 | 0 - 27 |
| Yewa College | Ogun | 32 | 18 | 56.3 | 18 | 100 | 15 | 0 - 126 |

^a Total number of farmers who participated in the project in 2018/ 2019 under each implementer.

^b Total number of fields visited from each implementer.

^c Total number of fields visited divided by the number of farmers × 100 for each implementer.

^d Number of fields in which sporulation was visible divided by the total number of fields visited for sporulation check.

^e Percentage of fields in which sporulation of Aflasafe™ was visible.

^f Average percentage of Aflasafe grains showing sporulation in fields visited per Implementer

^g The difference between the lowest and the highest number of sporulated Aflasafe grains per square meter in inspected fields of each implementer.

NC = Not conducted

3.2 Aflatoxin concentration levels detected in samples from each implementer

The number of samples submitted for aflatoxin analysis was not limited for any implementer. Field officers collected as many samples from produce as implementers could aggregate at aggregation points or depending on the number of 30-ton truck loads aggregated by the implementer. A total of 2,751 samples were collected from all implementers. Details of number of samples collected, mean aflatoxin concentration, and ranges of aflatoxin levels are described per implementer in Table 3. Wrong timing of Aflasafe™ application and the presence of highly toxigenic S morphotype fungi were suspected as a cause of samples containing over 20 ppb total aflatoxin. Mean aflatoxin concentration across all samples was 3.3 ppb and 97% of maize had total aflatoxin below 20 ppb.

Table 3. Aflatoxin concentration from samples collected from all implementers.

| Implementers | Aflatoxin content | | | | | |
|---------------------|-------------------|-----------------------------|-------------------|------------|---------------------------|-------------------------------|
| | No. of farmers | No. of samples ^a | (ppb) | | Above 20 ppb ^c | Above 20 ppb (%) ^d |
| | | | Mean ^b | Range | | |
| AAFPON | 117 | 64 | 3.05 | 0 – 83.6 | 2 | 3.13 |
| AFEX | 450 | 25 | 2.31 | 0 – 8.0 | 0 | 0.0 |
| Agbelere Farm | 1240 | 187 | 1.17 | 0 – 15.4 | 0 | 0.0 |
| Agrisupply | 602 | 242 | 1.24 | 0 – 43.6 | 1 | 0.41 |
| Ahalson Enterprises | 725 | 323 | 11.5 | 0 – 122.9 | 44 | 13.6 |
| ALAYA Limited | 121 | 13 | 0.16 | 0 – 2.1 | 0 | 0.0 |
| Babban Gona | 12,163 | 874 | | 0 – 1.9 | 5 | 0.6 |
| Bayonle Ladipo | 169 | 4 | 15.73 | 1.5 – 48.8 | 1 | 25 |

| Implementers | No. of farmers | No. of samples ^a | Aflatoxin content | | | |
|---------------------------|----------------|-----------------------------|-------------------|-----------|---------------------------|-------------------------------|
| | | | (ppb) | | Above 20 ppb ^c | Above 20 ppb (%) ^d |
| | | | Mean ^b | Range | | |
| Emiroglu Global | 185 | 27 | 19.9 | 0 – 70.5 | 9 | 33.3 |
| Fantsuam Foundation | 27 | 2 | 8.15 | 0 – 16.3 | 0 | 0.0 |
| Fortixcube | 54 | 5 | 9.74 | 0 – 30.9 | 1 | 20 |
| Funmakin | 51 | 4 | 3.2 | 0 – 10.2 | 0 | 0.0 |
| Grace FM | 16 | 1 | 0 | NA | 0 | 0 |
| John Vents Limited | 211 | 191 | 1.4 | 0 – 17.6 | 0 | 0.0 |
| Kawon Lambu | 566 | 90 | 4.8 | 0 – 98.4 | 2 | 2.2 |
| Kiffco Project | 151 | 13 | 1.55 | 0 – 3.6 | 0 | 0 |
| Mandrakes Consultancy | 135 | 11 | 1.38 | 0 – 3.3 | 0 | 0 |
| Perfect Impact | 6 | 1 | 6.00 | NA | 0 | 0 |
| Pricewell Agrext | 20 | 2 | 3.30 | 2.2 – 4.4 | 0 | 0 |
| St Adba | 912 | 207 | 2.4 | 0 – 47.9 | 1 | 0.5 |
| Tomato Jos | 37 | 2 | 0.00 | 0.0 – 0.0 | 0 | 0 |
| Tukwuyan Gwari Enterprise | 3,000 | 405 | 2.4 | 0 – 116.8 | 5 | 1.2 |
| Value Seeds | 5,270 | 51 | 11.9 | 0 – 174.2 | 3 | 5.9 |
| Yewa College | 32 | 7 | 0.51 | 0 – 3.6 | 0 | 0 |

^a Number of samples submitted by each implementer for aflatoxin analyses. Samples were collected from trucks carrying 30 tons of maize or maize collected from aggregation points.

^b Mean aflatoxin concentration for all the samples collected from each implementer for aflatoxin quantification.

^c Number of samples that had aflatoxin concentrations above the US acceptable limits.

^d Percentage of samples analyzed, per implementer, with aflatoxin concentration above the US standards.

3.3 Proportion of samples that met different acceptable limits for each implementer

The aflatoxin concentration of maize grains determines the premium market to which the grains are sold. In summary, 87.9% of maize from Aflasafe™-treated fields had aflatoxin concentrations below the EU/ Nestlé aflatoxin regulation limit (<4 ppb) and 94% met the World Food Program (WFP) procurement limit (<10 ppb), 97.3% were within the US Food and Drugs Administration (US-FDA) aflatoxin safety standard (20 ppb), and 2.7% of maize grains contained concentrations above the acceptable limits for human consumption. Details of frequencies of aflatoxin categories per implementer are given in Table 4.

Table 4. Proportion of maize grains samples under each implementer that met with different aflatoxin acceptable limits in 2018/ 2019.

| Implementers | No of farmers | Total aggregated maize (t) ^a | No of samples | Percentage aflatoxin categories ^b | | | | |
|-----------------------|---------------|---|---------------|--|--------------|------------------|--------------|------------------|
| | | | | Below 4 ppb | Below 10 ppb | 20 ppb and below | Above 20 ppb | Above 20 ppb (%) |
| AAFPON | 117 | 1,900.5 | 64 | 55.0 | 59.0 | 62.0 | 2 | 3.23 |
| AFEX | 450 | 746.8 | 25 | 22.0 | 25.0 | 25.0 | 0 | 0.0 |
| Agbelere Farm | 1,240 | 5,609.9 | 187 | 181.0 | 184.0 | 187.0 | 0 | 0.0 |
| Agrisupply | 602 | 7,259.1 | 242 | 147.0 | 154.0 | 160.0 | 1 | 0.63 |
| Ahalson Enterprises | 725 | 9,697.5 | 323 | 206.0 | 249.0 | 279.0 | 44 | 15.77 |
| ALAYA Limited | 121 | 396.2 | 13 | 13.0 | 13.0 | 13.0 | 0 | 0.0 |
| Babban Gona | 12,163 | 26,215 | 874 | 806.0 | 856.0 | 869.0 | 5 | 0.58 |
| Bayonle Ladipo | 169 | 64.6 | 4 | 2.0 | 2.0 | 3.0 | 1 | 33.33 |
| Emiroglu Global | 185 | 808.7 | 27 | 6.0 | 8.0 | 18.0 | 9 | 50.0 |
| Fantsuam Foundation | 27 | 44.9 | 2 | 1.0 | 1.0 | 2.0 | 0 | 0.0 |
| Fortixcube | 54 | 150.7 | 5 | 2.0 | 3.0 | 4.0 | 1 | 25.0 |
| Funmakin | 51 | 111.5 | 4 | 3.0 | 3.0 | 4.0 | 0 | 0.0 |
| Grace FM | 16 | 11 | 1 | 1.0 | 1.0 | 1.0 | 0 | 0.0 |
| John Vents Limited | 211 | 5,718.7 | 191 | 171.0 | 190.0 | 191.0 | 0 | 0.0 |
| Kawon Lambu | 566 | 2,700 | 90 | 75.0 | 81.0 | 88.0 | 2 | 2.27 |
| Kiffco Project | 151 | 394.6 | 13 | 13.0 | 13.0 | 13.0 | 0 | 0.0 |
| Mandrakes Consultancy | 135 | 315.4 | 11 | 11.0 | 11.0 | 11.0 | 0 | 0.0 |
| Perfect Impact | 6 | 12.7 | 1 | 0.0 | 1.0 | 1.0 | 0 | 0.0 |
| Pricewell Agrext | 20 | 41.7 | 2 | 1.0 | 2.0 | 2.0 | 0 | 0.0 |
| St Adba | 912 | 6,208.9 | 207 | 183.0 | 199.0 | 206.0 | 1 | 0.49 |
| Tomato Jos | 37 | 57.6 | 2 | 2.0 | 2.0 | 2.0 | 0 | 0.0 |

| Implementers | No of farmers | Total aggregated maize (t) ^a | No of samples | Percentage aflatoxin categories ^b | | | | |
|---------------------------|---------------|---|---------------|--|--------------|------------------|--------------|------------------|
| | | | | Below 4 ppb | Below 10 ppb | 20 ppb and below | Above 20 ppb | Above 20 ppb (%) |
| Tukwuyan Gwari Enterprise | 3,000 | 12,138 | 405 | 388.0 | 397.0 | 400.0 | 5 | 1.25 |
| Value Seeds | 5,270 | 1,540.3 | 51 | 33.0 | 33.0 | 33.0 | 0 | 0.0 |
| Yewa College | 32 | 210.3 | 7 | 7.0 | 7.0 | 7.0 | 0 | 0.0 |

^a Maize samples were collected from various farmers under 20 different implementers in 2018/ 2019. Each sample represents a 30-ton truck of maize or maize collected from an aggregation point.

^b The aflatoxin concentration of grains for all implementers was compared to different acceptable limits for human consumption: < 4 ppb is the EU/ Nestlé acceptable limit; < 10 ppb is the World Food Program acceptable limit; < 20 ppb is the US Food & Drugs Administration regulation limit; > 20 ppb is an unacceptable level of aflatoxin for human consumption.

3.4 Total quantity of grains available for sampling and recovery analysis

The analysis was conducted to determine the presence of Aflasafe™ strains in maize grains aggregated by implementers. The number of samples collected from each implementer for Aflasafe™ strain recovery was modified for the 2018/ 2019 season. Samples containing up to 4 ppb were not selected for assessment of strain recovery by VCA. Only samples exceeding 4 ppb total aflatoxin were subjected to VCA. For each implementer, details of number of farmers, quantity of maize aggregated and number of samples with more than 65% Aflasafe™ strain recovery (determined by VCA), among other parameters, is given in in **Error! Reference source not found..** Details of Aflasafe™ recovery by VCA are shown in Appendices 1 to 24 (one per implementer).

3.5 Recovery of Aflasafe™ strains from maize samples

Three hundred and twenty samples out of 2,751 samples were selected for VCA. These comprised all samples containing above 4 ppb total aflatoxin. Samples with above 65% of Aflasafe strains were 131 (40.9%), six samples (1.9%) with between 64 and 64.99% Aflasafe strain recovery were considered borderline; and 183 samples (57.2%) had below 64% Aflasafe strain recovery.

Samples with at least 65% Aflasafe strains, was considered as a proxy to determine that maize was properly treated with Aflasafe, and samples with below 64% recovery were considered to have been either treated improperly or not treated at all. Details on Aflasafe™ strain recovery per implementer is given in **Error! Reference source not found.** and Appendices 1 to 24.

3.6 Summary of market sales information and return on investment

A good comparison between the current market and the selling price of Aflasafe™-treated maize would determine the premium values as a result of Aflasafe™ treatment. Records were made for any implementer who made sales during the season and submitted copies of receipts to the PM. At the time of the report, ten out of the twenty-four implementers sold different quantities of Aflasafe™-treated maize to industries, and food and feed processors. The average price of untreated maize at the open market during the season was \$219.4 per ton while the average selling price for Aflasafe™-treated maize was \$237.5 per ton making an average premium increase of 8.2% (ranging from 2.5% to 14.12%). A total of 24,671 tons of Aflasafe™-treated maize was sold which translated to \$349,182.3 premium earned for the consignments examined. Net profit from the consignments sold was \$155,063.4 while average seasonal returns on investment was 152.5%. AgResults premium paid totalled \$185,131.20, while an average total return on investment was 264.6% (Table 6).

3.7 Summary of household data collected for Aflasafe farmers in 2018/2019 cropping season.

Participating farmers were encouraged to eat from what they produced to reduce exposure to contaminated grains and gain the health benefit of eating good quality grains. The objective of collecting the household data was to determine the quantity of Aflasafe™-treated maize that was consumed by participating farmers. A total of 2,924 farmers were randomly selected across 24 implementers. The yield data showed 15,186 (18%) tons of maize were harvested by these farmers but 10,724 ton of maize (70.6%) of grains were submitted to implementers. A total of 2,407 tons of maize (15.8%) were retained at home and 16 tons of maize (0.1%) were sold at the farmgate, while 293 tons of maize (1.9%) were disposed through other means. This confirms the old tradition where farmers do not sell all their grains at the same time. They prefer to store grains at home (grain banking) and sell in small quantities based on the needs of the family (Table 7).

Table 5. Total amount of grains aggregated, Aflasafe™ strain recovery, and incentive payment per Implementer.

| Implementers | No. of farmers | No. of samples analyzed ^a | Total weight of aggregated maize (ton) ^b | No of samples selected for VCA | No. of samples with >65% recovery ^c | Mean Aflasafe strain recovery (%) ^d | Average aggregated maize (tons) ^e | Passed aggregated maize (%) ^f | Borderline aggregated maize (%) ^g | Incentive on passed grains alone (USD) ^h |
|-----------------------|----------------|--------------------------------------|---|--------------------------------|--|--|--|--|--|---|
| AAFPON | 117 | 64 | 1,900.5 | 9 | 2 | 32.89 | 29.70 | 88.95 | 0 | \$15,856.89 |
| AFEX | 450 | 25 | 746.8 | 2 | 1 | 38.00 | 29.87 | 95.97 | 0 | \$6,722.65 |
| Agbelere Farm | 1,240 | 187 | 5,609.9 | 6 | 6 | 78.00 | 30.00 | 100.00 | 0 | \$52,620.86 |
| Agrisupply | 602 | 242 | 7,259.1 | 14 | 14 | 85.43 | 30.00 | 100.00 | 0 | \$68,090.36 |
| Ahalson Enterprises | 725 | 323 | 9,697.5 | 115 | 12 | 13.55 | 29.84 | 68.25 | 0 | \$61,695.07 |
| ALAYA Limited | 121 | 13 | 396.2 | 0 | NA | NA | 30.00 | 100.00 | 0 | \$3,658.20 |
| Babban Gona | 12,163 | 874 | 26,215 | 62 | 26 | 47.26 | 29.98 | 95.88 | 0.23 | \$235,634.98 |
| Bayonle Ladipo | 169 | 4 | 64.6 | 2 | 2 | 80.00 | 18.63 | 100.00 | 0 | \$698.81 |
| Emiroglu Global | 185 | 27 | 808.7 | 21 | 21 | 75.62 | 29.95 | 100.00 | 0 | \$7,585.61 |
| Fantsuam Foundation | 27 | 2 | 44.9 | 1 | 1 | 96.00 | 31.75 | 100.00 | 0 | \$595.63 |
| Fortixcube | 54 | 5 | 150.7 | 3 | 3 | 84.00 | 30.14 | 100.00 | 0 | \$1,413.57 |
| Funmakin | 51 | 4 | 111.5 | 1 | 0 | 64.00 | 27.88 | 73.09 | 26.91 | \$764.47 |
| Grace FM | 16 | 1 | 11 | 0 | 0 | NA | 11.00 | 100.00 | 0 | \$103.18 |
| John Vents Limited | 211 | 191 | 5,718.7 | 18 | 14 | 74.22 | 29.94 | 97.90 | 0.52 | \$52,515.81 |
| Kawon Lambu | 566 | 90 | 2,700 | 15 | 7 | 48.00 | 30.00 | 91.11 | 1.11 | \$23,074.80 |
| Kiffco Project | 151 | 13 | 394.6 | 0 | 0 | NA | 30.35 | 100.00 | 0 | \$3,701.35 |
| Mandrakes Consultancy | 135 | 11 | 315.4 | 0 | 0 | NA | 28.67 | 100.00 | 0 | \$2,958.45 |
| Perfect Impact | 6 | 1 | 12.7 | 1 | 1 | 68.00 | 12.70 | 100.00 | 0 | \$119.13 |

| Implementers | No. of farmers | No. of samples analyzed ^a | Total weight of aggregated maize (ton) ^b | No of samples selected for VCA | No. of samples with >65% recovery ^c | Mean Aflasafe strain recovery (%) ^d | Average aggregated maize (tons) ^e | Passed aggregated maize (%) ^f | Borderline aggregated maize (%) ^g | Incentive on passed grains alone (USD) ^h |
|---------------------------|----------------|--------------------------------------|---|--------------------------------|--|--|--|--|--|---|
| Pricewell Agrext | 20 | 2 | 41.7 | 1 | 0 | 4.00 | 20.85 | 71.94 | 0 | \$281.40 |
| St Adba | 912 | 207 | 6,208.9 | 22 | 14 | 59.82 | 29.99 | 96.13 | 0.48 | \$55,988.28 |
| Tomato Jos | 37 | 2 | 57.6 | 0 | 0 | NA | 28.75 | 100.00 | 0 | \$539.35 |
| Tukwuyan Gwari Enterprise | 3,000 | 405 | 12,138 | 17 | 4 | 24.29 | 29.97 | 96.78 | 0 | \$110,181.23 |
| Value Seeds | 5,270 | 51 | 1,540.3 | 10 | 3 | 31.60 | 30.00 | 86.27 | 0 | \$12,381.60 |
| Yewa College | 32 | 7 | 210.3 | 0 | 0 | NA | 30.04 | 100.00 | 0 | \$1,972.61 |

^a Number of samples submitted by farmers for aflatoxin analysis by each of the implementers.

^b Total amount of maize in tons aggregated by each of the implementers.

^c Samples with at least 65% Aflasafe™ strains recovery.

^d Average Aflasafe™ recovery for each implementer

^e Average Aflasafe-treated maize aggregated for each implementer.

^f Proportion of samples with the frequency of Aflasafe™ > 65%.

^g Proportion of samples with the frequency of Aflasafe™ between 64 and 64.99% Aflasafe strain recovery

^h Quantity of Aflasafe™ aggregated maize meeting Aflasafe™ pass rate (tons) × 9.38.

Table 6. Summary of market sales information and return on investment in 2018/2019 season.

| Name of Implementer | Quantity sold (Tons) | Price of untreated maize in the market at the time of sales (\$/ ton) | Selling price of Aflasafe treated maize in market per ton (\$) | Premium of Aflasafe maize over untreated maize in the market (%) (%) | Premium of Aflasafe maize over untreated maize in the market (\$/ ton) | Premium of Aflasafe maize over untreated maize in the market per consignment (\$) | Cost of aflasafe used to produce the consignment (\$) | Cost of Finance (\$) | Net profit for consignment (\$) | Seasonal Rol (%) | AgResults Premium (\$) | Total Profit (\$) | Total Rol (%) |
|---------------------|----------------------|---|--|--|--|---|---|----------------------|---------------------------------|------------------|------------------------|-------------------|---------------|
| EMIRO GLU | 90 | 250 | 278 | 11.1 | 27.8 | 2500.0 | 602.7 | 105.5 | 1791.9 | 297.31 | 675.4 | 2467.2 | 409.37 |
| EMIRO GLU | 59.3 | 250 | 278 | 11.1 | 27.8 | 1647.2 | 397.1 | 69.5 | 1180.6 | 297.31 | 445.0 | 1625.6 | 409.37 |
| EMIRO GLU | 90 | 250 | 278 | 11.1 | 27.8 | 2500.0 | 602.7 | 105.5 | 1791.9 | 297.31 | 675.4 | 2467.2 | 409.37 |
| EMIRO GLU | 90 | 250 | 278 | 11.1 | 27.8 | 2500.0 | 602.7 | 105.5 | 1791.9 | 297.31 | 675.4 | 2467.2 | 409.37 |
| EMIRO GLU | 90 | 250 | 278 | 11.1 | 27.8 | 2500.0 | 602.7 | 105.5 | 1791.9 | 297.31 | 675.4 | 2467.2 | 409.37 |
| EMIRO GLU | 90 | 250 | 278 | 11.1 | 27.8 | 2500.0 | 602.7 | 105.5 | 1791.9 | 297.31 | 675.4 | 2467.2 | 409.37 |
| TUKWU YAN GWARI | 540.0 | 200.00 | 216.67 | 8.3 | 16.7 | 9000.0 | 3616.1 | 632.8 | 4751.1 | 131.39 | 4052.2 | 8803.3 | 243.45 |
| TUKWU YAN GWARI | 780.0 | 200.00 | 216.67 | 8.3 | 16.7 | 13000.0 | 5223.2 | 914.1 | 6862.7 | 131.39 | 5853.1 | 12715.8 | 243.45 |
| TUKWU YAN GWARI | 180.0 | 200.00 | 216.67 | 8.3 | 16.7 | 3000.0 | 1205.4 | 210.9 | 1583.7 | 131.39 | 1350.7 | 2934.4 | 243.45 |
| TUKWU YAN GWARI | 300.0 | 200.00 | 216.67 | 8.3 | 16.7 | 5000.0 | 2008.9 | 351.6 | 2639.5 | 131.39 | 2251.2 | 4890.7 | 243.45 |
| TUKWU YAN GWARI | 360.0 | 200.00 | 216.67 | 8.3 | 16.7 | 6000.0 | 2410.7 | 421.9 | 3167.4 | 131.39 | 2701.4 | 5868.9 | 243.45 |
| TUKWU YAN GWARI | 540.0 | 200.00 | 216.67 | 8.3 | 16.7 | 9000.0 | 3616.1 | 632.8 | 4751.1 | 131.39 | 4052.2 | 8803.3 | 243.45 |

| Name of Implementer | Quantity sold (Tons) | Price of untreated maize in the market at the time of sales (\$/ ton) | Selling price of Aflasafe treated maize in market per ton (\$) | Premium of Aflasafe maize over untreated maize in the market (%) (%) | Premium of Aflasafe maize over untreated maize in the market (\$/ ton) | Premium of Aflasafe maize over untreated maize in the market per consignment (\$) | Cost of aflasafe used to produce the consignment (\$) | Cost of Finance (\$) | Net profit for consignment (\$) | Seasonal Rol (%) | AgResults Premium (\$) | Total Profit (\$) | Total Rol (%) |
|---------------------|----------------------|---|--|--|--|---|---|----------------------|---------------------------------|------------------|------------------------|-------------------|---------------|
| TUKWU YAN GWARI | 270.0 | 200.00 | 216.67 | 8.3 | | | | | | | | | |
| | | | | | 16.7 | 4500.0 | 1808.0 | 316.4 | 2375.6 | 131.39 | 2026.1 | 4401.6 | 243.45 |
| TUKWU YAN GWARI | 210.0 | 200.00 | 216.67 | 8.3 | | | | | | | | | |
| | | | | | 16.7 | 3500.0 | 1406.3 | 246.1 | 1847.7 | 131.39 | 1575.8 | 3423.5 | 243.45 |
| TUKWU YAN GWARI | 360.0 | 200.00 | 216.67 | 8.3 | | | | | | | | | |
| | | | | | 16.7 | 6000.0 | 2410.7 | 421.9 | 3167.4 | 131.39 | 2701.4 | 5868.9 | 243.45 |
| TUKWU YAN GWARI | 270.0 | 200.00 | 216.67 | 8.3 | | | | | | | | | |
| | | | | | 16.7 | 4500.0 | 1808.0 | 316.4 | 2375.6 | 131.39 | 2026.1 | 4401.6 | 243.45 |
| TUKWU YAN GWARI | 390.0 | 200.00 | 216.67 | 8.3 | | | | | | | | | |
| | | | | | 16.7 | 6500.0 | 2611.6 | 457.0 | 3431.4 | 131.39 | 2926.6 | 6357.9 | 243.45 |
| TUKWU YAN GWARI | 4,500.0 | 211.11 | 227.78 | 7.9 | | | | | | | | | |
| | | | | | 16.7 | 75000.0 | 30133.9 | 5273.4 | 39592.6 | 131.39 | 33768.0 | 73360.6 | 243.45 |
| TUKWU YAN GWARI | 800.0 | 213.89 | 230.56 | 7.8 | | | | | | | | | |
| | | | | | 16.7 | 13333.3 | 5357.1 | 937.5 | 7038.7 | 131.39 | 6003.2 | 13041.9 | 243.45 |
| AHALSON | 1,000.0 | 222.22 | 227.78 | 2.5 | 5.6 | 5555.6 | 6696.4 | 1171.9 | (2312.7) | -34.54 | 7504.0 | 5191.3 | 77.52 |
| AHALSON | 1,000.0 | 222.22 | 227.78 | 2.5 | 5.6 | 5555.6 | 6696.4 | 1171.9 | (2312.7) | -34.54 | 7504.0 | 5191.3 | 77.52 |
| AHALSON | 1,000.0 | 222.22 | 230.56 | 3.8 | 8.3 | 8333.3 | 6696.4 | 1171.9 | 465.0 | 6.94 | 7504.0 | 7969.0 | 119.00 |
| AHALSON | 1,000.0 | 222.22 | 236.11 | 6.3 | 13.9 | 13888.9 | 6696.4 | 1171.9 | 6020.6 | 89.91 | 7504.0 | 13524.6 | 201.97 |
| AHALSON | 1,000.0 | 222.22 | 238.89 | 7.5 | 16.7 | 16666.7 | 6696.4 | 1171.9 | 8798.4 | 131.39 | 7504.0 | 16302.4 | 243.45 |
| AHALSON | 1,000.0 | 222.22 | 236.11 | 6.3 | 13.9 | 13888.9 | 6696.4 | 1171.9 | 6020.6 | 89.91 | 7504.0 | 13524.6 | 201.97 |

| Name of Implementer | Quantity sold (Tons) | Price of untreated maize in the market at the time of sales (\$/ ton) | Selling price of Aflasafe treated maize in market per ton (\$) | Premium of Aflasafe maize over untreated maize in the market (%) (%) | Premium of Aflasafe maize over untreated maize in the market (\$/ ton) | Premium of Aflasafe maize over untreated maize in the market per consignment (\$) | Cost of aflasafe used to produce the consignment (\$) | Cost of Finance (\$) | Net profit for consignment (\$) | Seasonal Rol (%) | AgResults Premium (\$) | Total Profit (\$) | Total Rol (%) |
|---------------------|----------------------|---|--|--|--|---|---|----------------------|---------------------------------|------------------|------------------------|-------------------|---------------|
| YEWA COLLEGE | 20.0 | 222.22 | 236.11 | 6.3 | | | | | | | | | |
| | | | | | 13.9 | 277.8 | 133.9 | 23.4 | 120.4 | 89.91 | 150.1 | 270.5 | 201.97 |
| YEWA COLLEGE | 59.3 | 250.00 | 277.78 | 11.1 | | | | | | | | | |
| | | | | | 27.8 | 1647.2 | 397.1 | 69.5 | 1180.6 | 297.31 | 445.0 | 1625.6 | 409.37 |
| MANDRAKES | 114.0 | 250.00 | 281.83 | 12.7 | | | | | | | | | |
| | | | | | 31.8 | 3629.0 | 763.4 | 133.6 | 2732.0 | 357.88 | 855.5 | 3587.5 | 469.94 |
| MANDRAKES | 100.0 | 236.11 | 247.22 | 4.7 | | | | | | | | | |
| | | | | | 11.1 | 1111.1 | 669.6 | 117.2 | 324.3 | 48.43 | 750.4 | 1074.7 | 160.49 |
| MANDRAKES | 100.0 | 236.11 | 247.22 | 4.7 | | | | | | | | | |
| | | | | | 11.1 | 1111.1 | 669.6 | 117.2 | 324.3 | 48.43 | 750.4 | 1074.7 | 160.49 |
| JOHNVENTS | 322.0 | 236.11 | 258.33 | 9.4 | | | | | | | | | |
| | | | | | 22.2 | 7155.6 | 2156.3 | 377.3 | 4622.0 | 214.35 | 2416.3 | 7038.2 | 326.41 |
| JOHNVENTS | 178.0 | 236.11 | 269.44 | 14.1 | | | | | | | | | |
| | | | | | 33.3 | 5933.3 | 1192.0 | 208.6 | 4532.8 | 380.28 | 1335.7 | 5868.5 | 492.34 |
| JOHNVENTS | 100.0 | 236.11 | 269.44 | 14.1 | | | | | | | | | |
| | | | | | 33.3 | 3333.3 | 669.6 | 117.2 | 2546.5 | 380.28 | 750.4 | 3296.9 | 492.34 |
| KAWONLAMBU | 233.0 | 222.22 | 227.78 | 2.5 | | | | | | | | | |
| | | | | | 5.6 | 1294.4 | 1560.3 | 273.0 | (538.9) | -34.54 | 1748.4 | 1209.6 | 77.52 |
| KAWONLAMBU | 677.0 | 222.22 | 227.78 | 2.5 | | | | | | | | | |
| | | | | | 5.6 | 3761.1 | 4533.5 | 793.4 | (1565.7) | -34.54 | 5080.2 | 3514.5 | 77.52 |
| FORTIXCUBE | 60.0 | 236.11 | 261.11 | 10.6 | | | | | | | | | |
| | | | | | 25.0 | 1500.0 | 401.8 | 70.3 | 1027.9 | 255.83 | 450.2 | 1478.1 | 367.89 |
| FORTIXCUBE | 60.0 | 236.11 | 258.33 | 9.4 | | | | | | | | | |
| | | | | | 22.2 | 1333.3 | 401.8 | 70.3 | 861.2 | 214.35 | 450.2 | 1311.5 | 326.41 |
| FORTIXCUBE | 30.9 | 236.11 | 262.50 | 11.2 | | | | | | | | | |
| | | | | | 26.4 | 815.4 | 206.9 | 36.2 | 572.3 | 276.57 | 231.9 | 804.2 | 388.63 |
| AGRISUPPLIES | 600.0 | 208.33 | 222.22 | 6.7 | | | | | | | | | |
| | | | | | 13.9 | 8333.3 | 4017.9 | 703.1 | 3612.4 | 89.91 | 4502.4 | 8114.8 | 201.97 |

| Name of Implementer | Quantity sold (Tons) | Price of untreated maize in the market at the time of sales (\$/ ton) | Selling price of Aflasafe treated maize in market per ton (\$) | Premium of Aflasafe maize over untreated maize in the market (%) (%) | Premium of Aflasafe maize over untreated maize in the market (\$/ ton) | Premium of Aflasafe maize over untreated maize in the market per consignment (\$) | Cost of aflasafe used to produce the consignment (\$) | Cost of Finance (\$) | Net profit for consignment (\$) | Seasonal Rol (%) | AgResults Premium (\$) | Total Profit (\$) | Total Rol (%) |
|---------------------|----------------------|---|--|--|--|---|---|----------------------|---------------------------------|------------------|------------------------|-------------------|---------------|
| AGRIS UPPLIES | 270.0 | 208.33 | 227.78 | 9.3 | 19.4 | 5250.0 | 1808.0 | 316.4 | 3125.6 | 172.87 | 2026.1 | 5151.6 | 284.93 |
| AGRIS UPPLIES | 900.0 | 208.33 | 222.22 | 6.7 | 13.9 | 12500.0 | 6026.8 | 1054.7 | 5418.5 | 89.91 | 6753.6 | 12172.1 | 201.97 |
| AGRIS UPPLIES | 2,690.0 | 208.33 | 219.44 | 5.3 | 11.1 | 29888.9 | 18013.4 | 3152.3 | 8723.2 | 48.43 | 20185.8 | 28908.9 | 160.49 |
| AGRIS UPPLIES | 2,130.0 | 208.33 | 219.44 | 5.3 | 11.1 | 23666.7 | 14263.4 | 2496.1 | 6907.2 | 48.43 | 15983.5 | 22890.7 | 160.49 |
| KIFCO | 6.1 | 180.56 | 194.44 | 7.7 | 13.9 | 84.7 | 40.8 | 7.1 | 36.7 | 89.91 | 45.8 | 82.5 | 201.97 |
| KIFCO | 2.5 | 179.17 | 194.44 | 8.5 | 15.3 | 38.2 | 16.7 | 2.9 | 18.5 | 110.65 | 18.8 | 37.3 | 222.71 |
| KIFCO | 8.9 | 177.78 | 194.44 | 9.4 | 16.7 | 148.3 | 59.6 | 10.4 | 78.3 | 131.39 | 66.8 | 145.1 | 243.45 |

| | | | | | | | | | | | | | |
|---------------|---------|--------|--------|------|--------|-----------|-----------|----------|-----------|--------|-----------|-----------|--------|
| Total Average | 24671.0 | | | | 831.83 | 349182.33 | 165207.59 | 28911.33 | 155063.42 | | 185131.18 | 340194.60 | 264.60 |
| | | 219.41 | 237.50 | 8.15 | 18.08 | | 3591.47 | 628.51 | | 152.54 | | | |

Table 7. Summary of household data for Aflasafe™ farmers in in 2018/2019 cropping season.

| Parameter | Quantity |
|---|-----------------|
| Numbers of implementers^a | 24 |
| Numbers of farmers | 26,260 |
| Average of the total numbers of farmers considered (%) | 11 |
| Total areas of land cultivated (Ha) | 36400.5 |
| Total farmers yield (t) | 15,186 |
| Average yield per farmer (t) | 5.2 |
| Total quantity of maize given to the implementer (t) | 10,724 |
| Quantity of maize given to implementer (%) | 70.6 |
| Quantity of maize retained (t) | 2,407 |
| Quantity of maize retained (%) | 15.8 |
| Quantity of maize sold at the farm gate (t) | 16 |
| Quantity sold at farm gate (%) | 0.1 |
| Quantity of maize sold at the open market (t) | 1,746.8 |
| Quantity of maize sold at the open market (%) | 11.5 |
| Quantity of Maize disposed through other means (MT) | 293 |
| Production disposed through other means (%) | 1.9 |

4.0 Conclusion

- A total of 208.74 tons of Aflasafe™ was sold to 26,220 farmers working with 24 implementers under the AgResults Aflasafe Pilot Project. A total of 36,400.5 ha of maize was treated with Aflasafe™ with an overall mean of 2.4 ha/ farmer ranging from 0.3 – 8.5 ha.
- A total of 82,354.6 tons of Aflasafe™-treated maize grains were aggregated in year four and 97.3% of treated maize had aflatoxin concentration with lower than 20 ppb (a safe aflatoxin level according to USA and Nigerian standards) with an overall mean of 3.3 ppb.
- Aflasafe™ strain analyses by VCA in 320 of the samples subjected to this assay revealed that 40.9% had fungal communities containing at least 65% of the Aflasafe™ strains. Low recovery of Aflasafe™ in the remaining samples could be due to wrong time of application by farmers.
- The 76,668.9 tons of aggregated maize grains that met the incentive pass rate amounted to USD \$719,154.28 of incentive to the 24 implementers.
- Nine (9) implementers recruited at least 25% female farmers, one implementer (Ahalson Enterprises) had no female farmers, and the rest (23 implementers) had between 5.3% and 100% female farmers. One implementer (Grace FM) had no male farmers.
- Household data collection shows that 70.6% of the yield was given to implementers, 15.8% retained at home, 0.1% sold at farm gate, 11.5% was sold at the open market and 1.9% disposed through side sales or other means.
- Average yield/ ha in 2018/2019 reduced from forecasted 3.9 ton/ ha to 3.5 t/ ha. This was due to unfavorable climatic condition that affected operations of all implementers this year, insecurity and destruction of farmers' fields by herdsmen's/ nomads, particularly as experienced by Fantsuam Foundation, Tukwuyangwari Enterprise, Kawonlambu and Agbelere Integrated farm.

5.0 Appendices

Appendix 1. AAFPON Enterprise, 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAFP5356 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5357 | 2.5 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5358 | 27.4 | Mbatiav | 28 | 30.0 | 0.0 | \$ 0.00 |
| ARAFP5359 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5360 | 2.3 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5361 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5362 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5363 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5364 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5365 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5366 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5367 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5368 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5369 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5370 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5371 | 11.0 | Mbatiav | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAFP5372 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5373 | 12.8 | Mbatiav | 24 | 30.0 | 0.0 | \$ 0.00 |
| ARAFP5374 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5375 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5376 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5377 | 2.2 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5378 | 6.4 | Mbatiav | 36 | 30.0 | 0.0 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAFP5379 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5380 | 4.9 | Mbatiav | 72 | 30.0 | 30.0 | 281.40 |
| ARAFP5381 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5382 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5383 | 5.1 | Mbatiav | 12 | 30.0 | 0.0 | \$ 0.00 |
| ARAFP5384 | 13.9 | Mbatiav | 40 | 30.0 | 0.00 | \$ 0.00 |
| ARAFP5385 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5386 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5387 | 2.3 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5388 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5389 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5390 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5391 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5392 | 3.2 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5393 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5394 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5395 | 2.4 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5396 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5397 | 5.1 | Mbatiav | 80 | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5398 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5399 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5400 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5401 | <2.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5402 | 2.2 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5403 | 3.0 | Mbatiav | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5404 | <2.0 | Mbatiav/ Turan | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAFP5405 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5406 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5407 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5408 | 2.5 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5409 | 2.2 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5410 | 83.6 | Turan | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAFP5411 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5412 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5413 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5414 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5415 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5416 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5417 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5418 | <2.0 | Turan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAFP5419 | <2.0 | Turan | ns | 10.5 | 10.5 | \$ 98.49 |

Appendix 2. Afex, 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAC5076 | 1.2 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAC5077 | 0.7 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5078 | 1.6 | Makarfi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARAC5079 | 8.0 | Makarfi | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAC5080 | 1.4 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5081 | 1.6 | Makarfi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARAC5082 | 1.4 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5083 | 2.1 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5084 | 6.5 | Makarfi | 4 | 30.1 | 0.00 | \$ 0.00 |
| ARAC5085 | 4.0 | Makarfi | P | 30.0 | 30.0 | \$ 281.40 |
| ARAC5086 | 2.1 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5087 | 1.0 | Makarfi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARAC5088 | 2.6 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5089 | 2.5 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5090 | 1.7 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5091 | 2.2 | Makarfi | ns | 29.9 | 29.9 | \$ 280.46 |
| ARAC5092 | 1.7 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5093 | 2.3 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5094 | 1.5 | Makarfi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARAC5095 | 2.3 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5096 | 2.0 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5097 | 1.3 | Makarfi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARAC5098 | 2.1 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5099 | 1.5 | Makarfi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAC5100 | 2.5 | Makarfi | ns | 26.3 | 26.3 | \$ 246.69 |

Appendix 3. Agbelere Integrated Farms, 2018/ 2019 maize-growingseason.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6391 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6392 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6393 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6394 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6395 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6396 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6397 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6398 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6399 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6400 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6401 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6402 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6403 | 13.7 | ljaye | 88 | 30.0 | 30.0 | \$ 281.40 |
| ARAF6404 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6405 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6406 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6407 | 2.7 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6408 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6409 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6410 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6411 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6412 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6413 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6414 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6415 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6416 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6417 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6418 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6419 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6420 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6421 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6422 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6423 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6424 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6425 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6426 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6427 | 2.9 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6428 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6429 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6430 | 2.6 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6431 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6432 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6433 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6434 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6435 | 3.6 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6436 | 2.3 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6437 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6438 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6439 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6440 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6441 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6442 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6443 | 2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6444 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6445 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6446 | 2.1 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6447 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6448 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6449 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6450 | 6.2 | ljaye | 76 | 30.0 | 30.0 | \$ 281.40 |
| ARAF6451 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6452 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6453 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6454 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6455 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6456 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6457 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6458 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6459 | 2.2 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6460 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6461 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6462 | 2.3 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6463 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6464 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6465 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6466 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6467 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6468 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6469 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6470 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6471 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6472 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6473 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6474 | 2.6 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6475 | 3.2 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6476 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6477 | 2.9 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6478 | 2.3 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6479 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6480 | 3.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6481 | 12.3 | ljaye | 76 | 30.0 | 30.0 | 281.40 |
| ARAF6482 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6483 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6484 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6485 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6486 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6487 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6488 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6489 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6490 | 2.4 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6491 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6492 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6493 | 2.3 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6494 | 2.2 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6495 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6496 | 2.5 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6497 | <2.0 | ljaye | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6498 | <2.0 | Ijaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6499 | <2.0 | Ijaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6500 | <2.0 | Ijaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6501 | <2.0 | Ijaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6502 | <2.0 | Ijaye | ns | 28.8 | 28.8 | \$ 270.14 |
| ARAF6503 | 1.2 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6504 | 0.8 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6505 | 2.0 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6506 | 2.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6507 | 2.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6508 | 1.0 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6509 | 1.2 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6510 | 1.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6511 | 1.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6512 | 1.8 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6513 | 1.2 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6514 | 3.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6515 | 1.9 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6516 | 1.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6517 | 2.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6518 | 2.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6519 | 0.7 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6520 | 1.4 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6521 | 1.5 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6522 | 1.0 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6523 | 1.0 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6524 | 2.4 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6525 | 3.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6526 | 0.6 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6527 | 0.6 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6528 | 1.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6529 | 1.4 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6530 | 1.6 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6531 | 1.6 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6532 | 1.7 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6533 | 3.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6534 | 2.5 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6535 | 2.8 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6536 | 1.7 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6537 | 1.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6538 | 0.9 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6539 | 1.6 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6540 | 1.3 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6541 | <2.0 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6542 | 2.5 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6543 | 7.5 | Camp | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAF6544 | 0.9 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6545 | 1.9 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6546 | 2.8 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6547 | 1.4 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6548 | 2.2 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6549 | 1.1 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6550 | 15.4 | Camp | 84 | 30.5 | 30.50 | \$ 286.09 |
| ARAF6551 | 1.8 | Camp | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAF6552 | 1.5 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6553 | 1.4 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6554 | 1.1 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6555 | 1.4 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6556 | 4.9 | lwo | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAF6557 | 0.9 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6558 | 1.5 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6559 | 2.0 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6560 | 2.5 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6561 | 1.5 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6562 | 1.7 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6563 | <2.0 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6564 | <2.0 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6565 | 1.4 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6566 | 1.1 | lwo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6567 | 2.5 | lwo | ns | 30.2 | 30.2 | \$ 283.28 |
| ARAF6568 | <2.0 | Ido | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6569 | <2.0 | Aba Ilorin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6570 | 2.7 | Aba Ilorin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6571 | 2.2 | Aba Ilorin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6572 | 2.1 | Aba Ilorin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6573 | 2.8 | Aba Ilorin | ns | 30.3 | 30.3 | \$ 284.21 |
| ARAF6574 | <2.0 | Okeigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6575 | 3.8 | Okeigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6576 | <2.0 | Okeigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAF6577 | 2.5 | Okeigbo | ns | 30.1 | 30.1 | \$ 282.34 |

Appendix 4. Agrisupply, 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS61721 | 2.4 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6191 | 2.5 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6192 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6193 | 2.6 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6194 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6195 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6196 | 2.5 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6197 | 2.1 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6198 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6199 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6200 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6201 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6202 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6203 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6204 | 2.1 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6205 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6206 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6207 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6208 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6209 | 8.2 | Idekan | 92 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6210 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6211 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6212 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6213 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6214 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6215 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6216 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6217 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6218 | 2.1 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6219 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6220 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6221 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6222 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS62222 | 2.4 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6223 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6224 | 2.2 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6225 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6226 | 2.3 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6227 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6228 | 19.0 | Idekan | 96 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6229 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6230 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6231 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6232 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6233 | 2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6234 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6235 | 2.6 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6236 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6237 | 2.2 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6238 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6239 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6240 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6241 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6242 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6243 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6244 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6245 | 43.6 | Idekan | 96 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6246 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6247 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6248 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6249 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6250 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6251 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6252 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6253 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6254 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6255 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6256 | 4.2 | Idekan | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6257 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6258 | 2.1 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6259 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6260 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6261 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6262 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6263 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6264 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6265 | 2.2 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6266 | 8.8 | Idekan | 84 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6267 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6268 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6269 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6270 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6271 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6272 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS62723 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6273 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6274 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6275 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6276 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6277 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6278 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6279 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6280 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6281 | 2.2 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6282 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6283 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6284 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6285 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6286 | 2.7 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6287 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6288 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6289 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6290 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6291 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6292 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6293 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6294 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6295 | 5.6 | Idekan | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6296 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6297 | 2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6298 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6299 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6300 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6301 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6302 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6303 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6304 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6305 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6306 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6307 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6308 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6309 | 2.9 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6310 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6311 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6312 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6313 | 2.3 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6314 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6315 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6316 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6317 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6318 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6319 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6320 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6321 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6322 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS63224 | 2.4 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6323 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6324 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6325 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6326 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6327 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6328 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6329 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6330 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6331 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6332 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6333 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6334 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6335 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6336 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6337 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6338 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6339 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6340 | <2.0 | Idekan | ns | 30.00 | 30.00 | \$ 281.40 |
| ARAS6341 | <2.0 | Idekan | ns | 28.90 | 28.90 | \$ 271.08 |
| ARAS6342 | 2.3 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6343 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6344 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6345 | 2.4 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6346 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6347 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6348 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6349 | 2.4 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6350 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6351 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6352 | 3.3 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6353 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6354 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6355 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6356 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6357 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6358 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6359 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6360 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6361 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6362 | 3.2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6363 | 2.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6364 | 12.8 | Ijebuigbo | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6365 | 11.2 | Ijebuigbo | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6366 | 2.5 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6367 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6368 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6369 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6370 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6371 | 19.1 | Ijebuigbo | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6372 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS63725 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6373 | 6.8 | Ijebuigbo | 96 | 30.0 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS6374 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6375 | 2.2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6376 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6377 | 2.6 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6378 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6379 | 2.5 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6380 | 3.6 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6381 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6382 | 5.5 | Ijebuigbo | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARAS6383 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6384 | 3.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6385 | 3.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6386 | 2.8 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6387 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6388 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6389 | 2.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS6390 | 15.7 | Ijebuigbo | 76 | 30.0 | 30.00 | \$ 281.40 |
| ARAS64226 | 2.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS64727 | 4.4 | Ijebuigbo | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARAS65228 | 2.2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS65729 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS66230 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS66731 | 2.9 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS67232 | <2.0 | Ijebuigbo | ns | 30.2 | 30.2 | \$ 283.28 |
| ARAS67733 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS68234 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS68735 | 2.5 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAS69236 | 2.2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS69737 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS70238 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS70739 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS71240 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS71741 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS72242 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS72743 | 2.2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS73244 | 15.9 | Ijebuigbo | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAS73745 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS74246 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS74747 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS75248 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS75749 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS76250 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS76751 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS77252 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS77753 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS78254 | 2.7 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS78755 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS79256 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS79757 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS80258 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS80759 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS81260 | 2.1 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS81761 | <2.0 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAS82262 | 2 | Ijebuigbo | ns | 30.0 | 30.0 | \$ 281.40 |

Appendix 5. Ahalson Enterprise, 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2301 | 4.0 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2302 | 3.4 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2303 | 3.6 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2304 | 3.1 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2305 | 3.0 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2306 | 3.3 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2307 | 2.6 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2308 | 3.9 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2309 | 4.6 | Doguwa | 40 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2310 | <2.0 | Doguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2311 | 15.1 | Doguwa/ Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2312 | 10.1 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2313 | 19.3 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2314 | 22.2 | Kayadda | 24 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2315 | 30.4 | Kayadda | 8 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2316 | 86.3 | Kayadda | 12 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2317 | 105.9 | Kayadda | 16 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2318 | 31.8 | Kayadda/ Rufai | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2319 | 82.4 | Rufai | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2320 | 122.9 | Rufai | 16 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2321 | 35.3 | Rufai | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2322 | 112.6 | Rufai | 16 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2323 | 7.7 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2324 | 8.6 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2325 | 52.0 | Kayadda | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2326 | 64.5 | Kayadda/ Rufai | 4 | 30.0 | 0.0 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2327 | 81.9 | Kayadda | 8 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2328 | 89.1 | Kayadda | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2329 | 2.7 | Kayadda | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2330 | <2.0 | Kayadda | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2331 | 4.7 | Kayadda | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2332 | 2.8 | Kayadda | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2333 | 3.6 | Kayadda | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2334 | 6.5 | Kayadda | 88 | 30.0 | 30.00 | 281.40 |
| ARAE2335 | 4.8 | Kayadda | 72 | 30.0 | 30.0 | 281.40 |
| ARAE2336 | 4.5 | Kayadda | 72 | 30.0 | 30.0 | \$ 281.40 |
| ARAE2337 | 12.8 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2338 | 4.4 | Kayadda | 76 | 30.0 | 30.0 | \$ 281.40 |
| ARAE2339 | 22.3 | Kayadda | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2340 | <2.0 | Kayadda | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2341 | <2.0 | Kayadda | ns | 25.0 | 25.0 | \$ 234.50 |
| ARAE2342 | <2.0 | Dan-Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2343 | 3.7 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2344 | 6.7 | Dan-Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2345 | 6.4 | Dan-Alhaji | 52 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2346 | 7.8 | Dan-Alhaji | 88 | 30.0 | 30.00 | 281.40 |
| ARAE2347 | <2.0 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2348 | <2.0 | Dan-Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2349 | 2 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2350 | 13.9 | Dan-Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2351 | <2.0 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2352 | 13.8 | Dan-Alhaji | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2353 | 3.2 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2354 | 2.9 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2355 | 90.9 | Dan-Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2356 | 2.1 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2357 | 2.1 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2358 | 2.1 | Tagwaye | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2359 | 9.5 | Tagwaye | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2360 | <2.0 | Tagwaye | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2361 | 8.6 | Tagwaye | 24 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2362 | 2.1 | Tagwaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2363 | 7.3 | Tagwaye | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2364 | 2.6 | Tagwaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2365 | 6.1 | Tagwaye | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2366 | 4.7 | Tagwaye | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2367 | 5.7 | Tagwaye | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2368 | 2.7 | Tagwaye | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2369 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2370 | 2.2 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2371 | 4.6 | Dan Alhaji | 56 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2372 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2373 | 2.3 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2374 | 17.5 | Dan Alhaji | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2375 | 3.3 | Dan Alhaji | ns | 29.9 | 29.9 | \$ 280.46 |
| ARAE2376 | 7.5 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2377 | 26.2 | Dan Alhaji | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2378 | 110.7 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2379 | 14.2 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2380 | 32.7 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2381 | 84.6 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2382 | 47.5 | Dan Alhaji | 68 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2383 | 81.6 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2384 | 49.1 | Dan Alhaji | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2385 | 104.8 | Dan Alhaji | 4 | 29.9 | 0.00 | \$ 0.00 |
| ARAE2386 | 101.2 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2387 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2388 | 3.6 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2389 | 4 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2390 | 2 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2391 | 2.1 | Dan-Alhaji | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2392 | 18.1 | Dan-Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2393 | 18.6 | Dan-Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2394 | 2.8 | Wawan Rafi | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2395 | 3.2 | Dan-Alhaji/ Wawan Rafi | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2396 | 2.4 | Wawan Rafi | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2397 | 10.5 | Wawan Rafi | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2398 | 2.3 | Wawan Rafi | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2399 | 2.7 | Wawan Rafi | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2400 | 7.5 | Wawan Rafi | 36 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2401 | 2.4 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2402 | 2.1 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2403 | 4.3 | Wawan Rafi | 8 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2404 | 7.2 | Wawan Rafi | 32 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2405 | 2.7 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2406 | 2.6 | Wawan Rafi/ Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2407 | 2.0 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2408 | <2.0 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2409 | 2.4 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2410 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2411 | 65.4 | Dan Alhaji | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2412 | 8.7 | Dan Alhaji | 4 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2413 | 34.5 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2414 | <2.0 | Wawan Rafi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2415 | 18.2 | Wawan Rafi | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2416 | <2.0 | Wawan Rafi/ Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2417 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2418 | 108.0 | Dan Alhaji | 0 | 0.0 | 0.0 | \$ 0.00 |
| ARAE2419 | 40.1 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2420 | 5.7 | Dan Alhaji | 8 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2421 | 52.3 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2422 | 26.1 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2423 | 19.8 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2424 | 18.0 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2425 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2426 | 5.0 | Dan Alhaji | 12 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2427 | 12.1 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2428 | 64.9 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2429 | 3.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2430 | 13.4 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2431 | 15.1 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2432 | 10.3 | Dan Alhaji | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2433 | 10.3 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2434 | 51.6 | Dan Alhaji | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2435 | 60.0 | Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2436 | 69.0 | Garú/ Dan Alhaji | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2437 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2438 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2439 | <2.0 | Dan Alhaji | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2440 | <2.0 | Dan Alhaji/ Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2441 | <2.0 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2442 | 2.6 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2443 | <2.0 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2444 | <2.0 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2445 | 17.1 | Garú | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2446 | <2.0 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2447 | 17.1 | Garú | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2448 | 44.6 | Garú | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2449 | 26.3 | Garú | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2450 | 10.2 | Garú | 20 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2451 | <2.0 | Garú | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2452 | 65.0 | Garú | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2453 | 98.1 | Garú | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2454 | 8.9 | Garú | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2455 | 12.1 | Garú | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2456 | 10.4 | Garú | 12 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2457 | 29.0 | Garú | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2458 | 17.7 | Garú | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2459 | 8.2 | Garú | 4 | 30.0 | 0.00 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2460 | 5.7 | Garu | 68 | 30.0 | 30.00 | 281.40 |
| ARAE2461 | 17.0 | Garu | 12 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2462 | 3.4 | Garu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2463 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2464 | 2.6 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2465 | 7.5 | Rufai | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2466 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2467 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2468 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2469 | 2.3 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2470 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2471 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2472 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2473 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2474 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2475 | <2.0 | Rufai/ Garu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2476 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2477 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2478 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2479 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2480 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2481 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2482 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2483 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2484 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2485 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2486 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2487 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2488 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2489 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2490 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2491 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2492 | 2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2493 | 2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2494 | <2.0 | Rufai/ Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2495 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2496 | <2.0 | Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2497 | 2.8 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2498 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2499 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2500 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2501 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2502 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2503 | 6.1 | Saminaka | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2504 | 2.6 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2505 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2506 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2507 | 14.6 | Saminaka | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2508 | 2.6 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2509 | 2.2 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2510 | 3.4 | Saminaka/ Garun Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2511 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2512 | 7.9 | Saminaka | 32 | 30.0 | 0.00 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2513 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2514 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2515 | 2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2516 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2517 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2518 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2519 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2520 | <2.0 | Saminaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2521 | <2.0 | Saminaka | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2522 | 9.1 | Saminaka | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARAE2523 | <2.0 | Saminaka | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2524 | 2 | Rufai/ Saminaka | ns | 25 | 25.0 | \$ 234.50 |
| ARAE2525 | 2 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2526 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2527 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2528 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2529 | 4.1 | Rufai | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2530 | 7.5 | Rufai | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2531 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2532 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2533 | 6.6 | Rufai | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2534 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2535 | 2.6 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2536 | 3.3 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2537 | 6.0 | Rufai | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2538 | 25.5 | Rufai | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2539 | 2.4 | Rufai | ns | 30 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2540 | 37.0 | Rufai | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2541 | 2.3 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2542 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2543 | 16.7 | Rufai | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARAE2544 | 2.8 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2545 | 2.3 | Rufai/ Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2546 | 7.8 | Kayadda | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2547 | 3.3 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2548 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2549 | 111.4 | Kayadda | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2550 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2551 | 9.5 | Kayadda | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2552 | 2 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2553 | 4.4 | Kayadda | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2554 | 16.0 | Kayadda | 0 | 29.8 | 0.0 | \$ 0.00 |
| ARAE2555 | 6.8 | Kayadda | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2556 | 46.8 | Kayadda | 12 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2557 | 64.9 | Kayadda | 14 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2558 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2559 | 2.8 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2560 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2561 | 6.9 | Kayadda | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2562 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2563 | 2 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2564 | 3.5 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2565 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2566 | 3.3 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2567 | 2.1 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2568 | 2.4 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2569 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2570 | 2.6 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2571 | 2.2 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2572 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2573 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2574 | 2 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2575 | 2.3 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2576 | 14.0 | Kayadda | 20 | 30.0 | 0.00 | \$ 0.00 |
| ARAE2577 | <2.0 | Kayadda | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2578 | 2.5 | Kayadda | ns | 26.8 | 26.8 | \$ 251.38 |
| ARAE2579 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2580 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2581 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2582 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2583 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2584 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2585 | 2.3 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2586 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2587 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2588 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2589 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2590 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2591 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2592 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2593 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|---------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2594 | 2.1 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2595 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2596 | <2.0 | Rufai | ns | 30 | 30.0 | \$ 281.40 |
| ARAE2597 | <2.0 | Rufai | ns | 15.6 | 15.6 | \$ 146.33 |
| ARAE2598 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2599 | 2.5 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2600 | 2.4 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2601 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2602 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2603 | 2.2 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2604 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2605 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2606 | 2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2607 | 2.2 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2608 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2609 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2610 | 2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2611 | 2.5 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2612 | 2.4 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2613 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2614 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2615 | <2.0 | Dariyan Shere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2616 | <2.0 | Dariyan Shere | ns | 35.0 | 35.0 | \$ 328.30 |
| ARAE2617 | <2.0 | Kayyada | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2618 | 2.5 | Kayyada | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2619 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2620 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARAE2621 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2622 | 2.6 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAE2623 | <2.0 | Rufai | ns | 30.0 | 30.0 | \$ 281.40 |

Appendix 6. Alaya, 2018/ 2019 maize growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|---------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARAL5536 | <2.0 | Kauru | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5537 | <2.0 | Kauru/ Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5538 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5539 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5540 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5541 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5542 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5543 | <2.0 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5544 | 2.1 | Jengre | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5545 | <2.0 | Garu Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5546 | <2.0 | Jengre/ Garu Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5547 | <2.0 | Garu Kurama | ns | 30.0 | 30.0 | \$ 281.40 |
| ARAL5548 | <2.0 | Garu Kurama | ns | 30.0 | 30.0 | \$ 281.40 |

Appendix 7. Babban Gona, 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0001 | 3.4 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0002 | 2.8 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0003 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0004 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0005 | 4 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0006 | 3.4 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0007 | 3.5 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0008 | 2.6 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0009 | 2.1 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0010 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0011 | 2.1 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0012 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0013 | 2.2 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0014 | 3.2 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0015 | 2.8 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0016 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0017 | 2.4 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0018 | 2.5 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0019 | 3.1 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0020 | 2.1 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0021 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0022 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0023 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0024 | 4 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0025 | 2.8 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0026 | 3.6 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0027 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0028 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0029 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0030 | 2.4 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0031 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0032 | 4.7 | Karaye | 80 | 30 | 30 | \$ 281.40 |
| ARBG0033 | 2.1 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0034 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0035 | 2.8 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0036 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0037 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0038 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0039 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0040 | 2.7 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0041 | 4.4 | Gamagira | 84 | 30 | 30 | \$ 281.40 |
| ARBG0042 | 3.2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0043 | 4.2 | Gamagira | 48 | 30 | 0 | \$ 0.00 |
| ARBG0044 | 2.7 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0045 | 2.2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0046 | 3.7 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0047 | 5.8 | Gamagira | 8 | 30 | 0 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0048 | 3.4 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0049 | 3.2 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0050 | 3.3 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0051 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0052 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0053 | 2 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0054 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0055 | 2.2 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0056 | 2.5 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0057 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0058 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0059 | 2.4 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0060 | 3.4 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0061 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0062 | 2.2 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0063 | 3.7 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0064 | 2.3 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0065 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0066 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0067 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0068 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0069 | 2.2 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0070 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0071 | 2.2 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0072 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0073 | <2.0 | Maigana/ Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0074 | <2.0 | Turawa/ Kubau/ Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0075 | <2.0 | Damau/ Anchau/ Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0076 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0077 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0078 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0079 | 2.3 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0080 | 2.3 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0081 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0082 | 2.5 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0083 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0084 | 2.6 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0085 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0086 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0087 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0088 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0089 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0090 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0091 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0092 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0093 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0094 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0095 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0096 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0097 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0098 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0099 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0100 | <2.0 | Kusallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0101 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0102 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0103 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0104 | 14.5 | Yartaleta | 64 | 30 | 0 | \$ 0.00 |
| ARBG0105 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0106 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0107 | <2.0 | Gadanya | ns | 30 | 30 | \$ 281.40 |
| ARBG0108 | <2.0 | Gadanya | ns | 30 | 30 | \$ 281.40 |
| ARBG0109 | <2.0 | Gadanya | ns | 30 | 30 | \$ 281.40 |
| ARBG0110 | 2.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0111 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0112 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0113 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0114 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0115 | 2.7 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0116 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0117 | 2.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0118 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0119 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0120 | 2.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0121 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0122 | 3.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0123 | 2.5 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0124 | 7.8 | Maigana | 4 | 30 | 0 | \$ 0.00 |
| ARBG0125 | 2.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0126 | 2.5 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0127 | <2.0 | Gedege/ Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0128 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0129 | 3.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0130 | 2.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0131 | 3.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0132 | 3.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0133 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0134 | 3.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0135 | 2.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0136 | 3.3 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0137 | 2.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0138 | 3.2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0139 | 4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0140 | 2.9 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0141 | 2.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0142 | 2.9 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0143 | 3.1 | Zaria | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0144 | 3.1 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0145 | 3 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0146 | 5.2 | Zaria | 60 | 30 | 0 | \$ 0.00 |
| ARBG0147 | <2.0 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0148 | 2.5 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0149 | 2.8 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0150 | 3.3 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0151 | 4.1 | Brum-Brum | 72 | 30 | 30 | \$ 281.4 |
| ARBG0152 | 3.3 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0153 | 3.3 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0154 | <2.0 | Brum-Brum | ns | 30 | 30 | \$ 281.40 |
| ARBG0155 | 4 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0156 | 2.5 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0157 | 3.3 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0158 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0159 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0160 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0161 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0162 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0163 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0164 | 3 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0165 | 3.8 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0166 | 3.2 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0167 | 3.1 | Anchau | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0168 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0169 | <2.0 | Gamagira/ Damau/ Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0170 | 2.1 | Anchau/ Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0171 | 5.3 | Maigana | 72 | 30 | 30 | \$ 281.40 |
| ARBG0172 | 2.4 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0173 | 3.6 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0174 | 4.1 | Maigana | 76 | 30 | 30 | \$ 281.40 |
| ARBG0175 | 2.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0176 | 10.1 | Maigana | 72 | 30 | 30 | \$ 281.40 |
| ARBG0177 | 3.3 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0178 | 3.6 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0179 | 3.7 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0180 | 5.1 | Kubau | 68 | 30 | 30 | \$ 281.40 |
| ARBG0181 | 3.3 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0182 | 4.3 | Kubau | 72 | 30 | 30 | \$ 281.40 |
| ARBG0183 | 2.6 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0184 | 4.5 | Kubau | 72 | 30 | 30 | \$ 281.40 |
| ARBG0185 | 4.4 | Kubau | 72 | 30 | 30 | \$ 281.40 |
| ARBG0186 | 5.2 | Kubau | 72 | 30 | 30 | \$ 281.40 |
| ARBG0187 | 3.5 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0188 | 3.5 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0189 | 3.1 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0190 | 4.1 | Kubau | 64 | 30 | 0 | \$ 0.00 |
| ARBG0191 | 4.3 | Kubau | 80 | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0192 | 3.4 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0193 | 3.4 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0194 | 3.4 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0195 | 2.9 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0196 | 3.3 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0197 | 3.4 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0198 | 3.7 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0199 | 3.4 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0200 | 3.4 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0201 | 3.6 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0202 | 3.4 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0203 | 2.2 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0204 | 3.9 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0205 | 3.8 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0206 | 3.1 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0207 | 2.5 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0208 | 2.2 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0209 | 2.7 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0210 | 2.5 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0211 | 2.4 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0212 | 3.3 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0213 | 4 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0214 | 3.3 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0215 | 2.1 | Tudunwada | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|---|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0216 | 3.3 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0217 | 2.8 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0218 | 2.8 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0219 | 2.7 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0220 | <2.0 | Maigana/ Kubau/ Yelwa Soba/ Tudunwada/ Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0221 | 2.4 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0222 | 3.6 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0223 | 3.7 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0224 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0225 | 3.6 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0226 | 3.5 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0227 | 5.7 | Gedege | 72 | 30 | 30 | \$ 281.40 |
| ARBG0228 | 5.2 | Gedege | 76 | 30 | 30 | \$ 281.40 |
| ARBG0229 | 2.5 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0230 | 2.5 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0231 | 2.2 | Gedege/ Pambeguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0232 | 2.7 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0233 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0234 | 2.4 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0235 | 4.2 | Pambegbua | 72 | 30 | 30 | \$ 281.4 |
| ARBG0236 | 3.6 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0237 | 3.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0238 | 2.4 | Pambegbua | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0239 | 3.2 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0240 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0241 | 2.9 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0242 | 2.8 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0243 | 5.4 | Pambegbua | 72 | 30 | 30 | \$ 281.40 |
| ARBG0244 | 2.8 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0245 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0246 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0247 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0248 | 2.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0249 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0250 | 2 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0251 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0252 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0253 | 4.4 | Kauru | 72 | 30 | 30 | \$ 281.40 |
| ARBG0254 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0255 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0256 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0257 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0258 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0259 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0260 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0261 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0262 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0263 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0264 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0265 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0266 | 2.2 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0267 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0268 | <2.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0269 | <2.0 | Pambegbua/ Kauru/ Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0270 | <2.0 | Gazara | ns | 30 | 30 | \$ 281.40 |
| ARBG0271 | 2.1 | Gazara | ns | 30 | 30 | \$ 281.40 |
| ARBG0272 | <2.0 | Gazara | ns | 30 | 30 | \$ 281.40 |
| ARBG0273 | 15.3 | Gazara | 28 | 30 | 0 | \$ 0.00 |
| ARBG0274 | <2.0 | Gazara | ns | 30 | 30 | \$ 281.40 |
| ARBG0275 | 2 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0276 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0277 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0278 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0279 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0280 | 2.9 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0281 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0282 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0283 | 2.1 | Dandamisa/ Gazara/ Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0284 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0285 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0286 | 2.1 | Rogo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0287 | 2.2 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0288 | 2.3 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0289 | 2.4 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0290 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0291 | 2.9 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0292 | 2.3 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0293 | 2.2 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0294 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0295 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0296 | 16.6 | Karaye | 0 | 30 | 0 | \$ 0.00 |
| ARBG0297 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0298 | 2.9 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0299 | 6.4 | Karaye | 16 | 30 | 0 | \$ 0.00 |
| ARBG0300 | 6.5 | Rafintabo/ Rogo/ Karaye | 32 | 30 | 0 | \$ 0.00 |
| ARBG0301 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0302 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0303 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0304 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0305 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0306 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0307 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0308 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0309 | 2.8 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0310 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0311 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0312 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0313 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0314 | <2.0 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0315 | <2.0 | Karaye/ Gwarzo | ns | 20.7 | 20.7 | \$ 194.17 |
| ARBG0316 | 2.1 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0317 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0318 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0319 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0320 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0321 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0322 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0323 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0324 | <2.0 | Turawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0325 | 8.4 | Turawa | 48 | 30 | 0 | \$ 0.00 |
| ARBG0326 | <2.0 | Turawa/ Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0327 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0328 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0329 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0330 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0331 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0332 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0333 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0334 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0335 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0336 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0337 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0338 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0339 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0340 | 2.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0341 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0342 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0343 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0344 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0345 | 2.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0346 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0347 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0348 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0349 | 5.4 | Gamagira | 24 | 30 | 0 | \$ 0.00 |
| ARBG0350 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0351 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0352 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0353 | 5.1 | Gamagira | 4 | 30 | 0 | \$ 0.00 |
| ARBG0354 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0355 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0356 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0357 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0358 | 2.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0359 | 2 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0360 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0361 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0362 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0363 | 2.5 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0364 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0365 | 2 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0366 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0367 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0368 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0369 | 8.4 | Gadangayan | 8 | 30 | 0 | \$ 0.00 |
| ARBG0370 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0371 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0372 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0373 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0374 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0375 | 2.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0376 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0377 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0378 | 2.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0379 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0380 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0381 | 3.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0382 | 2.3 | Maigana | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0383 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0384 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0385 | 2.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0386 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0387 | 4.7 | Maigana | 72 | 30 | 30 | \$ 281.40 |
| ARBG0388 | 2.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0389 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0390 | 2 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0391 | 2.3 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0392 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0393 | 2.2 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0394 | 2.4 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0395 | 2 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0396 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0397 | 2.9 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0398 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0399 | 2.3 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0400 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0401 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0402 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0403 | <2.0 | Karau-Karau | ns | 30 | 30 | \$ 281.40 |
| ARBG0404 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0405 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0406 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0407 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0408 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0409 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0410 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0411 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0412 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0413 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0414 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0415 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0416 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0417 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0418 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0419 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0420 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0421 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0422 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0423 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0424 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0425 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0426 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0427 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0428 | 2.3 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0429 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0430 | 16.1 | Sakaru | 72 | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0431 | <2.0 | Kwasallo/ Gamagira/ Gadangayan/ Maigana/ Karau-Karau/ Giwa/ Sakaru/ Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0432 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0433 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0434 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0435 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0436 | 69.4 | Doguwa | 12 | 30 | 0 | \$ 0.00 |
| ARBG0437 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0438 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0439 | <2.0 | Doguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0440 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0441 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0442 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0443 | <2.0 | Tudunwada | ns | 30 | 30 | \$ 281.40 |
| ARBG0444 | 2.1 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0445 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0446 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0447 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0448 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0449 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0450 | 2 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0451 | 2.2 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0452 | 2.4 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0453 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0454 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0455 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0456 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0457 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0458 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0459 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0460 | <2.0 | Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0461 | <2.0 | Doguwa/ Tudunwada/ Anchau/ Gedege/ Maigadi | ns | 30 | 30 | \$ 281.40 |
| ARBG0462 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0463 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0464 | 7.7 | Yelwa Soba | 40 | 30 | 0 | \$ 0.00 |
| ARBG0465 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0466 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0467 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0468 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0469 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0470 | <2.0 | Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0471 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0472 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0473 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0474 | 70.4 | Maigana | 8 | 30 | 0 | \$ 0.00 |
| ARBG0475 | 2.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0476 | 2.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0477 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0478 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0479 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0480 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0481 | 2.4 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0482 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0483 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0484 | 2.4 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0485 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0486 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0487 | 2.2 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0488 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0489 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0490 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0491 | 2 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0492 | <2.0 | Kauru | ns | 30 | 30 | \$ 281.40 |
| ARBG0493 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0494 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0495 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0496 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0497 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0498 | 3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0499 | 2.6 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0500 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0501 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0502 | 2.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0503 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0504 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0505 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0506 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0507 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0508 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0509 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0510 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0511 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0512 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0513 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0514 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0515 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0516 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0517 | <2.0 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0518 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0519 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0520 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0521 | <2.0 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0522 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0523 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0524 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0525 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0526 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0527 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0528 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0529 | 2.3 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0530 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0531 | 2.6 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0532 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0533 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0534 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0535 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0536 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0537 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0538 | 2.1 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0539 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0540 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0541 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0542 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0543 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0544 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0545 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0546 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0547 | 2.4 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0548 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0549 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0550 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0551 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0552 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0553 | 6.4 | Gamagira | 76 | 30 | 30 | \$ 281.40 |
| ARBG0554 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0555 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0556 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0557 | 2.3 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0558 | 4.8 | Gamagira | 4 | 30 | 0 | \$ 0.00 |
| ARBG0559 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0560 | 6.8 | Gamagira | 8 | 30 | 0 | \$ 0.00 |
| ARBG0561 | 7.1 | Gamagira | 12 | 30 | 0 | \$ 0.00 |
| ARBG0562 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0563 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0564 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0565 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0566 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0567 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0568 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0569 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0570 | 2.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0571 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0572 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0573 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0574 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0575 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0576 | 2.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0577 | 2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0578 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0579 | 10 | Gamagira | 36 | 30 | 0 | \$ 0.00 |
| ARBG0580 | 8.1 | Gamagira | 8 | 30 | 0 | \$ 0.00 |
| ARBG0581 | 2.1 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0582 | 1 | Doguwa/ Yelwa Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0583 | 1.4 | Yelwa Soba/ Kauru/ Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0584 | 1.5 | Pambegbua/ Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0585 | 2.6 | Kwasallo/ Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0586 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0587 | 3.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0588 | 2.6 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0589 | 2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0590 | 1.7 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0591 | 1.8 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0592 | 1.7 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0593 | 1.9 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0594 | 2.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0595 | 1.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0596 | 1.3 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0597 | 1.8 | Gamagira | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0598 | 1.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0599 | <2.0 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0600 | 1.9 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0601 | 2.5 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0602 | 12.9 | Gamagira | 52 | 30 | 0 | \$ 0.00 |
| ARBG0603 | 1.6 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0604 | 2.4 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0605 | 5.1 | Gamagira | 42 | 30 | 0 | \$ 0.00 |
| ARBG0606 | 3.3 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0607 | 2.2 | Gamagira | ns | 30 | 30 | \$ 281.40 |
| ARBG0608 | 2.3 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0609 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0610 | 1.3 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0611 | 2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0612 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0613 | 2.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0614 | 4.5 | Maigana | 16 | 30 | 0 | \$ 0.00 |
| ARBG0615 | 1.1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0616 | 1.6 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0617 | 4 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0618 | 1.8 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0619 | 1.4 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0620 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0621 | 2 | Maigana | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0622 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0623 | 1.5 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0624 | 1 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0625 | 1.7 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0626 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0627 | 1.7 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0628 | 1.7 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0629 | 2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0630 | 4.2 | Maigana | 52 | 30 | 0 | \$ 0.00 |
| ARBG0631 | 1.8 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0632 | 2.8 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0633 | 2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0634 | 16.9 | Maigana | 80 | 30 | 30 | 281.4 |
| ARBG0635 | 2.6 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0636 | 3.5 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0637 | 1.2 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0638 | 52.9 | Maigana | 56 | 30 | 0 | \$ 0.00 |
| ARBG0639 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0640 | 1.5 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0641 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0642 | 1.9 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0643 | 1.8 | Maigana | ns | 30 | 30 | \$ 281.40 |
| ARBG0644 | 1 | Gamagira/ Kubau | ns | 28.1 | 28.1 | \$ 263.58 |
| ARBG0645 | 1.5 | Kaya | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0646 | 2.2 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0647 | 1 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0648 | 1.6 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0649 | 2.5 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0650 | 1.9 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0651 | 2.2 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0652 | <2.0 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0653 | <2.0 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0654 | 2.6 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0655 | 2 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0656 | 2.5 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0657 | 2.5 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0658 | <2.0 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0659 | 2.2 | Kaya | ns | 30 | 30 | \$ 281.40 |
| ARBG0660 | <2.0 | Pambeguwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0661 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0662 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0663 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0664 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0665 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0666 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0667 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0668 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0669 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0670 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0671 | 5 | Pambegbua | 16 | 30 | 0 | \$ 0.00 |
| ARBG0672 | 2.5 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0673 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0674 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0675 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0676 | 2.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0677 | 2.6 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0678 | 2.5 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0679 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0680 | 19 | Pambegbua | 4 | 30 | 0 | \$ 0.00 |
| ARBG0681 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0682 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0683 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0684 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0685 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0686 | <2.0 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0687 | 2.2 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0688 | 2.4 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0689 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0690 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0691 | 4.2 | Rogo | 36 | 30 | 0 | \$ 0.00 |
| ARBG0692 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |
| ARBG0693 | <2.0 | Rogo | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0694 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0695 | 4.1 | Karaye | 80 | 30 | 30 | 281.4 |
| ARBG0696 | <2.0 | Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0697 | 3.7 | Kiru | ns | 30 | 30 | \$ 281.40 |
| ARBG0698 | 72.3 | Kiru | 4 | 30 | 0 | \$ 0.00 |
| ARBG0699 | 3 | Kiru | ns | 30 | 30 | \$ 281.40 |
| ARBG0700 | 2.5 | Kiru | ns | 30 | 30 | \$ 281.40 |
| ARBG0701 | 2 | Kiru | ns | 30 | 30 | \$ 281.40 |
| ARBG0702 | 16.7 | Kaya/ Rogo | 80 | 30 | 30 | \$281.40 |
| ARBG0703 | <2.0 | Rogo/ Karaye | ns | 30 | 30 | \$ 281.40 |
| ARBG0704 | <2.0 | Karaye/ Kiru | ns | 30 | 30 | \$ 281.40 |
| ARBG0705 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0706 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0707 | 2.1 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0708 | 2 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0709 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0710 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0711 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0712 | 16.1 | Anchau | 24 | 30 | 0 | \$ 0.00 |
| ARBG0713 | 2.3 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0714 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0715 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0716 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0717 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0718 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0719 | 2.6 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0720 | <2.0 | Anchau | ns | 30 | 30 | \$ 281.40 |
| ARBG0721 | 78 | Kadawa | 60 | 30 | 0 | \$ 0.00 |
| ARBG0722 | <2.0 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0723 | 2.9 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0724 | 9.1 | Kadawa | 52 | 30 | 0 | \$ 0.00 |
| ARBG0725 | 9.2 | Kadawa | 76 | 30 | 30 | \$ 281.40 |
| ARBG0726 | 3.8 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0727 | <2.0 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0728 | 2.8 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0729 | <2.0 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0730 | <2.0 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0731 | 3 | Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0732 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0733 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0734 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0735 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0736 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0737 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0738 | <2.0 | Sabonlaura | ns | 30 | 30 | \$ 281.40 |
| ARBG0739 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0740 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0741 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0742 | 4.1 | Galadima | 80 | 30 | 30 | \$ 281.40 |
| ARBG0743 | 2.2 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0744 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0745 | 2.2 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0746 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0747 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0748 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0749 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0750 | <2.0 | Galadima | ns | 30 | 30 | \$ 281.40 |
| ARBG0751 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0752 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0753 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0754 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0755 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0756 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0757 | <2.0 | Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0758 | 2.5 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0759 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0760 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0761 | 2.9 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0762 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0763 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0764 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0765 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0766 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0767 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0768 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0769 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0770 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0771 | 2.6 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0772 | 2.5 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0773 | 2.4 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0774 | 2.7 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0775 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0776 | 2.7 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0777 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0778 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0779 | <2.0 | Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0780 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0781 | 2.1 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0782 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0783 | 2.5 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0784 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0785 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0786 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0787 | <2.0 | Gadangayan | ns | 30 | 30 | \$ 281.40 |
| ARBG0788 | <2.0 | Kiru/ Anchau/ Kadawa | ns | 30 | 30 | \$ 281.40 |
| ARBG0789 | 2.0 | Kadawa/ Sabonlaura/ Galadima | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0790 | <2.0 | Galadima/ Gedege | ns | 30 | 30 | \$ 281.40 |
| ARBG0791 | 2.0 | Gedege/ Turawa/ Sakaru | ns | 30 | 30 | \$ 281.40 |
| ARBG0792 | <2.0 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0793 | <2.0 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0794 | <2.0 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0795 | <2.0 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0796 | 2.2 | Zaria | ns | 30 | 30 | \$ 281.40 |
| ARBG0797 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0798 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0799 | 2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0800 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0801 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0802 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0803 | <2.0 | Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0804 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0805 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0806 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0807 | <2.0 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0808 | 2.2 | Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0809 | <2.0 | Rafintabo | ns | 30 | 30 | \$ 281.40 |
| ARBG0810 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0811 | 1.1 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0812 | 2.3 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0813 | 1.9 | Kubau | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0814 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0815 | 1.5 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0816 | 2.3 | Yelwa-Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0817 | <2.0 | Yelwa-Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0818 | 1.3 | Yelwa-Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0819 | <2.0 | Yelwa-Soba | ns | 30 | 30 | \$ 281.40 |
| ARBG0820 | <2.0 | Sakaru/ Gadangayan/ Zaria/ Dandako | ns | 30 | 30 | \$ 281.40 |
| ARBG0821 | 1.2 | Dandako/ Damau | ns | 30 | 30 | \$ 281.40 |
| ARBG0822 | 1.8 | Damau/ Rafintabo/ Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0823 | <2.0 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0824 | 8.8 | Gozaki | 0 | 30 | 0 | \$ 0.00 |
| ARBG0825 | 2.4 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0826 | 1.3 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0827 | <2.0 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0828 | 17.2 | Gozaki | 20 | 30 | 0 | \$ 0.00 |
| ARBG0829 | 1.0 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0830 | 2.0 | Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0831 | 1.4 | Bebeji | ns | 30 | 30 | \$ 281.40 |
| ARBG0832 | 1.9 | Bebeji | ns | 30 | 30 | \$ 281.40 |
| ARBG0833 | 1.8 | Bebeji | ns | 30 | 30 | \$ 281.40 |
| ARBG0834 | 2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0835 | 1.4 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0836 | 3.4 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0837 | 1.7 | Giwa | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0838 | 2 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0839 | 1.2 | Yelwa-Soba/ Gozaki | ns | 30 | 30 | \$ 281.40 |
| ARBG0840 | 1.1 | Gozaki/ Bebeji/ Giwa | ns | 30 | 30 | \$ 281.40 |
| ARBG0841 | 2.3 | Giwa | ns | 22.2 | 22.2 | \$ 208.24 |
| ARBG0842 | 1.5 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0843 | 1 | Kwasallo | ns | 30 | 30 | \$ 281.40 |
| ARBG0844 | 0.5 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0845 | 1.9 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0846 | 10 | Gwarzo | 88 | 30 | 30 | \$ 281.40 |
| ARBG0847 | 0.8 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0848 | 0.9 | Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0849 | 1.1 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0850 | 0.9 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0851 | 2.1 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0852 | <2.0 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0853 | 2.2 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0854 | 2.2 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0855 | 2 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0856 | 2.2 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0857 | 2.8 | Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0858 | 1.0 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0859 | 1.4 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0860 | 0.9 | Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0861 | 1.3 | Pambegbua | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARBG0862 | 2.1 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0863 | 1.9 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0864 | 1.6 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0865 | 2.2 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0866 | 1.6 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0867 | 1 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0868 | 1.5 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0869 | 1.4 | Pambegbua | ns | 30 | 30 | \$ 281.40 |
| ARBG0870 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARBG0871 | 1.2 | Kwasallo/ Gwarzo | ns | 30 | 30 | \$ 281.40 |
| ARBG0872 | 1.4 | Gwarzo/ Yartaleta | ns | 30 | 30 | \$ 281.40 |
| ARBG0873 | 1.6 | Yartaleta/ Dandamisa | ns | 30 | 30 | \$ 281.40 |
| ARBG0874 | 0.5 | Dandamisa/ Pambegbua/ Kubau | ns | 30 | 30 | \$ 281.40 |

Appendix 8. Emiroglu 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| AREG5616 | 41.5 | Ede | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5617 | 13.2 | Ede | 68 | 30.0 | 30.00 | \$ 281.40 |
| AREG5618 | 18.3 | Ede | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5619 | 18.3 | Ede | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5620 | <2.0 | Ede | ns | 30.0 | 30.0 | \$ 281.40 |
| AREG5621 | 70.5 | Ede | 80 | 30.0 | 30.0 | \$ 281.40 |
| AREG5622 | 12.6 | Ede | 92 | 30.0 | 30.0 | \$ 281.40 |
| AREG5623 | 29.3 | Ede | 72 | 30.3 | 30.3 | \$ 284.21 |
| AREG5624 | 38.7 | Osogbo | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5625 | 34.6 | Osogbo | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5626 | 37.1 | Osogbo | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5627 | 34.2 | Osogbo | 80 | 30.0 | 30.0 | \$ 281.40 |
| AREG5628 | 34.0 | Osogbo | 80 | 30.0 | 30.0 | \$ 281.40 |
| AREG5629 | 12.5 | Osogbo | 72 | 30.0 | 30.0 | \$ 281.40 |
| AREG5630 | 30.0 | Osogbo | 76 | 30.0 | 30.0 | \$ 281.40 |
| AREG5631 | 8.5 | Osogbo | 80 | 30.1 | 30.1 | \$ 282.34 |
| AREG5632 | 16.0 | Ede | 80 | 30.0 | 30.0 | \$ 281.40 |
| AREG5633 | 13.1 | Ede | 80 | 30.0 | 30.00 | \$ 281.40 |
| AREG5634 | <2.0 | Ede | ns | 30.0 | 30.0 | \$ 281.40 |
| AREG5635 | 18.1 | Ede | 68 | 30.0 | 30.00 | \$ 281.40 |
| AREG5636 | 19.8 | Ede | 68 | 28.0 | 28.00 | \$ 262.64 |
| AREG5637 | 3.0 | Ede | ns | 30 | 30.0 | \$ 281.40 |
| AREG5638 | 2.9 | Ede | ns | 30 | 30.0 | \$ 281.40 |
| AREG5639 | 3.8 | Ede | ns | 30 | 30.0 | \$ 281.40 |
| AREG5640 | 2.1 | Ede | ns | 30 | 30.0 | \$ 281.40 |
| AREG5641 | 18.1 | Ede | 72 | 30.0 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| AREG5642 | 6.0 | Ede | 88 | 30.3 | 30.30 | \$ 284.21 |

Appendix 9. Fantsuam Foundation 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARFF2811 | 16.3 | Kafanchan | 96 | 30.0 | 30.0 | \$ 281.40 |
| ARFF2812 | <2.0 | Kafanchan | ns | 33.5 | 33.5 | \$ 314.23 |

Appendix 10. Fortix cube 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARFC5696 | 4.6 | Ota | 92 | 30.0 | 30.0 | \$ 281.40 |
| ARFC5697 | <2.0 | Ota | ns | 30.0 | 30.0 | \$ 281.40 |
| ARFC5698 | 10.8 | Ota | 72 | 30.0 | 30.0 | \$ 281.40 |
| ARFC5699 | 30.9 | Mokoloki | 88 | 30 | 30 | \$ 281.40 |
| ARFC5700 | 2.4 | Mokoloki | ns | 30.7 | 30.7 | \$ 287.97 |

Appendix 11. Funmakin 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARFA5737 | <2.0 | Egbedore | ns | 30.0 | 30.0 | \$ 281.40 |
| ARFA5738 | <2.0 | Egbedore | ns | 30.0 | 30.0 | \$ 281.40 |
| ARFA5739 | 2.7 | Egbedore | ns | 21.5 | 21.5 | \$ 201.67 |
| ARFA5736 | 10.2 | Egbedore | 64 | 30.0 | 0.00 | 0.00 |

Appendix 12. Grace FM 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARGF6591 | <2.0 | Benin | ns | 11.0 | 11.0 | \$ 103.18 |

Appendix 13. John Vent 2018/ 2019 maize-growing season.

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC100298 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC100799 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC101300 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC101801 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC102302 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC102803 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC103304 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC103805 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC104306 | 2.9 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC104807 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC105308 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC106811 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC107312 | 2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC107813 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC108314 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC108815 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC109817 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC110318 | 2.1 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC110819 | 2.3 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC111320 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC111821 | 2.3 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC112322 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC112823 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC113324 | 2.1 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC113825 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC114326 | 2.9 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC114827 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC115328 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC115829 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC116330 | 3.2 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC116831 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC117833 | 2.1 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC118334 | 2.3 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC119336 | 2.6 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC119837 | 2.5 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC120338 | <2.0 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC120839 | 3.5 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC121340 | 2.1 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC121841 | <2.0 | Iseyin | ns | 25.7 | 25.7 | \$ 241.07 |
| ARJC5776 | 2.6 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5777 | 3.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5778 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5779 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5780 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5781 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5782 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5783 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5784 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5785 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5786 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5787 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5788 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5789 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5790 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5791 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5792 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5793 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC5794 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5795 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5796 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5797 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5798 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5799 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5800 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5801 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5802 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5803 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5804 | 2.8 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5805 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5807 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5808 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5809 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5811 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5812 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5813 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5814 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5815 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5817 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5818 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5819 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5820 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5821 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC5822 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5823 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5825 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5826 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5827 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5828 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5829 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5831 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5832 | 2.6 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5833 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5834 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5835 | 2.6 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5836 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5837 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5838 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5839 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5840 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5841 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5842 | 2.7 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5843 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5844 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5845 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5846 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5847 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5848 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC5849 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5850 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5851 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5852 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5854 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5856 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5857 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5858 | 2.2 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5859 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5860 | 3.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5861 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5862 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5863 | 3.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5865 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5866 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5867 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5868 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5871 | 3.7 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5872 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5873 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5875 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5876 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5877 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5878 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5880 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC5881 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5883 | 2.6 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5884 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5885 | 3.7 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5886 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5887 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5888 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5889 | 2.4 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5890 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5891 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5892 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5893 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5894 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC5895 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC91781 | 2.4 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC92282 | 2.5 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC92783 | 4.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC93284 | 2.5 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC93785 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC94286 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC94787 | 2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC95288 | 3.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC95789 | 3.9 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC96290 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC96791 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC97292 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC97793 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC98294 | 2.3 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC98795 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC99296 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJC99797 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV122342 | 2.1 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV122843 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV123344 | 2.9 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV123845 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV124346 | 4.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV124847 | <2.0 | Seraphu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV125348 | <2.0 | Olowoigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV125849 | <2.0 | Olowoigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV126350 | <2.0 | Olowoigbo | ns | 30.0 | 30.0 | \$ 281.40 |
| ARJV126851 | <2.0 | Olowoigbo | ns | 23.0 | 23.0 | \$ 215.74 |
| ARJC105809 | 6.5 | Seraphu | 100 | 30.0 | 30.00 | \$ 281.40 |
| ARJC109316 | 5.2 | Iseyin | 84 | 30.0 | 30.00 | \$ 281.40 |
| ARJC117332 | 9.9 | Iseyin | 64 | 30.0 | 0.00 | \$ 0.00 |
| ARJC118835 | 4.5 | Iseyin | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5806 | 5.2 | Seraphu | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5810 | 4.8 | Seraphu | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5824 | 4.2 | Seraphu | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5830 | 8.3 | Seraphu | 92 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5853 | 4.3 | Seraphu | 84 | 30.0 | 30.00 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARJC5855 | 17.6 | Seraphu | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5864 | 5.3 | Seraphu | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5869 | 5.1 | Seraphu | 36 | 30.0 | 0.00 | \$ 0.00 |
| ARJC5870 | 5.2 | Seraphu | 84 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5874 | 5.1 | Seraphu | 84 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5879 | 5.0 | Seraphu | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5882 | 5.8 | Seraphu | 76 | 30.0 | 30.00 | \$ 281.40 |
| ARJC5816 | 4.8 | Seraphu | 16 | 30.0 | 0.00 | \$ 0.00 |
| ARJC106310 | 4.5 | Seraphu | 32 | 30.0 | 0.00 | \$ 0.00 |

Appendix 14. Kawonlambu Farm Produce, 2017/ 2018 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARKL5177 | 2.4 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5180 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5181 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5182 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5184 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5186 | 2.6 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5187 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5188 | 2.3 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5189 | <2.0 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5190 | 2.2 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5192 | 2.8 | Lawitu | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5193 | 2.6 | Lawitu/ Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5194 | <2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5195 | <2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5196 | 2.8 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5197 | <2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5198 | 2.4 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5199 | 3.3 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5201 | 2.4 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5202 | 2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5203 | <2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5204 | 2.7 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------|------------------------------|-------------------|----------------------|----------------------------|
| ARKL5205 | 2.2 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5206 | 2.2 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5207 | 2.5 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5208 | <2.0 | Rumdebeti | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5209 | 2.8 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5210 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5211 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5212 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5213 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5214 | 2.3 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5215 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5216 | 3.3 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5217 | 2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5218 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5219 | 2.4 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5220 | 2.3 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5221 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5222 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5223 | 3.1 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5224 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5225 | 3.4 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5226 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5227 | 2.4 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARKL5228 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5229 | 2.4 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5230 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5232 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5233 | 2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5235 | 2.2 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5236 | 2.3 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5237 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5238 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5240 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5241 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5242 | 2.5 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5243 | 2.1 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5245 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5246 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5247 | 3.0 | Damoka | ns | 30.1 | 30.1 | \$ 282.34 |
| ARKL5248 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5250 | 2.6 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5251 | 2.7 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5253 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5254 | 2.5 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5255 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5256 | 2.1 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-----------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARKL5257 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5259 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5260 | <2.0 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5261 | 2.8 | Damoka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5262 | <2.0 | Damoka/ Jekadafari | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5263 | 2.2 | Jekadafari | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKL5265 | <2.0 | Jekadafari | ns | 29.9 | 29.9 | \$ 280.46 |
| ARKL5176 | 95.7 | Lawitu | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5179 | 15.8 | Lawitu | 92 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5183 | 6.5 | Lawitu | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5185 | 4.1 | Lawitu | 48 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5191 | 98.4 | Lawitu | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5200 | 16.6 | Rumdebeti | 92 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5231 | 14.7 | Damoka | 64 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5234 | 8.2 | Damoka | 88 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5249 | 13.3 | Damoka | 76 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5252 | 15.8 | Damoka | 76 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5258 | 9.9 | Damoka | 84 | 30.0 | 30.00 | \$ 281.40 |
| ARKL5244 | 5.9 | Damoka | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5178 | 9.6 | Lawitu | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5264 | 10.2 | Jekadafari | 24 | 30.0 | 0.00 | \$ 0.00 |
| ARKL5239 | 11.4 | Damoka | 68 | 30.0 | 30.00 | \$ 281.40 |

Appendix 15. Kiffco Project & Consultancy, 2018/2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARKP2836 | <2.0 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2837 | 3.6 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2838 | 3.3 | Dakkah | ns | 29.9 | 29.9 | \$ 280.46 |
| ARKP2839 | 2.8 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2840 | <2.0 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2841 | <2.0 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2842 | 2.4 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2843 | <2.0 | Dakkah | ns | 29.9 | 29.9 | \$ 280.46 |
| ARKP2844 | <2.0 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2845 | 2.7 | Dakkah | ns | 29.9 | 29.9 | \$ 280.46 |
| ARKP2846 | <2.0 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2847 | 3.3 | Dakkah | ns | 30.0 | 30.0 | \$ 281.40 |
| ARKP2848 | 2.0 | Dakkah | ns | 34.9 | 34.9 | \$ 327.36 |

Appendix 16. Mandrakes Consultancy, 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARMC5898 | 2.5 | Okaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5899 | 3.3 | Okaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5900 | <2.0 | Basi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5901 | <2.0 | Basi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5902 | 2.2 | Basi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5903 | <2.0 | Basi | ns | 29.6 | 29.6 | \$ 277.65 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARMC5896 | <2.0 | Okaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5897 | 2.2 | Okaka | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5904 | <2.0 | Basi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARMC5905 | 3.0 | Basi | ns | 22.0 | 22.0 | \$ 206.36 |
| ARMC5906 | 2.0 | Okaka | ns | 23.8 | 23.8 | \$ 223.24 |

Appendix 17. Perfect Impact, 2018/2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARPI5946 | 6.0 | Ofatedo | 68 | 12.7 | 12.70 | \$ 119.13 |

Appendix 18. Precious Bayonle and Associates, 2018/2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARPB6141 | 48.8 | Karshi | 72 | 11.0 | 11.0 | \$ 103.18 |
| ARPB6142 | 10.0 | Okoye | 88 | 30.0 | 30.0 | \$ 281.40 |
| ARPB6143 | 1.5 | Otuu | ns | 15.7 | 15.7 | \$ 147.27 |
| ARPB6144 | 2.6 | Iseyin | ns | 17.8 | 17.8 | \$ 166.96 |

Appendix 19. Pricewell Agrext, 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARPA5961 | 2.2 | Iseyin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARPA5962 | 4.4 | Iseyin | 4 | 11.7 | 0.00 | \$0.00 |

Appendix 20. Saint Adba, 2018/ 2019 maize-growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA10118 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA10619 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA11120 | 4.7 | Ado | 76 | 30.0 | 30.0 | \$ 281.40 |
| ARSA11621 | 3.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA12122 | 6.2 | Ado | 0 | 30.0 | 0.0 | \$ 0.00 |
| ARSA12623 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA13124 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA13625 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA14126 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA14627 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA15128 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA15629 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA16130 | 13.0 | Ado | 84 | 30.0 | 30.0 | \$ 281.40 |
| ARSA16631 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA17132 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA17633 | 2.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA18134 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA18635 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA19136 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA19637 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA20138 | 3.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA20639 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA21140 | 3.9 | Ado | ns | 30.5 | 30.5 | \$ 286.09 |
| ARSA21641 | 6.0 | Emure | 80 | 30.0 | 30.0 | \$ 281.40 |
| ARSA22142 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA22643 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA23144 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA23645 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA24146 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA24647 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA25148 | 3.7 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA25649 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA26150 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA26651 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA27152 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA27653 | 8.1 | Emure | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARSA28154 | 2.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA28655 | 2.1 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA29156 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA29657 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA30158 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA30659 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA31160 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA31661 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA32162 | 2.2 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA32663 | 2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA33164 | 12.1 | Emure | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARSA33665 | 7.9 | Emure | 76 | 30.0 | 30.00 | \$ 281.40 |
| ARSA34166 | 2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA34667 | 2.2 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA35168 | 11.1 | Emure | 20 | 30.0 | 0.00 | \$ 0.00 |
| ARSA35669 | 4.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA36170 | <2.0 | Emure | ns | 29.7 | 29.7 | \$ 278.59 |
| ARSA36671 | 3.4 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA37172 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA37673 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA38174 | 7.5 | Osin | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARSA38675 | 2.5 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA39176 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA39677 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA40178 | 2.1 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA40679 | 2.8 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA41180 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA41681 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA42182 | <2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA42683 | 2.0 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA43184 | 2.3 | Osin | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA43685 | <2.0 | Osin | ns | 30.4 | 30.4 | \$ 285.15 |
| ARSA44186 | 3.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA44687 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA45188 | 2.3 | Ado | ns | 30 | 30 | \$ 281.40 |
| ARSA45689 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA46190 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA46691 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA47192 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA47693 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA48194 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA48695 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA49196 | 3.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA49697 | 3.9 | Ado | ns | 29.7 | 29.7 | \$ 278.59 |
| ARSA5991 | 4.8 | Ado | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARSA5992 | 2.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5993 | 3.4 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5994 | 2.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5995 | 7.4 | Ado | 80 | 30.0 | 30.0 | \$ 281.40 |
| ARSA5996 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5997 | 3.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5998 | 3.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA5999 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6000 | 17.0 | Ado | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARSA6001 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6002 | 3.4 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6003 | 3.8 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6004 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6005 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6006 | 2.4 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6007 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA6008 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6009 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6010 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6011 | 3.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6012 | 6.8 | Ado | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARSA6013 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6014 | 6.2 | Ado | 64 | 30.0 | 0.00 | \$ 0.00 |
| ARSA6015 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6016 | 3.4 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6017 | 2.8 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6018 | 2.9 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6019 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6020 | 3.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6021 | 3.9 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6022 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6023 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6024 | 15.2 | Ado | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARSA6025 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6026 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6027 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6028 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6029 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6030 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6031 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6032 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6033 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6034 | 4.8 | Ado | 76 | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA6035 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6036 | 4.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6037 | 2.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6038 | 2.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6039 | 3.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6040 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6041 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6042 | 4.6 | Ado | 48 | 30.0 | 0.00 | \$ 0.00 |
| ARSA6043 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6044 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6045 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6046 | 3.7 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6047 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6048 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6049 | 18.0 | Ado | 76 | 30.0 | 30.0 | \$ 281.40 |
| ARSA6050 | 2.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6051 | 3.1 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6052 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6053 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6054 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6055 | 2.3 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6056 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6057 | 2.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6058 | 2.7 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6059 | 2.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6060 | 3.1 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6061 | 2.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA6062 | 3.7 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6063 | 2.8 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6064 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6065 | 3.4 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6066 | 3.4 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6067 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6068 | 47.9 | Ado | 44 | 30.0 | 0.00 | \$ 0.00 |
| ARSA6069 | 2.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6070 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6071 | 3.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6072 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6073 | 3.9 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6074 | 2.2 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6075 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6076 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6077 | 2.8 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6078 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6079 | 2.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6080 | 2.9 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6081 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6082 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6083 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6084 | 2.6 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6085 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6086 | 2.3 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6087 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6088 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA6089 | 3.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6090 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6091 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6092 | 2.2 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6093 | 3.1 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6094 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6095 | 2.4 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6096 | 11.5 | Emure | 20 | 30.0 | 0.0 | \$ 0.00 |
| ARSA6097 | 4.6 | Emure | 72 | 30.0 | 30.0 | \$ 281.40 |
| ARSA6098 | 3.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6099 | 2.3 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6100 | 3.6 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6101 | <2.0 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6102 | 3.4 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6103 | 3.9 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6104 | 2.8 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6105 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6106 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6107 | <2.0 | Emure | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6108 | <2.0 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6109 | 7.4 | Ikere | 56 | 30.0 | 0.00 | \$ 0.00 |
| ARSA6110 | <2.0 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA6611 | 2.9 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA7112 | 2.1 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA7613 | 2.2 | Ikere | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA8114 | 2.5 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA8615 | 2.8 | Ikere | ns | 28.6 | 28.6 | \$ 268.27 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARSA9116 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |
| ARSA9617 | <2.0 | Ado | ns | 30.0 | 30.0 | \$ 281.40 |

Appendix 21. Tomato Jos, 2018/ 2019 maize growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTJ2801 | <2.0 | Dam | ns | 30 | 30.0 | \$ 281.40 |
| ARTJ2802 | <2.0 | Dam | ns | 27.5 | 27.5 | \$ 257.95 |

Appendix 22. Tukwuyan Gwari, 2018/ 2019 maize growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2876 | <2.0 | Kuran Juli | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2877 | 3 | Kuran Juli/ Riga Chukun | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2878 | <2.0 | Kuran Juli | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2879 | <2.0 | Kuran Juli | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2880 | <2.0 | Kuran Juli | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2881 | 2.6 | Kuran Juli/ Riga Chukun | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--------------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2882 | <2.0 | Karun Julie/ Riga Chukun | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2883 | <2.0 | Karun Julie/ Riga Chukun | ns | 27.7 | 27.7 | \$ 259.83 |
| ARTG2884 | <2.0 | Kidandan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2885 | 2.2 | Kidandan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2886 | <2.0 | Kidandan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2887 | <2.0 | Kidandan | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2888 | <2.0 | Kidandan/ Riga Chikun | ns | 30 | 30 | \$ 281.40 |
| ARTG2889 | 2.3 | Riga Chikun/ Karun Julie | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2890 | <2.0 | Karun Julie | ns | 21.1 | 21.1 | \$ 197.92 |
| ARTG2891 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2892 | 2 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2893 | 2.2 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2894 | 3.8 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2895 | 2.6 | Brinin Gwari | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2896 | <2.0 | Brinin Gwari | ns | 30 | 30 | \$ 281.40 |
| ARTG2897 | 2.3 | Brinin Gwari | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2898 | <2.0 | Brinin Gwari/ Kubau | ns | 30 | 30 | \$ 281.40 |
| ARTG2899 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARTG2900 | <2.0 | Kubau | ns | 30 | 30 | \$ 281.40 |
| ARTG2901 | 2.3 | Kubau | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2902 | 3.1 | Kubau | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2903 | 2.5 | Kubau | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2904 | <2.0 | Kubau/ Igabi | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2905 | <2.0 | Igabi | ns | 30 | 30 | \$ 281.40 |
| ARTG2906 | 2.7 | Igabi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2907 | 2.4 | Igabi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2908 | 2.3 | Igabi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2909 | 2.6 | Igabi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2910 | 2.9 | Igabi | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2911 | 2.6 | Igabi | ns | 30.1 | 30.1 | \$ 282.34 |
| ARTG2912 | <2.0 | Igabi/ Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2913 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2914 | 2.2 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2915 | 3.5 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2916 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2917 | <2.0 | Giwa | ns | 30.2 | 30.2 | \$ 283.28 |
| ARTG2918 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2919 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2920 | 2.4 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2921 | 2.4 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2922 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2923 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2924 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2925 | 32.7 | Giwa | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARTG2926 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2927 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2928 | 2.1 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2929 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2930 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2931 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2932 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2933 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2934 | 11.0 | Giwa | 80 | 30.0 | 30.00 | \$ 281.40 |
| ARTG2935 | 2.3 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG2936 | <2.0 | Soba | ns | 30.2 | 30.2 | \$ 283.28 |
| ARTG2937 | <2.0 | Soba | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2938 | 2.2 | Soba | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2939 | <2.0 | Soba | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2940 | <2.0 | Soba | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2941 | <2.0 | Soba | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2942 | <2.0 | Soba/ Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2943 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2944 | <2.0 | Kaya | ns | 29.4 | 29.4 | \$ 275.77 |
| ARTG2945 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2946 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2947 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2948 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2949 | 2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2950 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2951 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2952 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2953 | 2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2954 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2955 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2956 | 2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2957 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2958 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2959 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2960 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2961 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2962 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2963 | <2.0 | Kaya | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2964 | <2.0 | Kaya/ Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2965 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2966 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2967 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2968 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2969 | <2.0 | Pambeguwa | ns | 30.3 | 30.3 | \$ 284.21 |
| ARTG2970 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2971 | <2.0 | Pambeguwa | ns | 29.6 | 29.6 | \$ 277.65 |
| ARTG2972 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2973 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2974 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2975 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2976 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2977 | 48.3 | Pambeguwa | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARTG2978 | 4.4 | Pambeguwa | 0 | 30.2 | 0.00 | \$ 0.00 |
| ARTG2979 | <2.0 | Pambeguwa | ns | 29.6 | 29.6 | \$ 277.65 |
| ARTG2980 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2981 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2982 | <2.0 | Pambeguwa | ns | 30.1 | 30.1 | \$ 282.34 |
| ARTG2983 | <2.0 | Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2984 | 2.2 | Pambeguwa/ Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2985 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|-------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG2986 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2987 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2988 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2989 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2990 | 2.7 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2991 | 113.3 | Zaria | 12 | 30.0 | 0.00 | \$ 0.00 |
| ARTG2992 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2993 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2994 | 70.0 | Zaria | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARTG2995 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2996 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2997 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2998 | 2.9 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG2999 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3000 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3001 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3002 | 18.8 | Zaria | 60 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3003 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3004 | <2.0 | Zaria | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3005 | <2.0 | Zaria/ Giwa | ns | 29.9 | 29.9 | \$ 280.46 |
| ARTG3006 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3007 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3008 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3009 | 2.4 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3010 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3011 | 2.2 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3012 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3013 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3014 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3015 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3016 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3017 | 2.3 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3018 | 2 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3019 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3020 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3021 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3022 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3023 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3024 | <2.0 | Giwa | ns | 30 | 30 | \$ 281.40 |
| ARTG3025 | <2.0 | Giwa | ns | 30.1 | 30.1 | \$ 282.34 |
| ARTG3026 | 2.6 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3027 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3028 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3029 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3030 | 2 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3031 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3032 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3033 | 2.4 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3034 | <2.0 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3035 | 2.1 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3036 | 1.1 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3037 | 2.1 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3038 | 1.6 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3039 | 1.8 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|--------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3040 | 1.1 | Giwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3041 | 1.9 | Giwa/ Karin Julie | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3042 | 1.0 | Karin Julie | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3043 | 0.8 | Karin Julie | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3044 | 1.8 | Karin Julie/ Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3045 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3046 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3047 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3048 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3049 | 4.6 | Shika | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3050 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3051 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3052 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3053 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3054 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3055 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3056 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3057 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3058 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3059 | 3.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3060 | 3.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3061 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3062 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3063 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3064 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3065 | 3.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3066 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3067 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3068 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3069 | 116.8 | Shika | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3070 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3071 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3072 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3073 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3074 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3075 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3076 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3077 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3078 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3079 | 0.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3080 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3081 | 0.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3082 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3083 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3084 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3085 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3086 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3087 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3088 | 0.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3089 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3090 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3091 | 0.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3092 | <2.0 | Shika | ns | 30 | 30.0 | \$ 281.40 |
| ARTG3093 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3094 | 2.1 | Shika | ns | 30 | 30.0 | \$ 281.40 |
| ARTG3095 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3096 | 2.9 | Shika | ns | 30 | 30.0 | \$ 281.40 |
| ARTG3097 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3098 | 2.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3099 | 0.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3100 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3101 | <2.0 | Shika | ns | 30 | 30.0 | \$ 281.40 |
| ARTG3102 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3103 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3104 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3105 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3106 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3107 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3108 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3109 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3110 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3111 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3112 | 3.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3113 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3114 | 3.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3115 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3116 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3117 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3118 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3119 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3120 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3121 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3122 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3123 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3124 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3125 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3126 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3127 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3128 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3129 | 16.0 | Shika | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3130 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3131 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3132 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3133 | 0.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3134 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3135 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3136 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3137 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3138 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3139 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3140 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3141 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3142 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3143 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3144 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3145 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3146 | 0.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3147 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3148 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3149 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3150 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3151 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3152 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3153 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3154 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3155 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3156 | 6.7 | Shika | 9 | 30.0 | 0.0 | \$ 0.00 |
| ARTG3157 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3158 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3159 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3160 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3161 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3162 | 0.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3163 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3164 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3165 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3166 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3167 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3168 | 0.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3169 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3170 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3171 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3172 | 2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3173 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3174 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3175 | 4.1 | Shika | 4 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3176 | 2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3177 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3178 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3179 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3180 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3181 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3182 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3183 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3184 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3185 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3186 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3187 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3188 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3189 | 1.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3190 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3191 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3192 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3193 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3194 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3195 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3196 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3197 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3198 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3199 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3200 | 2.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3201 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3202 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3203 | 2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3204 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3205 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3206 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3207 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3208 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3209 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3210 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3211 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3212 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3213 | 0.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3214 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3215 | 2.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3216 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3217 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3218 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3219 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3220 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3221 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3222 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3223 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3224 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3225 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3226 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3227 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3228 | 5.3 | Shika | 4 | 30.0 | 0.0 | \$ 0.00 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3229 | 1.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3230 | 2.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3231 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3232 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3233 | <2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3234 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3235 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3236 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3237 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3238 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3239 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3240 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3241 | 1.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3242 | 1.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3243 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3244 | 0.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3245 | 2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3246 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3247 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3248 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3249 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3250 | 4.7 | Shika | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3251 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3252 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3253 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3254 | 5.6 | Shika | 16 | 30.0 | 0.00 | \$ 0.00 |
| ARTG3255 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARTG3256 | 2.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3257 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3258 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3259 | 2.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3260 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3261 | 1.7 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3262 | 1.6 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3263 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3264 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3265 | 1.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3266 | 3.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3267 | 1.8 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3268 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3269 | 1.4 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3270 | 2.2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3271 | 2 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3272 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3273 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3274 | 2.0 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3275 | 1.9 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3276 | 2.1 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3277 | 2.3 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3278 | 2.5 | Shika | ns | 30.0 | 30.0 | \$ 281.40 |
| ARTG3279 | 4.4 | Shika | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARTG3280 | 4.6 | Shika | 68 | 28.1 | 28.10 | \$ 263.58 |

Appendix 23. Value Seeds, 2018/ 2019 maize growingseason

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARVS3576 | 2 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3577 | <2.0 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3578 | <2.0 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3579 | 2 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3580 | 2.3 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3581 | <2.0 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3582 | 1.4 | Lokoro | ns | 30 | 30.0 | \$ 281.40 |
| ARVS3583 | 12.7 | Lokoro | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARVS3584 | 14.7 | Lokoro | 12 | 30.1 | 0.00 | \$ 0.00 |
| ARVS3585 | 4.6 | Lokoro | 8 | 30.0 | 0.00 | \$ 0.00 |
| ARVS3586 | 1.5 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3587 | <2.0 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3588 | 1.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3589 | 2.1 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3590 | 14.1 | Lokoro | 0 | 29.9 | 0.00 | \$ 0.00 |
| ARVS3591 | 1.8 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3592 | 1.8 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3593 | 2.1 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3594 | 1.8 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3595 | 10.6 | Lokoro | 96 | 30.0 | 30.00 | \$ 281.40 |
| ARVS3596 | 1.3 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3597 | 1.4 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3598 | 143.7 | Lokoro | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARVS3599 | 1.9 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3600 | 1.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3601 | 1.5 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|---------------------|------------------------------|-------------------|----------------------|----------------------------|
| ARVS3602 | 1.6 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3603 | 2.4 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3604 | 1.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3605 | 2.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3606 | 2.2 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3607 | 2.5 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3608 | 0.1 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3609 | 1.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3610 | 1.8 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3611 | 2.5 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3612 | 2.6 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3613 | 1.7 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3614 | 1.8 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3615 | 2.9 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3616 | 1.5 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3617 | 2.0 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3618 | 2.1 | Lokoro | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3619 | 0.8 | Lokoro/ Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3620 | 1.5 | Lokoro/ Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3621 | 1.8 | Lokoro/ Pambeguwa | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3622 | 8.3 | Pambeguwa | 0 | 30.0 | 0.00 | \$ 0.00 |
| ARVS3623 | 2.2 | Pambeguwa/ Gamagira | ns | 30.0 | 30.0 | \$ 281.40 |
| ARVS3624 | 174.2 | Gamagira/ Dankande | 72 | 30.0 | 30.00 | \$ 281.40 |
| ARVS3625 | 135.5 | Dankande | 48 | 30.0 | 0.00 | \$ 0.00 |
| ARVS3626 | 18.4 | Dankande/ Brenawa | 8 | 30.0 | 0.00 | \$ 0.00 |

Appendix 24. Yewa College, 2018/ 2019 maize growing season

| Sample code | Aflatoxin content (ppb) | Location | Recovery (%) by VCG analyses | Grain weight (MT) | PASSED GRAIN WT (MT) | INCENTIVE (Passed wt*9.38) |
|-------------|-------------------------|----------|------------------------------|-------------------|----------------------|----------------------------|
| ARYC6111 | <2.0 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6112 | <2.0 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6113 | <2.0 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6114 | 3.6 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6115 | <2.0 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6116 | <2.0 | Igbo Ora | ns | 30.0 | 30.0 | \$ 281.40 |
| ARYC6117 | <2.0 | Igbo Ora | ns | 30.3 | 30.3 | \$ 284.21 |