

Bond University  
Research Repository



## The Relationship Between Strength Measures and Task Performance in Specialist Tactical Police

Orr, Rob Marc; Robinson, Jeremy ; Hasanki, Ksaniel ; Talaber, Kimberly; Schram, Ben; Roberts, Adam

*Published in:*  
Journal of Strength and Conditioning Research

*DOI:*  
[10.1519/JSC.0000000000003511](https://doi.org/10.1519/JSC.0000000000003511)

Published: 14/02/2020

*Document Version:*  
Peer reviewed version

*Licence:*  
Other

[Link to publication in Bond University research repository.](#)

### *Recommended citation(APA):*

Orr, R. M., Robinson, J., Hasanki, K., Talaber, K., Schram, B., & Roberts, A. (2020). The Relationship Between Strength Measures and Task Performance in Specialist Tactical Police. *Journal of Strength and Conditioning Research*. <https://doi.org/10.1519/JSC.0000000000003511>

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

- 1 **The Relationship Between Strength Measures and Task Performance in Specialist**
- 2 **Tactical Police**

**3 ABSTRACT**

4 Specialist Tactical Police Officers (STPO) carry heavier on-body loads than generalist police  
5 officers. Improvements in strength may mitigate the impacts of these heavier loads. The aim  
6 of this investigation was to determine the correlations between absolute and relative strength  
7 measures and occupational task performance in STPOs. Retrospective data were provided for  
8 47 male specialist police officers from an elite Australian police unit. Data included body mass  
9 (mean =  $89.0 \pm 8.58$  kg), strength measures (1 Repetition Maximum [RM] measures for a bench  
10 press, squat, deadlift and pull-up) and task performance measures (85 kg victim drag wearing  
11 15 kg of operational load and 5 km pack march wearing 40 kg of operational load). Pearson's  
12 correlations were conducted to determine relationships between measures and were plotted on  
13 a linear regressions model. Significant, moderate to strong correlations were found between all  
14 strength measures and victim drag performance and significant negative moderate correlations  
15 between relative bench press, absolute and relative squat and absolute and relative pull-up and  
16 pack march times. The absolute deadlift had the strongest correlation to the victim drag  
17 ( $r=0.747, p<0.01$ ) while the relative pull-up showed the strongest correlation with pack march  
18 performance ( $r=-0.466, p<0.01$ ). The requirement to lift a portion of the dummy off the ground  
19 during the victim drag may explain the increased importance of absolute strength while the  
20 requirement to transport load affixed to the body may explain the importance of relative  
21 strength requirements. Improvements in absolute and relative upper and lower body strength  
22 may improve task performance in this population.

23 **Keywords:** SWAT, Tactical Personnel, law enforcement, elite, load carriage

## 24 INTRODUCTION

25 Police officers must be prepared to perform physically demanding and arduous occupational  
26 tasks that require them to run, jump, crawl, climb or push/pull with maximal exertion (3, 22,  
27 24). Furthermore, they may be required to perform these tasks while apprehending an  
28 uncooperative suspect (28, 29) and whilst carrying occupational loads (1). On average, these  
29 occupational loads can weight around 10 kg (1) and have been known to reduce officer power,  
30 agility, and change of direction speed (13, 19).

31 Policing situations which are deemed extreme in nature are handled by specialist tactical police  
32 officers such as those serving in Special Weapons and Tactics (SWAT) units (6). These  
33 specialist tactical units of the police forces consist of specialist tactical police officers (STPO)  
34 who are trained and employed to resolve critical incidents involving a threat to public safety  
35 (6). The critical nature of the tasks carried out by STPOs require them to carry threat-dependent  
36 weaponry, body armor, and equipment (such as breaching devices, gas masks, etc.) (6). This  
37 equipment can add an additional 10 to 30 kg of load to their bodies above that of general police  
38 officers (1, 5, 14). With these necessary additions to the STPOs operational load, there is  
39 typically a concurrent detrimental effect on their ability to complete occupational tasks (5) and  
40 an increased physiological burden (2, 4). This increased physiological burden highlights the  
41 importance of developing and maintaining optimal physical fitness in STPO (7, 8, 23).

42 The requirement for STPO to be physically strong is noted in the literature, as is the fact that  
43 these officers are typically stronger than the general population (17). For example, previous  
44 research by Robinson et al. (25) found that both absolute and relative strength measures were  
45 associated with STPO load carriage performance over repeated 5km load carriage events  
46 completed as fast as possible (pack weight of 25 kg). Significant weak to strong correlations  
47 were found between strength measures of 1 Repetition Maximum (1RM) deadlift (absolute  $r=-$

48 0.288; relative  $r=-0.403$ ), bench press (absolute  $r=-0.360$ : relative  $r=-0.465$ ), squat (absolute  
49  $r=0.452$ : relative  $r=-0.500$ ), and pull-up (absolute  $r=0.452$ : relative  $r=0.607$ ) for the first march  
50 with the later three measures significantly correlated with the subsequent second and third pack  
51 marches (each approximately 4 months apart). Of note however, across all four of these  
52 strength measures, the relative strength values were more strongly correlated to the load  
53 carriage task than the absolute values. Conversely, recent work by Moreno et al. (18) found  
54 that absolute deadlift measures were more strongly correlated to a 75 and 91 kg dummy drag  
55 than relative measures, with the latter not being significantly related. These findings suggest  
56 that while strength measures are important to the performance of tasks that can typically be  
57 undertaken by STPO, the nature of the strength, be it absolute or relative, may change  
58 depending on the task.

59 By understanding the different strength needs of STPO (in terms of relative or absolute  
60 strength) informed conditioning practices can be put in place to better optimize officer  
61 performance, especially in tasks where they may be weaker (e.g. load carriage versus a victim  
62 drag). The aim of this study was to investigate the relationship between measures of strength  
63 (absolute and relative) and task performance (85 kg victim drag and 5 km pack march) in  
64 STPO. It was hypothesized that strength would be related to performance on both tasks and  
65 that the nature of strength required (absolute and relative) would differ between tasks.

66

## 67 **METHODS**

### 68 *Experimental Approach to the Problem*

69 Retrospective data were provided from an elite Australian specialist police unit. Body mass  
70 data were provided in addition to data collected for strength performance (1RM bench press,  
71 1RM squat, 1RM deadlift, 1RM pull-up) as part of departmental process. Relative strength data

72 were derived by dividing 1RM scores by each individual's body mass. Furthermore, results  
73 from two performance measures (85kg Victim Drag [15 kg officer load] and a 5km loaded [40  
74 kg officer load] Pack March) were also obtained as part of departmental processes.

### 75 *Subjects*

76 Data were obtained in non-identifiable format pertaining to 47 male STPOs from an  
77 Australian law enforcement agency. The strict security protocols regarding the protective  
78 identity of these individuals limited all identifiable information to only body mass (mean =  
79  $89.0 \pm 8.58\text{kg}$ ) and the resulting performance. The limitation of demographic data in this  
80 population has been reported in previous literature (21). Ethics approval for this study were  
81 provided by the Bond University Human Research Ethics Committee (RO1585) and  
82 clearance to publish this information provided by the relevant law enforcement gatekeeper  
83 approvals.

### 84 *Procedures*

85 Strength measures were collected over two days (Day 1 – bench press and deadlift; Day 2 –  
86 squat and pull-up) with the victim drag and pack march assessments conducted in the following  
87 week on independent days. Details regarding the protocols for the strength and performance  
88 measures are detailed below and has been previously described in the literature (25).

89 **Strength Measures:** The intent of a 1RM test is to determine the single maximal voluntary  
90 effort force that a muscle or muscle group can exert (11), and was utilized given its  
91 consideration as the gold standard for non-laboratory based strength assessments (10). The  
92 1RM testing protocols were conducted as previously described by Haff and Triplett (11) and  
93 were always preceded by a 10-minute warm up on each day of testing. The warm up consisted  
94 of self-selected exercises such as Hindu pushups with rotation, bodyweight squats, clock  
95 lunges, supine gluteal bridges, 5-10kg medicine ball slams, push-ups and alternating lunges.

**96 The Bench Press**

97 Subjects completed the bench press testing using a 20kg Pendlay Barbell loaded with Gym  
98 branded bumper weight plates, utilizing a Hammer Strength Bench rack (LifeFitness,  
99 Rosemont, IL) and a Strength and Conditioning (S&C) coach for safety. Subjects were  
100 instructed to lay supine on the bench with both feet flat on the floor with gluteals and scapulae  
101 in contact with the bench. Grip width was slightly wider than shoulder width (at a comfortable  
102 position) to ensure 90° of elbow flexion was achieved at the end of the eccentric phase of the  
103 lift. The test initiated with the officer un-racking the weight and holding it with arms fully  
104 extended at the midline of their sternum. The barbell was lowered at a controlled speed until  
105 contact was made with the chest, and thereafter returned to the starting position above the  
106 sternum. A lift was only considered successful if the gluteals and scapulae remained in contact  
107 with the bench throughout the movement and the participant did not require any assistance  
108 from the spotter. The final load (including bar weight) lifted correctly was measured in kg to  
109 form the final score.

**110 The Squat**

111 The back squat utilized a 20kg Pendlay Barbell, Gym branded bumper weight plates in a  
112 Hammer Strength Bench rack (LifeFitness, Rosemont, IL) with two S&C coaches as spotters.  
113 The subjects were instructed to position themselves so that the barbell was in contact with  
114 upper fibers of the trapezius, above the scapulae. Foot and grip placements were instructed to  
115 be slightly wider than the shoulders at a comfortable position. The test began with the officer  
116 removing the barbell from the rack and taking two steps back to a pause. The participant was  
117 instructed to perform the squat to 90° of knee flexion before extending to full hip and knee  
118 extension. The final load (including bar weight) lifted correctly was measured in kg to form  
119 the final score.

**120 The Deadlift**

121 The deadlift protocol was completed use an a 24kg diamond-shaped barbell (Australian Barbell  
122 Company, Mordialloc, VIC) loaded with Gym branded bumper weight plates (LifeFitness,  
123 Rosemont, IL). A rubber matted area of the gym was utilized for the testing. The subjects were  
124 positioned inside the diamond shaped barbell and instructed to place their feet shoulder width  
125 apart. The officers were instructed to squat, grip the barbell and maintain a neutral neck position  
126 with feet flat on the ground. The test began with a cue followed by hip and knee extension in a  
127 controlled manner. Once full hip and knee extension was achieved a second cue was provided  
128 to lower the weight. Displays of poor lifting technique were met with cessation of the lift and  
129 an unsuccessful lift result. The final load (including bar weight) lifted correctly was measured  
130 in kg to form the final score.

**131 The 1 RM Pull-Up**

132 Subjects completed the pull-up assessment with a Dan Baker Strength weight belt  
133 (DanBakerStrength Sunshine Coast, QLD, Australia), and Gym branded bumper plates  
134 attached to hang in front of the body. The officers were instructed to grip the bar wider than  
135 shoulder width at a comfortable position ensuring 90° of elbow flexion at the end of the  
136 concentric phase. The subjects were instructed to maintain a knee flexion at ~90° with ankles  
137 crossed behind them during the movement. The test began on the with a cue to initiate the  
138 concentric phase. A repetition was deemed successful if there was no swinging of the legs  
139 during the movement and the chin was raised above parallel with the bar with 90° of elbow  
140 flexion. 1RM values achieved were the result of adding the officer's body mass to the external  
141 weight lifted.

**142 Victim Drag protocol**



143 The victim drag was completed using an 85kg Life Tec dummy placed with its head on the  
144 starting line facing the direction of pull. A 50m long course was set up using Hart Sport cones  
145 (Hart Sports, Brisbane, Australia) placed every 5m on a flat concrete surface. Subjects were  
146 required to wear their tactical uniform, standard issue boots, body armour and helmet totalling  
147 approximately 15kgs (loads varied slightly due to natural variations in individual clothing and  
148 footwear sizes and subsequent ballistic plate sizes). The subjects were instructed to grip the  
149 dummy under the arms and drag it backwards as fast and far as possible in the time allowed.  
150 Each participant had 10 sec to drag the dummy as far as possible before receiving a 20 sec rest  
151 where they could drop the dummy. This process was repeated 6 times, totalling 60 sec of work  
152 with 120 sec of rest. The distance was scored by the number of markers passed by the feet of  
153 the dummy by the end of the 6<sup>th</sup> interval.

#### 154 **Pack March protocol**

155 The 5km pack march was completed over a course marked out on a combination of bitumen  
156 and hard dirt surfaces. The subjects were required to wear their issued operational uniform,  
157 boots, and body armour, alongside an unloaded primary weapon. On-body loads totalled 15  
158 kgs which was measured with a Tanita BC82Fitplus scale (Tanita, Illinois, USA). In addition,  
159 subjects wore an operational backpack which weighed 25 kgs (Wedderburn Ds530 Digital  
160 Industrial scale), leading to a total load of 40 kg. The officers completed the 5 km march at  
161 their own pace as fast as possible and time to completion was measured with a Hart Sports  
162 hand held timer (Hart Sports, Brisbane, Australia). The final result was recorded in minutes  
163 and seconds.

#### 164 *Statistical Analyses*

165 Data were received in a non-identifiable format on Microsoft Excel spreadsheets and  
166 subsequently imported into a Statistical Package for the Social Sciences spreadsheet (Version

167 23) for statistical analysis. A descriptive analysis to determine means and standard deviations  
168 for body mass, independent variables (absolute and relative strength measures) and dependent  
169 variables (Victim Drag and Pack March performance) was performed. A priori power analysis  
170 was conducted using G\*Power software (Version 3.1.9.2, 2014) indicating a large effect size  
171 ( $p=.5$ ,  $\alpha=0.05$ ) could be detected with a 95% confidence interval for the Pearson's  
172 correlations given the population size. Pearson's correlations were performed on each measure  
173 of strength (both absolute and relative) and both performance measures (Victim Drag and Pack  
174 March). The strength of the correlations were defined as an  $r$  of between 0 to 0.19 as very weak;  
175 0.2 to 0.39 as weak, 40-.59 as moderate, 60-.79 as strong and .80-1.0 as very strong (9).  
176 Correlations were plotted on a backward linear regressions model and analyzed for variance  
177 ( $r^2$ ) between strength measures and occupational tasks. Alpha levels were set a 0.05 a priori.

## 178 RESULTS

179 The absolute and calculated relative results for each strength measure and the results of both  
180 occupational tasks can be seen in Table 1. Table 2 shows the correlations between each strength  
181 measure and task performance. For the victim drag task, all absolute strength measures  
182 displayed significant ( $p<.01$ ) and strong correlations with drag performance while the relative  
183 results showed significant ( $p<.01$ ) moderate correlations (Table 2). Of all strength measures,  
184 the absolute deadlift accounted for 56% of the variance in victim drag (Figure 1). For the pack  
185 march task, the relative strength measures for the bench press, squat, and pull-up displayed  
186 significant ( $p<.05$ ) weak to moderate ( $p<0.01$ ) correlations with the pack march results, while  
187 only the absolute squat and pull-up showed significantly ( $p<.05$ ) weak correlations with pack  
188 march performance. Of all the strength measures, the relative pull-up accounted for 22% of the  
189 variance in the pack march (Figure 2).

190 \*\*\*Insert table 1 here\*\*\*

191 \*\*\*Insert table 2 here\*\*\*

192 \*\*\* Figures 2 and 3 here\*\*\*

## 193 **DISCUSSION**

194 The aim of this study was to investigate relationships between measures of strength and task  
195 performance in STPO. The results suggest that both absolute and relative strength are strongly  
196 correlated with victim drag results and absolute and relative squat and pull-up strength are  
197 moderately correlated with pack march results. Strength, both absolute and relative, appears to  
198 be important for STPO task performance. On this basis, the development and maintenance of  
199 these strength measures are an occupational requirement for STPO. Furthermore, these  
200 measures are of importance in return-to-work rehabilitation and reconditioning processes  
201 following injury.

202 The interpretation of these results suggest that, while relative strength was correlated with  
203 victim drag performance, absolute strength may be of greater importance. The findings of this  
204 study partially support the findings of Moreno et al (18). While Moreno et al. (18) (n=30  
205 students) found no significant relationships between relative deadlift performance and a victim  
206 drag (75 & 91 kg drag). they did find strong significant correlations between absolute deadlift  
207 performance and a victim drag. Likewise, in a study measuring only absolute strength  
208 measures, Hendrickson et al. (12) found significant correlations between improvements in  
209 1RM bench press ( $r=0.32$ ) and squat ( $r=0.33$ ) (the only strength values measured) and victim  
210 drag (61.4kg) performance in a group of recreationally active civilian women (n=56), One  
211 potential reason why absolute strength may be of greater importance in a victim drag, as  
212 opposed to relative strength, lies in the requirement of the participant to lift a portion of the  
213 dummy off the ground and drag this absolute load, which is not affixed to their body and  
214 remains extant regardless of the participant's body mass.

215 Conversely, a pack march requires the participant to move a worn load as part of their body  
216 mass, hence this becomes a relative load. Although this is known to increase energy costs (15),  
217 this may also mean that the relative strength of the carrier may be of greater importance. This  
218 supposition is supported by the findings in this study, whereby relative strength measures were  
219 more strongly correlated to pack march performance than absolute measures. In addition, the  
220 results of this study support the findings by Robinson et al. (25) who likewise found relative  
221 measures to be more strongly correlated to a pack march event than absolute measures.

222 In this study absolute pull-ups and squats were significantly, albeit weakly correlated to pack  
223 march performance while absolute bench press and deadlift were not. Conversely Robinson et  
224 al., (25) found all measures of an absolute bench press, squat, pull-ups and deadlift were  
225 moderately to weakly correlated to one pack march event; however, the deadlift was no longer  
226 significantly correlated to two later pack marches. Similarly, the study by Hendrickson et. al.  
227 (12) found no significant correlation between pack march performance (3.2k m with 32.7 kg)  
228 and improvements in absolute bench press or squat.

229 The different findings to that of our own study, with respects to a loaded pack march  
230 performance, may be due to the different populations studied. There is an underlying  
231 cardiovascular demand for performance in a loaded pack march (12, 27) which would be  
232 expected to be present in tactical personnel who have been exposed to pack marching  
233 previously (26). The previous study used civilians who were instructed on how to perform these  
234 tasks, and therefore would likely have had little familiarity with conducting them.

235 The results of this study support research investigating optimal conditioning measures for pack  
236 marching. Systematic reviews by Orr, et al. (20) and Knapik, et al. (16) highlighted that pack  
237 marching can be improved by a combined resistance training and an aerobic training program.  
238 However, the results of this finding suggest that while resistance training and the development

239 of strength is advised to improve load carriage performance, the development of relative  
240 strength may provide of greater value for pack marching specifically.

241

242 A notable limitation to this study is the measures of strength and the occupational tasks  
243 selected. These measures and tasks were those in use by the law enforcement agency and, as  
244 the data provided were retrospective, were beyond the control of the researchers. However,  
245 given that these measures are in use, this research informs those not only in this agency, but  
246 other agencies who employ these assessments and tasks, on best means of optimizing  
247 performance.

248

249 With the growing number of STPO units internationally, a greater need for research into  
250 training methods and optimizing performance has become increasingly evident (7, 29). The  
251 results of this study highlight the relationships between upper and lower limb strength (both  
252 absolute and relative) and the performance of two key tasks performed by STPO.

253

#### 254 **PRACTICAL APPLICATIONS**

255 Strength and conditioning programs for candidates wishing to serve in, currently serving  
256 officers of, or injured officers returning to, specialist tactical police units should include the  
257 development of both absolute and relative strength, utilizing maximum strength training  
258 methods and movements for the upper and lower body as part of their strength / reconditioning  
259 program. Furthermore, if increased performance in a victim drag is desired increases in  
260 absolute strength may be of greater benefit given that the dummy represents an absolute load  
261 of which a portion must be lifted from the ground and dragged. Conversely, during a pack

262 march, where the load is affixed to the body and must be transported by the carrier, increases  
 263 in relative strength to body mass ratio may be of greater benefit.

264


## 265 REFERENCES

- 266 1. Baran K, Dulla J, Orr R, Dawes J, and Pope R. Duty loads carried by the LA sheriff's  
 267 department deputies. *Journal of Australian Strength & Conditioning* 26: 34-38, 2018.
- 268 2. Beekley MD, Alt J, Buckley CM, Duffey M, and Crowder TA. Effects of heavy load  
 269 carriage during constant-speed, simulated, road marching. *Mil Med* 172: 592-595,  
 270 2007.
- 271 3. Blacker SD, Carter JM, Wilkinson DM, Richmond VL, Rayson MP, and Peattie M.  
 272 Physiological responses of Police Officers during job simulations wearing chemical,  
 273 biological, radiological and nuclear personal protective equipment. *Ergonomics* 56:  
 274 137-147, 2013.
- 275 4. Blacker SD, Fallowfield JL, Bilzon JJJ, and Willems MET. Physiological responses to  
 276 load carriage during level and downhill treadmill walking. *Medicina Sportiva* 13: 116-  
 277 124, 2009.
- 278 5. Carlton SD, Carbone PD, Stierli M, and Orr RM. The Impact of Occupational Load  
 279 Carriage on the Mobility of the Tactical Police Officer. *Journal of Australian Strength  
 280 & Conditioning* 22: 32-37, 2014.
- 281 6. Cartner R, Dugan K, Eells T, Hansen P, Kolman J, Watt R, Barker S, Gnagey J, Clark J,  
 282 and Wood S. SWAT standards for law enforcement agencies. Presented at  
 283 Proceedings of the National Tactical Officers Association, 2008.
- 284 7. Clark JG, Jackson MS, Schaefer PM, and Sharpe EG. Training SWAT teams:  
 285 Implications for improving tactical units. *Journal of Criminal Justice* 28: 407-413,  
 286 2000.
- 287 8. Davis MR, Easter RL, Carlock JM, Weiss LW, Longo EA, Smith LM, Dawes JJ, and  
 288 Schilling BK. Self-reported physical tasks and exercise training in Special Weapons  
 289 and Tactics (SWAT) teams. *Journal of Strength & Conditioning Research* 30: 3242-  
 290 3248, 2016.
- 291 9. Evans JD. *Straightforward statistics for the behavioral sciences*. Brooks/Cole, 1996.
- 292 10. Fleck SJ and Kraemer W. *Designing Resistance Training Programs, 4E*. Human  
 293 Kinetics, 2014.
- 294 11. Haff GG and Triplett NT. *Essentials of strength training and conditioning 4th edition*.  
 295 Human kinetics, 2015.
- 296 12. Hendrickson NR, Sharp MA, Alemany JA, Walker LA, Harman EA, Spiering BA, Hatfield  
 297 DL, Yamamoto LM, Maresh CM, Kraemer WJ, and Nindl BC. Combined resistance and  
 298 endurance training improves physical capacity and performance on tactical  
 299 occupational tasks. *Eur J Appl Physiol* 109: 1197-1208, 2010.
- 300 13. Joseph A, Wiley A, Orr R, Schram B, and Dawes JJ. The Impact of Load Carriage on  
 301 Measures of Power and Agility in Tactical Occupations: A Critical Review.  
 302 *International journal of environmental research and public health* 15: 88, 2018.





- 303 14. Keeler JM. The Effect of Tactical Tasks and Gear on Muscle Activation of SWAT  
304 Officers, in: *College of Education*. University of Kentucky, 2014.
- 305 15. Knapik J and Reynolds K. Chapter 11: Load carriage in military operations: a review of  
306 historical, physiological, biomechanical and medical aspects, in: *Military Quantitative*  
307 *Physiology: Problems and Concepts in Military Operational Medicine*. Maryland, USA:  
308 Borden Institute, 2012, pp 303-337.
- 309 16. Knapik JJ, Harman EA, Steelman RA, and Graham BS. A Systematic Review of the  
310 Effects of Physical Training on Load Carriage Performance. *Journal of Strength &*  
311 *Conditioning Research* 26: 585-597, 2012.
- 312 17. Maupin D, Wills T, Orr R, and Schram BEN. Fitness Profiles in Elite Tactical Units: A  
313 Critical Review. *International journal of exercise science* 11: 1041-1062, 2018.
- 314 18. Moreno M, Dawes JJ, Balfany K, Orr RM, and Lockie R. Only the strong survive:  
315 Relationships between lower-body strength and power with the 75-kg and 91-kg  
316 body drag, in: *National Strength and Conditioning Association National Conference*  
317 *and Exhibition*. Washington D.C., USA, 2019.
- 318 19. Orr R, Kukić F, Cvorovic A, Koropanovski N, Janković R, Dawes J, and Lockie R.  
319 Associations between Fitness Measures and Change of Direction Speeds with and  
320 without Occupational Loads in Female Police Officers. *International journal of*  
321 *environmental research and public health* 16, 2019.
- 322 20. Orr R, Pope R, Johnston V, and Coyle J. Load carriage: Minimising soldier injuries  
323 through physical conditioning-A narrative review. *Journal of Military and Veterans'*  
324 *Health* 18: 31-38, 2010.
- 325 21. Orr R, Pope R, Peterson S, Hinton B, and Stierli M. Leg power as an indicator of risk of  
326 injury or illness in police recruits. *International journal of environmental research and*  
327 *public health* 13: 237, 2016.
- 328 22. Orr R, Pope R, Stierli M, and Hinton B. Grip strength and its relationship to police  
329 recruit task performance and injury risk: a retrospective cohort study. *International*  
330 *journal of environmental research and public health* 14: 941, 2017.
- 331 23. Pryor RR, Colburn D, Crill MT, Hostler DP, and Suyama J. Fitness characteristics of a  
332 suburban special weapons and tactics team. *Journal of strength and conditioning*  
333 *research* 26: 752-757, 2012.
- 334 24. Richmond VL, Rayson MP, Wilkinson DM, Carter JM, and Blacker SD. Physical  
335 demands of firefighter search and rescue in ambient environmental conditions.  
336 *Ergonomics* 51: 1023-1031, 2008.
- 337 25. Robinson J, Roberts A, Irving S, and Orr R. Aerobic Fitness is of Greater Importance  
338 Than Strength and Power in the Load Carriage Performance of Specialist Police.  
339 *International journal of exercise science* 11: 987-998, 2018.
- 340 26. Rudzki SJ. Weight-load marching as a method of conditioning Australian Army  
341 recruits. *Mil Med* 154: 201-205, 1989.
- 342 27. Silk A, Savage R, Larsen B, and Aisbett B. Identifying and characterising the physical  
343 demands for an Australian specialist policing unit. *Applied Ergonomics* 68: 197-203,  
344 2018.
- 345 28. Sörensen L, Smolander J, Louhevaara V, Korhonen O, and Oja P. Physical activity,  
346 fitness and body composition of Finnish police officers: a 15-year follow-up study.  
347 *Occupational Medicine* 50: 3-10, 2000.
- 348 29. Williams JJ and Westall D. SWAT and non-SWAT police officers and the use of force.  
349 *Journal of Criminal Justice* 31: 469-474, 2003.







351 **Figure 1.** Linear regression analyses for absolute and relative strength measures and victim drag performance.  
 352 **2a.** Absolute/relative bench press correlation to victim drag performance, **2b.** Absolute/relative squat correlation to victim drag performance,  
 353 **2c.** Absolute/relative deadlift correlation to victim drag performance, **2d.** Absolute/relative pull-up correlation to victim drag performance.



354 **Figure 2.** Linear regression analyses for absolute and relative strength measures and pack march performance.  
 355 **3a.** Absolute/relative bench press correlation to pack march performance, **3b.** Absolute/relative squat correlation to pack march performance,  
 356 **3c.** Absolute/relative deadlift correlation to pack march performance, **3d.** Absolute/relative pull-up correlation to pack march performance.

357 **TABLES**358 **Table 1.** Mean results from all outcome measures and demographic data supplied.

<b>Outcome Measure</b>	<b>Mean results <math>\pm</math> SD</b>
Body mass (kg)	89.00 $\pm$ 8.58
Absolute Bench (kg)	114.68 $\pm$ 20.15
Relative Bench	1.29 $\pm$ 0.21
Absolute Squat (kg)	133.38 $\pm$ 24.58
Relative Squat	1.50 $\pm$ 0.26
Absolute Deadlift (kg)	159.96 $\pm$ 27.88
Relative Deadlift	1.80 $\pm$ 0.28
Absolute Pull-up (kg)	125.17 $\pm$ 14.93
Relative Pull-up	1.41 $\pm$ 0.14
Victim Drag (m)	104.40 $\pm$ 8.61
Pack March (mins)	42.48 $\pm$ 1.99

359 Relative measures presented as ratio of strength to body mass (1RM/Body mass).

360

361 **Table 2.** Correlation between outcome measures and performance in the victim drag and pack  
 362 march performance tests.

<b>Outcome Measure</b>	<b>Victim Drag</b>	<b>Pack March</b>
Absolute Bench	$r = 0.711^{**}$	$r = -0.265$
Relative Bench	$r = 0.531^{**}$	$r = -0.330^*$
Absolute Squat	$r = 0.741^{**}$	$r = -0.335^*$
Relative Squat	$r = 0.557^{**}$	$r = -0.395^{**}$
Absolute Deadlift	$r = 0.747^{**}$	$r = -0.219$
Relative Deadlift	$r = 0.568^{**}$	$r = -0.285$
Absolute Pull-up	$r = 0.742^{**}$	$r = -0.356^*$
Relative Pull-up	$r = 0.465^{**}$	$r = -0.468^{**}$

363 Statistically significant at: \* $p < 0.05$ ; \*\* $p < 0.01$ .

