



Thomas Jefferson University  
Jefferson Digital Commons

Phase 1

Class of 2022

1-2020

## Treatment of Persistent Air Leaks using Endobronchial Valves

Michael Zimmerman

Thomas Jefferson University, [michael.zimmerman@jefferson.edu](mailto:michael.zimmerman@jefferson.edu)

Cole Zingas

Thomas Jefferson University, [cole.zingas@jefferson.edu](mailto:cole.zingas@jefferson.edu)

Achala Donuru

Thomas Jefferson University, [achala.donuru@jefferson.edu](mailto:achala.donuru@jefferson.edu)

Scott W. Cowan

Thomas Jefferson University, [Scott.Cowan@jefferson.edu](mailto:Scott.Cowan@jefferson.edu)

Nathaniel Evans III

Thomas Jefferson University, [Nathaniel.Evans@jefferson.edu](mailto:Nathaniel.Evans@jefferson.edu)

Follow this and additional works at: [https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1](https://jdc.jefferson.edu/si_ctr_2022_phase1)

 Part of the [Pulmonology Commons](#), [Surgery Commons](#), and the [Translational Medical Research Commons](#)  
See next page for additional authors

[Let us know how access to this document benefits you](#)

### Recommended Citation

Zimmerman, Michael; Zingas, Cole; Donuru, Achala; Cowan, Scott W.; Evans III, Nathaniel; and Hehn, Boyd, "Treatment of Persistent Air Leaks using Endobronchial Valves" (2020). *Phase 1*. Paper 1.

[https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1/1](https://jdc.jefferson.edu/si_ctr_2022_phase1/1)

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).

---

**Authors**

Michael Zimmerman, Cole Zingas, Achala Donuru, Scott W. Cowan, Nathaniel Evans III, and Boyd Hehn

## SI/CTR Abstract

Word count: 249 words

### Treatment of Persistent Air Leaks using Endobronchial Valves

Michael Zimmerman, Cole Zingas, Achala Donuru\*, Scott Cowan, Nathaniel Evans III, Boyd Hehn

(\*) indicates primary project advisor

**Introduction:** Persistent air leaks (PAL) are from bronchopleural fistula resulting from communication between the bronchial tree and pleural space. Endobronchial valves (EBVs) are unidirectional valves placed bronchoscopically preventing airflow to the diseased lung lobe. For non-operable patients with PALs, EBVs offer a potential non-invasive treatment approach to stop air leak and allow lung healing. The purpose of this study is to retrospectively analyze EBV placement to treat non-operable adult patients with PALs.

**Methods:** We retrospectively analyzed all adult patients that underwent EBV placement for PAL treatment at our institution from January 2016 to June 2019. All patients failed conservative therapy with chest tubes before EBV placement. Descriptive statistics were used to analyze leak etiology, number of valves placed, duration of placement, and PAL resolution.

**Results:** A total of 20 EBV procedures occurred in patients with a median age of 63 (range = 38–79). Air leaks were spontaneous in 13 patients and either due to post-surgical or iatrogenic causes in 7 patients. By last follow-up, 60% of patients still

retained all valves. Among patients that had valves removed, EBVs were in place for a median of 6 months (range = 2–21). 19 patients PALs resolved after EBV placement.

**Discussion:** Our data supports previous reports of the feasibility of successfully treating PALs using EBVs. Although this report requires validation in a larger cohort, our data suggests that compassionate exemption EBV placement can be a possible treatment alternative to current standard of care for patients with PALs that are non-operable.