

Thomas Jefferson University
Jefferson Digital Commons

Phase 1

Class of 2022

1-2020

Amelioration of the neuroinhibitory local environment after ischemic injury through in situ astrocyte-to-neuron conversion

Abhinav K. Rao

Thomas Jefferson University, abhinav.rao@jefferson.edu

Yu-Chen Chen


Ning-Xin Ma

Zi-Fei Pei

Susan Keefe

See next page for additional authors

Follow this and additional works at: https://jdc.jefferson.edu/si_ctr_2022_phase1

 Part of the [Neurology Commons](#), and the [Translational Medical Research Commons](#)

[Let us know how access to this document benefits you](#)

Recommended Citation

Rao, Abhinav K.; Chen, Yu-Chen; Ma, Ning-Xin; Pei, Zi-Fei; Keefe, Susan; Yellin, Emma; Chen, Miranda; Yang, Fu-Han; He, Xiao-Song; and Chen, Gong, "Amelioration of the neuroinhibitory local environment after ischemic injury through in situ astrocyte-to-neuron conversion" (2020). *Phase 1*. Paper 21.

https://jdc.jefferson.edu/si_ctr_2022_phase1/21

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Abhinav K. Rao, Yu-Chen Chen, Ning-Xin Ma, Zi-Fei Pei, Susan Keefe, Emma Yellin, Miranda Chen, Fu-Han Yang, Xiao-Song He, and Gong Chen

Amelioration of the neuroinhibitory local environment after ischemic injury through *in situ* astrocyte-to-neuron conversion

Abhinav K. Rao, Yu-Chen Chen, Ning-Xin Ma, Zi-Fei Pei, Susan Keefe, Emma Yellin, Miranda Chen, Fu-Han Yang, Xiao-Song He, Gong Chen*

Ischemic injury in central nervous system (CNS) often causes severe neuronal loss and activates glial cells. We showed earlier that NeuroD1-mediated astrocyte-to-neuron (AtN) conversion can regenerate a substantial proportion of neurons (~40% of the total) and reconstruct the ischemic injured neural circuits. In this study, we focus on glial changes and blood vessel recovery following AtN conversion. Specifically, we found that ectopic expression of NeuroD1 in the reactive astrocytes after ischemic injury significantly reduced glial reactivity, as shown by less hypertrophic morphology, along with reduced secretion of neuroinhibitory factors such as CSPG and LCN2. As for microglia, we found less amoeboid shape of reactive microglia with reduced inflammatory factors such as IL-1 β , TNF α . Moreover, blood vessels in the injured areas were repaired after AtN conversion and the blood-brain-barrier structure was restored. Whole tissue transcriptome sequencing identified significantly reduced reactive astrocyte genes and proinflammatory genes, as well as an upregulation of neurogenesis pathway and angiogenesis genes. Together, we demonstrate that NeuroD1-mediated astrocyte-to-neuron (AtN) conversion can alleviate glial scarring and inflammation to create a more neuropermissive micro-environment for functional recovery.