

Thomas Jefferson University Jefferson Digital Commons

Phase 1 Class of 2022

1-2020

Medical Student Knowledge of Narcolepsy

Alyssa Sinko Thomas Jefferson University, alyssa.sinko@jefferson.edu

Karl Doghramji, MD Thomas Jefferson University, karl.doghramji@jefferson.edu

Follow this and additional works at: https://jdc.jefferson.edu/si_phr_2022_phase1

Part of the Medical Education Commons, Public Health Commons, and the Sleep Medicine Commons

Let us know how access to this document benefits you

Recommended Citation

Sinko, Alyssa and Doghramji, MD, Karl, "Medical Student Knowledge of Narcolepsy" (2020). *Phase 1.* Paper 8.

https://jdc.jefferson.edu/si_phr_2022_phase1/8

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's Center for Teaching and Learning (CTL). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

SI/PHR Abstract

SKMC Class of 2022

Word Count: 250

Medical Student Knowledge of Narcolepsy

Alyssa Sinko, BS, and Karl Doghramii, MD*

Background: Narcolepsy is a sleep disorder, whose main symptoms include daytime sleepiness,

cataplexy, sleep paralysis, disturbed sleep, and hypnagogic hallucinations. The disorder is poorly

identified in medical settings. We hypothesized that lack of knowledge of narcolepsy and its

hallmark symptoms are a cause for the low levels of identification of this disorder. This was a pilot

study into medical student knowledge of narcolepsy at Sidney Kimmel Medical College of Thomas

Jefferson University (SKMC).

Methods: Two groups of SKMC students, years 1 and 2 (before sleep medicine education) and

years 3 and 4 (after sleep medicine education) were the subjects of this study. All students were

sent a survey regarding their knowledge of narcolepsy. Results from these surveys were analyzed,

and compared using a proportions test.

Results: 24.42% of first and second year students correctly chose the pathognomonic symptom of

narcolepsy compared to 62.63% of that of the third and fourth year classes (p<0.0001). 5.43% of

first and second year students correctly chose the pentad of narcolepsy symptoms compared to

20.19% of that of the third and fourth year classes (p<0.0001).

Conclusions: There is a significant difference in knowledge of narcolepsy between students who

received education regarding narcolepsy at SKMC and those who have not. This suggests that the

educational curriculum in sleep medicine at SKMC is effective in enhancing knowledge regarding

SI/PHR Abstract

narcolepsy. Future studies should assess other medical schools and their student's knowledge of narcolepsy to evaluate the effectiveness of medical school education regarding sleep disorders on a national basis.