



Thomas Jefferson University
Jefferson Digital Commons

Phase 1

Class of 2022

1-2020

Examining the Associations Between Addiction Severity and Prior Adverse Childhood Experiences in Pregnant Women Receiving Treatment for Opioid Addiction

Julia Gong

Thomas Jefferson University, julia.gong@jefferson.edu

Diane Abatemarco, PhD, MSW

Thomas Jefferson University, diane.abatemarco@jefferson.edu

Follow this and additional works at: https://jdc.jefferson.edu/si_phr_2022_phase1

 Part of the [Maternal and Child Health Commons](#)

[Let us know how access to this document benefits you](#)

Recommended Citation

Gong, Julia and Abatemarco, PhD, MSW, Diane, "Examining the Associations Between Addiction Severity and Prior Adverse Childhood Experiences in Pregnant Women Receiving Treatment for Opioid Addiction" (2020). *Phase 1*. Paper 37.

https://jdc.jefferson.edu/si_phr_2022_phase1/37

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Addiction Severity and ACES

SKMC Class of 2022

Word count: 211

Examining the Associations Between Addiction Severity and Prior Adverse Childhood Experiences in Pregnant Women Receiving Treatment for Opioid Addiction

Julia Gong, Diane Abatemarco, PhD, MSW*

Introduction: Opioid use during pregnancy poses risk to both the mother and fetus, including fetal loss and pre-term birth. Prior research suggests that adverse childhood experiences (ACEs) are a plausible antecedent to opioid abuse. However, there is insufficient understanding of the association between prior ACEs, familial history of substance use, and treatment outcomes in pregnant women receiving treatment for opioid addiction.

Methods: A retrospective chart review will be used to review data from 167 MATER patients who entered treatment between 1997 and 2017. Descriptive statistics will be utilized to characterize the study population. Regression and chi-square analyses will be conducted to establish whether demographic factors and history of substance use differ as a function of child abuse.

Results: We expect to observe a positive association between number of ACEs, number of family members with a history of substance use, duration of treatment, and number of relapses. We anticipate that demographic variables such as race and education will moderate this association.

Conclusion: Understanding what associations may exist between ACES and addiction severity could identify potential interventions to improve psychosocial health and quality of parenting behaviors in pregnant women who are receiving treatment for opioid addiction. Additionally,

Addiction Severity and ACES

having this understanding could improve treatment outcomes for patients and providers' ability to deliver trauma-informed care.