

## DAFTAR PUSTAKA

- Abdul, S., Bhattacharya, P., Basak, S., Gayen, S., Nandy, A., & Saha, A. (2017). Pharmacoinformatics study of Piperolactam A from Piper betle root as new lead for non steroidal anti fertility drug development. *Computational Biology and Chemistry*, 67, 213–224. <https://doi.org/10.1016/j.combiolchem.2017.01.004>
- Ahn, J. W., Ahn, M. H., Zee, O. P., Kim, E. J., Lee, S. G., Kim, H. J., & Kubo, I. (1992). Piperidine Alkaloids From Piper retrofractum Fruits. *Phytochemistry*, 31(10), 3609–3612.
- Apriliani, D. (2016). *Isolasi dan Karakterisasi Senyawa Piperin dari Buah Cabe Jawa (Piper retrofractum) Asal Jawa Barat. (Skripsi)*. Bandung: Universitas Pendidikan Indonesia.
- Atun, S. (2014). Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam. *Jurnal Konservasi Cagar Budaya Borobudur*, 8(2), 53–61.
- Badheka, L., Prabhu, B., & Mulchandani, B. (1987). Lignans of piper cubeba. *Phytochemistry*, 26, 2033–2036.
- Barh, D., Barve, N., Gupta, K., Chandra, S., Jain, N., Tiwari, S., ... Azevedo, V. (2013). Exoproteome and Secretome Derived Broad Spectrum Novel Drug and Vaccine Candidates in *Vibrio cholerae* Targeted by Piper betel Derived Compounds. *PLOS ONE*, 8(1), 1–10. <https://doi.org/10.1371/journal.pone.0052773>
- Bhattacharya, S., Mula, S., Gamre, S., & Kamat, J. P. (2007). Inhibitory Property of Piper betel Extract Against Photosensitization-Induced Damages to Lipids and Proteins. *Food Chemistry*, 100, 1474–1480. <https://doi.org/10.1016/j.foodchem.2005.12.041>
- Blois, M. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181, 1199–1200. <https://doi.org/10.1038/1811199a0>
- Caceres, I., Khoury, R. El, Bailly, S., Oswald, I. P., & Puel, O. (2017). Piperine Inhibits A Flatoxin B1 Production In *Aspergillus flavus* by Modulating Fungal Oxidative Stress Response. *Fungal Genetics and Biology*, 107(July), 77–85. <https://doi.org/10.1016/j.fgb.2017.08.005>
- Carmo, D., Amaral, A. C. F., MacHado, G. M. C., Leon, L. L., & De Andrade Silva, J. R. (2012). Chemical and Biological Analyses of The Essential Oils and Main Constituents of Piper Species.
- Ruth Natalia Pangaribuan, 2018  
*ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (Piper retrofractum) ASAL JAWA BARAT*
- Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) | [perpustakaan.upi.edu](http://perpustakaan.upi.edu)

- Molecules*, 17(2), 1819–1829.  
<https://doi.org/10.3390/molecules17021819>
- Chansang, U., Zahiri, N. S., Bansiddhi, J., Boonruad, T., Thongsrirak, P., Mingmuang, J., ... Mulla, M. S. (2005). Mosquito larvicidal activity of aqueous extracts of long pepper ( *Piper retrofractum* Vahl ) from Thailand. *Journal of Vector Ecology*, 30(2), 195–200.
- Chaveerach, A., & Mokkamul, P. (2006). Ethnobotany of the genus *Piper* ( *Piperaceae* ) in Thailand. *Ethnobotany*, 231, 223–231.
- Chonpathompikunlert, P., Wattanathorn, J., & Muchimapura, S. (2010). Piperine ,The Main Alkaloid of Thai Black Pepper , Protects Against Neurodegeneration And Cognitive Impairment In Animal Model of Cognitive Deficit Like Condition of Alzheimer ' s Disease. *Food and Chemical Toxicology*, 48(3), 798–802.  
<https://doi.org/10.1016/j.fct.2009.12.009>
- Conde-hernández, L., Espinosa-victoria, J., & Guerrero-beltrán, J. (2017). Supercritical Extraction of Essential Oils of *Piper auritum* and *Porophyllum ruderale*. *The Journal of Supercritical Fluids*, 127(April), 97–102. <https://doi.org/10.1016/j.supflu.2017.03.026>
- Danelutte, A. P., Lago, J. H. G., Young, M. C. M., & Kato, M. J. (2003). Antifungal Flavanones and Prenylated Hydroquinones From *Piper crassinervium* Kunth. *Phytochemistry*, 64(2), 555–559.  
[https://doi.org/10.1016/S0031-9422\(03\)00299-1](https://doi.org/10.1016/S0031-9422(03)00299-1)
- Desai, S., Prabhu, B., & Mulchandani, N. (1988). Aristolactams and 4,5-Dioxoaporphines From *Piper Longum*. *Phytochemistry*, 27(5), 1511–1515.
- Dinanti, B. R. (2014). Long Pepper ( *Piper retrofractum* Vahl ) to Overcome Erectile Dysfunction, 3, 3–8.
- Dragull, K., Yoshida, W. Y., & Tang, C. S. (2003). Piperidine alkaloids from *piper methysticum*. *Phytochemistry*, 63(2), 193–198.  
[https://doi.org/10.1016/S0031-9422\(03\)00111-0](https://doi.org/10.1016/S0031-9422(03)00111-0)
- Durant-Archibold, A. A., Santana, A. I., & Gupta, M. P. (2018). Ethnomedical Uses and Pharmacological Activities of Most Prevalent Species of Genus *Piper* In Panama: A review. *Journal of Ethnopharmacology*, 217, 63–82.  
<https://doi.org/10.1016/j.jep.2018.02.008>
- Emrizal, Fernando, A., Yuliandari, R., Rullah, K., Indrayani, N. R., Susanty, A., ... Arbain, D. (2014). Cytotoxic Activities of Fractions and Two Isolated Compounds from Sirih Merah (Indonesian red
- Ruth Natalia Pangaribuan, 2018  
**ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT**  
 Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- betel), Piper Crocatum Ruiz & Pav. *Procedia Chemistry*, 13, 79–84. <https://doi.org/10.1016/j.proche.2014.12.009>
- Facundo, V. A., Bállico, L. J., Lima, D. K. S., Santos, A. R. S., Morais, S. M., Valdo, G., ... Militão, J. S. L. T. (2012). Non-substituted B-Ring Flavonoids and An Indole Alkaloid From Piper aleyreanum (Piperaceae). *Biochemical Systematics and Ecology*, 45, 206–208. <https://doi.org/10.1016/j.bse.2012.07.010>
- Fessenden, R., & Fessenden, J. (1986). *Kimia Organik* (3rd ed.). Jakarta: Erlangga.
- Freitas, G. C., Batista, J. M., Franchi, G. C., Nowill, A. E., Yamaguchi, L. F., Vilcachagua, J. D., ... Kato, M. J. (2014). Cytotoxic Non-Aromatic B-ring Flavanones From Piper carniconnectivum C. DC. *Phytochemistry*, 97, 81–87. <https://doi.org/10.1016/j.phytochem.2013.10.012>
- Girola, N., Figueiredo, C. R., Farias, C. F., Azevedo, R. A., Ferreira, A. K., Teixeira, S. F., ... Lago, J. H. G. (2015). Camphene isolated from essential oil of Piper cernuum (Piperaceae) induces intrinsic apoptosis in melanoma cells and displays antitumor activity in vivo. *Biochemical and Biophysical Research Communications*, 467(4), 928–934. <https://doi.org/10.1016/j.bbrc.2015.10.041>
- Gupta, P., Balwani, S., Kumar, S., Aggarwal, N., Rossi, M., Paumier, S., ... Ghosh, B. (2010).  $\beta$ -sitosterol Among Other Secondary Metabolites of Piper galeatum Shows Inhibition of TNF $\alpha$ -Induced Cell Adhesion Molecule Expression on Human Endothelial Cells. *Biochimie*, 92(9), 1213–1221. <https://doi.org/10.1016/j.biochi.2010.06.005>
- Gupta, S. K., Bansal, P., Bhardwaj, R. K., & Velpandian, T. (2000). Comparative Anti-Nociceptive, Anti-Inflammatory, and Toxicity Profile of Nimesulide VS Nimesulide and Piperine Combination. *Pharmacological Research*, 41(6), 0–5.
- Hematpoor, A., Paydar, M., Liew, S. Y., Sivasothy, Y., Mohebbali, N., Looi, C. Y., ... Awang, K. (2018). Phenylpropanoids isolated From Piper sarmentosum Roxb. Induce Apoptosis in Breast Cancer Cells Through Reactive Oxygen Species and Mitochondrial-Dependent Pathways. *Chemico-Biological Interactions*, 279, 210–218. <https://doi.org/10.1016/j.cbi.2017.11.014>
- Karak, S., Acharya, J., Begum, S., Mazumdar, I., Kundu, R., & De, B. (2018). Essential Oil of Piper betle L. Leaves: Chemical
- Ruth Natalia Pangaribuan, 2018  
**ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (Piper retrofractum) ASAL JAWA BARAT**  
 Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Composition, Anti-Acetylcholinesterase, Anti- $\beta$ -Glucuronidase and Cytotoxic Properties. *Journal of Applied Research on Medicinal and Aromatic Plants*, (June), 0–1. <https://doi.org/10.1016/j.jarmap.2018.06.006>
- Karunakaran, C., Rajkumar, R., & Balamurugan, M. (2018). *Principles of Nuclear Magnetic Resonance and Pulsed Nuclear Magnetic Resonance. Spin Resonance Spectroscopy*. India: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813608-9.00001-0>
- Khopkar, S. . (1990). *Konsep Dasar Kimia Analitik*. Jakarta: UI-Press.
- Krishnaswamy, N. . (2003). *Chemistry of Natural Products : A Laboratory Handbook*. India: Universities Press.
- Lestari, S., & Midoen, Y. H. (2010). Uji Klinik Ekstrak Cabe Jawa ( Piper Retrofractum Vahl ) sebagai Fitofarmaka Androgenik pada Laki-laki Hipogonad, (June).
- Liu, T., Liang, Q., Zhang, X., Li, G., Xu, B., & Xu, W. (2017). Chemical Constituents From Piper Boehmeriifolium ( Miq. ) Wall . ex C . DC, 75, 27–30. <https://doi.org/10.1016/j.bse.2017.11.003>
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Yang, S. Y., Cuong, N. M., Kwon, Y. I., ... Kim, Y. H. (2014). A new phenylpropanoid and An Alkylglycoside From Piper retrofractum Leaves With Their Antioxidant and  $\alpha$ -Glucosidase Inhibitory Activity. *Bioorganic and Medicinal Chemistry Letters*, 24(17), 4120–4124. <https://doi.org/10.1016/j.bmcl.2014.07.057>
- Malhotra, S., Koul, S. K., Taneja, S. C., Pushpangadan, P., & Dhar, K. L. (1990). A Neolignan From Piper Sumatranum. *Phytochemistry*, 29(8), 2733–2734.
- Martín-Rodríguez, A. J., Ticona, J. C., Jiménez, I. A., Flores, N., Fernández, J. J., & Bazzocchi, I. L. (2015). Flavonoids From Piper delineatum Modulate Quorum-Sensing-Regulated Phenotypes in Vibrio Harveyi. *Phytochemistry*, 117, 98–106. <https://doi.org/10.1016/j.phytochem.2015.06.006>
- Martins, A., Salgueiro, L., Vila, R., Tomi, F., Canigual, S., Casanova, J., ... Azdet, T. (1998). ESSENTIAL OILS FROM FOUR PIPER SPECIES. *Phytochemistry*, 49(7), 1–5.
- Melrose, J., Perroy, R., Careas, S., & L, O. (2005). *Edible Medicinal and Non-Medicinal Plants. Edible Medicinal And Non-Medicinal Plants: Volume 4, Fruits* (Vol. 6). [https://doi.org/10.1007/978-94-007-4053-2\\_12](https://doi.org/10.1007/978-94-007-4053-2_12)

Ruth Natalia Pangaribuan, 2018

**ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (Piper retrofractum) ASAL JAWA BARAT**

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarın Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Moon, J., & Shibamoto, T. (2009). Antioxidant Assays for Plant and Food Components. *Antioxidant Assays for Plant and Food Components*, 57(January), 1655–1666. <https://doi.org/10.1021/jf803537k>
- Muharini, R. (2016). *Bioactive Secondary Metabolites from Medicinal Plants*.
- Muharini, R., Liu, Z., Lin, W., & Proksch, P. (2015). New amides from the fruits of *Piper retrofractum*. *Tetrahedron Letters*, 56(19), 2521–2525. <https://doi.org/10.1016/j.tetlet.2015.03.116>
- Musthapa, I., & Gumilar, G. G. (2016). Isolation of Piperin From the Fruit of *Piper Retrofractum*. *Indonesian Journal of Fundamental and Applied Chemistry*, 6–9. <https://doi.org/10.24845/ijfac.v2.i1.06>
- Nair, M., Sommerville, J., & Burke, B. (1989). Phenyl Propenoids From Roots of *Piper Auritum*. *Phytochemistry*, 28(2), 2–3.
- Niwa, A. M., De Paula, N. A., Vesenick, D. C., Sartori, D., Maistro, E. L., Ribeiro, L. R., & Mantovani, M. S. (2016). Evaluation of Lignan (-)-Cubebin Extracted From *Piper cubeba* On Human Colon Adenocarcinoma Cells (HT29). *Journal of Toxicology and Environmental Health - Part A: Current Issues*, 79(2), 92–100. <https://doi.org/10.1080/15287394.2015.1110067>
- Okwute, S. K., & Egharevba, H. O. (2013). Piperine-Type Amides: Review of the Chemical and Biological Characteristics. *International Journal of Chemistry*, 5(3), 99–122. <https://doi.org/10.5539/ijc.v5n3p99>
- Oyemitan, I. A. (2017). African Medicinal Spices of Genus *Piper*. In *Medicinal Spices and Vegetables from Africa* (pp. 581–597). United Kingdom: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809286-6/00027-3>
- Paula, V. F. De, Barbosa, L. C. D. a, Demuner, A. J., Piló-Veloso, D., & Picanço, M. C. (2000). Synthesis and insecticidal activity of new amide derivatives of piperine. *Pest Management Science*, 56(March 1999), 168–174. [https://doi.org/10.1002/\(SICI\)1526-4998\(200002\)56:2<168::AID-PS110>3.0.CO;2-H](https://doi.org/10.1002/(SICI)1526-4998(200002)56:2<168::AID-PS110>3.0.CO;2-H)
- Pokorny, J., Yanishlieva, N., & Gordon, M. (2001). *Antioxidants in Food*. Washington DC: Woodhead Publishing Limited.

Ruth Natalia Pangaribuan, 2018

**ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT**

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Radcliffe, D., Matsuura, T., Ismail, A., & Hilal, N. (2017). *Membrane Characterization*. Canada: Elsevier.
- Rajudin, E., Ahmad, F., Sirat, H. M., Arbain, D., & Aboul-Enein, H. Y. (2010). Chemical Constituents From Tiger's Betel, *Piper porphyrophyllum* N.E.Br. (Fam. Piperaceae). *Natural Product Research*, 24(4), 387–390. <https://doi.org/10.1080/14786410903421826>
- Ramirez, J., Cartuche, L., & Morocho, V. (2013). Antifungal Activity of Taw Extract and Flavanons Isolated From *Piper ecuadorensis* From Ecuador. *Revista Brasileira de Farmacognosia - Brazilian Journal of Pharmacognosy*, 23(2), 370–373. <https://doi.org/10.1590/S0102-695X2013005000012>
- Rubiyanto, D. (2016). *Teknik Dasar Kromatografi*. Yogyakarta: Deepublish.
- Rubiyanto, D. (2017). *Metode Kromatografi*. Yogyakarta: Deepublish.
- Rukachaisirikul, T., Siriwatanakit, P., Sukcharoenphol, K., Wongvein, C., Ruttanaweang, P., Wongwattanavuch, P., & Suksamrarn, A. (2004). Chemical Constituents and Bioactivity of *Piper Sarmentosum*. *Journal of Ethnopharmacology*, 93(2–3), 173–176. <https://doi.org/10.1016/j.jep.2004.01.022>
- Saifudin, A. (2014). *Senyawa Alam Metabolit Sekunder*. Yogyakarta: Deepublish.
- Shoji, N., Umeyama, A., Saito, N., Tsunematsu, T., Kajiwara, A., & Ohizumi, Y. (1986). Dehydropiperonaline, an Amide Possessing Coronary Vasodilating Activity, Isolated from *Piper longum* L., 3–4.
- Simpson, J. H. (2017). *NMR Case Studies*. Netherlands: Elsevier. <https://doi.org/10.1016/B978-0-12-803342-5.00001-6>
- Tabopda, T. K., Ngoupayo, J., Liu, J., Mitaine-Offer, A. C., Tanoli, S. A. K., Khan, S. N., ... Luu, B. (2008). Bioactive Aristolactams From *Piper umbellatum*. *Phytochemistry*, 69(8), 1726–1731. <https://doi.org/10.1016/j.phytochem.2008.02.018>
- Ventorim, F., Paula, R. De, Caldeira, I., Alvarenga, A., Kelly, S., Bertolucci, V., ... Pereira, B. (2016). Essential Oil of Monkey-Pepper (*Piper aduncum* L.) Cultivated Under Different Light Environments. *Industrial Crops & Products*, 85, 251–257. <https://doi.org/10.1016/j.indcrop.2016.03.016>
- Winarsi, H. (2007). *Antioksidan Alami & Radikal Bebas*. Yogyakarta: Ruth Natalia Pangaribuan, 2018
- ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT**
- Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

Kanisius.

Zarai, Z., Boujelbene, E., Ben Salem, N., Gargouri, Y., & Sayari, A. (2013). Antioxidant and antimicrobial activities of various solvent extracts, piperine and piperic acid from *Piper nigrum*. *LWT - Food Science and Technology*, 50(2), 634–641. <https://doi.org/10.1016/j.lwt.2012.07.036>

Ruth Natalia Pangaribuan, 2018

**ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT**

Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) | [perpustakaan.upi.edu](http://perpustakaan.upi.edu)