Ethanol as fuel additive: high-pressure oxidation of its mixtures with acetylene

Lorena Marrodán, Miguel Fuster, Ángela Millera, Rafael Bilbao, María U. Alzueta*

Aragón Institute of Engineering Research (I3A). Department of Chemical and Environmental Engineering. University of Zaragoza, Zaragoza-Spain.

ABSTRACT

An experimental and modeling study of the oxidation of acetylene-ethanol mixtures under high-pressure conditions (10-40 bar) has been carried out in the 575-1075 K temperature range, in a plug flow reactor. The influence on the oxidation process of the oxygen inlet concentration (determined by the air excess ratio, λ) and the amount of ethanol (0-200 ppm) present in the reactant mixture has also been evaluated. In general, the predictions obtained with the proposed model are in satisfactory agreement with the experimental data. For a given pressure, the onset temperature for acetylene conversion is almost the same independently of the oxygen or ethanol concentrations in the reactant mixture, but it is shifted to lower temperatures when the pressure is increased. Under the conditions of this study, the ethanol presence does not modify the main reaction routes for acetylene conversion, being its main effect the modification of the radical pool composition.

INTRODUCTION

Fuel reformulation seems to be a promising strategy for minimizing important pollutants emitted to the atmosphere during combustion processes, especially from transportation, such as nitrogen oxides (NO_x) and soot, the principal component of particulate matter. Government regulations are becoming stricter, there is an increasing global warming concern and fossil fuel resources are finite. Therefore, the bio-derived oxygenated fuels and fuel additives are paid more attention in the last years and awaken the research community interest, as shown by Kohse-Höinghaus et al. [1] when reviewing biofuel combustion chemistry.

Among all possible biofuels, ethanol is one of the most common biofuels and it has been widely studied and used, either directly or as a gasoline additive. However, its application in diesel engines is restricted because its cetane number, flash point and calorific values are lower compared to diesel fuel. For this reason, ethanol must be blended with diesel or biodiesel to overcome all these difficulties. In this way, regarding to the exhaust pollutant emissions, although there is certain controversy about if it is possible to reduce simultaneously CO, soot or nitrogen oxides emissions, authors such as An et al. [2] indicate that, working under given conditions, for example at comparatively lower temperatures, soot and nitrogen oxides emissions could be reduced by using ethanol. This controversy makes necessary a systematic study at laboratory scale under well controlled operating conditions in order to acquire a better knowledge of the possible effects of the ethanol addition to fuel.

In recent years, the role of ethanol as additive to diesel or gasoline has been studied in engines [e.g. 3, 4], and when added to different hydrocarbons (such as acetylene, ethylene, n-heptane, propene, iso-octane or benzene, among others) in laboratory flames [for example, 5-9], jet-stirred

reactors (JSR) [10-11] and plug flow reactors [12], to investigate its influence on combustion performance and pollutant emissions. Dagaut and Togbé [10] carried out an experimental and modeling study of the oxidation of different mixtures of iso-octane with ethanol and 1-butanol in JSR, at an equivalence ratio of 1, and a pressure of 10 atm, with a good agreement between experimental and modeling calculations. Reaction rate analyses showed that the reaction paths were very similar when increasing the alcohol fraction in the mixture. In a similar way, Rezgui and Guemini [11] carried out a computational study, based on the experimental results previously obtained by Ristori et al. [13] and Aboussi [14], of the effects of ethanol addition on the formation of some pollutants during benzene JSR oxidation and their results indicated that the mole fractions of acetylene (C₂H₂), cyclopentadienyl radical (C₅H₅) and propargyl radical (C₃H₃) decreased when increasing the ethanol percentage in the mixture. In an atmospheric plug flow reactor, Abián et al. [12] analyzed the effect of temperature (775-1375 K), air excess ratio (from fuel-rich to fuel-lean conditions) and the ethanol concentration (0-200 ppm) on the oxidation of acetylene-ethanol mixtures. They stated that the main reaction pathways observed for acetylene conversion in the presence of ethanol were basically the same as those in its absence, and the influence of ethanol addition comes from its capacity to modify the composition of the radical pool. Moreover, Esarte et al. [15] analyzed soot formation from the pyrolysis of acetylene, ethanol and their mixtures, and the results showed that adding small concentrations of ethanol (600 times lower than acetylene concentration) leads to a diminution on the production of soot from acetylene pyrolysis.

However, despite its relevance for its applicability to internal combustion engines, and the current tendency in designing combustion systems working at high-pressure to increase

efficiency, to our knowledge, no experimental or modeling studies have been carried out evaluating the impact of ethanol addition to hydrocarbons at pressures higher than 10 atm.

In this context, the aim of the present work is to study the high-pressure oxidation of acetylene-ethanol mixtures, which will extend the experimental database on the behavior of ethanol as additive. Therefore, the oxidation of acetylene-ethanol mixtures in a quartz flow reactor under high-pressure conditions has been studied from both experimental and modeling points of view. Acetylene (C₂H₂) has been set as the main fuel because it is recognized as one of the main soot precursors, it is an important intermediate in combustion of hydrocarbons, and a recent chemical kinetic mechanism for modeling its conversion under high-pressure conditions is available [16]. The experimental results obtained have been used to validate a chemical kinetic mechanism able to describe the oxidation of both compounds and their mixtures under the conditions studied. This will extend the applicability of the model to other operating conditions and it can be used as a predicting tool.

EXPERIMENTAL SECTION

The experiments have been carried out in a laboratory-scale high-pressure flow reactor designed to approximate plug-flow [17], which has been described elsewhere [18], and therefore only the most relevant details are mentioned here. The oxidation of C_2H_2 (approximately 500 ppm) and ethanol (C_2H_5OH , 0-200 ppm) mixtures has been analyzed in the 575-1075 K temperature range. To evaluate the influence of pressure on the oxidation process, different manometric pressures have been tested, 10-40 bar. The oxygen inlet concentration has been varied from reducing to oxidizing conditions by modifying the value of lambda (λ =0.7, 1 and 20), defined as the inlet

oxygen divided by the stoichiometric oxygen, and considering both fuel components, acetylene and ethanol. Nitrogen is used to balance up to obtain a total gas flow rate of 1 L (STP)/min. Reactants are highly diluted minimizing the reaction thermal effects. Reactant gases, supplied from gas cylinders, are premixed before entering the reactor. Table 1 lists the conditions for the different experiments.

The oxidation reactions take place in a tubular quartz tube (inner diameter of 6 mm and 1500 mm in length) enclosed in a steel pressure shell and placed in an electrically heated oven. Type K thermocouples, positioned in the void between the quartz reactor and the steel shell, were used to measure the longitudinal temperature profiles, obtaining an isothermal reaction zone ($\pm 10~\rm K$) of 56 cm. The temperature profiles, for 10 and 40 bar, can be found as Supporting Information (Figure S1 and S2, respectively). The gas residence time in the isothermal zone can be represented by $t_r(s)=261~\rm P(bar)/T(K)$, which implies that residence time depends on both pressure and temperature. Downstream of the reactor, the pressure of the system is reduced to atmospheric level before product analysis, which is performed using a micro-gas chromatograph (Agilent 3000A) equipped with Thermal Conductivity Detectors (TCD), and an ATI Mattson Fourier Transform Infrared spectrometer. The uncertainty of measurements is estimated as $\pm 5\%$, except for the FTIR spectrometer, which is estimated as $\pm 10\%$. The atomic carbon balance was checked, and the deviations were below 10% in most of the cases.

CHEMICAL KINETIC MODEL

The experimental results have been analyzed in terms of a detailed gas-phase chemical kinetic mechanism for chemistry description and analysis of the oxidation under high-pressure conditions of C₂H₂-C₂H₅OH mixtures.

The mechanism, as well as the thermodynamic data, proposed by our group to describe the ethanol high-pressure oxidation [19] have been taken in the present work without any modifications. This mechanism includes the reaction subset for ethanol conversion suggested by Alzueta and Hernández [20]. Calculations coincide, in general, well with the main experimental trends observed. Other mechanisms in literature are available. As an example, we have tested a very recent mechanism by Hashemi et al. [21], proposed to describe the pyrolysis and oxidation of ethanol under high-pressure conditions. The results indicate that modeling predictions are also in good agreement with the experimental trends observed in the present work (Figures S3-S5, in Supporting Information).

The present mechanism takes as a basis the GADM mechanism [22], progressively updated (e.g. [23, 24]) and modified to consider the high-pressure conditions and the different compounds involved [17, 25-27]. The reaction subset proposed by Giménez-López et al. [16] for oxidation of acetylene at intermediate temperatures and high pressure, was also included. These authors indicated that through the sequence represented in (R1) significant amounts of glyoxal and formic acid may be formed from acetylene. Therefore, the reaction subsets for these compounds (refs. [28] and [29], respectively) were also added to the present mechanism.

$$C_2H_2 \xrightarrow{+OH} C_2H_2OH \xrightarrow{+O_2} C_2H_2OH \xrightarrow{+O_2} (R1)$$

(R1)

Although no special implication of compounds such as methyl formate, dimethoxymethane or dimethyl ether is expected, the present mechanism also includes reaction subsets for these compounds, which have been validated under high-pressure conditions ([18], [30] and [31], respectively). We found that some reactions involving HCOOH proposed by Zhao et al. [32], slightly improve present model calculations. Most of these reactions (Table S1, in Supporting Information) are H abstraction and decomposition reactions which occur in only one step (e.g. HCOOH+OH=H₂O+CO₂+H), whereas in the formic acid subset by Marshall and Glarborg [29], this is produced in two steps: a H abstraction (e.g. HCOOH+OH=HOCO+H₂O), followed by the decomposition of the hydrocarboxyl radical produced (e.g. HOCO(+M)=CO+OH(+M)). Examples of the discrepancies obtained in modeling calculations with or without these reactions, for conditions denoted as sets 1-4 in Table 1, are given in Supporting Information (Figures S6-S9). The influence of these reactions, although low, indicates an uncertainty in the behavior of HCOOH and, therefore, an effort should be made in better understanding its oxidation.

The mechanism obtained by this way involves 137 species and contains 798 reactions, and as mentioned above, it is the same successfully used in a high-pressure ethanol oxidation study [19]. The complete mechanism and the thermodynamic data are provided as Supporting Information.

Numerical calculations were conducted with the plug-flow reactor module of CHEMKIN-PRO software package [33] and considering the corresponding temperature profiles determined experimentally.

RESULTS AND DISCUSSION

The oxidation of C_2H_2 - C_2H_5OH mixtures has been studied in the 575-1075 K temperature range. In addition to temperature, the influence of the pressure (10 and 40 bar), the air excess ratio (λ) and the concentration of ethanol in the mixture (0-200 ppm) has been analyzed from both experimental and modeling points of view. Figure 1 shows an example of the results for the consumption with temperature of the reactants C_2H_2 , C_2H_5OH , and oxygen, and for the formation of different products quantified (CO, CO₂, H₂ and CH₃CHO), for the conditions denoted as set 2 in Table 1. From now on, experimental results are denoted by symbols whereas model calculations are denoted by lines. In general, there is a good agreement between experimental and modeling results. Moreover, all the experimental results obtained in the present work can be found in an excel spreadsheet as Supporting Information.

Figures 2 and 3 show the evolution with temperature of C_2H_2 , C_2H_5OH , CO and CO_2 concentrations for stoichiometric conditions (λ =1), 10 bar and different inlet ethanol concentrations. Apparently, under the present high-pressure conditions, neither the presence nor the amount of ethanol do modify significantly the onset temperature for acetylene oxidation nor the acetylene conversion profile, in contrast to what was observed by Abián et al. [12] in their atmospheric pressure oxidation work of C_2H_2 - C_2H_5OH mixtures ($t_r(s)$ =195/T(K), 500 ppm of C_2H_2 and 0-200 ppm of C_2H_3OH). In that study, as the amount of ethanol was increased, the

acetylene conversion occurred at higher temperatures. Under the present high-pressure conditions (10 bar), the oxidation of C_2H_2 starts at 775-800 K approximately, independently of the amount of ethanol present in the reactant mixture. In the case of ethanol, it also starts to be consumed at the same temperature as C_2H_2 , that is, 775-800 K approximately, and independently of the amount added to the mixture; whereas under atmospheric conditions [12], ethanol was more reactive being completely consumed at lower temperatures than acetylene, and once ethanol was consumed, C_2H_2 concentration sharply decayed.

On the other hand, for the lower amounts of ethanol, 0 and 50 ppm, the modeling predictions for CO and CO₂ seem to be in good agreement with the experimental data. However, for higher amounts of ethanol, the CO concentration is underpredicted by the model, whereas, the concentration of CO₂ is overestimated. This indicates that, although the experimental trends of both compounds are well predicted by the model, further work could be done to improve modeling predictions in the oxidation pathways of C₂H₂ and C₂H₅OH to CO and CO₂. At present, we are not able to clearly identify what is the reason for the poor fitting of the calculations versus experimental individual data of CO and CO₂. However, the sum of both CO and CO₂ is well described by calculations (bottom part of Figure 3). Since the reaction rate of the conversion of CO into CO₂ is known with certain confidence, the differences may be attributed to inexactitudes in predicting the H/O radical pool composition, which may arise from a number of reactions involved in the mechanism feeding the radical pool.

To evaluate the influence of the oxygen availability in the reactant mixture on the oxidation of the mixtures, different air excess ratios (λ) have been used for two different ethanol concentrations in the mixture, 50 or 200 ppm, while keeping constant the value of the pressure at 10 bar and the C_2H_2 concentration (500 ppm, approximately). The experimental results obtained

for acetylene and ethanol consumption and CO formation, as one of the major oxidation products, are compared with modeling calculations and represented in Figure 4. The inlet oxygen concentration does not significantly modify the acetylene, neither for the lowest concentration of ethanol in the mixture (50 ppm, left part of Figure 4) nor for the highest (200 ppm, right part of Figure 4). The temperature for the onset of C_2H_2 oxidation, and therefore, the onset of CO formation is almost independent of the value of lambda analyzed. In the case of ethanol, as it was previously reported in a high-pressure (20, 40 and 60 bar) ethanol oxidation study [19], for a given pressure, the inlet oxygen concentration does not clearly modify the C_2H_5OH oxidation, and ethanol is completely consumed for all the stoichiometries analyzed. One possible explanation to the almost negligible effect of the oxygen availability on the onset temperature for ethanol consumption could be that ethanol oxidation is initiated by its thermal dehydration to ethylene (reaction R2) and its thermal decomposition through bond cleavage to CH₂OH and CH₃ radicals (reaction R3) [19].

$$C_2H_5OH(+M) = C_2H_4 + H_2O(+M)$$
 (R2)

$$C_2H_5OH(+M) = CH_2OH + CH_3(+M)$$
 (R3)

Another study of the oxidation of C_2H_2 - C_2H_5OH mixtures, but under atmospheric pressure conditions [12], also indicates that the onset temperature of acetylene and ethanol conversion is almost the same (around 900 K) for all the values of lambda analyzed, but the temperature range for full consumption of acetylene and ethanol was different depending on the value of lambda analyzed, unlike what is observed at high-pressure. Thus, at atmospheric pressure and the leanest conditions studied (λ =20), the full conversion of acetylene was produced at approximately 100 K

below compared to λ =0.7 and stoichiometric conditions (λ =1), while for λ =0.2, C_2H_2 was not completely consumed even for the highest temperature analyzed in that study, 1375 K.

The influence of a change in the working pressure (from 10 to 40 bar) on the oxidation of C_2H_2 - C_2H_5OH mixtures has also been evaluated (Figure 5). As listed in Table 1, for ethanol concentrations in the mixture of 50 and 200 ppm, the three different values of lambda have been tested for both pressures, although not all of them have been represented in Figure 5. As previously mentioned, the impact of the inlet oxygen on the C_2H_2 - C_2H_5OH mixtures oxidation is almost negligible.

As it can be seen in Figure 5, an increase in working pressure appears to shift the onset of C_2H_2 oxidation to lower temperatures, approximately 50-75 K. Therefore, the conversion of C_2H_2 at 40 bar starts at 725 K, which is approximately the same temperature to that obtained under similar experimental conditions by Giménez-López et al. [16] in their high-pressure (60 bar) oxidation study of C_2H_2 (total flow rate of 3 L(STP)/min, residence times of 10-15 s in the isothermal reaction zone). Therefore, a change in pressure from 10 to 40 bar has significant effects on the conversion of C_2H_2 and C_2H_5OH , but the effects are less pronounced when pressure is further increased.

Since the model provides good performance when simulating the oxidation of C₂H₂-C₂H₅OH mixtures, model calculations at different pressures were run to compare modeling predictions for C₂H₂ consumption for different pressures, stoichiometric conditions and for approximately 50 ppm of ethanol. The results obtained from this theoretical evaluation are shown in Figure 6. As it can be seen, the most significant changes occur in the 1-10 pressure range. As described in the Experimental Section, the residence time of the gas in the isothermal zone, can be represented by

t_r (s)=261 P(bar)/T(K). So, when pressure is increased from 1 to 10 bar, the residence time is also increased by a factor of 10, in addition to the increase in species concentration by increasing the system pressure. As a consequence, the onset temperature changes steeply. In the same way, a change from 10 to 20 bar implies an increase in the residence time of 2 and from 60 to 100 bar, an increase of 1.7 times, and the effect in the onset temperature is less pronounced in the last case. Additionally, an experiment at 20 bar, which is within the pressure range object of this study, has been performed under similar conditions (set 5 in Table 1). As it can be seen, the present mechanism is able to reproduce again the trend experimentally observed, strengthening the reliability of the present mechanism.

In general, model predictions reproduce the experimental observations. Therefore, with the present mechanism, a reaction rate analysis has been performed which has allowed to identify the main routes for C_2H_2 and C_2H_5OH consumption and products formation during the oxidation of C_2H_2 - C_2H_5OH mixtures. A diagram with the main reaction pathways is represented in Figure 7. The width of the arrows and the values included in the figure correspond to the percentage of consumption of the corresponding compound, for the conditions and reactor distance indicated in its caption. In the case of acetylene, its conversion is initiated through the sequence described in (R4) and reactions with O_2 such as reaction (R5) to form HCO, which may react with oxygen producing HO_2 radicals and more CO (R6). Upon initiation, C_2H_2 undergoes addition reactions generating intermediate adducts, that is, C_2H_2 reacts with OH radicals to produce the CHCHOH adduct (R7), which is the main acetylene consumption route independently of the value of the air excess ratio analyzed, but it becomes more relevant as the oxygen availability increases.

$$C_2H_2(+M) \rightarrow H_2CC(+M) \xrightarrow{+O_2/-CO_2} CH_2 \xrightarrow{+O_2} CO + OH + H/CO + H_2O$$
 (R4)

$$C_2H_2 + O_2 = HCO + H + CO \tag{R5}$$

$$HCO+O_2 = CO+HO_2$$
 (R6)

$$C_2H_2 + OH = CHCHOH$$
 (R7)

The C_2H_2 combination with H radicals to form vinyl radicals (C_2H_3), reaction (R8), is important under stoichiometric (λ =1) and, especially, for fuel-rich conditions (λ =0.7). Reactions of C_2H_2 with O radicals (R9 and R10) are of less importance compared to the previous one. For example, under the same conditions described in the caption of Figure 7, i.e. 800 K, and the experimental conditions denoted as set 3 in Table 1 (10 bar, λ =1 and 42 ppm of ethanol in the blend), reaction (R8) represents a 20% whereas (R9 and R10) only a 6% of the total C_2H_2 consumption.

$$C_2H_2 + H(+M) = C_2H_3(+M)$$
 (R8)

$$C_2H_2 + O = HCCO + H \tag{R9}$$

$$C_2H_2 + O = CH_2 + CO$$
 (R10)

Although, the CHCHOH adduct could decompose thermally or react with O/H radicals, under the conditions of this work, it mainly reacts with O₂ to form formic acid, HCOOH (R11). Giménez-López et al. [16] indicated that glyoxal (OCHCHO) could also be formed in considerable concentration from reaction of the CHCHOH adduct with O₂, but, under the present conditions, this route is almost negligible.

$$CHCHOH + O_2 = HCOOH + HCO$$
 (R11)

The slight discrepancies in model calculations related to HCOOH reactions from Zhao et al. [32], mentioned in the Chemical Kinetic Model section, do not modify the mentioned reaction routes. It only changes the way in which formic acid is converted, that is, directly to CO and CO₂ (reactions R12 and R13) or through HOCO and OCHO (R14), which later decompose to produce CO and CO₂.

$$HCOOH + OH = CO + OH + H_2O/CO_2 + H + H_2O$$
 (R12)

$$HCOOH + HO2 = H2O2 + CO + OH$$
 (R13)

$$HCOOH + OH = HOCO + H2O/OCHO + H2O$$
(R14)

In conclusion, acetylene is mainly consumed following the sequence: $C_2H_2+OH\rightarrow CHCHOH \xrightarrow{+O_2}\rightarrow HCOOH\rightarrow CO$, CO_2 , independently of the value of lambda. However, in a previous study of the oxidation of $C_2H_2-C_2H_5OH$ mixtures at atmospheric pressure [12], although the possible reaction routes were almost the same, the predominant ones were those involving interactions of C_2H_2 and H and O radicals.

The reaction routes for C_2H_2 above described are almost the same than those described in a high-pressure acetylene oxidation work [16], only with differences under reducing conditions. In that work, C_2H_2 was mostly consumed by recombination with H to form vinyl radicals. However, under the present conditions, C_2H_2 is mainly consumed by reaction with OH radicals under all the stoichiometries analyzed. So, apparently, under the present conditions, the addition of ethanol to the reactant mixture does not modify the acetylene oxidation regime. It only modifies the composition of the radical pool, increasing the relevance of C_2H_2 reactions with OH radicals. Therefore, the effectiveness of ethanol in reducing soot formation from acetylene, that has been

proved in different works (e.g. [15]), is probably produced by the oxygen present in ethanol which contributes to an increase of the O/OH radical pool, therefore favoring C₂H₂ oxidation towards CO and CO₂ and hence, removing carbon from the reaction paths which lead to soot formation.

On the other hand, ethanol conversion is initiated by its thermal dehydration to ethylene and water (R15). The water generated may react with O_2 (R16) or with H radicals (R17) generated from the oxidation of C_2H_2 (for example, in reaction R5) and, therefore, HO_2 and OH radicals are formed.

After initiation, C₂H₅OH is mainly consumed by H abstraction reactions leading to the formation of three different ethanol radicals (CH₃CHOH, CH₂CH₂OH or CH₃CH₂O), depending on the site where the H abstraction occurs [19] (represented in reaction R18, where R can be O, H, OH, CH₃ or HO₂ radicals).

$$C_2H_5OH(+M) = C_2H_4 + H_2O(+M)$$
 (R15)

$$H_2O + O_2 = HO_2 + OH$$
 (R16)

$$H_2O + H = OH + H_2$$
 (R17)

$$C_2H_5OH + R = CH_3CHOH / CH_2CH_2OH / CH_3CH_2O + RH$$
(R18)

The abstraction of hydrogen from ethanol by HO₂ radicals is very important in the initial steps of ethanol consumption, but as OH radicals are generated, this becomes the more relevant oxidation route. As represented in Figure 7, a 41% of the ethanol conversion occurs through H abstraction by OH radicals to form CH₃CH₂O (R19) and a 27% occurs also through H abstraction by OH

radicals to form the other ethanol radical, CH₃CHOH (R20). The third option of H abstraction reaction from ethanol by OH radicals is to produce the CH₂CH₂OH radical (R21), but it less relevant compared to the other routes (15%). Previous ethanol oxidation works, under high and atmospheric pressure conditions [19, 20], indicate that the CH₂CH₂OH radical may react with O₂ to form formaldehyde (R22). Under the present conditions, this radical reacts with H₂O₂ (- R23) to give back ethanol due to the high concentration of H₂O₂ under high-pressure conditions (HO₂+HO₂=H₂O₂+O₃). Oxygen is preferably consumed in other routes than in R22.

$$C_2H_2OH + OH = CH_2CH_2O + H_2O$$
 (R19)

$$C_2H_5OH + OH = CH_3CHOH + H_2O$$
 (R20)

$$C_2H_2OH + OH = CH_2CH_2OH + H_2O$$
 (R21)

$$CH_{2}CH_{2}OH + O_{2} = CH_{2}O + CH_{2}O + OH$$
 (R22)

$$CH_2CH_2OH + H_2O_2 = C_2H_5OH + HO_2$$
 (-R23)

The ethanol radicals, CH₃CHOH and CH₃CH₂O, react with O₂ or just decompose thermally (R24 and R25, respectively), to form acetaldehyde (CH₃CHO), or in the case of CH₃CH₂O, it can also decompose and produce CH₃ radicals and formaldehyde (R26).

$$CH_3CHOH + O_2 = CH_3CHO + HO_2$$
(R24)

$$CH3CH2O+M=CH3CHO+H+M (R25)$$

$$CH3CH2O+M=CH3+CH2O+M (R26)$$

The reaction routes for ethanol, described above and represented in Figure 7, are the most relevant ones under the conditions of this work and they are almost the same than those previously described in earlier studies concerning the oxidation of ethanol or its mixtures [12, 19].

Therefore, it seems that during the joint oxidation of ethanol and acetylene, there is no direct interaction between both compounds; each of them follows their corresponding reaction routes, and their oxidation is only modified by an increase in the O/OH radical pool generated during the conversion of the other reactant.

Moreover, a first-order sensitivity analysis for CO has been performed for the conditions denoted as sets 2-4, 6-8 and 11-13 in Table 1, in the very beginning of the C_2H_2 - C_2H_5OH mixtures conversion; it means when the concentration of CO is around 10 ppm. The results obtained, shown in Table 2, indicate the most sensitive reactions for the different values of lambda (λ =0.7, 1 and 20), pressures (10 and 40 bar) and concentrations of ethanol (50 or 200 ppm) in the blend. In general, the normalized sensitivity coefficients obtained for all the conditions analyzed are very similar, indicating that there is not a huge difference between the coefficients if lambda, pressure and/or the amount of ethanol are changed. In the case of acetylene, its reaction with HO₂ radicals (R27) is very sensitive due to the OH radicals generated which interact with acetylene and ethanol (R7 and R18, respectively).

$$C_2H_2 + HO_2 = CHCHO + OH$$
 (R27)

To our knowledge, there is no direct determination for the rate constant of reaction (R27). The temperature and pressure dependent rate coefficients, together with the whole reaction subset for C_2H_2 , as mentioned in the Chemical Kinetic Model section, have been adopted from the recent

work on high-pressure acetylene oxidation by Giménez-López et al. [16]. The authors stated that $C_2H_2+HO_2$ reaction involves nine different pressure and temperature dependent product channels, with the formation of CHCHO being the dominant under the studied conditions. In that paper, it is also indicated that the rate constant for these reactions had not been previously determined experimentally, and only a room temperature upper limit of 3 x 10^9 cm³ mol⁻¹ s⁻¹ was available in literature [34]. Therefore, and considering the similarities between the $C_2H_3O_2$ potential energy diagrams (PES) relative to $C_2H_2+HO_2$ and $C_2H_3+O_2$ systems, Giménez-López et al. [16] adopted the temperature and pressure dependent rate coefficients for these reactions from the $C_2H_3+O_2$ kinetic analysis by Goldsmith et al. [35]. A better determination of this reaction rate would be though desirable.

On the other hand, in the case of ethanol, two H abstraction reactions to form CH₂CH₂OH and CH₃CHOH radicals, appear among the most sensitive reactions (Table 2). The coefficients obtained for the first reaction are negative, OH radicals are removed from the main oxidation pathways; whereas, the H abstraction from ethanol by HO₂ radicals is promoting, the ethanol radical generated in this case is more reactive, and the H₂O₂ also produced decomposes generating very reactive OH radicals.

As mentioned before, although some uncertainties in modeling calculations related to HCOOH reactions were found, none of these reactions appeared among the most sensitive ones, so they do not have a significant influence on the results.

CONCLUSIONS

The influence of temperature (575-1075 K), pressure (10 or 40 bar), inlet oxygen concentration (λ =0.7, 1 or 20) and concentration of ethanol in the reactant mixture (50-200 ppm) has been evaluated in the high-pressure oxidation of acetylene-ethanol mixtures. The detailed chemical kinetic mechanism previously compiled by our group in a high-pressure ethanol oxidation work [19] has been used in this work for calculations. In general, the mechanism is able to reproduce the wide range of conditions experimentally tested. Neither the oxygen concentration nor the amount of ethanol added to the reaction mixture have a significant influence on the onset temperature for the conversion of C_2H_2 . Only an increase in pressure (when moving from 10 to 40 bar) shifts the onset for acetylene conversion to lower temperatures. The reaction routes for acetylene consumption remain practically unaltered by the addition of ethanol in comparison to those obtained in the high-pressure oxidation study of acetylene [16], being the C_2H_2 interaction with OH radicals the main consumption route for the lambdas analyzed. Apparently, there is no interaction between acetylene and ethanol; their respective oxidation is only modified by an increase in the O/OH radical pool produced during the conversion of the other reactant.

ASSOCIATED CONTENT

Supporting Information

The Supporting Information is available free of charge on the ACS Publications website.

AUTHOR INFORMATION

Corresponding Author

*E-mail: uxue@unizar.es

Notes

The authors declare no competing financial interest.

ACKNOWLEDGMENTS

The authors express their gratitude to Aragón Government and European Social Fund (GPT group), and to MINECO and FEDER (Project CTQ2015-65226) for financial support. Ms. Marrodán acknowledges Aragón Government for the predoctoral grant awarded.

REFERENCES

- [1] Kohse-Höinghaus, K.; Oßwald, P.; Cool, T.A.; Kasper, T.; Hansen, N.; Qi, F.; Westbrook, C.K.; Westmoreland, P.R. Biofuel combustion chemistry: from ethanol to biodiesel. *Angew. Chem. Int. Ed.* 2010, 49, 3572-3597.
- [2] An, H.; Yang, W.M.; Li, J. Effects of ethanol addition on biodiesel combustion: a modeling study. *Appl. Energy* 2015, 143, 176-188.
- [3] Alptekin, E. Evaluation of ethanol and isopropanol as additives with diesel fuel in a CRDI diesel engine. *Fuel* 2017, 205, 161-172.
- [4] Sakai, S.; Rothamer, D. Effect of ethanol blending on particulate formation from premixed combustion in spark-ignition engines. *Fuel* 2017, 196, 154-168.

- [5] Bierkandt, T.; Kasper, T.; Akyildiz, E.; Lucassen, A.; Oßwald, P.; Köhler, M.; Hemberger, P. Flame structure of a low-pressure laminar premixed and lightly sooting acetylene flame and the effect of ethanol addition. *Proc. Combust. Inst.* 2015, 35, 803-811.
- [6] Bennett, B.A.V; McEnally, C.S.; Pfefferle, L.D.; Smooke, M.D.; Colket, M.B. Computational and experimental study of the effects of adding dimethyl ether and ethanol to nonpremixed ethylene/air flames. *Combust. Flame* 2009, 156, 1289-1302.
- [7] Inal, F.; Senkan, S.M. Effects of oxygenate concentration on species mole fractions in premixed n-heptane flames. *Fuel* 2005, 84, 495-503.
- [8] Kohse-Höinghaus, K.; Oßwald, P.; Struckmeier, U.; Kasper, T.; Hansen, N.; Taatjes C.A.; Wang, J.; Cool, T.A.; Gon, S.; Westmoreland, P.R. The influence of ethanol addition on preximed fuel-rich propene-oxygen-argon flames. *Proc. Combust. Inst.* 2007, 31, 1119-1127.
- [9] Dong, L. Detailed influences of ethanol as fuel additive on combustion chemistry of premixed fuel-rich ethylene flames. *Sci. China Tech. Sci.* 2015, 58, 1696-1704.
- [10] Dagaut, P.; Togbé, C. Oxidation kinetics of mixtures of iso-octane with ethanol or butanol in a jet-stirred reactor: experimental and modeling study. *Combust. Sci. Technol.* 2012, 184, 1025-1038.
- [11] Rezgui, Y.; Guemini M. Effect of ethanol on soot precursors emissions during benzene oxidation in a jet-stirred reactor. *Environ. Sci. Pollut. Res.* 2014, 21, 6671-6686.
- [12] Abián, M.; Esarte, C.; Millera, Á.; Bilbao, R.; Alzueta, M.U. Oxidation of acetylene-ethanol mixtures and their interaction with NO. *Energy Fuel* 2008, 22, 3814-3823.

- [13] Ristori, A.; Dagaut, P.; El Bakali, A.; Pengloan, G; Cathonnet, M. Benzene oxidation: experimental results in a JSR and comprehensive kinetic modeling in JSR, shock-tube and flame. *Combust. Sci. Tech.* 2001, 167, 223-256.
- [14] Aboussi, B. Etude expérimentale et modélisation de l'oxydation de l'ethanol. *PhD Thesis*, 1991, University of Orleans.
- [15] Esarte, C.; Callejas, A.; Millera, Á.; Bilbao, R.; Alzueta, M.U. Influence of the concentration of ethanol and the interaction of compounds in the pyrolysis of acetylene and ethanol mixtures. *Fuel* 2011, 90, 844-849.
- [16] Giménez-López, J.; Rasmussen, C.T.; Hashemi, H.; Alzueta, M.U.; Gao, Y.; Marshall, P.; Goldsmith, F.; Glarborg, P. Experimental and kinetic modeling study of C₂H₂ oxidation at high pressure. *Int. J. Chem. Kinet.* 2016, 48, 724-738.
- [17] Rasmussen, C.L.; Hansen, J.; Marshall, P.; Glarborg, P. Experimental measurements and kinetic modeling of CO/H₂/O₂/NO_x conversion at high pressure. *Int. J. Chem. Kinet.* 2008, 40, 454-480.
- [18] Marrodán, L.; Millera, Á.; Bilbao, R.; Alzueta, M.U. High-pressure study of methyl formate oxidation and its interaction with NO. *Energy Fuels* 2014, 28, 6107-6115.
- [19] Marrodán, L.; Arnal, Á.J.; Millera, Á.; Bilbao, R.; Alzueta, M.U. High-pressure ethanol oxidation and its interaction with NO. *Fuel* 2018, 223, 394-400.
- [20] Alzueta, M.U.; Hernández, J.M. Ethanol oxidation and its interaction with nitric oxide. *Energy Fuels* 2002, 16, 166-171.

- [21] Hashemi, H.; Christensen, J.M.; Glarborg, P. High-pressure pyrolysis and oxidation of ethanol. Fuel 2018, 218, 247-257.
- [22] Glarborg, P.; Alzueta, M.U.; Dam-Johansen, K.; Miller, J.A. Kinetic modeling of hydrocarbon/nitric oxide interactions in a flow reactor. *Combust. Flame* 1998, 115, 1-27.
- [23] Glarborg, P.; Alzueta, M.U.; Kærgaard, K.; Dam-Johansen, K. Oxidation of formaldehyde and its interaction with nitric oxide in a flow reactor. *Combust. Flame* 2003, 132, 629-638.
- [24] Glarborg, P.; Østberg, M.; Alzueta, M.U.; Dam-Johansen, K.; Miller, J.A. The recombination of hydrogen atoms with nitric oxide at high temperatures. *Proc. Combust. Inst.* 1999, 27, 219-227.
- [25] Rasmussen, C.L.; Glarborg, P. Measurements and kinetic modeling of CH₄/O₂ and CH₄/C₂H₆/O₂ conversion at high-pressure. *Int. J. Chem. Kinet.* 2008, 40, 778-807.
- [26] Rasmussen, C.L.; Andersen, K.H.; Dam-Johansen, K.; Glarborg, P. Methanol oxidation in a flow reactor: implications for the branching ratio of CH₃OH+OH reaction. *Int. J. Chem. Kinet.* 2008, 40, 423-441.
- [27] Rasmussen, C.L.; Glarborg, P. Sensitizing effects of NO_x on CH₄ oxidation at high pressure. *Combust. Flame* 2008, 154, 529-545.
- [28] Faßheber, N.; Friedrichs, G.; Marshall, P.; Glarborg, P. Glyoxal oxidation mechanism: implications for the reactions HCO+O₂ and OCHCHO+HO₂. *J. Phys. Chem. A* 2015, 119, 7305-7315.

- [29] Marshall, P.; Glarborg, P. Ab initio and kinetic modeling studies of formic acid oxidation. *Proc. Combust. Inst.* 2015, 35, 153-160.
- [30] Marrodán, L.; Royo, E.; Millera, Á.; Bilbao, R.; Alzueta, M.U. High pressure oxidation of dimethoxymethane. *Energy Fuels* 2015, 29, 3507-3517.
- [31] Marrodán, L.; Arnal, Á.J.; Millera, Á.; Bilbao, R.; Alzueta, M.U. The inhibiting effect of NO addition on dimethyl ether high-pressure oxidation. Submitted.
- [32] Zhao, Z.; Chaos, M.; Kazakov, A.; Dryer, F.L. Thermal decomposition reaction and a comprehensive kinetic model of dimethyl ether. *Int. J. Chem. Kin.* 2008, 40, 1-18.
- [33] ANSYS Chemkin-Pro 17.2; Reaction Design: San Diego, 2016.
- [34] Bohn, B.; Zetzsch, C.J. Formation of HO₂ from OH and C₂H₂ in the presence of O₂. *J. Chem. Soc., Faraday Trans.* 1998, 94, 1203-1210.
- [35] Goldsmith, C.F.; Harding, L.B.; Georgievskii, Y.; Miller, J.A.; Klippenstein, S.J. Temperature and pressure-dependent rate coefficients for the reaction of vinyl radical with molecular oxygen. *J. Phys. Chem. A.* 2015, 119, 7766-7779.

Table captions

Table 1. Matrix of experimental conditions. Experiments are conducted in the 575-1075 K temperature range. The balance is closed with N_2 .

Table 2. Normalized sensitivity coefficients for CO for sets 2-4, 6-8 and 11-13 in Table $1^{(a)}$.

Table 1. Matrix of experimental conditions. Experiments are conducted in the 575-1075 K temperature range. The balance is closed with N_2 .

Set	C ₂ H ₂ [ppm]	C ₂ H ₅ OH [ppm]	P [bar]	λ	
1	569	- 10		1	
2	467	49		0.7	
3	537	42	10	1	
4	424	46		20	
5	544	52	20	1	
6	490	51		0.7	
7	566	48	40	1	
8	565	50		20	
9	574	96	10	1	
10	559	140	10	1	
11	552	170		0.7	
12	531	242	10	1	
13	420	210		20	
14	554	210		0.7	
15	575	204	40	1	
16	551	211		20	

Table 2. Normalized sensitivity coefficients for CO for sets 2-4, 6-8 and 11-13 in Table $1^{(a)}$.

reaction	Set 2 775 K	Set 3 775 K	Set 4 775 K	Set 6 700 K	Set 7 700 K	Set 8 700 K	Set 11 775 K	Set 12 775 K	Set 13 775 K
HO ₂ +HO ₂ =H ₂ O ₂ +O ₂	-0.81	-0.83	-0.78	-1.01	-1.02	-1.02	-0.84	-0.85	-0.81
$H_2O_2(+M) = OH + OH(+M)$	0.70	0.72	0.73	0.78	0.78	0.81	0.80	0.85	0.85
$CH_2+O_2=CO+H_2O$	-0.14	-0.13	-0.14	-0.07	-0.07	-0.07	-0.11	-0.10	-0.11
$CH_2+O_2=CO_2+H+H$	0.05	0.05	0.05	0.03	0.03	0.03	0.04	0.04	0.05
$CH_2+O_2=CH_2O+O$	0.04	0.04	0.05	0.02	0.02	0.03	0.03	0.03	0.04
$C_2H_2(+M)=H_2CC(+M)$	0.01	0.01	0.08	0.00	0.00	0.02	0.01	0.01	0.09
$C_2H_2+O=HCCO+H$	0.26	0.26	0.21	0.19	0.19	0.18	0.21	0.18	0.14
$C_2H_2+O=CH_2+CO$	-0.26	-0.25	-0.21	-0.19	-0.19	-0.18	-0.19	-0.15	-0.12
C ₂ H ₂ +OH=CHCHOH	0.21	0.18	0.22	0.15	0.13	0.11	0.36	0.39	0.43
C ₂ H ₂ +HO ₂ =CH ₂ CHOO	-0.02	-0.02	-0.01	-0.06	-0.05	-0.05	-0.02	-0.01	-0.01
C ₂ H ₂ +HO ₂ =CHCHO+OH	2.16	2.14	1.87	1.89	1.92	1.87	1.81	1.64	1.42
$H_2CC+O_2=CH_2+CO_2$	0.08	0.07	0.04	0.02	0.01	0.02	0.07	0.07	0.03
$C_2H_5OH+OH=CH_2CH_2OH+H_2O$	-0.11	-0.09	-0.10	-0.07	-0.06	-0.06	-0.22	-0.26	-0.26
$C_2H_5OH+HO_2=CH_3CHOH+H_2O_2$	0.22	0.17	0.23	0.26	0.23	0.25	0.53	0.68	0.69

^(a) The normalized sensitivity coefficients are given as $A_i \delta Y_j / Y_j \delta A_i$, where A_i is the preexponential constant for reaction i and Y_j is the mass fraction of j_{th} species. Therefore, the sensitivity coefficients listed can be interpreted as the relative change in predicted concentration for the species j caused by increasing the rate constant for reaction i by a factor of 2.

Figure captions

- **Figure 1.** Evolution of C₂H₂, C₂H₅OH, O₂, CO, CO₂, H₂ and CH₃CHO concentrations with temperature during the high-pressure (10 bar) oxidation of C₂H₂-C₂H₅OH mixtures, for the conditions denoted as set 2 in Table 1.
- **Figure 2.** Influence of the amount of ethanol added to the mixture on the concentration profiles of C_2H_2 and C_2H_5OH during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature, for stoichiometric conditions (λ =1) and 10 bar. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 1, 3, 9, 10 and 12 in Table 1.
- **Figure 3.** Influence of the amount of ethanol added to the mixture on the concentration profiles of CO, CO₂ and the sum of both during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature, for stoichiometric conditions (λ =1) and 10 bar. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 1, 3, 9, 10 and 12 in Table 1.
- **Figure 4.** Influence of the air excess ratio (λ) on the concentration profiles of C_2H_2 and CO (upper part) and C_2H_5OH (lower part) during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature, for 10 bar and two different amounts of ethanol added to the blend, 50 ppm (left part) and 200 ppm (right part). Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 2-4 and 11-13 in Table 1.
- **Figure 5.** Influence of pressure on the concentration profiles of C_2H_2 , C_2H_5OH and CO during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature and for different values of the air excess ratio. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 3, 6-8, 12 and 15 in Table 1.
- **Figure 6.** Evaluation through model calculations of the pressure effect on temperature evolution of C_2H_2 concentration predicted by the model for a mixture of C_2H_2 and C_2H_5OH and stoichiometric conditions ($\lambda=1$).
- **Figure 7.** Main reaction pathways for C_2H_2 (left) and C_2H_5OH (right) consumption and product formation. The percentages in the diagram corresponds to 800 K, and the experimental conditions denoted as set 3 in Table 1. The selected position in the reactor is 105 cm, it corresponds to the point at which the concentration of C_2H_2 is about 470 ppm and the C_2H_5OH concentration, 34 ppm.




Figure 1. Evolution of C₂H₂, C₂H₅OH, O₂, CO, CO₂, H₂ and CH₃CHO concentrations with temperature during the high-pressure (10 bar) oxidation of C₂H₂-C₂H₅OH mixtures, for the conditions denoted as set 2 in Table 1.




Figure 2. Influence of the amount of ethanol added to the mixture on the concentration profiles of C_2H_2 and C_2H_5OH during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature, for stoichiometric conditions (λ =1) and 10 bar. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 1, 3, 9, 10 and 12 in Table 1.




Figure 3. Influence of the amount of ethanol added to the mixture on the concentration profiles of CO, CO₂ and the sum of both during the C_2H_2 - C_2H_5OH mixtures oxidation, as a function of temperature, for stoichiometric conditions (λ =1) and 10 bar. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 1, 3, 9, 10 and 12 in Table 1.




Figure 4. Influence of the air excess ratio (λ) on the concentration profiles of C₂H₂ and CO (upper part) and C₂H₅OH (lower part) during the C₂H₂-C₂H₅OH mixtures oxidation, as a function of temperature, for 10 bar and two different amounts of ethanol added to the blend, 50 ppm (left part) and 200 ppm (right part). Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 2-4 and 11-13 in Table 1.




Figure 5. Influence of pressure on the concentration profiles of C₂H₂, C₂H₅OH and CO during the C₂H₂-C₂H₅OH mixtures oxidation, as a function of temperature and for different values of the air excess ratio. Experimental results are denoted by symbols and modeling calculations by lines. The inlet conditions correspond to sets 3, 6-8, 12 and 15 in Table 1.




Figure 6. Evaluation through model calculations of the pressure effect on temperature evolution of C_2H_2 concentration predicted by the model for a mixture of C_2H_2 and C_2H_5OH and stoichiometric conditions (λ =1).




Figure 7. Main reaction pathways for C₂H₂ (left) and C₂H₅OH (right) consumption and product formation. The percentages in the diagram corresponds to 800 K, and the experimental conditions denoted as set 3 in Table 1. The selected position in the reactor is 105 cm, it corresponds to the point at which the concentration of C₂H₂ is about 470 ppm and the C₂H₅OH concentration, 34 ppm.