



# THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Complete genome sequences of novel anelloviruses from laboratory rats

**Citation for published version:**

Nishiyama, S, Dutia, BM & Sharp, CP 2015, 'Complete genome sequences of novel anelloviruses from laboratory rats' *Genome announcements*, vol. 3, no. 1. DOI: 10.1128/genomeA.01262-14

**Digital Object Identifier (DOI):**

[10.1128/genomeA.01262-14](https://doi.org/10.1128/genomeA.01262-14)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Publisher's PDF, also known as Version of record

**Published In:**

Genome announcements

**Publisher Rights Statement:**

Copyright © 2015 Nishiyama et al.

This is an open-access article distributed under the terms of the Creative Commons Attribution 3.0 Unported license.

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Complete Genome Sequences of Novel Anelloviruses from Laboratory Rats

Shoko Nishiyama,\* Bernadette M. Dutia, Colin P. Sharp

Division of Infection and Immunity, The Roslin Institute and Royal (Dick) School of Veterinary Sciences, University of Edinburgh, Edinburgh, United Kingdom

\* Present address: Shoko Nishiyama, Department of Microbiology and Immunology, University of Texas Medical Branch, Galveston, Texas, USA.

**Anelloviruses are nonenveloped single-stranded DNA viruses infecting a wide range of mammals. We report three complete genomes of novel anelloviruses detected in laboratory rats. Phylogenetic analysis demonstrates that these viruses are related to but distinct from recently described rodent Torque teno viruses (RoTTVs) found in wild rodent species.**

Received 23 October 2014 Accepted 29 December 2014 Published 5 February 2015

Citation Nishiyama S, Dutia BM, Sharp CP. 2015. Complete genome sequences of novel anelloviruses from laboratory rats. *Genome Announc* 3(1):e01262-14. doi:10.1128/genomeA.01262-14.

Copyright © 2015 Nishiyama et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](https://creativecommons.org/licenses/by/3.0/).

Address correspondence to Colin P. Sharp, colin.sharp@roslin.ed.ac.uk.

The prototype anellovirus, Torque teno virus (TTV), was described in 1997 in a Japanese patient with posttransfusion hepatitis of unknown etiology (1). While further research has demonstrated the widespread nature and high genetic variability of this viral family (2, 3), their possible role in disease has yet to be fully elucidated. Anellovirus infections have also been observed in a wide variety of wild and domesticated mammalian species (4–13). We recently described infections with two distinct species of rodent anelloviruses (RoTTV1 and RoTTV2) that were present in populations of wild rodents in the United Kingdom, including wood mice (*Apodemus sylvaticus*), field voles (*Microtus agrestis*), and bank voles (*Myodes glareolus*) (14). These viruses were notably absent in house mice (*Mus musculus*) in both wild and laboratory settings.

In the present study, we used the previously described PanTTV PCR assay (14) to screen 10 laboratory rats (*Rattus norvegicus*) from 2 separate groups, group A ( $n = 4$ ) and group B ( $n = 6$ ). All 10 rats were found to be anellovirus positive. Sequencing of the cloned PCR amplicons revealed three distinct sequences. The first was present in three members of group A, the second in a single individual from group A, and the third in all members of group B. No evidence of mixed infections was seen. Complete viral DNA was amplified using the previously described technique of rolling circle amplification followed by PCR with inverted primers based on the screening amplicon sequence (14). Representative amplicons from each of the three PCRs were cloned and sequenced by primer walking.

The viral genomes RN\_2\_Se15, RN\_5\_Se5, and RN\_8\_Se11 are 2,572, 2,573, and 2,572 nucleotides (nt) in length, respectively, and sequences share greater than 90% nt identity across the whole genome. All three sequences show a genomic organization consistent with other anelloviruses possessing unidirectional overlapping open reading frames (ORFs). Two of these ORFs were identifiable as ORF1 and ORF2 (nt 273 to 1961 and nt 112 to 351, respectively) based on sequence homology with other anelloviruses. A third predicted ORF (nt 1615–1911) was present in all genomes but showed no homology to any known viral proteins by

NCBI BLAST analysis. Phylogenetic analysis of the partial ORF1 sequences (equivalent to the region described in reference 14) showed these viruses are most closely related to members of the proposed RoTTV2 species, despite having amino acid sequence distances across the entire ORF1 sequence of 56.1% to 57.4% relative to these viruses.

This is the first description of prevalent anellovirus infection in commonly used laboratory rodents. The effects of these infections on other experimental procedures, including coinfections, remains to be determined.

**Nucleotide sequence accession numbers.** The complete genome sequences of RN\_2\_Se15, RN\_5\_Se5 and RN\_8\_Se11 were deposited in GenBank under the accession numbers [KM668486](https://www.ncbi.nlm.nih.gov/nuccore/KM668486), [KM668485](https://www.ncbi.nlm.nih.gov/nuccore/KM668485), and [KM609325](https://www.ncbi.nlm.nih.gov/nuccore/KM609325), respectively.

## ACKNOWLEDGMENT

This work was funded by BBSRC ISPG funding to The Roslin Institute.

## REFERENCES

1. Nishizawa T, Okamoto H, Konishi K, Yoshizawa H, Miyakawa Y, Mayumi M. 1997. A novel DNA virus (TTV) associated with elevated transaminase levels in posttransfusion hepatitis of unknown etiology. *Biochem Biophys Res Commun* 241:92–97. <http://dx.doi.org/10.1006/bbrc.1997.7765>.
2. Simmonds P, Prescott LE, Logue C, Davidson F, Thomas AE, Ludlam CA. 1999. TT virus—part of the normal human flora? *J Infect Dis* 180: 1748–1750. <http://dx.doi.org/10.1086/315103>.
3. Hino S, Miyata H. 2007. Torque teno virus (TTV): current status. *Rev Med Virol* 17:45–57. <http://dx.doi.org/10.1002/rmv.524>.
4. Abe K, Inami T, Ishikawa K, Nakamura S, Goto S. 2000. TT virus infection in nonhuman primates and characterization of the viral genome: identification of simian TT virus isolates. *J Virol* 74:1549–1553. <http://dx.doi.org/10.1128/JVI.74.3.1549-1553.2000>.
5. Al-Moslih MI, Perkins H, Hu YW. 2007. Genetic relationship of Torque teno virus (TTV) between humans and camels in United Arab Emirates (UAE). *J Med Virol* 79:188–191. <http://dx.doi.org/10.1002/jmv.20776>.
6. Martínez L, Kekarainen T, Sibila M, Ruiz-Fons F, Vidal D, Gortázar C, Segalés J. 2006. Torque teno virus (TTV) is highly prevalent in the European wild boar (*Sus scrofa*). *Vet Microbiol* 118:223–229. <http://dx.doi.org/10.1016/j.vetmic.2006.07.022>.
7. Ng TF, Suedmeyer WK, Wheeler E, Gulland F, Breitbart M. 2009. Novel

- anellovirus discovered from a mortality event of captive California sea lions. *J Gen Virol* **90**:1256–1261. <http://dx.doi.org/10.1099/vir.0.008987-0>.
8. Okamoto H, Nishizawa T, Takahashi M, Tawara A, Peng Y, Kishimoto J, Wang Y. 2001. Genomic and evolutionary characterization of TT virus (TTV) in tupaia and comparison with species-specific TTVs in humans and nonhuman primates. *J Gen Virol* **82**:2041–2050.
  9. Okamoto H, Takahashi M, Nishizawa T, Tawara A, Fukai K, Muramatsu U, Naito Y, Yoshikawa A. 2002. Genomic characterization of TT viruses (TTVs) in pigs, cats and dogs and their relatedness with species-specific TTVs in primates and tupaia. *J Gen Virol* **83**:1291–1297.
  10. Romeo R, Hegerich P, Emerson SU, Colombo M, Purcell RH, Bukh J. 2000. High prevalence of TT virus (TTV) in naive chimpanzees and in hepatitis C virus-infected humans: frequent mixed infections and identification of new TTV genotypes in chimpanzees. *J Gen Virol* **81**:1001–1007.
  11. Thom K, Morrison C, Lewis JC, Simmonds P. 2003. Distribution of TT virus (TTV), TTV-like minivirus, and related viruses in humans and non-human primates. *Virology* **306**:324–333. [http://dx.doi.org/10.1016/S0042-6822\(02\)00049-1](http://dx.doi.org/10.1016/S0042-6822(02)00049-1).
  12. Van den Brand JM, van Leeuwen M, Schapendonk CM, Simon JH, Haagmans BL, Osterhaus AD, Smits SL. 2012. Metagenomic analysis of the viral flora of pine marten and European badger feces. *J Virol* **86**:2360–2365. <http://dx.doi.org/10.1128/JVI.06373-11>.
  13. Verschoor EJ, Langenhuijzen S, Heeney JL. 1999. TT viruses (TTV) of nonhuman primates and their relationship to the human TTV genotypes. *J Gen Virol* **80**:2491–2499.
  14. Nishiyama S, Dutia BM, Stewart JP, Meredith AL, Shaw DJ, Simmonds P, Sharp CP. 2014. Identification of novel anelloviruses with broad diversity in UK rodents. *J Gen Virol* **95**:1544–1553. <http://dx.doi.org/10.1099/vir.0.065219-0>.