

LONDON
SCHOOL of
HYGIENE
& TROPICAL
MEDICINE



Martin, L; Coronel, J; Faulx, D; Valdez, M; Metzler, M; Crudder, C; Castillo, E; Caviedes, L; Grandjean, L; Rodriguez, M; Friedland, JS; Gilman, RH; Moore, DA (2014) A Field Evaluation of the Hardy TB MODS Kit for the Rapid Phenotypic Diagnosis of Tuberculosis and Multi-Drug Resistant Tuberculosis. *PLoS One*, 9 (9). e107258. ISSN 1932-6203 DOI: <https://doi.org/10.1371/journal.pone.0107258>

Downloaded from: <http://researchonline.lshtm.ac.uk/1924952/>

DOI: [10.1371/journal.pone.0107258](https://doi.org/10.1371/journal.pone.0107258)

Usage Guidelines

Please refer to usage guidelines at <http://researchonline.lshtm.ac.uk/policies.html> or alternatively contact researchonline@lshtm.ac.uk.

Available under license: <http://creativecommons.org/licenses/by/2.5/>

Table S2a

			reference DST		
			isoniazid		total
			susceptible	resistant	
Mods Kit DST	isoniazid	susceptible	572	7	579
		resistant	5	118	123
	total		577	125	702

Table S2b

			reference DST		
			rifampicin		total
			susceptible	resistant	
Mods Kit DST	rifampicin	susceptible	595	2	597
		resistant	6	99	105
	total		601	101	702