

Original citation:

Melo, Miguel, Bessa, Maximino, Debattista, Kurt and Chalmers, Alan. (2014) Evaluation of HDR video tone mapping for mobile devices. *Signal Processing: Image Communication*, 29 (2). pp. 247-256.

Permanent WRAP URL:

<http://wrap.warwick.ac.uk/67225>

Copyright and reuse:

The Warwick Research Archive Portal (WRAP) makes this work by researchers of the University of Warwick available open access under the following conditions. Copyright © and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable the material made available in WRAP has been checked for eligibility before being made available.

Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Publisher's statement:

© 2014, Elsevier. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

A note on versions:

The version presented here may differ from the published version or, version of record, if you wish to cite this item you are advised to consult the publisher's version. Please see the 'permanent WRAP URL' above for details on accessing the published version and note that access may require a subscription.

For more information, please contact the WRAP Team at: wrap@warwick.ac.uk

Evaluation of HDR video tone mapping for mobile devices

Miguel Melo^{a,b}, Maximino Bessa^{a,b}, Kurt Debattista^c, Alan Chalmers^{c,d}

^a*Universidade de Trás-os-Montes e Alto Douro, Portugal*

^b*INESC-TEC, Portugal*

^c*WMG, University of Warwick, United Kingdom*

^d*goHDR Ltd., United Kingdom*

Abstract

Tone mapping operators (TMOs) allow the visual appearance of High Dynamic Range (HDR) video to be reproduced on Low Dynamic Range (LDR) displays. While several studies have been made to compare the performance of different TMOs on standard displays, there is only one preliminary study that take into account the characteristics of Small Screen Devices, common on mobile platforms. Due to the unique characteristics of mobile devices, the variety of viewing conditions where they are used, and the fact that they are becoming so widespread, it is important to identify what is the best method to deliver HDR video content to these devices.

This paper presents an evaluation of HDR video using and HDR display as reference as well as six state-of-the-art HDR video tone mappers by conducting a psychophysical experiment where participants were asked to rank the tone mappers applied to different HDR video footage. A comparison was made between tone mapped HDR video footage shown on a tablet and an LCD display compared with the same HDR video footage shown on an HDR display. This study shows interesting results like the fact that for each display results obtained are different but the the preferred TMOs order remains the same.

Keywords: HDR Video, TMO Evaluation, Mobile Devices

1. Introduction

High Dynamic Range (HDR) imaging is able to capture, store, transmit and deliver real-world lighting. This is a step-change compared to conven-

tional imaging technology. HDR can benefit all the aspects of digital imaging including diverse areas such as security, entertainment, art, scientific research and health. With HDR techniques, it is possible deliver an enhanced viewing experience to users by providing the full dynamic range that the Human Visual System (HVS) can perceive at any level of adaptation. To achieve this it is necessary to ensure the HDR content is preserved from the moment of capture until its subsequent display.

It is already possible, for a person who has a HDR display, to enjoy all the benefits of HDR technology. However the majority of displays available are not HDR but standard or low dynamic range (LDR) displays which means that is necessary to apply a Tone Mapping Operator (TMO) to the HDR content in order to show it on these displays. Several TMOs have been proposed that take into consideration human visual perception or image characteristics, but only a few of them have been designed to deal with HDR video. Furthermore, although some previous work has evaluated the display of still HDR images on mobile devices and shown what characteristics of the image have to be considered to obtain a better quality when using a Small Scale Device SSD[1], this did not consider HDR video.

As mobile devices are rapidly becoming the leading platform for the consumption of multimedia content [2], there is an urgent need to ensure an optimal experience when viewing HDR content on typical mobile devices screens. Typical mobile devices raise new concerns that typical displays do not like, for example, that the viewing angle and distance are considerably different or the fact that they are smaller. Although the evolution on the mobile devices displays area, the majority of mobile device displays are also less powerful than the conventional regular size displays what can contribute for more quality issues when reproducing contents. In this paper we present the results of the evaluation of six HDR video TMOs that focus on different properties. The TMOs evaluated were: Spatio-Temporal based on a Retina model [3], the model of visual adaptation [4], the method proposed by [5] that encodes HDR video using a model of human cones, the display adaptive technique [6], a time-dependent visual adaptation approach [7], and the TMO proposed by Boitard et al. [8] that takes account temporal coherency. This evaluation intends to determine:

- If the participants preference of the tone mapper is the same for the LCD and mobile device displays.
- A preference across both SSDs and conventional displays.

The paper is structured as follows: In the next section we provide a brief description of the chosen TMOs, and previous work on evaluations of TMOs. In section 3 the experimental setup is explained. Section 4 presents all the results gathered from the experiments, and the results are discussed. Finally conclusions are presented and avenues for future work discussed.

2. Related Work

TMOs can be divided into two categories: global operators and local operators[9]. Global operators are spatially invariant and they process the image as a whole, mapping all the pixels of an image equally. These operators use image statistics to optimize the dynamic range reduction. Some common statistics used are the maximum luminance and logarithmic or arithmetic averages. Global operators are simple and fast and they preserve the global contrast of the image, but are unable to maintain the local contrast of the image which can result in a loss of details in some regions. In this category of TMOs we have, for instance, the Model of Visual Adaptation TMO [4], the Brightness Reproduction TMO [10], Quantization Techniques TMO [11] and the Histogram Adjustment TMO [12].

Local operators, on the other hand, are applied differently to each pixel, taking into account a set of surrounding pixels to perform the calculation for that pixel. One of the advantages of local operators is that they attempt to preserve both global and local contrast that can lead to a better image quality since the HVS is sensitive to local contrast. The major drawbacks of local TMOs are that they are typically complex and thus take more computational effort (and therefore may not be feasible for mobile devices), and they can introduce artefacts, for example halos [9]. Some examples of local TMOs are Spatially Non-uniform Scaling TMO [13], the Multi-scale Model of Adaptation and Spatial Vision for Realistic Image Display TMO [14], the Photographic Tone Reproduction TMO [15] or the Tone Mapping Algorithm for High Contrast Images TMO [16].

In addition TMOs for HDR video need to also take into account temporal coherency[3], [6], [8]. This because significant luminance changes may occur in a sequence of frames and, if the frames are processed individually, this may cause some noticeable flickering as the individual processing of a single frame has not taken into consideration the luminance levels of the adjacent frames or of the overall video.

2.1. TMO Evaluation

As a large number of TMOs have been proposed over two decades, some form of evaluation is needed to determine which TMOs perform better under different circumstances. To carry out such an evaluation, two approaches are possible: Error metrics and psychophysical experiments.

Error metrics methods are objective. They are based on theoretical models and use computers to compare images. For example, the comparison can be made based on differences in individual pixel values, or using metrics that simulate the HVS in order to identify which aspects of the image would be perceived by the HVS[9]. A problem with this approach is that the HVS is complex and hard to simulate but some studies like [17] are becoming that possible. The most used techniques of this type are the VDP (Visual Difference Predictor)[18] and HDR-VDP that predicts visible differences in HDR images[19][20]. The main issue when referring to objective evaluations is that they are mainly addressed to still images and thus, they can lead to inaccurate results when the purpose is to evaluate HDR video.

Psychophysical experiments, on the other hand, are subjective and based on studies with participants that are asked to give feedback about a comparison of images. Typically these experiments take place in a room where the experimental team has control of environmental conditions. The evaluation can be made based on different rating methods. One possible approach is to have the participant make a pairwise comparison where he is confronted with one reference of the image and two other images of the same scene in order to identify which one of these two images reproduces the content most similar to the reference[9]. Another possibility, which is the one we used in our experiments, is to have the participants rank the tone mapped images against a reference. Previous TMO evaluations that have used psychophysical experiments include work by [21], [22], [23], [24], [25], [26].

The studies conducted by Drago et al. [21] were one of the first that aimed to evaluate TMOs. Four different scenes were considered. The comparison was made between seven TMOs. Eleven participants undertook a pairwise comparison of all the possible combinations of the TMOs applied to the four scenes. The comparison was made by showing each participant two images with different TMOs applied, each one on a CRT screen.

In 2005, Ledda et al.[22] were the first to use an image displayed on an HDR monitor as a reference. In addition to evaluating six TMOs, the authors also introduced a new methodology for comparing images. The six TMOs were applied to 23 images and examined by 18 participants. The experiments

consisted of a paired comparison in which the participant sat in front of an HDR monitor (the reference) that had two LDR displays, one on each side, reproducing the same image as the reference but with different TMOs applied on each.

Yoshida et al. [23] also conducted a set of experiments that consisted of a comparison between HDR images displayed on LDR displays and the real world scene. The comparisons were made using seven different TMOs.

Kuang et al. [24] conducted studies to evaluate the preference and accuracy of HDR rendering algorithms. These studies involved 33 participants and considered six TMOs. These were divided in three experiments. The first experiment used a paired comparison, the second one a ranking scale, and the third used a ranking scale to compare the real world scene with the tone mapped image.

Cadik [25] also used a ranking-based experiment with a real world scene reference and a similar experiment without the reference. These studies evaluated 14 TMOs on 3 different scenes.

More recently Petit et al.[26] investigated images within virtual environments. These studies consisted of two experiments that tested TMOs not on predetermined scenes but rather within a virtual environment with dynamically changing environmental conditions. In the first experiment 5 HDR videos were tone mapped using 8 different TMOs. Fourteen participants had to decide which TMO they felt was more realistic without having a reference. For the second experiment 9 HDR photographs were tone-mapped with the same operators and presented to 13 further participants. The participants had to rate the realism of each tone-mapped photograph with the physical scene.

Urbano et al. [1] evaluated several TMOs on different size displays. The experiment consisted of a pairwise comparison of tone mapped images with a real scene reference. Three different displays were used: two 17" displays, and one 2.8" display. The aim was to analyse the rankings for each display and show that for small displays the rankings are different and thus different TMOs need to be developed for mobile devices.

In the TMO evaluations presented, most of them address still images, being that only [26] used video clips. Another interesting fact is that the only experiment that was conducted using an HDR display as reference was [22] while the other evaluations had as reference the real scene or no reference at all. The experiments presented on this paper benefit from using an HDR display as reference and address HDR video tone-mapping with state-of-the-

art TMOs.

The experiment described in this paper was preceded by a preliminary study [27] that considered the same six TMOs using the same HDR video footage. On this study the users had to rank the different tone mapped HDR video shown in a tablet having the HDR as reference. This study had the goal to gather some initial data about the preferred TMOs for watching HDR video on mobile devices.

2.2. Tone Mapping Operators considered

The six TMOs used in our evaluation are the following:

Benoit: The spatio-temporal TMO proposed in [3] is based on a model of the retina local adaptation properties developed by Meylan et al. [28] and is complemented by spatio-temporal filters of the retina. This work simulates some of the foveal retina functionalities and includes temporal coherency and thus is able to avoid flicker.

Boitard: This paper [8] investigated temporal coherency for video tone mapping that preserves the overall contrast of the video. To achieve this, the authors considered perception consistency of an object throughout the video and strived to preserve the temporal overall contrast consistency. The TMO processes a frame in two steps. The first step processes each frame of the video individually, while the second step considers the luminance of each frame taking into account the lighting within the whole HDR video.

Ferwerda: The TMO developed by Ferwerda et al. [4], is based on a model of visual adaptation from psychophysical experiments that considered various aspects of the human visual system such as visibility, visual acuity and colour appearance. This operator uses TVI functions for modelling photopic and scotopic vision. The mesotopic range is achieved by a linear combination of both photopic and scotopic vision.

Hateren: This TMO [5] is based on the model of human cones and takes advantage of their dynamical response characteristics. The TMO performs two steps. The first combines the dynamic non-linearities, while the second reduces noise through a low-pass filtering that adapts to the scene luminance.

Mantiuk: The TMO proposed by [6] aims to minimise the visible contrast distortions for a wide range of devices based on a model of the HVS. The TMO takes into account the environment luminance levels and the display characteristics, such as the peak luminance of the display or the reflectivity of a screen. With these parameters it is possible to calibrate the tone mapping process in order to optimise the results for situations with different variables. This can become useful if we can properly get the environmental variables since with mobile devices the environmental variables can be constantly changing.

Pattanaik: Known as the time-dependent visual adaptation TMO [7], this method takes into consideration that the HVS does not adapt instantly to big changes in luminance intensities. This TMO includes these appearance changes to match the user’s visual responses so he can experience the viewing of a displayed scene as he would in the real world scene.

3. Experimental Framework

The psychophysical experiments in this paper consisted of ranking 7 HDR video footages tone mapped by the 6 TMOs compared to a reference of the same HDR video footage shown on an HDR display. The tone mapped footage was shown on a standard LDR display and a tablet to determine if the rankings were different between the displays.

3.1. Material and Methods

The reference HDR display used in the experiments was a 37” DR37-P from Brightside[29]. The LDR display was a Westinghouse[30] 37” LCD (the same from panel as the DR37-P), and the tablet an Apple iPad4[31]. Regarding the viewing angle, the HDR display is around 40 °horizontal and 15 °vertical while the LDR display values are approximately 160 °horizontal and 120 °vertical. The tablet viewing angle is approximately 175 °. Table 1 lists technical specifications of each display used.

The 7 HDR video footages were labelled ”CGRoom”, ”Jaguar”, ”Kalabsha”, ”Morgan Lovers”, ”Explosion”, ”IDL Wedding”, and ”Medical” (Figure 1). Four of the clips were shot with a Spheron HDRv[32] that is capable of capturing 20 f-stops, full HD resolution at 30 frames-per-second, one clip (Explosion) is from a Canon 5D (12 f-stops) and two (CGroom and Kalabsha) were computer generated (20 f-stops). More details of the HDR video

Table 1: Technical specifications of the displays used in the experiments

	HDR Display	LDR Display	Tablet
Brand	Brightside	Westinghouse	Apple
Model	DRP37-P	LVM-37w1	iPad 4 (A1458)
Size	37"	37"	9.7"
Resolution	1920x1080	1920x1080	2048x1536
Contrast Ratio	200 000:1	1 000:1	877:1
Maximum Luminance	4 000 cd/m ²	550 cd/m ²	476 cd/m ²
Minimum Luminance	0 cd/m ²	0.55 cd/m ²	0.48 cd/m ²

Table 2: Technical details of the videos

	Lenght (seconds)	Average Luminance	Average Max. Luminance	Average Min. Luminance
CGRoom	7	4.27	290.80	0
Jaguar	13	5.23	3967.16	0.06
Kalabsha	11	0.45	0.81	0
Morgan Lovers	15	0.04	0.52	0
IDL Wedding	10	0.38	5.58	0.01
Explosion	8	0.08	0.86	0
Medical	14	0.06	0.61	0

footages are exposed on Table 2 (the luminance values refer to the relative luminance in cd/m²).

CGRoom: A scene in a garage in which a barrel falls from a tall shelf that is in the dark and after falling rolls through a well-lit part of the scene.

Jaguar: This scene shows a Jaguar e-type car, where the camera moves from the back to the front. The video has spots with high luminance levels due to the spotlights directly pointed at the car, together with some dark areas.

Kalabsha: This scene is a high-fidelity HDR computer graphics reconstruction of the ancient Egyptian temple Kalabsha. The rendering was done to enable Egyptologists to explore how the site may have appeared in the past, before the temple was moved in 1963 to avoid it being submerged by Lake Nasser.



Figure 1: Thumbnails of the videos used for the experiments

Morgan Lovers: This is the first short film that was shot, manipulated and displayed entirely in HDR. It was a joint venture between The University of Warwick, goHDR, Vermillion films, Morgan cars, the Boulton Flight Academy, and Vintage Flyers, Cotswold Airport.

IDL wedding: This clip was taken at the International Digital Laboratory located at the University of Warwick and shows a wedding couple exiting the building. The captured dynamic range enables all the details of the bride’s dress to be distinguished even as she steps into the bright sunshine, and the person behind the glass door, and the reflection of the camera crew, to be seen.

Explosion: This footage was shot with a Canon 5D Mark II. It shows 2 people running and then an explosion occurs. It is a scene from the short film. “Delivery Boy”; a joint venture between the University of Warwick, goHDR, and Entanglement Productions.

Medical: This scene consists of a footage taken of a thoracic surgery. Shot over the shoulder of the surgeon, with no additional lighting, apart from the theatre lights, the film was a joint endeavour between the University of Warwick, goHDR, and Heartlands Hospital’s Medical Media unit and Thoracic Surgery team.

For this experiment ranking was over rating and pairwise comparison. This because in this experiments we intended to achieve clear results regarding the order of preference of TMOs. With rating method this could be compromised since it could result in a narrow distribution of ratings and the ratings could be also compromised due to the variation in the response styles of the participant since he can be more predisposed to rate all items equally or only give low or high scores. Despite pairwise comparison could be used to infer ranks it was also discarded since it would require more time and comparisons to reproduce similar results. As so, ranking was the method that could report better the TMOs preference order since it guarantees that each ranked item has a unique value through the ranking of all tone-mapped HDR videos footages for each scene directly made by the participants.

Regarding the variables associated with the experiments, as independent variables they were the displays, the TMOs used and the experiments software used. Regarding the dependent variables, they were the rankings of the TMOs preference made by the participants.

To rank the 7 tone-mapped HDR video footages it was used an experimental software that for each scene presented each participant with thumbnails of the tone-mapped contents used. The thumbnails of the tone-mapped contents were presented on the left side of the HDR screen and a thumbnail of the reference video in the centre of the screen. On the right side of the screen there were 6 empty slots numbered from 1 to 6. The participants were asked to drag and drop the thumbnails of the tone-mapped HDR videos according to how similar they thought each was compared to the reference. When a participant double-clicked on any of the thumbnails the correspondent tone mapped video played on the LDR display simultaneously as the HDR video played on the HDR display. Before starting the evaluations it was given to each participant some time to adapt to the ambient luminance of the room. A screen shot of the application used is shown in Figure 2.

3.2. Apparatus

The experiments took place in a room with controlled luminance levels with a value of 55 Lux that corresponds to approximately the ambient luminance levels of a family living room. The participants were placed at approximately 2.5 meters from the 37" displays. Regarding the displays, they were placed side by side and at the same height so it does not They stood at the table where the tablet was. A mouse was used to control the experimental software on the computer connected to the LDR display. We



Figure 2: Screen shot of the experimental software



Figure 3: Experimental setup scheme

gave the participants some time to adapt to the ambient luminance of the room. Figure 3 shows the general setup of the experiment.

Since three different displays were used, the settings of the displays were the default. Regarding the LDR display, it was placed in the left side of the HDR display at the same distance and at the same height forming a slight angle between them in order to optimize the viewing by the users. Regarding the tablet, it was placed where the user stood centred with the two 37" displays. The tablet was placed on a proper stand that formed an angle of approximately 45 °but it was given the freedom to the participant of placing the tablet in the most pleasant position for him. To assure the standardization of the contents visualization, and with special attention with the different resolution and particular display of the table some adjustments were made to assure the proper reproduction of the tone-mapped HDR videos.

3.3. Statistical analysis

Each video was tone mapped by the 6 different TMOs. A total of 30 participants, 17 men and 13 women with ages between 19 and 28 years, were randomly assigned between the LDR and tablet experiment. This gave a total of 15 evaluations for each video on each device, and an overall total of 2100 comparisons.

For analysing statistically the results it was used the Kendall Coefficient of agreement used for calculate the consistency of the results between all the ranks made by the participants.

4. Results

The results from the comparisons made to each HDR video footage are available as supplementary data. These individual results show that for CGRoom the rankings are similar for the LDR and mobile displays with Mantiuk, Benoit and Boitard being the most preferred. With Jaguar the rankings change with Pattanaik being the most highly ranked, Mantiuk being second on the mobile device. Regarding the LDR display Mantiuk and Boitard tied as second most preferred TMO. With computer generated footage entitled Kalabsha the results obtained indicate that Mantiuk was the preferred TMO followed by Pattanaik and Boitard. In the evaluation made for Morgan Lovers Mantiuk and Boitard were ranked first for the LDR display, while Boitard was ranked clearly first for the mobile device. The results obtained with the Explosion footage show that Mantiuk and Boitard were preferred for both the LDR and mobile displays. For the IDL Wedding footage Mantiuk was the most preferred TM Regarding de Medical clip, it has provided interesting results with a different ranking order between the LDR and mobile displays, with Mantiuk preferred on the LDR display and Boitard on the mobile device display.

To provide a better overview of the results, a score is allocated for each ranking. Each rank of first is given a score of 5, second a score of 4, and so on until sixth place with a score of 0. These scores are then normalised into percentages. Table 3 shows these percentages. In the table, the headers refer to the TMO and L=LDR, M=Mobile displays. The percentages greater than 20% are show with a green background, between 10% and 20% a yellow background, and under 10% red.

From Table 3, it is clear that the Mantiuk TMO is overall the most preferred. Benoit, Boitard and Pattanaik also were frequently preferred. Inter-

Table 3: Normalization of the results

	CGR		Jag		Kal		Mor		Exp		IDL		Med	
	L	M	L	M	L	M	L	M	L	M	L	M	L	M
Fer	3	1	9	13	7	9	6	8	10	11	7	5	4	6
Pat	15	12	26	31	25	26	20	21	26	21	18	20	17	13
Hat	7	8	2	0	11	10	1	3	2	1	4	2	4	2
Man	28	29	23	27	33	32	26	22	29	29	29	32	31	29
Ben	20	24	16	14	7	4	22	20	9	10	22	20	20	20
Boi	27	26	24	15	17	18	25	26	24	28	21	21	24	30

CGR: CGRoom, Jag: Jaguar, Kal: Kalabsha, Mor: Morgan Lovers, Exp: Explosion, IDL: IDL Wedding, Med: Medical

estingly Benoit was far less preferred in Kalabsha, Explosion and Jaguar, while Boitard was less preferred in Kalabsha. This is possibly because, Kalabsha is a computer generated HDR video in which there is no sudden change of illumination. Pattanaik performs well, but less so in the three clips, CGRoom, Wedding, and Medical in which the maximum luminance remains consistent throughout the whole sequence, whereas in the other footage, the maximum luminance is not the same for every frame.

Ferwerda and Hateren were preferred the least. Ferwarda did moderately well in Explosion which, as it was shot with a Canon 5D, only has 12 f-stops, while Hateren did modestly with Kalabsha with its no sudden changes in illumination.

Table 4 show the overall results, using the scoring system, for the LDR and mobile display. These results show that despite some similarity, the preferences do change depending on whether the LDR display or mobile device was being considered. In particular Pattanaik is more preferred on the mobile device.

4.1. Results obtained for the LDR display

The results for the LDR display are shown on Table 5. With the data gathered it is possible to affirm that the TMOs preference order is Mantiuk, Boitard, Pattanaik, Benoit, Ferwerda and Hateren. These results have a Kendall coefficient of concordance of 0.850, $p < 0.05$.

Table 4: Overall results for LDR and Mobile Displays

TMO	Score (LDR)	Score (Mobile)
Mantiuk et al.	28.1%	28.5%
Boitard et al.	24.6%	23.4%
Benoit et al.	21.4%	16.4%
Pattanaik et al.	16.4%	20.4%
Ferwerda et al.	6.4%	7.5%
Hatern et al.	3.1%	3.8%

Table 5: Results obtained for the LDR display

TMOs	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Benoit	3.583	.102	3.375	3.791
Boitard	2.350	.113	2.119	2.581
Ferwerda	4.917	.097	4.718	5.116
Hateren	5.500	.075	5.346	5.654
Mantiuk	2.017	.098	1.815	2.218
Pattanaik	2.733	.074	2.581	2.885

4.2. Results obtained for the mobile device display

Table 6 show the results obtained for the mobile device displays and are similar to the results obtained for the LDR display. The order of preference is the same between both displays but in the case of the mobile device display the difference is that between the second and the third ranked TMOs (Boitard and Pattanaik) statistically there is no significant difference. For the mobile device display the Kendall coefficient of concordance is 0.890, $p < 0.05$.

4.3. Results Across Displays

Table 7 show the results obtained for the TMOs preference across displays. As can be seen, the order is similar to the orders obtained for the LDR and




Table 6: Results obtained for the mobile device display

TMOs	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Benoit	3.367	.099	3.164	3.569
Boitard	2.633	.048	2.534	2.732
Ferwerda	4.867	.088	4.687	5.046
Hateren	5.583	.051	5.479	5.687
Mantiuk	1.683	.097	1.485	1.882
Pattanaik	2.833	.073	2.685	2.982

Table 7: Results Across Displays

TMOs	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Benoit	3.475	.071	3.333	3.617
Boitard	2.492	.061	2.369	2.615
Ferwerda	4.892	.065	4.761	5.023
Hateren	5.542	.045	5.451	5.633
Mantiuk	1.850	.069	1.712	1.988
Pattanaik	2.783	.052	2.679	2.887

for the mobile displays. The results obtained show that the preferred TMO is Mantiuk, followed by Boitard, Pattanaik, Benoit, Ferwerda and Hateren. The results obtained show also that the order of the TMOs is statistically significant.

4.4. Tests of Between-Subjects Effects

The results of the tests between-subject effects (Table 8) reveal that there are different significance between displays but between groups the difference is not significant. Another fact is that there is also a significant difference in the interaction between display and TMOs.

4.5. Tests of Within-Subjects Effects

The tests of within-subjects effects (Table 9) indicate that for each display the results are statistically different but the preference order is the same. In the TMO * Groups is also possible to verify that the results obtained with the two groups were the same for different scenes.

Table 8: Tests of Between-Subjects Effects

Source	Type III Sum of Squares	df	Mean Squares	F	Sig.
Intercept	4424.011	1	4424.011	615090.097	.000
Display	.044	1	.044	6.179	.016
Group	.000	1	.000	.000	1.000
Display * Group	.000	1	.000	.000	1.000
Error	.403	56	.007	-	-

Table 9: Tests of Between-Subjects Effects

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
TMOs	Sphericity Assumed	621.506	5	124.301	461.205	.000
	Greenhouse-Geisser	621.506	3.839	161.875	461.205	.000
	Huynh-Feldt	621.506	4.378	141.957	461.205	.000
	Lower-bound	621.506	1.000	621.506	461.205	.000
TMOs * Display	Sphericity Assumed	3.822	5	.764	2.836	.016
	Greenhouse-Geisser	3.822	3.839	.996	2.836	.027
	Huynh-Feldt	3.822	4.378	.873	2.836	.021
	Lower-bound	3.822	1.000	3.822	2.836	.098
TMOs * Group	Sphericity Assumed	.000	5	.000	.000	1.000
	Greenhouse-Geisser	.000	3.839	.000	.000	1.000
	Huynh-Feldt	.000	4.378	.000	.000	1.000
	Lower-bound	.000	1.000	.000	.000	1.000
TMOs * Display * Group	Sphericity Assumed	.000	5	.000	.000	1.000
	Greenhouse-Geisser	.000	3.839	.000	.000	1.000
	Huynh-Feldt	.000	4.378	.000	.000	1.000
	Lower-bound	.000	1.000	.000	.000	1.000
Error (TMOs)	Sphericity Assumed	75.464	280	.270	-	-
	Greenhouse-Geisser	75.464	215.008	.351	-	-
	Huynh-Feldt	75.464	245.175	.308	-	-
	Lower-bound	75.464	56.000	1.348	-	-




Figure 5: Estimated Marginal Means

Despite the significant difference between displays on the TMOs preference Figure 5 show that the differences are not so relevant.

5. Discussion

The study made by Urbano et al. [1] that also considered SSDs concluded that for LCD and CRT displays the TMO preference were the same but when comparing those displays with a SSD the results were significantly different. On this study it were considered two different scenes and the preference order of the TMOs between the two scenes was similar. The only difference between the two scenes on the TMOs preference order was between third and fourth ranked TMOs that switched places.

One interesting fact when comparing the results obtained to the study made by Urbano et al. is that while Urbano et al. study shows that there is significant difference on the TMOs preference order between the different sized displays when referring to still images our study shows that when referring to video there can be a slight difference on the TMOs preference order between displays but across displays remains the same.

6. Conclusions and Future Work

The results are not uniform for all the evaluations; although one TMO may be the best ranked for one video it is not the best ranked for all videos. The best TMO for each video depends on the attributes of the video, for example, sudden light changes, movement, mainly dark or bright scenes.

Future work needs to consider more precisely what factors in a video influences the preference for a TMO, and whether indeed sequences within one video may benefit from different TMOs. A number of new HDR video sequences with specific test conditions, such as mainly bright and dark areas, in-door, outdoor etc. will need to be investigated.

Furthermore, as mobile devices are typically used in a variety of lighting conditions, in the shadow, bright sunshine etc., the preferred TMO also needs to be considered for these different conditions.

Acknowledgements

We would like to thank to the authors of the TMOs for their help with the code for tone mapping the frames used in the experiments and the participants for taking part in the study.

This work is partially supported by the Portuguese government, through the National Foundation for Science and Technology - FCT (Fundao para a Cincia e a Tecnologia) through the project SFRH/BD/76384/2011 entitled "HDR Video for Mobile Devices".

This work is also supported by the ICT COST Action IC1005 "HDRi: The digital capture, storage, transmission and display of real-world lighting".

References

- [1] C. Urbano, L. Magalhes, J. Moura, M. Bessa, A. Marcos, A. Chalmers, Tone mapping operators on small screen devices: An evaluation study, *Computer Graphics Forum* 29 (2010) 2469–2478.
- [2] ITU, The world in 2011: Ict facts and figures, <http://www.itu.int/ITU-D/ict/facts/material/ICTFactsFigures2011.pdf>, 2011. Accessed: 16/02/2013.
- [3] A. Benoit, D. Alleysson, J. Herault, P. Callet, *Computational color imaging*, Springer-Verlag, Berlin, Heidelberg, 2009, pp. 12–22.

- [4] J. A. Ferwerda, S. N. Pattanaik, P. Shirley, D. P. Greenberg, A model of visual adaptation for realistic image synthesis, in: Proceedings of the 23rd annual conference on Computer graphics and interactive techniques, SIGGRAPH '96, ACM, New York, NY, USA, 1996, pp. 249–258.
- [5] J. H. Van Hateren, Encoding of high dynamic range video with a model of human cones, *ACM Trans. Graph.* 25 (2006) 1380–1399.
- [6] R. Mantiuk, S. Daly, L. Kerofsky, Display adaptive tone mapping, *ACM Trans. Graph.* 27 (2008) 68:1–68:10.
- [7] S. N. Pattanaik, J. Tumblin, H. Yee, D. P. Greenberg, Time-dependent visual adaptation for fast realistic image display, in: Proceedings of the 27th annual conference on Computer graphics and interactive techniques, SIGGRAPH '00, ACM Press/Addison-Wesley Publishing Co., New York, NY, USA, 2000, pp. 47–54.
- [8] R. Boitard, K. Bouatouch, R. Cozot, D. Thoreau, A. Gruson, Temporal coherency for video tone mapping, in: Applications of Digital Image Processing XXXV, volume 8499 of *Proc. SPIE*, pp. 84990D–84990D–10.
- [9] F. Banterle, A. Artusi, K. Debattista, A. Chalmers, Advanced High Dynamic Range Imaging: Theory and Practice, AK Peters, Ltd (CRC Press), first edition, 2011.
- [10] J. Tumblin, H. Rushmeier, Tone reproduction for realistic images, *Computer Graphics and Applications*, IEEE 13 (1993) 42–48.
- [11] C. Schlick, Quantization techniques for visualization of high dynamic range pictures, in: G. Sakas, S. Mller, P. Shirley (Eds.), *Photorealistic Rendering Techniques*, Focus on Computer Graphics, Springer Berlin Heidelberg, 1995, pp. 7–20.
- [12] G. W. Larson, G. W. Larson, H. Rushmeier, H. Rushmeier, C. Piatko, C. Piatko, A visibility matching tone reproduction operator for high dynamic range scenes, *IEEE Transactions on Visualization and Computer Graphics* 3 (1997) 291–306.
- [13] K. Chiu, M. Herf, P. Shirley, S. Swamy, C. Wang, K. Zimmerman, Spatially nonuniform scaling functions for high contrast images, in: *Proceedings of Graphics Interface '93*, pp. 245–253.

- [14] S. N. Pattanaik, J. A. Ferwerda, M. D. Fairchild, D. P. Greenberg, A multiscale model of adaptation and spatial vision for realistic image display, in: Proceedings of the 25th annual conference on Computer graphics and interactive techniques, SIGGRAPH '98, ACM, New York, NY, USA, 1998, pp. 287–298.
- [15] E. Reinhard, M. Stark, P. Shirley, J. Ferwerda, Photographic tone reproduction for digital images, *ACM Trans. Graph.* 21 (2002) 267–276.
- [16] M. Ashikhmin, A tone mapping algorithm for high contrast images, in: Proceedings of the 13th Eurographics workshop on Rendering, EGRW '02, Eurographics Association, Aire-la-Ville, Switzerland, Switzerland, 2002, pp. 145–156.
- [17] R. Brémond, J.-P. Tarel, E. Dumont, N. Hautire, Vision models for image quality assessment: one is not enough, *Journal of Electronic Imaging* 19 (2010) 043004–043004–14.
- [18] S. Daly, *Digital images and human vision*, MIT Press, Cambridge, MA, USA, 1993, pp. 179–206.
- [19] R. Mantiuk, K. Myszkowski, H.-P. Seidel, Visible difference predictor for high dynamic range images, in: Proceedings of IEEE International Conference on Systems, Man and Cybernetics, pp. 2763–2769.
- [20] R. Mantiuk, S. Daly, K. Myszkowski, H.-P. Seidel, Predicting visible differences in high dynamic range images - model and its calibration, in: B. E. Rogowitz, T. N. Pappas, S. J. Daly (Eds.), *Human Vision and Electronic Imaging X*, IS&T/SPIE's 17th Annual Symposium on Electronic Imaging (2005), volume 5666, pp. 204–214.
- [21] F. Drago, W. Martens, K. Myszkowski, H.-P. Seidel, Perceptual evaluation of tone mapping operators with regard to similarity and preference, Research Report MPI-I-2002-4-002, Max-Planck-Institut für Informatik, Stuhlsatzenhausweg 85, 66123 Saarbrücken, Germany, 2002.
- [22] P. Ledda, A. Chalmers, T. Troscianko, H. Seetzen, Evaluation of tone mapping operators using a high dynamic range display, in: *ACM SIGGRAPH 2005 Papers*, SIGGRAPH '05, ACM, New York, NY, USA, 2005, pp. 640–648.

- [23] A. Yoshida, V. Blanz, K. Myszkowski, H. Peter Seidel, Perceptual evaluation of tone mapping operators with real-world scenes, in: *Human Vision & Electronic Imaging X*, SPIE, SPIE, 2005, pp. 192–203.
- [24] J. Kuang, H. Yamaguchi, C. Liu, G. M. Johnson, M. D. Fairchild, Evaluating HDR rendering algorithms, *ACM Trans. Appl. Percept.* 4 (2007).
- [25] M. Čadík, M. Wimmer, L. Neumann, A. Artusi, Evaluation of HDR tone mapping methods using essential perceptual attributes, *Computers & Graphics* 32 (2008) 330–349.
- [26] J. Petit, R. Brémond, A. Tom, Evaluation of tone mapping operators in night-time virtual worlds, *Virtual Reality* (2012) 1–10.
- [27] M. Melo, M. Bessa, K. Debattista, A. Chalmers, Evaluation of tone mapping operators for HDR video on small form factor displays, in: M. Bessa, R. Maniuk (Eds.), *HDRi2013 - First International Conference and SME Workshop on HDR imaging*.
- [28] L. Meylan, D. Alleysson, S. Süssstrunk, Model of retinal local adaptation for the tone mapping of color filter array images, *Journal of the Optical Society of America A* 24 (2007) 2807–2816.
- [29] Wikipedia, brightside technologies, http://en.wikipedia.org/wiki/BrightSide_Technologies_Inc., 2013. Accessed: 18/02/2013.
- [30] Westinghouse digital, <http://legacywd.com/details.aspx?itemnum=56>, 2013. Accessed: 16/02/2013.
- [31] Apple, <http://www.apple.com/ipad/specs/>, 2013. Accessed: 13/02/2013.
- [32] A. Chalmers, G. Bonnet, F. Banterle, P. Dubla, K. Debattista, A. Artusi, C. Moir, High-dynamic-range video solution, in: *ACM SIGGRAPH ASIA 2009 Art Gallery & Emerging Technologies: Adaptation*, SIGGRAPH ASIA '09, ACM, New York, NY, USA, 2009, pp. 71–71.