
Museum Visitor Activity Tracker using Indoor Positioning System

by Andreas Handojo

Submission date: 09-Mar-2020 01:29PM (UTC+0700)

Submission ID: 1272101925

File name: PID6223503.pdf (424.97K)

Word count: 3056

Character count: 16065

Museum Visitor Activity Tracker using Indoor Positioning System

7 Andreas Handojo
Informatics Department
Petra Christian University
Surabaya, Indonesia
handojo@petra.ac.id

Tanti Octavia
Industrial Engineering Department
Petra Christian University
Surabaya, Indonesia
tanti@petra.ac.id

Resmana Lim
Electrical Engineering Department
Petra Christian University
Surabaya, Indonesia
resmana@petra.ac.id

Jonathan Kurnia Anggita
Informatics Department
Petra Christian University
Surabaya, Indonesia
jonathandot13@gmail.com

Abstract—Tourism is one of the sources of state revenue that has enormous potential, especially for developing countries. One of the great tourism potential is the museum. In displaying the artifacts and their information the museum manager has difficulty in recognizing the behavior of museum visitors such as the route chosen in seeing the artifacts presented, how long they have been at a location, what artifacts are of their interest, etc. This is quite difficult to do, especially with the many artifacts that exist in a museum. This research created an activity tracker system for museum visitors using the Indoor Positioning System by utilizing Bluetooth Low Energy (BLE) beacons. Signals from BLE beacons detected by museum visitors' smartphones are used as a reference to estimate the location of visitors using the trilateration method and the Kalman filter. This location data is then stored in a server to be information of the movement of visitors in the museum. Based on this information, museum managers can find out which locations are often / rarely visited by visitors and how long visitors spend at that particular location. According to the distance error testing that compare real location and calculation position, it shows that the average error distance is around 114.35 cm. So, it can be concluded that the information obtained is sufficient to represent the position of the museum visitors

Keywords—Museum; Activity Tracker; Indoor Positioning System; BLE Beacon; Smartphone

I. INTRODUCTION

Tourism is one of the major state revenue, especially for developing countries that do not have the technological ability or trading of state revenues. Indonesia as one of the developing countries sees this as a state revenue opportunity. In Indonesia, the tourism is the fourth largest contributor to income (9%) after oil and gas, coal and palm oil [1]. Moreover, the tourism sector is able to absorb 10 million workers. Therefore tourism is crucial to get serious attention. Indonesia is an island nation that is endowed with abundant natural beauty. The natural beauty that there are diverse ranging from mountains, forests,

seas, beaches, and so on. In addition, Indonesia also has a diversity of flora and fauna as well as a variety of customs, cultures, and historic relics ranging from ancient relics such as temples and inscriptions, to the legacy of the war against the invaders. This, makes Indonesia one of the countries that has a huge tourism potential.

One of the tourism visits offered is a visit to the museum. Consider that Indonesia has many historical artifacts such as cultural artifacts of the past (temples, monuments), religious artifacts (churches, temples, mosques) as well as artifacts of the colonial period (fortresses, cannons, weapons). These artifacts are stored in museums spread throughout Indonesia. The Indonesian government has made several improvements such as standardization and classification of museums (120 museums out of 400 museums in Indonesia) [2] and museum revitalization efforts (80 museums) [3].

In order to present museum information, museums generally display their artifacts using display media that placed in surrounding museum rooms. The layout of the artifacts becomes very important. Because it can provide important and interesting information for visitors. The number of artifacts in a museum that can be reach thousands of pieces. Such as The National Museum Indonesia which has 141.000 artifacts [4]. The artifacts display and layout must be very challenging in order to build an informative and interesting information for museum visitors.

Another problem that arises is how the museum manager can find out whether the artifacts display layout and information that provided is in suitable with what the museum manager wants. Where the route chosen by visitors when viewing artifacts display in the museum. Whether information about the artifacts provided can attract visitors.

Therefore, this research will track the location of museum visitors while in the museum location (indoor). The location of museum visitors when they see the display of artifacts in this

museum will be taken periodically and stored on a server. The location data will then be mapped into the route chosen by visitors during the museum visit. This route mapping aims to help the process of a thorough analysis of the display of artifacts that have been prepared by the museum manager.

This museum visitor tracking route was built using the Indoor Positioning System (IPS) method by utilizing Bluetooth Low Energy (BLE) beacons and Bluetooth equipment that is on smartphones owned by museum visitors. Museum visitors are asked to install the museum information application (via Google Playstore) that has been made in previous research [5]. The application will be equipped with information about artifacts in the museum. So, it can help visitors in obtaining information on the artifacts they want more deeply. The application also features a museum (indoor) map and information on where visitors are currently located in the museum. To find out the location of the visitor, the application uses the Bluetooth facility on the mobile to detect the location of the BLE beacons that have been placed at certain locations in the museum. The location of these visitors will then be stored on a server periodically to create museum visitor route data.

Each BLE beacon will emit a signal that can be received by Bluetooth devices that are on the museum visitor's smartphone. From the received BLE beacon signal strength, the application will calculate the approximate location of the museum visitors. This calculation is done by calculating the distance of the smartphone with the location of the BLE beacon detected by the smartphone by looking at the signal strength of the BLE beacon. The method used to calculate the position of visitors is to use trilateration and kalman filter. Then, information about the location of the visitor is then sent to the server as the location of the museum visitors. The data is then managed to be the route information of visitors when in the museum and the number of visitors who are in a location in the museum.

With this visitor route information, the museum manager can analyze whether the placement of artifact displays is suitable. Like for example if there are certain locations in the museum that are rarely passed by museum visitors, in which areas visitors often pass, which locations are frequented by visitors, when and where visitors pass certain routes, and others. With this information, the museum manager can rearrange the layout of the room and the location of the artifacts so that they are needed or organize the flow of visitors so that the displayed artifacts can be seen by visitors properly.

II. LITERATURE REVIEW

Research to develop tourism and interesting museum visits continue to be developed, such as Botturi et al. [6] who use games on smartphones to study cultural heritage. Chivarov et al. [7] developed interactive presentations with smartphones to create a modern museum. Handoyo et al. [8] uses smartphones, GPS technology to trace the history route of the battle for independence in Surabaya. Turan and Kesser [9] created an ancient car museum guide using a smartphone. Handoyo [10] created a battle of independence in Surabaya using GPS and smartphone technology.

Research on the Indoor Positioning System (IPS) to determine the location of users in a room in a building (indoor) is also widely developed. Like Thamm et al. [11] and Yeo et al. [12] uses IPS in shopping malls. Narzullaev et al. [13] who used IPS in equipment in hospitals and warehouses. Handoyo [5] using IPS for broadcast information to museum visitors.

By considering the enormous growth rate of smartphone usage in Indonesia, this research choose to build a museum visitors activity tracker using smartphone. According to data from the Indonesian Internet Service Users Association - APJII (Penetration and Behavior of Indonesian Internet users) [14], the growth of internet users in Indonesia continues to grow to reach 143.26 million users from a total of 262 million people in Indonesia (Fig. 1). This means that approximately 54.68% of Indonesia's population has used the internet. APJII also reports that the majority of internet access is done through smartphones (85%). With easy network access and the availability of smartphone devices, this museum visitor's tracker will be easy to adopt for any museums.



Fig. 1. Internet users in Indonesia

III. IMPLEMENTATION

This research will conduct at Trowulan Museum that's located in Mojokerto, a town on East Java Province in Indonesia. The Museum provide artifacts information from the Majapahit Empire (1293-1500 AD). Majapahit is one of the major ancient empire that controls most of Indonesia, Singapore, and parts of Malaysia. There's so many artifacts such as weapons, sculpture, statue, pottery, temple.

There are 3 main rooms in Trowulan Museum, namely Metal Room (contains metal equipment, metal weapons, etc.), Terracotta Room (contains pottery, roof tile, etc.), and Statue Room (contains statue, sculpture, etc.). The Metal Room and Terracotta rooms are both surrounded by walls, but the Statue Room is an open space room with roof.

In order to build IPS, this research place some BLE Beacons (WEMOS LOLIN32 Lite) at certain location in the museum (Fig. 2). Besides the low price, this BLE beacon has the advantage that relatively small in size (13 x 5 cm) so that they can easily be placed in various places in the museum room without disturbing the artifacts on display. In addition, this BLE beacon also has a very low energy consumption level so that it can operate using small batteries that only need to be replaced once a year. This BLE beacons are also easy to install.

Based on this consideration, this BLE beacon the right choice to be implemented in museums in Indonesia which have various levels of diversity such as in terms of financial budget, use of technology, and the number of daily visitors.



Fig. 2. WEMOS LOLIN32 Lite Bluetooth Low Energy Beacon

Each BLE beacon will emit a signal that will be obtained by a museum visitor's smartphone (Fig 3.). The application on the smartphone will then send the beacon id to the server to find out the location of the BLE beacon. The application will then calculate the user's current approximate location based on the strength of the BLE beacon signal that was successfully obtained. The approximate location is then sent to the server and stored by the server. Based on the collection of user locations, a mapping of visitor tracker information was built. This information will be useful for analyzing the behavior of museum visitors.




Fig. 3. Museum Visitors Activity Tracker System Design

This study maps the location of museum visitors to the website-based museum tracker application as shown in Fig. 4. Museum manager can see visually the movements of museum visitors based on a certain time according to the input. For example museum manager want to know visitors movement on Terracotta Room start from 10:00 AM. The application will plot the visitor location that recorded by server on the map. The museum manager then can input the tracking duration that he/she want to view (for example for every three minutes). The museum manager then can click next/previous duration button to see visitor location. This application will show the location of museum visitors for the next period of time (on the next three minutes / 10:03 AM).



(a)

(b)



(c)

(d)

Fig. 4. Museum Visitors Tracker Testing on Terracota Room Report

By this application museum manager could see the visitors' movement in the museum room. From this information museum manager could analyze the effectiveness of the existing room layout and artifacts. Museum manager could also see how long each visitors stay on each museum room and in which locations museum visitors spend their time. From this information museum manager could analyze which exhibitions are of appealing to visitors.

This research tests the accuracy of the estimated location of visitors obtained data. Testing is done by comparing the estimated location of visitors (calculation results) with the actual location, as can be seen in Fig. 5. From these tests the calculation of the resulting error rate is calculated, as shown in Table 1. From the position accuracy testing conducted, the results show that the accuracy level is strongly influenced by the Received Signal Strength Indicators (RSSI) BLE beacons received by Bluetooth devices on smartphone visitors to the museum visitors. Where testing numbers 6, 9, 4, and 5 (Table 1) has the best RSSI level. So that it has an error rate of distance around 47.12 to 97.28 cm.




Fig. 5. Position Accuration Testing

So, it can be concluded that the location of each BLE beacon is very important in terms of increasing the accuracy of approximate location. Therefore, the location of each beacon must consider the range of each beacon and the need to cover each room. Overall error rate from comparing real locations with estimated locations based on calculations obtained an error of 114.35 cm so that it can be concluded that the system created can be a reference for visitor movement information.

IV. CONCLUSION

This research tries to determine the behavior of museum visitors when visiting the museum. Visitor behavior is recognized by tracking the movement of visitors in the museum. Information on the location of visitors during the museum is obtained by using the Indoor Positioning System with BLE beacons. Signals from BLE beacons placed in various positions in the museum will be detected by Bluetooth on the user's smartphone as a reference for calculating the visitor's location estimation by trilateration and the Kalman filter method. The visitor's location is then mapped on the website-based museum map application. Through this visitor movement information the museum manager can find out the route chosen by visitors while in the museum, which locations in the museum are frequently visited, which artifacts are of interest to visitors, etc. Based on this information the museum

manager can analyze and evaluate the layout and laying of artifacts and displays in the museum.

Based on error testing by comparing the distance of real locations and estimation locations based on the calculations. The level of error that obtained is 47 to 174 cm with an average of 114.35 cm. So, it can be concluded that the location information obtained by visitors is sufficient to be able to present the position of the museum visitors in order to obtain information on the behavior of museum visitors.

TABLE I. TESTING OF POSITION ACCURACY

No	Real Position		RSSI Beacon (Strongest Detected)			Calculation Position		Distance Error (cm)
	X	Y	1	2	3	X	Y	
1	232.47	197.67	165.87	170.00	160.48	116.00	220.57	174.12
2	106.67	97.88	104.23	105.53	107.59	103.27	198.65	110.94
3	256.56	219.33	114.00	120.07	119.09	158.43	222.67	125.14
4	264.38	236.27	90.07	92.23	97.00	253.67	251.00	95.40
5	254.97	275.70	98.31	93.88	99.40	254.33	256.10	97.28
6	100.90	250.27	60.84	59.52	58.53	87.67	253.33	47.16
7	254.21	462.32	115.89	125.00	113.39	255.17	455.10	129.24
8	117.33	580.00	142.48	143.51	158.24	109.67	459.44	165.26
9	228.00	575.33	79.35	82.55	88.33	162.63	468.90	68.41
10	297.33	628.39	117.67	128.47	112.09	307.93	463.67	130.59
Average								114.35

ACKNOWLEDGMENT (Heading 5)

This research supported by Indonesia Directorate Research and Technology of Higher Education under grant 002/SP2H/P/K7/KM/2019. This research also support by Petra Christian University Mobile Computing Research Group.

REFERENCES

- [1] Tempo, "Tourism Donate Foreign Exchange US\$ 10 Milliard [Pariwisata Sumbang Devisa US\$ 10 Milliard]," [online] available at Tempo.com, 2014, accessed 17 May 2019.
- [2] UNESCO & Indonesia Tourism Ministry, "Practical Guide for Museum Revitalization in Indonesia," UNESCO, 2011.
- [3] Kompas, "100 Standardized Museum [100 Museum Distandardisasi]," [online] available at travel.kompas.com, 2015, accessed 21 June 2019.
- [4] AR. Sampeliling, "A Big Plan for Indonesia's National Museum, Global Indonesian Voices", [online] available at

- <http://www.globalindonesianvoices.com/30728/a-big-plan-for-indonesias-national-museum>, 2017, accessed 20 June 2019.
- [5] A. Handoyo, R. Lim, T. Octavia, JK. Anggita, "Museum Interactive Information Broadcasting Using Indoor Positioning System and Bluetooth Low Energy: a Pilot Project on Trowulan Museum Indonesia", *Technology Innovation Management and Engineering Science International Conference*. Bangkok, 2018, pp. 237-242.
- [6] L. Botturi, A. Inversini, AD. Maria, "City Treasure: Mobile Games For Learning Cultural Heritage", *Proceedings of Museum and the Web, Archives and Museums Information*, 2009.
- [7] N. Chivarov, V. Ivanova, D. Radev, I. Buzov, "Interactive Presentation of the Exhibits in the Museums Using Mobile Digital Technologies. Workshop on International Stability", *Technology, and Culture The International Federation of Automatic Control*, 2013.
- [8] A. Handoyo, J. Andjarwirawan, S. Sunaryo, R. Lim, "Heroic battle of Surabaya Application Based on Android", *Journal of Engineering and Applied Sciences*, 2014, No. 9 Vol. 12, pp. 2396-2403.
- [9] B. Turan and H. Keser, "Museum Guide Mobile App: The Case of the Near East University Classical Car Museum", *Social and Behavioral Sciences*, 2014, No. 131, pp. 278 – 285.
- [10] A. Handoyo, R. Lim, J. Andjarwirawan, S. Sunaryo, "Games and multimedia implementation on heroic battle of Surabaya: An android based Mobile Device Application", *Lecture Notes in Electrical Engineering*, 2016, No. 365, pp. 619-629.
- [11] A. Thamm, J. Anke, S. Haugk, D. Radic, "Towards the Omni-Channel: Beacon-Based Services in Retail", *International Conference on Business Information Systems*, 2016.
- [12] KS. Yeo, A. Ting, SC. Ng, D. Chieng, N. Anas, "Wi-Fi Indoor Positioning Fingerprint Health Analysis for a Large Scale Deployment", *International Journal on Advanced Science Engineering Information Technology*, 2018, No. 8 Vol 4-2, pp. 1411-1411.
- [13] A. Narzullaev, Z. Muminov, G. Ibragimov, "Wi-Fi Signals Database Construction using Chebyshev Wavelets for Indoor Positioning Systems", *International Journal on Advanced Science Engineering Information Technology*, 2019, No. 9 Vol. 1, pp. 236-241.
- [14] Indonesian Internet Service Users Association – APJII. *Penetration and Behavior of Indonesian Internet users*. 2017

Museum Visitor Activity Tracker using Indoor Positioning System

ORIGINALITY REPORT

6%

SIMILARITY INDEX

4%

INTERNET SOURCES

5%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1

[insightsociety.org](https://www.insightsociety.org)

Internet Source

1%

2

Submitted to Hellenic Open University

Student Paper

1%

3

Neng Indriwati Nurfurqonah, Andre Rahmanto, Sri Hastjarjo. "Communication Patterns of Government Public Relation in the Digital Era: A Content Analysis on Twitter Account of the Directorate General of Taxes", KnE Social Sciences, 2019

Publication

1%

4

publication.petra.ac.id

Internet Source

1%

5

Xudong Pan, Hong Huo, Bo Peng, Xuelin Chen. "An Engineering Training Equipment Self-cognition Method Based on Mobile Phone Quick Response (QR) Codes", 2018 IEEE 10th International Conference on Engineering Education (ICEED), 2018

Publication

1%

6

scholarspace.manoa.hawaii.edu

Internet Source

1%

7

Lecture Notes in Electrical Engineering, 2016.

Publication

1%

Exclude quotes Off

Exclude matches < 1%

Exclude bibliography Off