



## Open Archive Toulouse Archive Ouverte

OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible

This is an author's version published in: <http://oatao.univ-toulouse.fr/18430>

**To cite this version:**

Mammola, Stefano and Gasparo, Fulvio and Komenov, Marjan [et al.] *Spiders in caves: the CAWEB project*. (2017)  
In: 30th European Congress of Arachnology, 20 August 2017 - 25 August 2017 (Nottingham, United Kingdom).

Any correspondence concerning this service should be sent  
to the repository administrator: [tech-oatao@listes-diff.inp-toulouse.fr](mailto:tech-oatao@listes-diff.inp-toulouse.fr)

## Spiders in caves: the CAWEB project

Stefano MAMMOLA<sup>1</sup>, Fulvio GASPARO<sup>2</sup>, Marjan KOMENOV<sup>3</sup>, Vlastimil RŮŽIČKA<sup>4</sup>, Sylvain DÉJEAN<sup>5</sup>, Samuel DANFLOUS<sup>5</sup>, Hervé BRUSTEL<sup>6</sup>, Robert S. VARGOVITSH<sup>7</sup>, Robert ROZWAŁKA<sup>8</sup>, Oana MOLDOVAN<sup>9</sup>, Martina PAVLEK<sup>10</sup>, Christo DELTSHEV<sup>11</sup>, Boyan PETROV<sup>11</sup>, Maria NAUMOVA<sup>12</sup>, Srećko ĆURČIĆ<sup>13</sup>, Andrej MOCK<sup>14</sup>, Lubomir KOVAC<sup>14</sup>, Pedro CARDOSO<sup>15</sup>, László DÁNYI<sup>16</sup>, Dorottya ANGYAL<sup>16</sup>, Gergely BALÁZS<sup>17</sup>, Carles RIBERA<sup>18</sup>, Carlos E. PRIETO<sup>19</sup>, Jon FERNÁNDEZ<sup>19</sup>, Christian KOMPOSCH<sup>20</sup>, Julian CARTER<sup>21</sup> and Marco ISAIA<sup>1</sup>

<sup>1</sup> *Department of Life Sciences and Systems Biology, University of Torino, Italy; ema : marco. sa a@un to. it*

<sup>2</sup> *Commissione Grotte 'E. Boegan', Società Alpina delle Giulie, Trieste, Italy;* <sup>3</sup> *Blvd Kuzman Josifovski Pitu, 19/5/3, 1000 Skopje, Republic of Macedonia;* <sup>4</sup> *Biology Centre, Institute of Entomology, České Budějovice, Czech Republic;* <sup>5</sup> *Conservatoire d'Espaces Naturels de Midi-Pyrénées, France;* <sup>6</sup> *Ecole d'Ingénieur de Purpan, France;* <sup>7</sup> *Schmalhausen Institute of Zoology, National Academy of Sciences, Ukraine;* <sup>8</sup> *Zakład Zoologii UMCS, Poland;* <sup>9</sup> *'Emil Racovitza' Institute of Speleology, Bucharest, Romania;* <sup>10</sup> *Ruđer Bošković Institute, Croatian Biospeleological Society, Croatia;* <sup>11</sup> *National Museum Natural History, Sofia, Bulgaria;* <sup>12</sup> *Institut Biodiversity and Ecosystem Research, Sofia, Bulgaria;* <sup>13</sup> *Faculty of Biology, University of Belgrade, Serbia;* <sup>14</sup> *Pavol Jozef Šafárik University, Slovakia;* <sup>15</sup> *Finnish Museum of Natural History, University of Helsinki, Helsinki, Finland;* <sup>16</sup> *Department of Zoology, Hungarian Natural History Museum, Budapest, Hungary;* <sup>17</sup> *Department of Systematic Zoology and Ecology, Eötvös Loránd University, Budapest, Hungary;* <sup>18</sup> *Department of Zoology & Animal Cell Biology, University of the Basque Country (UPV/EHU), Bilbao, Spain;* <sup>19</sup> *Department of Biologia Evolutiva, Ecologia i Ciències Ambientals, University of Barcelona, Barcelona, Spain;* <sup>20</sup> *ÖKOTEAM - Institut für Tierökologie und Naturraumplanung OG, Graz, Austria;* <sup>21</sup> *National Museum Wales, UK*

World experts of different disciplines, from molecular biology to macroecology, recognize the value of cave ecosystems as ideal ecological and evolutionary laboratories. Among other subterranean taxa, spiders stand out as intriguing model organisms for their ecological role of top-predators, their unique adaptations to the hypogean medium and their sensitivity to anthropogenic disturbance. Here, we provide a general overview of the spider families recorded in hypogean habitats in Europe – 20 families including nearly 500 species, most of them with restricted distributions. We also review the different adaptations of hypogean spiders to subterranean life and summarize the information gathered so far about their origin, population structure, ecology and conservation status. Taxonomic knowledge on subterranean spiders in

Europe appears to be well, but not exhaustively documented. The origin of the European assemblages is mostly explained by past climate dynamics, although other factors are likely to be involved. Most of the macroecological issues related to spiders in European caves are based on qualitative assessments or have been quantified only at a sub-regional scale. In order to shed light on cave spiders' biogeography and the macroecological patterns driving the diversity of European subterranean spiders we created the CAWEB network, a spontaneous collaboration between subterranean arachnologists from 30 different European countries. We here present the team and provide some preliminary results, which highlight Southern Europe as an important hot-spot for the European subterranean spider diversity.

**Keywords:** Araneae, biogeography, ecology, model organisms, subterranean taxa.