

## **Collocational Analysis of Life Science English (2)**

**– Lists of common collocates of *carry*, *confer*, *contribute*, *detect*,  
*elucidate*, *give*, *know*, *obtain*, *raise*, *understand* –**

**Takeshi KAWAMOTO<sup>1</sup>, Nobuyuki FUJITA<sup>2</sup>, Shuji KANEKO<sup>3</sup>,  
Brian MORREN<sup>4</sup>, Hiroshi OHTAKE<sup>5</sup>**

### **Introduction**

This is the second in a series of reports that focus on how certain English words are typically used in the life sciences and whose purpose is to help Japanese researchers who use English in their work to gain insight into the common collocates for each word. Traditionally, language learners have been advised to refer to grammar books and dictionaries in order to improve their language skills, but this has not always helped to raise their level of proficiency. The former bias toward grammar has led to the belief that natural sentences can be created solely on the basis of syntax and arbitrary vocabulary selections. As a result, learners have tended to focus their attention on acquiring as many independent words as possible without regard for their typical patterns and collocations. This traditional perspective, however, has been discredited by more recent research in the field of second language learning which has shown, on the basis of empirical evidence, that words do not function in isolation but are co-selected with other words to produce meaning (Howarth, 1998; Hunston & Francis, 1998; Partington, 1998; Sinclair, 1991; Stubbs, 2001). There is therefore a need to provide nonnative writers with detailed information on the key lexical items and common collocational patterns that are typical of their field of research and that they require when writing their academic research papers (Ohtake & Morren, 2001, 2003).

In this respect, the use of corpora and concordance techniques may provide more accessible information on collocations and the selection restrictions that govern them. Nonnative writers may thereby come to avoid collocational mismatches by being

---

<sup>1</sup> Department of Dental and Medical Biochemistry, Hiroshima University Graduate School of Biomedical Sciences

<sup>2</sup> National Institute of Technology and Evaluation

<sup>3</sup> Kyoto University Graduate School of Pharmaceutical Sciences

<sup>4</sup> Center for Languages, Arts, and Sciences, Fukui Prefectural University

<sup>5</sup> Department of Foreign Languages, Kyoto Prefectural University of Medicine

exposed to multiple examples of words that tend to co-occur. Through such exposure to regularly recurring patterns, they may become more sensitive to the ways in which words combine with other words to produce particular meanings. Certainly, statistical analyses showing the frequency and collocational patterns of any given word used in life-science papers would be very useful for Japanese researchers when writing academic reports. In particular, they may realize the importance of referring to corpus evidence for guidance and no longer rely simply on dictionaries and reference grammars. They can thereby expand their search for appropriate forms of expression by examining and interpreting the immense amount of useful data that corpora provide.

### **Data Collection and Corpus Analysis**

In 1993, we embarked on a project—the Life Science Dictionary Project (LSD Project) in which English abstracts appearing in international medical research journals were collected through the publicly available on-line MEDLINE database. The initial aim of the collection was to compile a genre-specific English corpus (LSD Corpus) and then to create an electronic bilingual dictionary (English-Japanese and Japanese-English) with a particular emphasis on frequently appearing general and technical terms in life-science fields. The LSD Corpus now contains approximately 144,000 abstracts published in distinguished life-science related journals around the world and consists of over 31 million running words. This corpus can be regarded as a valid source of authentic English materials because the articles and abstracts published in such eminent journals as *Nature* and *Science* are known to have undergone a rigorous review prior to publication with regard to both content and language.

The collected data have been recorded in a versatile relational database and subjected to statistical analysis. This has led to the compilation of an electronic English-Japanese/Japanese-English dictionary, WebLSD, which is available to the public on the Internet (<http://lsd.pharm.kyoto-u.ac.jp/>). The up-dated version of the electronic dictionary currently contains 39,790 entries of English terms with Japanese translations and definitions, 26,000 sample sentences for 5,100 words, and 938,000 records of concordance for 9,500 words.

Some of the most frequently used words in the LSD Corpus have been selected for inclusion in this paper. The particular words taken up here are *carry*, *confer*, *contribute*,

*detect, elucidate, give, know, obtain, raise, and understand.* For each word, we have provided a list of common collocations that includes information about the frequency, a Japanese translation, and a sample sentence when it is considered useful and relevant. The collocational patterns introduced here are noteworthy in that most of them cannot be classified simply as an idiomatic expression or set phrase, so that they provide language learners with information not usually found in marketed dictionaries. On the surface, the list may just look like a miscellaneous assortment of arbitrary word patterns, but a closer look will reveal that it is a very useful collection of information concerning the lexical items (verbs, nouns, adjectives, prepositions) with which a given word commonly collocates and, in the case of a noun, which article is commonly used or which of the two forms, plural or singular, appears more often. This kind of information is particularly important for Japanese learners of English because they are often confused about how to properly use articles, singular/plural forms, or how to find common collocates or natural expressions.

Owing to the nature of the computer analysis, related items sharing the same form are classified as one word, so that no distinction is made between the verb form *study* and the noun form *study*. In addition, homographs are not differentiated and are treated as one word. However, in some cases, the collocates shown in the tables should provide some information concerning the part of speech of a given item, which may help in the identification of any homographs that appear. Furthermore, some of the data shown in the tables may look redundant, but we believe that such redundancy will not be a hindrance in the exploration of the meaning of a particular lexical item. Instead, it may help language learners to deepen their understanding. For example, in the case of articles and prepositions, which habitually present great problems for nonnative writers in terms of their interpretation and use, grammatical explanations are often inadequate in helping them to avoid erroneous decisions in the selection of a correct article or appropriate preposition in their writing. We have therefore intentionally included instances of articles and prepositions with each entry word. By examining the various samples of articles and prepositions appearing in the tables, language learners may come to recognize their proper uses and confirm their understanding.

## How to Read the List

The format is explained by using the following sample list:

	English	Japanese	Frq.	PubM_ID	Sample
	implication*	意味	2,854		
	implication	意味	152		
	implications	意味	2,702		
<b>Note</b>	複数形で使われることが圧倒的に多い。訳語は便宜上「意味」を使用…				
1	the implications	意味	414		
2	an implication	意味	8		
3	implications for	～のための 意味	1,599	11499504	This approach should have significant future <implications for> dental research.
4	implications for the development of	～の開発 のための意 味	59	10725728	This neonatal immune bias has important <implications for the development of> vaccine …
:	:	:	:	:	:
17	have @2 implications for	～のための 意味を持つ	918	10199733	The findings <have potential implications for> islet transplantation as well as …

**1st Column: (Note)** The information given here is based on the analysis of the LSD Corpus and collocational patterns of the entry word, and is expected to help learners of English to gain insight into a given word. This is meant primarily for Japanese learners and is therefore written in Japanese in order to make it more accessible for them.

**1st Column: (1, 2, 3 ...)** A number is given to each entry in sequence.

**2nd Column: (English)** In the uppermost line(s) above Note, a head word and its related form(s) of word(s) are given. The asterisk mark (\*) stands for a lemma, or a head word. The at-mark sign (@) followed by a number stands for the maximum number of words that can be inserted.

**3rd Column: (Japanese)** The Japanese equivalent or translation is given.

**4th Column: (Frq.)** Frq. stands for the frequency of each entry.

**5th Column: (PubM\_ID)** PubM\_ID stands for the ID number of the accompanying sample sentence, by means of which the original abstract can be identified on the PubMed (<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=PubMed>).

**6th Column: (Sample)** This column shows a sample sentence for the entry collocation. In some cases, no samples are shown when a similar entry contains a sample sentence from which readers can easily infer a sentence or expression containing the entry collocation.

It is hoped that the following statistical analysis of the LSD corpus will assist Japanese researchers in gaining further information concerning common collocations for frequently used words in the life sciences. Furthermore, crude as the information listed in the tables may appear at first glance, we trust that this paper will be well received by Japanese researchers because of its special distinction in providing information on word frequencies relating to words appearing immediately before or after a given lexical item. In this paper, we present the statistical data as they are, hoping that such first-hand information will help to facilitate the acquisition of common expressions relating to each word.

From the initial stages of data collection, we have aimed at making the best use of corpus analysis to help Japanese researchers in writing academic papers in English. So far, we have succeeded in producing the previously mentioned electronic dictionary as well as gathering useful sample sentences and concordances. Because of space limitations, we are unable to include in this particular paper each and every word we have analyzed. We are, however, planning to publish further reports in the same format as part of an ongoing series.

In the meantime, we hope that the lists of collocations introduced here in this paper will help bring about better technical English writing among Japanese researchers, and ultimately pave the way to the publication of an innovative and practical book on common collocational patterns in English after all the lists have been unified and completed. Finally, in providing a Japanese translation for each English word or expression, we have made every possible effort to ensure accuracy. However, we cannot be certain that the translations are completely free from error because of the specialized character and complexity of the various life science disciplines. There may therefore be some minor discrepancies that evaded our scrutiny and in such cases we sincerely ask for our readers indulgence, and would be grateful if they would inform us of any shortcomings that they may find.

Collocation of *carry*

1/2

English	Japanese	Frg.	PubM. ID	Sample
carry*	運ぶ	4,873	11223000	These experiments were <b>&lt;carried out&gt;</b> on coronal sections of postmortem brains from
carried	運んだ	1,865		Alzheimer's disease patients and from aged-matched, dementia-free individuals.
carrying	運ぶ	1,782		
carry	運ぶ	828		
carries	運ぶ	398		
<b>Note</b> <i>carry out</i> 実行する、(実験などを)行うの用例が圧倒的に多い。				
1 carried out	実行される/～を実行した	1,358		
2 carried out in	～において実行される	176	12758259	The assay can be <b>&lt;carried out in&gt;</b> single- as well as multiwell plate formats such as 96- and 384-well plates.
3 carried out to	～するために実行される	148	14596605	Mutational analysis was <b>&lt;carried out to&gt;</b> probe the relative contributions of the two domains to DNA binding.
4 carried out by	～によって実行される	122	15280456	Finally, our results indicate that the first cleavages <b>&lt;carried out by&gt;</b> the activated PR within GagPol are intramolecular.
5 carried out a	～を実行した	120	15539491	To better understand how this choice is made, we <b>&lt;carried out a&gt;</b> screen for genes that affect follicle cell fate specification or differentiation.
6 carried out on	～において実行される	110	11782185	Ab initio shielding tensor calculations were <b>&lt;carried out on&gt;</b> residues in human ubiquitin.
7 carried out using	～を使って実行される	99	11884639	Selections were <b>&lt;carried out using&gt;</b> the bG or bU analogs with C8-linked ATP agarose as the binding target.
8 carried out with	～によつて実行される	81	14530448	Transcription reactions were then <b>&lt;carried out with&gt;</b> HeLa nuclear extract.
9 carried out for	～のために実行される	54	15533446	Percolation experiments are <b>&lt;carried out for&gt;</b> 103 single-chain proteins using six different hydrophobic sets of residues.
10 carried out at	～において実行される	50	15337646	Assessments were <b>&lt;carried out at&gt;</b> baseline and at 1, 2, 4, and 6 weeks of treatment.
11 were carried out	～が、実行された	281	11918709	Parallel studies <b>&lt;were carried out&gt;</b> in littermates of wild-type, vitamin D receptor null, transgenic, and human vitamin D receptor-expressing null mice in two transgenic lines.
12 experiments were carried out	実験が、実行された	52	14688264	Further <b>&lt;experiments were carried out&gt;</b> on a protein comprising the A, B, and C domains of rat synapsin I (rSynl-ABC).
13 studies were carried out	研究が、実行された	52	14522991	Similar <b>&lt;studies were carried out&gt;</b> using the individual G-protein subtypes for both the agonist and the unliganded receptor.
14 we carried out	我々は、～を実行した	162	12525625	<b>&lt;We carried out&gt;</b> a number of in vitro and in vivo assays to determine the effect of this expanded RBE sequence on the Rep-RBE interaction and AAV targeted integration.
15 carry out	～を実行する	248	12538640	These mini-stacks are able to <b>&lt;carry out&gt;</b> protein transport, though with reduced efficiency compared with a normal Golgi apparatus.
16 to carry out	～を実行するために	139	15170322	The approach used <b>&lt;to carry out&gt;</b> the pK(a) calculations takes into account the partial immersion of transmembrane proteins in lipid.

2/2

Collocation of *carry*

English	Japanese	Freq.	PubM. ID	Sample
17 carrying out	～を実行する	73	12767220	A GGA molecule contains four domains, each mediating interaction with other proteins in <b>&lt;carrying out&gt;</b> intracellular transport.
18 carried by	～によって運ばれる	125	12232836	Strains causing invasive disease could not be distinguished from strains <b>&lt;carried by&gt;</b> vaccinated children.
19 carrying mutations	突然変異を持つ	48	11509665	Surprisingly, we found that CBF1 <b>&lt;carrying mutations&gt;</b> at codon 233 or 249 within exon 7 was restricted to the cytoplasm.
20 mice carrying	～を持つマウス	267	11748274	Here we use <b>&lt;mice carrying&gt;</b> a conditional Cd4 allele to study the consequences of impaired TCR signaling after the completion of thymocyte development.
21 cells carrying	～を持つ細胞	82	15144203	In this biosensor, E. coli <b>&lt;cells carrying&gt;</b> a recA::rfp fusion were used as sensing components for genotoxin detection.
22 strains carrying	～を持つ株	77	14526009	Our data show that <b>&lt;strains carrying&gt;</b> mutations which constitutively activate the Pho regulon have increased rpoS translation during exponential growth.

1/1

Collocation of <i>confer</i>					
English	Japanese	Freq.	PubMed ID	Sample	
confer*	与える 与える 与えられる/与えた 与える 与える	3,501 1,277 980 928 316			
confer					
conferred					
confers					
conferring					
Note 「与える 授与する」という意味で用いられた「 <b>resistance「抵抗性・耐性」を「与える」場合</b> は、好んで使われる。					
1 confer resistance to ~に対する抵抗性を与える		108	12605124	These data illustrate that a single molecule can <b>&lt;confer resistance to&gt;</b> humoral and cellular immune attack.	
2 confer protection 保護を与える		43	14530371	Upon activation by alpha-GalCer, invariant NKT cells secrete multiple cytokines and <b>&lt;confer protection&gt;</b> in certain immune-mediated disorders.	
3 to confer ~を与えること		480	12819118	The putative V. cholerae ClC channel was found <b>&lt;to confer&gt;</b> mild resistance to acid when pH was adjusted with HCl, but not with other acids.	
4 to confer resistance to ~に対する抵抗性を与える		29	14530320	It has been proposed that rare alleles are maintained by their ability <b>&lt;to confer resistance to&gt;</b> common pathogens.	
5 sufficient to confer ~を与えるのに十分である		140	12195346	This finding supports the hypothesis that a single allele may be <b>&lt;sufficient to confer&gt;</b> protection against cervical neoplasia.	
6 is sufficient to confer ~いは、~を与えるのに十分である		54	10942770	Only a minimum promoter including sequences from -35 to + 6 from the transcription initiation <b>&lt;is sufficient to confer&gt;</b> down-regulation.	
7 that confer ~を与える~		163	11226157	EmrE belongs to a family of eubacterial multidrug transporters <b>&lt;that confer&gt;</b> resistance to a wide variety of toxins by coupling the influx of protons to toxin extrusion.	
8 that confer resistance ~に対する抵抗性を与える		29	12840008	Nearly all cells express proteins <b>&lt;that confer resistance to&gt;</b> the mutagenic effects of oxidative DNA damage.	
9 did not confer ~を与えなかつた		40	15611264	Adoptive transfer of the same number of splenic dendritic cells from non-treated mice <b>&lt;did not confer&gt;</b> resistance to burn wound infection.	
10 may confer ~を与えるかもしれない		78	15010444	Severe caloric restriction in humans <b>&lt;may confer&gt;</b> protection from invasive breast cancer.	
11 conferred by ~によって与えられる		315	14563677	An additional control of sex-dependent gene expression is <b>&lt;conferred by&gt;</b> Regulator of sex-limitation (Rsl) alleles.	
12 is conferred by ~が、~によつて与えられる		58	15090538	Self-resistance to these antibiotics in <i>S. peucetius</i> <b>&lt;is conferred by&gt;</b> the drrAB locus that codes for two proteins, DrrA and DrrB.	
13 conferring resistance ~に対する抵抗性を与える		38	14557641	The rat zinc-finger antiviral protein (ZAP) was recently identified as a host protein <b>&lt;conferring resistance to&gt;</b> retroviral infection.	
to					
14 in conferring ~を与える際に		63	12761490	Growth factor receptor-mediated signal transduction has been implicated <b>&lt;n conferring&gt;</b> resistance to conventional chemotherapy on cancer cells.	
15 for conferring ~を与えるために		29	14742873	An LxLxL motif within domain I is important <b>&lt;for conferring&gt;</b> repression.	

Collocation of *contribute*

1/4

English	Japanese	Freq.	PubMID	Sample
contribute*	寄与する/貢献する/一因となる	11,977		
contribute	寄与する/貢献する/一因となる	7,037		
contributes	寄与する/貢献する/一因となる	2,953		
contributing	寄与する/貢献する/一因となる	1,051		
contributed	寄与した/貢献した/一因となつた	936		
Note 「寄与する、貢献する」という訳語から、プラスイメージの意味が連想されるが、実際には「一因となる」という場合にも使われる。				
1 contribute to	～に寄与する(一因となる)	6,358	14500377	Unlike p53, loss of the Arf tumor suppressor did not <contribute to> the appearance of vascular or cerebellar tumors.
2 contribute to the	～に寄与する(一因となる)	2,605	15505235	Crowns survived longer than large amalgams, but factors such as arch type and the presence of adjacent teeth <contributed to the> survival of large amalgams.
3 contribute to the development of	～の開発(発生)に寄与する(一因となる)	151	126660931	Genetic variants of IL4 could <contribute to the development of> CDC in patients with acute leukemia.
4 contribute to the pathogenesis of	～の病因に寄与する(一因となる)	138	153367665	These findings indicate that telomere dysfunction may <contribute to the pathogenesis of> Werner syndrome and Bloom syndrome.
5 contribute to the regulation of	～の調節に寄与する(一因となる)	53	153385166	Our results demonstrate for the first time that distinct PKC isotypes <contribute to the regulation of> cavitation in preimplantation embryos via target proteins including Na+/K+ ATPase.
6 contribute to the increased	上昇した～に寄与する(一因となる)	44	11741998	Abnormal high density lipoprotein metabolism may <contribute to the increased> atherosclerosis associated with diabetes and insulin resistance.
7 contribute to the observed	観察された～に寄与する(一因となる)	40	15343336	These differences may manifest in the ability of some isolates to modify the host cellular immune response, thereby <contributing to the observed> diversity of clinical outcomes.
8 contribute to the formation of	～の形成に寄与する(一因となる)	31	15339666	We propose that this preferential homophilic binding specificity regulates interactions between cells and <contributes to the formation of> complex patterns of neuronal connections.
9 contribute to the binding	結合に寄与する(一因となる)	28	15123659	The mutational analysis indicated that all eight residues <contribute to the binding> to ACK2.
10 contribute to this	この～に寄与する(一因となる)	116	12393616	Genetic risk factors have been postulated to <contribute to this> clinical outcome.
11 contribute to its	それの～に寄与する(一因となる)	85	15001711	Lithium is an effective treatment for mood disorders and has neuroprotective effects, which may <contribute to its> therapeutic properties.
12 contribute to tumor	腫瘍の～に寄与する(一因となる)	46	12847287	CD1d-restricted T cells <contribute to tumor> protection, but their precise roles remain unclear.

2/4

Collocation of *contribute*

English	Japanese	Frg.	PubM ID	Sample
13 to contribute to	～に寄与する(一因となる)	591	12853965	Downregulation of Xpd thus seems < <b>to contribute to</b> > the upregulation of mitotic CAK activity and to regulate mitotic progression positively.
14 thought to contribute to	～に寄与する(一因となる)と考えられる	89	12527798	The cell death response to oxidative stress is < <b>thought to contribute to</b> > aging, neurological degeneration, and other AAs, although no such risk factors have been identified.
15 likely to contribute to	～に寄与しそうである	82	15096456	Genetic risk factors are < <b>likely to contribute to</b> > the development of AAs.
16 shown to contribute to	～に寄与する(一因となる)ことが示される	54	15123805	Switching from acetylation to methylation at histone H3 lysine 9 (K9) has recently been < <b>shown to contribute to</b> > euchromatin gene silencing.
17 appear to contribute to	～に寄与する(一因となる)ようと思われる	35	15088883	The use of LDD did not < <b>appear to contribute to</b> > any significant shifts in the microbiota beyond that of surgery alone.
18 that contribute to	～に寄与する(一因となる)～	454	15489450	Of the four E. coli systems < <b>that contribute to</b> > acid resistance, one, the glutamate-dependent system, is remarkable in its efficacy and regulatory complexity.
19 factors that contribute to	～に寄与する(一因となる)因子	55	15210940	Perhaps, the power of mouse genetics and biology can be harnessed to identify genetic and other < <b>factors that contribute to</b> > tumor regionality.
20 mechanisms that contribute to	～に寄与する(一因となる)機構	29	14527997	However, secretion < <b>mechanisms that contribute to</b> > the enormous morbidity and mortality of Gram-positive bacteria are largely undefined.
21 may contribute to	～に寄与する(一因となる)かもしれない	2,136	14673146	These findings raise the possibility that mutations in ADAM19 < <b>may contribute to</b> > human congenital heart valve and septal defects.
22 could contribute to	～に寄与できる(一因となりうる)	268	14673003	The saccades performed during the delay suggest the existence of a rehearsal mechanism that < <b>could contribute to</b> > working memory maintenance.
23 can contribute to	～に寄与できる(一因となりうる)	230	15576472	These data suggest that CD97 < <b>can contribute to</b> > angiogenesis associated with inflammation and tumor progression.
24 not contribute to	～に寄与しない(一因となるない)	128	11980919	Despite modest induction of Fas and FasL expression, Fas-mediated signaling did < <b>not contribute to</b> > TFD-induced apoptosis in sympathetic neurons.
25 cells contribute to	細胞が～の一因となる	73	14978138	These results imply that virus-specific CD8(+) T < <b>cells contribute to</b> > HPS disease outcome.
26 factors contribute to	因子が～に寄与する(一因となる)	49	14702338	These findings suggest that TEF < <b>factors contribute to</b> > the activation of the telokin promoter in smooth muscle cells in a calcium-dependent manner.

Collocation of *contribute*

English	Japanese	Frq.	PubMed ID	Sample
27 mechanisms contribute to	機構が～に寄与する(一因となる)	31	15213009	The data suggest that spinal <b>mechanisms contribute to</b> sex differences in analgesic tolerance following systemic morphine administration.
28 pathways contribute to	経路が～に寄与する(一因となる)	32	15148378	Overall, our studies suggest that both type 1 and type 2 NF-κappaB <b>pathways contribute to</b> the gene expression and biological program unique for CD40 in B cell activation.
29 proteins contribute to	タンパク質が～に寄与する(一因となる)	29	15572125	Thus, both centriolar and pericentriolar material <b>proteins contribute to</b> centriole assembly.
30 significantly contribute to	～に有意に寄与する(一因となる)	42	15383597	Impaired response to multiple TLR ligands may <b>significantly contribute to</b> immature neonatal immunity.
31 contribute significantly to	～に有意に寄与する(一因となる)	157	14566050	Although EDSSBs are usually repaired with high fidelity, errors in their repair <b>contribute significantly to</b> the rate of cancer in <b>substantially to</b> local tumor control when the PDT regimen is suboptimal.
32 contribute substantially to	～に本質的に寄与する(一因となる)	40	15026352	The data show that a strong inflammatory response can <b>contribute substantially to</b> local tumor control when the PDT regimen is suboptimal.
33 contribute importantly to	～に重大に寄与する(一因となる)	29	12832621	Both latent and lytic KSHV infection is observed in KS tumor cells, and both genetic programs <b>contribute importantly to</b> KS pathogenesis.
34 contribute in	～において寄与する(一因となる)	25	10623818	Our data suggest that, unlike other MHC class I molecules, CD1 does not <b>contribute in</b> a major way to the development of CD8+ T cells.
35 contributes to	～に寄与する(一因となる)	2,554	12177483	Although another isozyme <b>contributes to</b> the activation of fatty acids during their export from the chloroplast, LACS9 is a major chloroplast ACS.
36 contributes to the	～に寄与する(一因となる)	975	11707582	We hypothesize that the cytotoxin is a virulence factor that <b>contributes to the</b> pathogenesis of C. trachomatis diseases.
37 which contributes to	そして、(それは)～に寄与する(一因となる)	79	15520296	There are multiple copies of each sequence-specific bead in an array, <b>which contributes to</b> measurement precision and reliability.
38 likely contributes to	～に寄与しそうである	75	11034401	Increased oxidant production <b>likely contributes to</b> effective bacterial killing in the lungs of SP-D-/ - mice.
39 activity contributes to	活性が～に寄与する(一因となる)	39	14657354	The resultant suppression of Cdk2 <b>activity contributes to</b> G1/S inhibition in NMuMG cells.
40 contributing to	～に寄与する(一因となる)	788	14668396	However, the factors <b>contributing to</b> this variation are not well understood.
41 contributing to the	～に寄与する(一因となる)	300	12080363	Thus there is evidence for a few large effect genes <b>contributing to the</b> genetic variance among lines.
42 factors contributing to	～に寄与する(一因となる)因子	48	11208780	To date, only a few <b>factors contributing to</b> the specificity of this symbiosis have been identified.

3/4

4/4

Collocation of *contribute*

	English	Japanese	Sample
43	thereby contributing to	それにによって、～に寄与する(一因となる)	40 15208706 Disordered cholesterol trafficking might disrupt neurosteroidogenesis. < <b>thereby contributing to</b> > the NP-C
44	in contributing to	～に寄与する(一因となる)ことにおいて	31 12063253 Thus, regulation of actin filaments may play a critical role < <b>in contributing to</b> > the formation of long-term memory.
45	contributed to	～に寄与した	597 11352887 In 1995 to 1997, heart defects < <b>contributed to</b> > 5822 deaths per year.
46	contributed by	～によって与えられる	113 12623835 The short telomeres of the GPI+ cells indicate that the residual hematopoiesis < <b>contributed by</b> > these cells is not normal.

1/3

Collocation of <i>detect</i>					
English	Japanese	Frq.	PubM.ID	Sample	
detect*	検出する	15,324			
detected	検出される/検出した	11,975			
detect	検出する	2,406			
detecting	検出する	737			
detects	検出する	206			
Note 「容易に」という意味で <u>detect</u> を修飾する副詞としては、easilyが好まれる。	～において検出される	4,829	11021808	HPV DNA was not < <b>detected in</b> > any nonmucinous adenocarcinomas including clear cell, serous, and mesonephric carcinomas (0/6).	
1 detected in	～において検出される	1,153	11821413	Hsp40 could also be < <b>detected in the</b> > immunoprecipitated protein complex.	
2 detected in the	～において検出される	149	9811752	Cell separation studies showed that bright gp70(+) cells were < <b>detected in a</b> > fraction enriched for dendritic cells.	
3 detected in a	～において検出される				
4 detected in all	すべての～において検出される	120	11720725	GABA(A-) receptor-mediated currents were < <b>detected in all</b> > neurons tested, with an average EC <sub>50</sub> of 22.2 microM.	
5 detected in both	両方の～において検出される	87	11574916	Abundant MCP-1 protein and mRNA were < <b>detected in both</b> > macrophages and astrocytes in the brain.	
6 detected in any	どの～においても検出される	72	10529424	Primitive erythroid progenitors were not < <b>detected in any</b> > other tissue at any stage of embryonic development.	
7 detected in human	ヒトの～において検出される	67	9758597	Transcripts of SNRNP were < <b>detected in human</b> > oocytes and at all stages of preimplantation development analyzed.	
8 detected in normal	正常な～において検出される	63	12670917	No methylation was < <b>detected in normal</b> > skin tissues or healthy donor lymphocytes.	
9 detected in cells	細胞において検出される	51	11154276	An association between Akt and ASK1 was < <b>detected in cells</b> > by coimmunoprecipitation.	
10 was detected in	～が、～において検出された	1,566	11877266	Bcl-2 expression < <b>was detected in</b> > only 5 of 16 cases.	
11 were detected in	～が、～において検出された	1,098	9886780	No BrdU-labeled cells < <b>were detected in</b> > capsulotomy specimens.	
12 not detected in	～において検出されない	442	12620387	Somatic mutation was < <b>not detected in</b> > the coding regions of these genes, although they were each overexpressed.	
13 readily detected in	～において容易に検出される	56	10480416	Donor-reactive DTH responses were < <b>readily detected in</b> > both untreated and mAb-treated recipients.	
14 first detected in	～において最初に検出される	46	9766659	Papules were < <b>first detected in</b> > DMBA-initiated mice 21 days after the start of dosing with TPA.	
15 detected by	～によって検出される	1,493	12574288	No AdV was < <b>detected by</b> > culture or PCR in throat swabs from healthy recruits, suggesting the absence of latency or asymptomatic shedding.	
16 detected at	～において検出される	410	11342423	No antirashburicase antibodies were < <b>detected at</b> > day 14.	
17 detected with	～によって検出される	273	10747112	Toxicogenicity could be < <b>detected with</b> > isolates grown on a diverse range of culture media, including selective agars.	
18 detected on	～において検出される	249	10816526	However, very little TRAP could be < <b>detected on</b> > the surface of sporozoites.	
19 detected only in	～においてのみ検出される	128	11607079	GUS activity was < <b>detected only in</b> > the phloem cells but not in any other cell types of vegetative tissues.	

2/3

		Collocation of <i>detect</i>	
20	detected using	～を使って検出される	141 10515846 Cytokine mRNA expression in the brain did not correlate with the density of parasitized erythrocytes. < <b>detected using</b> > RT-PCR for major surface protein-2.
21	detected for	～に対して検出される	131 9653132 As an example, semilocal rotational motion was < <b>detected for</b> > part of a helix of the protein Escherichia coli flavodoxin.
22	detected as	～として検出される	125 10559240 In contrast, point mutants can be < <b>detected as</b> > oligomers.
23	detected within	～内で検出される	121 9708802 In perforin+ mice, apoptotic cells are < <b>detected within</b> > the inflammatory infiltrate, whereas in their PKO counterparts, apoptotic myocyte nuclei are seen.
24	detected after	～の後に検出される	100 9892184 No lymph node activity was < <b>detected after</b> > s.c. injection.
25	detected between	～の間に検出される	93 11110673 Similarly, no differences in the patterns of viral gene expression were < <b>detected between</b> > patients and controls.
26	detected when	～の時に検出される	78 10569783 However, no significant loss of virulence was < <b>detected when</b> > the wdchs4/Delta strain was tested in an acute mouse model.
27	detected from	～から検出される	75 11571446 However, in one patient the second nondominant strain was < <b>detected from</b> > the background of the major strain on a single occasion 8 months after
28	detected during	～の間に検出される	70 10653658 In this mutant, a conformational change is < <b>detected during</b> > the lifetime of M, when no change in the 410 nm absorbance is observed.
29	was detected	～が、検出された	3,090 9988181 Infectious virus < <b>was detected</b> > in 1 seminal fluid sample obtained 82 days after disease onset.
30	were detected	～が、検出された	2,305 10610730 We sequenced the entire TLN coding sequence in several CHH patients, but no functional mutations < <b>were detected</b> >.
31	as detected	検出されたように	249 10766797 We propose that these factors influence expression at a post-transcriptional step and, if dysregulated, may increase COX-2 protein < <b>as detected</b> > in colon cancer.
32	first detected	最初に検出される	123 11118180 The increase in DNA synthesis was < <b>first detected</b> > 12 h after the initial increase in activated c-MET levels.
33	readily detected	容易に検出される	123 10767541 Similarly, when tissues from newborn animals were examined, Hmg(y) expression was < <b>readily detected</b> > at a level of intensity intermediate between that found in embryos and adults.
34	we detected	我々は、～を検出した	374 12475929 However, < <b>we detected</b> > Pth-like activity in extracts of the archaeon Methanocaldococcus jannaschii.
35	analysis detected	分析が、～を検出した	64 10673275 In particular, sequence < <b>analysis detected</b> > the presence of a novel gene (CARKL) residing within the most common cystinosis-causing deletion.
36	to detect	～を検出する～	1,736 10480620 However, many studies have failed < <b>to detect</b> > an effect of this variant, and the importance of the Trp64Arg variant in human obesity remains controversial.
37	to detect the	～を検出する～	167 9620408 We developed a nested PCR < <b>to detect the</b> > enterotoxin gene of <i>B. fragilis</i> in stool specimens.
38	to detect the presence of	～の存在を検出するためには	40 10460266 During quiet immobility, the somatosensory system seems to be optimally tuned < <b>to detect the presence of</b> > single stimuli.
39	to detect any	どの～を検出すること	37 10623750 At low multiplicities of infection, it was difficult < <b>to detect any</b> > viral proteins in mouse cells.

3/3

Collocation of <i>detect</i>				
English	Japanese	Frg.	PubMED ID	Sample
40 to detect linkage	連鎖を検出するたために	30	10577930	Model-free LOD-score methods are often employed < <b>to detect linkage</b> > between marker loci and common diseases, with samples of affected sib pairs.
41 used to detect	～を検出するたために使われる	257	9583862	Flow cytometric analysis was < <b>used to detect</b> > donor cells in tolerant mice.
42 ability to detect	～を検出する能力	101	10577637	The presence of endocervical cells is a valid and convenient surrogate for the <b>ability to detect</b> dyskaryosis.
43 failed to detect	～を検出するのに失敗した	83	12037101	Without induction, LA < <b>failed to detect</b> > 50% of mecA-positive strains grown on two different media.
44 power to detect	～を検出する力	80	12020146	Many trials lacked < <b>power to detect</b> > clinically important differences in outcomes.
45 difficult to detect	～を検出するのが困難な	49	12421760	Random spontaneous genome rearrangements are < <b>difficult to detect</b> > in vivo, especially in postmitotic tissues.
46 assay to detect	～を検出するアッセイ	47	11282895	Apoptosis was measured by DNA nucleosomal cleavage and a hairpin probe labeling < <b>assay to detect</b> > single-base overhang.
47 for detecting	～を検出するための	323	12569420	In this paper we present a new method < <b>for detecting</b> > block duplications in a genome.
48 method for detecting	～を検出するための方法	52	12354871	In summary, we developed a rapid, sensitive, and real-time Q-PCR < <b>method for detecting</b> > <i>H. pylori</i> .
49 in detecting	～を検出する際に	138	9705369	The AMPLICOR CMV Test was very specific < <b>in detecting</b> > 12 clinical CMV isolates and four laboratory CMV strains tested.
50 of detecting	～を検出すること～	113	9608842	The results indicate that this fluorosensor is capable < <b>of detecting</b> > <i>H. pylori</i> in a sandwich assay at picomolar concentrations.

1/2

Collocation of <i>elucidate</i>					
English	Japanese	Frg.	PubM.ID	Sample	
elucidate*	解明する/明らかにする 解明する/明らかにする 解明される/解明した 解明する/明らかにする 解明する/明らかにする	2,490 1,398 751 312 29			
elucidate					
elucidated					
elucidating					
elucidates					
Note 「解明する」という訳語から、日本人の英語論文では、特にmechanismと共に共起する動詞の筆頭に挙げられるが、ネイティブの英文コーパスでは、investigate the mechanism がむしろ頻度としては高い。					
1 to elucidate	～を解明するために	997	11101306	<To elucidate> the molecular basis for the interaction of ligands with the human melanocortin-4 receptor (hMC4R), agonist structure-activity studies and receptor point mutagenesis were performed.	
2 to elucidate the	機構を解明するために	717	10713169	<To elucidate the> mechanism of repression by this complex, altered forms of Ydr1 and Bur6 were studied in vitro and in vivo.	
3 to elucidate the mechanism		103	12670867	In this study we use the developing cone cell in the Drosophila visual system <to elucidate the mechanism> of positive and negative regulation by the Runx protein Lozenge (Lz).	
4 to elucidate the mechanism of	～の機構を解明するために	62	11577027	<To elucidate the mechanism of> cADPR action, we performed confocal Ca(2+) imaging in saponin-permeabilized rat ventricular myocytes.	
5 to elucidate the mechanism by which	それにによって、～である機構を解明するために	16	12857896	<To elucidate the mechanism by which> these viruses cause chronic disease, we developed a mouse model of chronic pancreatitis by using a virulent variant of coxsackievirus B4, CVB4-V.	
6 to elucidate the role of	～の役割を解明すこと	87	12426305	The goal of this study was <to elucidate the role of> the EGF receptor (EGFR) as a component of the uPAR-signaling machinery.	
7 to elucidate the molecular	分子の～を解明すること	70	15592527	The purpose of this study was <to elucidate the molecular> pathway leading to autophagic cell death.	
8 to elucidate the function of	～の機能を解明するために	22	14736859	<To elucidate the function of> type II neurons, we have developed an approach for studying their electrophysiological features in vitro.	
9 to further elucidate	～をさらに解明するために	76	10863099	<To further elucidate> the biosynthesis of this and related macrorides, we cloned and sequenced an 80kb region encompassing the FK520 gene cluster.	
10 help elucidate	解明するのを助ける	56	15527737	These results may <help elucidate> the ability of mu agonists to regulate the number and responsiveness of their receptors.	
11 elucidated by	～によって解明される	41	12199561	Structures of active compounds are <elucidated by> NMR spectroscopy and mass spectrometry.	
12 elucidated in	～において解明される	27	12832529	In the current study, a role for NKCC1 in neuronal death was <elucidated in> neurotoxicity induced by glutamate and oxygen and glucose deprivation (OGD).	
13 been elucidated	解明されている	221	11704682	Nearly 50 molecules have been found to interact with type I collagen, and for about half of them, binding sites on this collagen have <been elucidated>.	

2/2

Collocation of *elucidate*

	English	Japanese	Fra.	PubM_ID	Sample
14 not been elucidated	解明されていない、		136	12796468	The molecular mechanism whereby fibrillar beta-amyloid activates the inflammatory response has <not been elucidated>.
15 to be elucidated	解明されるように		182	11856534	Whereas the synaptic mechanisms of gamma oscillations have been studied in detail, the ionic currents involved at the cellular level remain <to be elucidated>.
16 remains to be elucidated	解明されないままである		73	15470055	The polymorphic gene(s) encoded within the sst1 locus that controls macrophage interactions with the two intracellular pathogens <remains to be elucidated>.
17 fully elucidated	完全に解明される		67	15232617	Mechanisms underlying airway hyperresponsiveness are not yet <fully elucidated>.
18 not been fully elucidated	完全には解明されていない、		37	15004193	Specific mechanisms recruiting neutrophils to the lung during hyperoxia-induced lung injury have <not been fully elucidated>.

Collocation of *give*

English	Japanese	Frg.	PubM ID	Sample
give*	与える 与えられる 与える 与えた 与える 与える	8,311 4,534 1,413 1,160 739 465		
given*				Note givenは文頭で好んで「～を考えれば」という意味を表す。また名詞を修飾する場合は、「ある走められた」という意味で使われる場合が多い。give rise to 「～を引き起こす、～を生じさせる」のは、必修熟語である。
given the	～を考えれば／～を考慮に入れて	706	101952222	<Given the> ubiquity of invariant responses in cognitive processing, the recurrent mechanism we propose for complex cells may be widely applicable.
given the high	高い～を考えれば	29	12453915	<Given the high> degree of genetic heterogeneity, multiple genes with small to moderate effects may influence susceptibility to diabetes.
given that	that以下のことを考えれば	230	10074140	<Given that> the two cell lines are from the same species, the loss of function of both of these receptors in CHO-K1 cells is surprising.
given a	～を考えらるる(投与される)	198	9850069	The remaining animals in each group were <given a> single intragastric dose of NMBA at 2 mg/kg and sacrificed 12 weeks later for tumor incidence analysis.
given to	～に考えらるる(投与される)	181	10773218	Two stimuli at an interpulse interval (IPI) of 10–9000 ms were <given to> the medial perforant path.
given in	～において考えらるる(投与される)	105	11390328	Whenever possible, antiinflammatory drugs should be <given in> monotherapy and at the lowest effective dose in order to reduce the risk of upper gastrointestinal complications.
given by	～によつて考えらるる(投与される)	86	12663318	Dietary advice to lower blood cholesterol may be <given by> a variety of means.
given at	～において考えらるる(投与される)	73	9605144	Nevertheless, IFN-gamma itself, even when <given at> a higher dose than IL-12, failed to significantly enhance antibiotic clearance of bacteria.
given for	～に対して考えらるる(投与される)	66	9727552	Subsequently, additional shocks at V50+/-10% and V50–20% were <given for> each treatment to obtain data points at higher and lower intensities.
were given	～が、考えられた(投与された)	443	11316649	Subsequently, animals <were given> one of three surfactants administered via three different methods and physiological responses were assessed over a 1-h period.
rats were given	ラットが、考えられた(投与された)	64	12556372	Before exposure to light, some <rats were given> the synthetic antioxidant dimethylthiourea (DMTU).
was given	～が、考えられた(投与された)	277	11378620	Premedication with 0.05 mg/kg of acepromazine <was given>, and either atropine (0.2 mg) or saline was given by intravenous bolus at the time of induction.
was given to	～が、～に考えられた(投与された)	42	97886809	Postoperative iodine-131 <was given to> 85.4% of patients with papillary cancer and 79.3% of patients with follicular cancer.
is given	～が、考えられる(投与される)	100	10407018	Heterozygotes exposed to TEA display no overt phenotype until a single stimulation <is given>, which is then followed by an indefinite phase of repetitive discharge.
when given	～を考えられた(投与された)時	172	11166719	Furthermore, 7-NI produced retrograde amnesia <when given> immediately following training while AP5 did not.

Collocation of *give*

2/2

English	Japanese	Frq.	PubM ID	Sample
16 a given	走められた／一定の	808	10859340	Therefore, the antiviral protective capacity of <a <b>given</b> > CD4(+) T cell is governed by the effector cytokines it produces and by its migratory capability.
17 for a given	走められた／一定の～に とつて 走められた／一定の～の	177	12124289	A restriction map < <b>for a given</b> > restriction enzyme was generated with an accuracy of approximately 25 bp.
18 of a given	走められた／一定の～の いて 走められた／一定の～の	133	11807059	Isolates < <b>of a given</b> > type differed by < or = 2% in DNA sequence, but several recombinant elements were also found.
19 in a given	走められた／一定の～に おいて 走められた／一定の～に おいて 走められた／一定の～の	108	126600314	Proteins and lipids are not uniformly distributed < <b>in a given</b> > organelle, and subdomains are formed by a combination of hierarchical assembly processes and protein exclusion.
20 at a given	走められた／一定の～に おいて 走められた／一定の～の	84	10564485	Using transcriptional fusions to lacZ, we have found that only one marbox orientation is functional < <b>at a given</b> > location.
21 within a given	走められた／一定の～の中 で	57	9770483	Moreover, the precise spatial arrangement of the GFP molecules < <b>within a given</b> > dimer determines the magnitude and direction of the spectral change.
22 any given	どの既定の～も	124	10462553	An agonist at a specific G protein-coupled receptor may exhibit a range of efficacies for < <b>any given</b> > response in a cell-specific manner.
23 at any given	どの既定の～においても	45	11090134	An unexpected finding was that nearly half of the insertions < <b>at any given</b> > target site failed to give a full spatial pattern of transgene expression.
24 mice given	与えられたマウス	124	10496870	However, < <b>mice given</b> > streptomycin in their drinking water developed long-term carriage of <i>S. aureus</i> , and they were colonized with inocula as low as 10(5) CFU.
25 give rise to	～を生じる	543	11099419	Bone marrow stem cells < <b>give rise to</b> > a variety of hematopoietic lineages and repopulate the blood throughout adult life.
26 gives rise to	～を生じる	320	11585797	This pattern of migration < <b>gives rise to</b> > the distinctive appearance of the internal genu of the facial nerve, which is lacking in birds.
27 gave rise to	～を生じた	189	11756492	The increase in ATP responses < <b>gave rise to</b> > large depolarizations that exceeded the threshold of action potentials in inflamed DRG neurons.
28 giving rise to	～を生じる	173	12393558	Hematopoietic stem cells (HSCs) maintain hematopoiesis by < <b>giving rise to</b> > all types of blood cells.
29 give a	～を与える	151	125119955	The long-term goal is to establish a complete collection of Arabidopsis genes that < <b>give a</b> > knockout phenotype.
30 to give	～を与えるために	519	11009627	Conductivities are assigned to the model < <b>to give</b> > realistic local conduction velocities within the bundles and bulk tissue.
31 gave a	～を与えた	222	9888790	Edman degradation < <b>gave a</b> > single amino-terminal sequence expected for the mature protein.
32 patients given	～を与えられた患者		9621290	This study found that nephrotic < <b>patients given</b> > a modestly protein-restricted diet were able to maintain positive nitrogen balance.
33 cells that give rise to	～を生じる細胞		10951845	However, it is not known whether the pyramidal < <b>cells that give rise to</b> > callosal intercortical connections of the PFC also receive DA synaptic input.

Collocation of <i>know</i>					
English	Japanese	PubM ID	Sample		
know*	知る		Frg.	PubM ID	
known	知られている/既知の	16,850			
know	知る	16,614			
knowing	知る	167			
knew	知った	50			
knows	知る	15			
		4			
<b>Note</b> be known to 不定詞「～する」と知られる「～と知られる」の用法が圧倒的に多い。					
1 known to	little is known 「ほとんど知らない」と ～すると知られている	4,155	10887098 Genes <known to> be specific for B, T, or myelomonocytic lineages were appropriately identified in the arrays, validating the general utility of this approach.		
2 known to be	～であると知られている	1,244	11673478 Tyrosine kinase activity is <known to be> important in neuronal growth cone guidance.		
3 known to have	～を持つと知られている	154	9724718 The mature eIF is the only protein <known to have> the unusual amino acid hypusine, a post-translationally modified lysine.		
4 known to play	～(役割を)果たすと知られている	132	12664158 The T. equiperdum ESAG6 genes were less genetically diverse than those of T. brucei in regions <known to play> a role in transferrin binding.		
5 known to regulate	～を調節すると知られている	112	12514223 Brief BMP4 application caused Smad1 translocation from the neuronal cytoplasm into the nucleus, where it is <known to regulate> transcription in association with Smad4.		
6 known to induce	～を誘導すると知られている	111	12085232 Prohibitin, a potential tumor suppressor, is <known to induce> growth suppression and repress E2F-mediated transcription.		
7 known to bind	結合すると知られている	102	10330907 These sensors incorporate cytochrome c', a hemoprotein <known to bind> nitric oxide selectively.		
8 known to interact with	～と反応すると知られている	82	11560935 In Sos1, this segment is in helix B, which is <known to interact with> the switch 2 region of Ha-Ras.		
9 known to cause	～を引き起こすと知られている	93	11055984 However, shocks are also <known to cause> electroporation of cell membranes.		
10 known to inhibit	～を抑制すると知られている	88	12019182 Adeno-associated virus type 2 (AAV) is <known to inhibit> virally mediated oncogenic transformation.		
11 known to contain	～を含むと知られる	76	9548505 Because these genes are <known to contain> nuclear-factor-kappaB (NF-kappaB)-binding elements in their promoter region, we next examined the ability of thrombin to activate this transcription factor.		
12 known to activate	～を活性化すると知られている	71	12615923 Cytotoxic necrotizing factor 1 (CNF1) is a bacterial toxin <known to activate>		
13 known to mediate	～を仲介すると知られている	67	11481486 Rho GTPases and induce host cell cytoskeleton rearrangements. The downstream molecule Gli1 is <known to mediate> the biological effect of the pathway and is itself up-regulated in all BCCs.		
14 known to occur	起こると知られている	65	9834056 Receptor-ligand interactions are <known to occur> between several members of this family, and these interactions can strengthen cell to cell adhesion.		
15 known to affect	～に影響すると知られている	62	9466992 CBS deficiency is associated with homocystinuria, which is <known to affect> various physiological systems, including the central nervous system.		

2/5

Collocation of <i>know</i>					
English	Japanese	Freq.	PubMED ID	Sample	
16 known to promote	～を促進するほど知られている	55	11070096	An enriched environment is <known to promote> structural changes in the brain and to enhance learning and memory performance in rodents.	
17 known to function	機能すると知られている	52	9582285	Most factors <known to function> in mRNA turnover are not essential for cell viability.	
18 known to influence	～に影響を与えるほど知られている	48	10791997	Other checkpoints in EAE pathogenesis have not been clearly defined, although multiple genetic loci are <known to influence> EAE development.	
19 is known to	～が、～するほど知られている	1,259	12169527	IHF <is known to> exhibit both direct and indirect recognition of its binding sites.	
20 are known to	～が、～するほど知られている	1,027	12011054	Homo- and heterodimerization (oligomerization) of the erbB receptors <are known to> be critical events for receptor signaling.	
21 genes known to	～するほど知られている遺伝子	93	10388806	We have examined the role in this abnormal rereplication of a large panel of <genes known to> be involved in normal S phase.	
22 proteins known to	～するほど知られているタンパク質	73	12556478	However, no significant redistribution of <proteins known to> interact with PDZK1, such as MAPI7, cMOAT, and the type Ila Na/Pi cotransporter, was observed.	
23 factors known to	～するほど知られている因子	46	11486032	Among the transcription <factors known to> interact with Groucho-related protein, only RUNX1 was appreciably downregulated by E2A-HLF.	
24 known about	～についてほどほど知られている	1,825	12388558	However, nothing is <known about> the role of Pml in DNA damage.	
25 little is known about	～についてほどほど知られていない	1,530	11273709	Very <little is known about> the character or functional relevance of hydrogen-bonded cysteine sulfhydryl (S-H) groups in proteins.	
26 little is known about the	～についてほどほど知られてない	947	9841601	<Little is known about the> epidemiology and clinical implications of M. kansasii infection in the AIDS era.	
27 little is known about the mechanisms	機構についてはほどほど知られていなし	79	9851843	However, <little is known about the mechanisms> regulating cell rearrangements that are necessary for tubule formation,	
28 little is known about the role of	～の役割についてほどほど知られていなし	44	11017084	Histone acetyltransferases regulate transcription, but <little is known about the role of> these enzymes in developmental processes.	
29 little is known about the molecular mechanisms	分子機構についてほどほど知られていなし	34	11551968	<Little is known about the molecular mechanisms> regulating expression of the MyHC gene family members in different fiber types.	
30 little is known about how	どのように～かについてほどほど知られない	145	11160672	The 330-kb viral genome has been sequenced, yet <little is known about how> viral mRNAs are synthesized and processed.	
31 little is known about their	それらの～についてほどほど知られていなし	85	11940660	However, very <little is known about their> roles during development in multicellular organisms.	
32 little is known about its	その～についてほどほど知られていなし	70	12045186	Despite its obvious importance, <little is known about its> regulation.	
33 however, little is known about	しかし、～についてほどほど知られていなし	254	9603903	<However, little is known about> the amino acid residues involved in the catalysis.	
34 but little is known about	しかし、～についてほどほど知られていなし	209	10969768	Uveal melanoma is the most common malignancy of the eye, <but little is known about> its underlying genetic defects.	

3/5

Collocation of *know*

English	Japanese	Frg.	PubM_ID	Sample
35 relatively little is known about	~については比較的僅かしか知られていません、	106	125622763	<Relatively little is known about> the mechanism by which the signal is transmitted from the sensory site to the catalytic site.
36 very little is known about	~についてほほんの僅かしか知られていません、	104	10823959	At present, <very little is known about> how these different actions are integrated and eventually turned off.
37 yet little is known about	だが、~についてはほとんど知られていません、	66	11157169	Human beings contain complex societies of indigenous microbes, <yet little is known about> how resident bacteria shape our physiology.
38 less is known about	~についてはさらには僅かしか知られていません、	115	11745625	<Less is known about> the neurobiology of P2X(7) receptors in the enteric nervous system (ENS).
39 much less is known about	~についてはさらに僅かしか知られていません、	39	9759851	<Much less is known about> the function of CTLA-4 in differentiated T cells.
40 nothing is known about	~については何も知られていません、	53	10557214	<Nothing is known about> the proteins that control and catalyze these switching reactions.
41 although much is known about	~についてはたくさん知られているが	31	11485904	<Although much is known about> the function of inflammatory cells within wounds, little is known about the chemotactic and activation signals that influence this response.
42 known as	~として知られています、	1,670		
43 known as the	~として知られています	280	10320367	NFAT transcription factors bind to a sequence in the IL-2 enhancer <known as the> antigen receptor response element 2 (ARRE-2).
44 also known as	~としても知られています	629	11159974	The rgg gene (<also known as> ropB) is required for the expression of streptococcal erythrogenic toxin B (SPE B), an extracellular cysteine protease that contributes to virulence.
45 process known as	~として知られている過程	45	10594030	Normal cells do not divide indefinitely due to a <process known as> replicative senescence.
46 known for	~ゆえに知られています	173	12070092	The small GTPase Rho is a molecular switch that is best <known for> its role in regulating the actomyosin cytoskeleton.
47 of known	既知の～の～	594	9878358	The fidelity of adaptor ligation was demonstrated by the isolation <of known> gene fragments by appropriate adaptor combinations.
48 known in	~において知られています	88	9521722	Further studies showed that the dimeric form of seminal RNase <known in> the crystal is not the only form in vivo, where a substantial amount of heterodimer is known.
49 with known	よく知られています～と	354	10229621	Molecular alignments from SQ are consistent <with known> drug-receptor interactions.
50 to known	既知の～に	273	10748212	FRE has no detectable homology to the animal IRE or <to known> promoters in DNA, and bound a trans-acting factor in leaf cell extracts.
51 for known	既知の～に対して	65	12202761	We validated our muscle-specific and brain-specific splice forms <for known> genes.
52 from known	既知の～から	55	11014353	Markers <from known> periodic fever susceptibility loci were investigated in 7 affected and 11 healthy members of a north Indian family.
53 the known	既知の～	935	11470832	Most, if not all, of <the known> ligands for these receptors are soluble factors.

4/5

Collocation of <i>know</i>					
English	Japanese	Freq.	PubM ID	Sample	
54 of the known	既知の～の～	226	9705351	We also demonstrate that mutation <b>&lt;of the known&gt;</b> E2F-binding sites in the Cyclin E promoter does not block activation by HCMV or IE86.	
55 with the known	既知の～と～	145	11799117	This result is consistent <b>&lt;with the known&gt;</b> physiological events required for cAMP-dependent activation of the kinase.	
56 to the known	既知の～に	112	10203519	The similarity of this parasite <b>&lt;to the known&gt;</b> human pathogen B. microti may also pose risks to humans undergoing xenotransplantation, mandating effective screening of donor animals.	
57 a known	既知の～	536	12079386	Allosamidin is <b>&lt;a known&gt;</b> inhibitor of class 18 chitinases.	
58 to any known	既知の～に	70	9660798	The full-length cain cDNA predicts a 240-kDa protein with no significant homology <b>&lt;to any known&gt;</b> protein.	
59 it is not known whether	～かどうかにについては知られてない	233	11598055	However, <b>&lt;it is not known whether&gt;</b> the metabolic pathways and growth state of the bacterium influence synthesis and secretion of Ptx and other virulence factors.	
60 however, it is not known whether	しかし、～かどうかにについては知られてない	62	10521484	<b>&lt;However, it is not known whether&gt;</b> specific domains of FN can also regulate apoptosis.	
61 but, it is not known whether	しかし、～かどうかにについては知られてない	36			
62 it is not known how	どのように～かは知られていない	58	9539771	<b>&lt;It is not known how&gt;</b> human immunodeficiency virus type 1 (HIV-1)-derived antagonist peptides interfere with intracellular activation of cytotoxic T lymphocytes (CTL).	
63 known that	～であることが知られている	263	10222204	It is well <b>&lt;known that&gt;</b> some protein folds (superfolds) occur very frequently.	
64 it is known that	～であることが知られている	164	11371573	<b>&lt;It is known that&gt;</b> albumin combines with cysteine in circulation to form albumin-Cys(34)-S-S-Cys.	
65 well known that	～であることがよく知られている	64	11565022	It is <b>&lt;well known that&gt;</b> a dielectric medium can be used to manipulate properties of light pulses.	
66 little is known of	～についてほんとんど知られてない	106	12628164	<b>&lt;Little is known of&gt;</b> molecular mechanisms of human mechanosensation.	
67 little is known regarding	～に聞いてほんとんど知られてない	86	11748168	<b>&lt;Little is known regarding&gt;</b> epithelial receptor(s) involved in binding of P. gingivalis fimbriae.	
68 known genes	既知の遺伝子	228	11119614	One of these, Stat-50, is known to inhibit expression from the HIV LTR; most of the other <b>&lt;known genes&gt;</b> are interferon inducible, although the interferon genes themselves were not induced by LANA.	
69 known function	既知の機能	126	11438587	Contrary to its <b>&lt;known function&gt;</b> as a death receptor, ligand binding to p75NTR promotes subplate neuron survival.	
70 of known function	既知の機能の	56	10698639	We show that another 25 are related to proteins <b>&lt;of known function&gt;</b> .	
71 known structure	既知の構造	112	11752426	These alignments then are merged through a multiple structure alignment of family members of <b>&lt;known structure&gt;</b> .	
72 known proteins	既知のタンパク質	83	10814723	DISC1 encodes a large protein with no significant sequence homology to other <b>&lt;known proteins&gt;</b> .	
73 well known	よく知られている	457	9876160	The antagonizing effect of high pressure against anesthesia is <b>&lt;well known&gt;</b> .	

5/5

Collocation of <i>know</i>					Sample
English	Japanese	Frg.	PubM ID		
74 other known 他の既知の～		320	11294624	Escherichia coli glyoxalase I (GlxI) is a metalloisomerase that is maximally activated by Ni(2+), unlike <b>other known</b> GlxI enzymes which are active with	
75 any known どの既知の～		137	10893234	Orotidine 5'-phosphate (OMP) decarboxylase has the largest rate enhancement for <b>any known</b> enzyme.	
76 all known すべての既知の～		287	11397014	We report the molecular cloning and tissue distribution of zebrafish transmembrane ephrins that represent <b>all known</b> members of the mammalian class B ephrin family.	
77 previously known 以前から知られている		165	12401787	We also report that <b>previously known</b> rpoB (RNAP beta subunit) mutations that lead to streptolydigin resistance cause resistance to Mcc125.	
78 previously known to 以前から～すると知られている		42	12339372	Here we show that CUE1, <b>previously known to</b> have a role in coupling ubiquitin conjugation to ER degradation, is an unusual dosage suppressor of mutations in MPS2 and NDC1.	
79 the only known 唯一知られている～		126	11895946	The mutant was not, however, impaired for the production of legiobactin, <b>the only known</b> L. pneumophila siderophore.	
80 yet known まだ知られていない)		63	12485996	The fundamental defect underlying this catastrophic phenotype is not <b>yet known</b> .	
81 two known 2つの既知の～		94	11142655	There are <b>two known</b> sodium transduction pathways in the rat gustatory system.	
82 now known to 現在～すると知られている		42	10699182	The gene is <b>now known to</b> reside in a 300–400 kb region of 6q24 which contains several CpG islands.	
83 its known 既知のその～		71	11340169	In addition to <b>its known</b> role as an activator of Rac1 GTPases, these findings demonstrate a novel function for Vav1 as a regulator of PLCgamma-activated calcium signals.	
84 several known 幾つか既知の～		60	10438915	Among <b>several known</b> functions, IL-16 is a chemoattractant factor for CD4+ T cells and it inhibits MLR.	
85 best known 最もよく知られている～		54	9735274	The current–voltage curve for ion channels is perhaps the <b>best known</b> characteristic of these channels.	
86 genes known to ～すると知られている遺伝子		91	12646309	In estrogen treated mice, we have observed up-regulation of the <b>genes known to</b> control apoptosis, cell proliferation, and growth, which might account for the positive effects of estrogen on the regeneration of motor neurons.	
87 proteins known to ～すると知られているタンパク質		72	11254728	These results suggest that the carboxylated glycans play important roles in leukocyte trafficking by interacting with <b>proteins known to</b> modulate extravasation.	
88 factors known to ～すると知られている因子		45	11463846	Levels of <b>factors known to</b> be involved in gut morphogenesis were also unchanged.	

1/4

Collocation of <i>obtain</i>					
English	Japanese	Freq.	PubMID	Sample	
obtain*	得る	10,400			
obtained	得られる／得た	9,017			
obtain	得る	1,087			
obtaining	得る	277			
obtains	得る	19			
Note 一般的に「得る」という意味では、getではなく obtainが好まれる。					
1 obtained from	～から得られる	2,369	12591758	Thrombi were also <obtained from> groups of wild-type and tPA/- mice (n=24 per group) between 1 and 28 days.	
2 obtained from the	～から得られる	415	10221071	Similar results were <obtained from the> chromatographic runs.	
3 obtained from a	～から得られる	157	9771879	Further support for the hypothesis was <obtained from a> longitudinal study of previously obese women.	
4 obtained from patients	患者から得られる	89	10351940	MIP-1-alpha, RANTES, and IL-8 were also present in lower airway secretions <obtained from patients> with RSV bronchiolitis.	
5 obtained from patients with	～の患者から得られる	58	10552960	We have studied adenovirus-mediated cytotoxicity after infection of malignant cells <obtained from patients with> chronic lymphocytic leukemia (CLL).	
6 were obtained from	～が、～から得られた	548	10235563	For control specimens, epithelia <were obtained from> healthy patients undergoing photorefractive keratectomy.	
7 obtained by	～によって得られる	1,065	9799794	From these results, we suggest that a useful intermediate product for genome sequencing might be <obtained by> three- to fourfold redundancy.	
8 obtained by using	～を使うことによって得られる	78	10025843	Quantitative brain images of the patient were <obtained by using> a Siemens 921 47-slice PET imaging system.	
9 were obtained by	～が、～によって得られた	177	10198113	Genomic sequences corresponding to the MDL1, MDL2, and MDL4 cDNAs <were obtained by> polymerase chain reaction amplification of genomic DNA.	
10 obtained with	～を使って得られる	861	11121119	These results show that care should be exercised when interpreting data <obtained with> trononin I phosphorylated in vitro.	
11 obtained with the	～を使って得られる	157	11371149	We found that quasi-physiological concentrations of Cα produced currents that were as easily resolvable as those <obtained with the> traditionally used higher concentrations.	
12 were obtained with	～が、～を使って得られた	207	11795778	The maps of redox reactivity of the cell surface <were obtained with> a micrometer or submicrometer spatial resolution.	
13 obtained in	～において得られる	705	10092830	Evidence of clonal dominance in one or more V beta families was <obtained in> 15 of 22 children.	
14 obtained in the	～において得られる	129	12441338	The same results were <obtained in the> absence of the GAL4 recognition sequence in the template and were also observed with wild type enzyme.	
15 were obtained in	～が、～において得られた	224	10784108	Electrophysiological recordings <were obtained in> an isolated spinal cord preparation.	
16 obtained for	～のために得られる	561	11401710	The most dramatic results were <obtained for> mycoplasmas isolated from the trachea.	

2/4

				Collection of <i>obtain</i>	Sample
English	Japanese	Frg.	PubM ID		
17 obtained for the	～のために得られる	134	12086483	Encouraging results were <obtained for the> predictions of 27 NNRIs, representing a new chemotype not included in the development of the regression model.	
18 were obtained for	～が、～のために得られた	207	11816567	Similar values <were obtained for> aptamer immobilized on a polystyrene support except for a slightly higher Kd for adenosine.	
19 obtained at	～において得られる	366	9807588	T2 measurements <obtained at> dual-echo fast FLAIR imaging may help detect subtle hippocampal abnormalities.	
20 obtained at baseline	ベースラインにおいて得られる	34	99290985	All measures were <obtained at baseline> and at 6 and 24 months.	
21 obtained at autopsy	剖検において得られる	25	11772691	Right-hemisphere thalamus <obtained at autopsy> from 14 schizophrenic and eight comparison subjects were examined.	
22 were obtained at	～が、～において得られた	117	9665069	Xenograft tissue sections <were obtained at> various times after transplant and stained for inflammatory cells and insulin.	
23 obtained after	～の後で得られる	133	10921948	Preliminary results <obtained after> testing the protocol on three patient samples support culture results and medical history.	
24 obtained during	～の間に得られる	104	10924580	Temperature-sensitive MR images <obtained during> the sonications were used to estimate the temperature and thermal dose.	
25 obtained on	～において得られる	82	11953977	Data were <obtained on> 145 patients treated with pulse cyclophosphamide, pulse methylprednisolone, or the combination of both.	
26 obtained before	～の前に得られる	69	10817559	Sera <obtained before> and after treatment were analyzed for levels of soluble IL-2 receptor (sIL-2R).	
27 obtained through	～によつて得られる	64	12511684	Baseline values for reader performance with screen film mammograms were <obtained through> the additional interpretation of 179 screen-film mammograms.	
28 obtained using	～を使って得られる	328	95635332	Hemodynamic measurements and blood gas analyses were <obtained using> Swan-Ganz and arterial catheters.	
29 obtained when	～の時に得られる	146	10537283	Similar results were <obtained when> the tumor cells were irradiated prior to administration.	
30 were obtained	～が得られた	2,306	12461263	MR images <were obtained> every 3 minutes during a 45-minute examination.	
31 results were obtained	結果が、得られた	362	9596710	Similar <results were obtained> with human peripheral blood monocytes infected with <i>E. chaffeensis</i> .	
32 samples were obtained	試料が、得られた	137	9660504	Vitreous <samples were obtained> and analyzed by zymography for the presence of MMPs.	
33 data were obtained	データが、得られた	121	10827987	Similar <data were obtained> from biochemical measures of bound FSI, validating the fluorescence microscopy measurements.	
34 images were obtained	イメージが、得られた	65	11733404	Midventricular short-axis <images were obtained> continuously for 40 minutes after Gd-DTPA injection (0.3 mmol/kg).	
35 recordings were obtained	記録が、得られた	41	12657665	Whole-cell patch-clamp <recordings were obtained> from acutely dissociated, retrogradely labeled, cutaneous, adult rat DRG neurons of medium size.	

3/4

	English	Japanese	Fig.	PubMID	Sample
36 results obtained	得られた結果	438 96337577	The <b>results obtained</b> here demonstrate that side-chain hydrophobicity alone cannot account for the energy barriers to peptide and protein transport across membranes.		
37 results obtained with	～によつて得られた結果	111 11711608	In contrast to the <b>results obtained with</b> HeLa cells, rwt virus induced apoptosis more slowly than did rM51R-M virus in BHK cells.		
38 results obtained from	～から得られた結果	85 11597598	The <b>results obtained from</b> this animal model of SCI suggest that calpain inhibitor can provide neuroprotection in patients with SCI.		
39 the results obtained	得られた結果	210 9563485	The clinical relevance of <b>the results obtained</b> in this model system needs to be confirmed.		
40 those obtained	得られたそれら	363 11493442	The results were compared with <b>&lt;those obtained&gt;</b> in a series of patients with aplastic anemia, healthy donors, and patients with a history of nonmyeloid neoplasia in complete remission.		
41 those obtained with	～によつて得られたそれら	81 10428815	These results were compared with <b>&lt;those obtained with&gt;</b> fusidic acid, showing that both drugs act in a different manner.		
42 those obtained by	～によつて得られたそれら	80 111743977	The combined effects of sound stress and morphine on 5-HTP accumulation are identical to <b>&lt;those obtained by&gt;</b> each treatment individually.		
43 those obtained from	～から得られたそれら	62 12403630	The results were in excellent agreement with <b>&lt;those obtained from&gt;</b> previous assays, verifying the accuracy and reliability of the ES-L-MS assay.		
44 data obtained	得られたデータ	329 10866980	These models are shown to be useful for the analysis of kinetic <b>&lt;data obtained&gt;</b> for several biologically important aggregation processes.		
45 data obtained from	～から得られたデータ	104 11386750	We have compared <b>&lt;data obtained from&gt;</b> this method to predicted HICF patterns of 10 fully sequenced BACs.		
46 that obtained	得られたそれ	150 9665692	The resulting mass spectrum was compared to <b>&lt;that obtained&gt;</b> by analysis of subunit II that had not been exposed to the photolabel.		
47 that obtained with	～によつて得られたそれ	52 9779943	Furthermore, the mGluR1beta immunostaining was compared with <b>&lt;that obtained with&gt;</b> antibodies specific for mGluR1alpha or with a pan-mGluR1 antibody which recognizes all isoforms.		
48 samples obtained	得られた試料	126 10720550	Confocal microscopy showed that an FipA-specific monoclonal antibody bound to bacteria in biopsy <b>&lt;samples obtained&gt;</b> from infected human volunteers.		
49 samples obtained from	～から得られた試料	63 10594761	Dystrophic hair <b>&lt;samples obtained from&gt;</b> both patients showed the typical beaded appearance by scanning electron microscopy.		
50 cells obtained from	～から得られた細胞	88 12351403	Exposure of primary cultures of both B-CLL and ALL <b>&lt;cells obtained from&gt;</b> patients to CD437 and MM002 resulted in their apoptosis.		
51 specimens obtained from	～から得られた試料	50 111343204	Cervical <b>&lt;specimens obtained from&gt;</b> 3863 women 18-40 years old (mean, 28 years) with no history of high-grade cervical disease were analyzed for 38 HPV types.		
52 images obtained	～から得られたイメージ	83 10207489	On MR <b>&lt;images obtained&gt;</b> in three patients, intrusions of growth plate cartilage into the metaphysis were seen to increase in depth over time.		
53 values obtained	得られた値	76 12601202	Clinical outcomes were assessed with serial systolic and diastolic blood pressure and serum creatinine <b>&lt;values obtained&gt;</b> from retrospective review of case		

4/4

				Collocation of <i>obtain</i>		Sample
English	Japanese	Frq.	PubM. ID			
54 we obtained	我々は、～を得た	211	11759644	〈We obtained〉 weekly surveillance cultures from all patients.		
55 to obtain	～を得るために	947	11812776	〈To obtain〉 sufficient materials for structural studies of the receptor-ligand complexes, we have expressed part of the mouse muscle alpha subunit as a soluble, secretory protein using the yeast <i>Pichia pastoris</i> .		
56 to obtain a	～を得るために	149	11841204	〈To obtain a〉 more detailed picture of molecular events at the peptide backbone during unfolding and folding of CspA, we used native state hydrogen exchange and nuclear magnetic resonance spectroscopy (NMR).		
57 to obtain information	情報を得るために	37	10493854	In addition, DNA, RNA and protein measurements were used < <b>to obtain information</b> > about gene dosage, rRNA synthesis and translation rates.		
58 used to obtain	～を得るために使われる	106	12543784	In the present study, the differential display-PCR technique was < <b>used to obtain</b> > a prostate-specific approximately 339-bp cDNA fragment.		
59 difficult to obtain	～を得ることが困難な	36	9497253	Bilirubin-UGT1 mRNA is < <b>difficult to obtain</b> >, since it is expressed in the liver only.		
60 we obtain	我々は、～を得る	52	12356314	The Pb L(III) -edge X-ray absorption spectrum of this metal-DNA complex is very similar to that < <b>we obtain</b> > for a Pb(2+)-stabilized quartet system of known structure constructed from a modified guanine nucleoside (G1).		
61 for obtaining	～を得るために	84	11390563	To increase the diagnostic accuracy of this method, use of minimally invasive methods (e.g., core biopsy) may be desirable < <b>for obtaining</b> > tissue samples from lesions detected with PEM.		
62 of obtaining	～を得る～	58	10967314	In this study, we demonstrated the feasibility < <b>of obtaining</b> > viable and identifiable dissociated cells from the primate retina.		

1/1

Collocation of <i>raise</i>					
English	Japanese	Freq.	PubM ID	Sample	
raise*	上げる/產生する/提起する	2,927			
raised	上げた/產生した/提起した	1,239			
raise	上げる/產生する/提起する	655			
raises	上げる/產生する/提起する	531			
raising	上げる/產生する/提起する	502			
Note raise the possibility 「可能性を示唆する」は頻度の極めて高い表現である。「可能性を上げる」という意味に誤解しないこと。					
1 raised against	～に対して産生される	342	10080710	An antiserum <raised against> a PSDRG N-terminal fusion protein recognized 43 and 45 kDa proteins.	
2 antibodies raised against	～に対して産生された抗体	131	12271490	<Antibodies raised against> the two sequences labeled bursicon-containing neurons in the central nervous systems of <i>P. americana</i> .	
3 raised to	～に上げられる/～に対して産生される	93	11705966	Polyclonal antibodies <raised to> the N-terminal PMT region bound efficiently to full-length native toxin, suggesting that the N terminus is	
4 raised in	～において上げられる/上昇される	82	10755547	The risk was significantly <raised in> young seronegative recipients if the donor was older than the recipient.	
5 raised by	～によって上げられる	46	10851133	Concordantly, blood insulin was not <raised by> glucose challenge, suggesting profound beta cell dysfunction.	
6 was raised	～が、上げられた	97	11159967	Polyclonal antiserum to a peptide corresponding to loop 6 <was raised> and was immunopurified over a loop 6 peptide column.	
7 raised the possibility that	～という可能性を示唆した	57	9770470	These findings <raised the possibility that> direct base-pairing of particular mRNAs to rRNAs within ribosomes may function as a mechanism of translational control.	
8 raise the possibility that	～という可能性を示唆する	316	10763819	These results <raise the possibility that> PML nuclear bodies may participate in the regulation of nucleocytoplasmic transport of specific	
9 results raise the possibility that	結果は、～という可能性を示唆する	82	11283375	These <results raise the possibility that> pharmacological manipulation of ACC2 may lead to loss of body fat in the context of normal caloric intake.	
10 findings raise the possibility that	知見は、～という可能性を示唆する	50	11567045	These <findings raise the possibility that> the JNK pathway may also contribute to Abeta-dependent death in AD patients.	
11 raises the possibility that	～という可能性を示唆する	191	10667515	This study <raises the possibility that> APACHE II may be useful for long-term mortality prediction in other critically ill populations.	
12 raises the question of	～の疑問を挙げる	47	11152691	This <raises the question of> how an essentially disordered protein is transformed into highly organized fibrils.	
13 raising the possibility that	～という可能性を示唆する	190	11522666	Studies of the genetic basis of type 2 diabetes suggest that variation in the calpain-10 gene affects susceptibility to this common disorder, <raising the possibility that> calpain-sensitive pathways may play a role in regulating insulin secretion and/or action.	
14 by raising	～を上げることによって	56	12368389	In contrast to I(AC), the current density of bTREK-1 in human embryonic kidney-293 cells was not increased <by raising> pipette ATP from 0.1 to 5 mm.	

1/4

Collocation of *understand*

English	Japanese	Freq.	PubMID	Sample
understand*	理解する	5,786		
understood	理解した/理解される	3,216		
understand	理解する	2,567		
understands	理解する	3		
Note 「よく理解されない」の意味では、副詞poorlyが好んで使われる。	～において理解される	84	12218036	Virulence and immunity are poorly <understood in> Mycobacterium tuberculosis.
1 understood in	～の点から理解される	34	12084917	The free energies of tetramerization of the variants can be <understood in terms of> current models for the structure of the protein.
2 understood in terms of	十分には理解されていない	1,363	11956336	The intracellular mechanisms underlying these contractile effects are <poorly understood>.
3 poorly understood	～は、十分には理解されてい ない、	509	10549285	Mechanisms contributing to the maintenance of heterochromatin in proliferating cells <are poorly understood>.
4 are poorly understood	十分には理解されないまま ある	133	12015598	But the molecular details of this process <remain poorly understood>.
5 remain poorly understood	まだ十分には理解されてい ない	71	10781600	How cell surface receptors, including GPCRs, stimulate ERK5 is <still poorly understood>.
6 still poorly understood	よく理解されている	676	11713309	However, the exact dynamic between methylation and chromatin structure in the regulation of gene expression is not <well understood>.
7 well understood	よく理解されていない、	532	12499275	The in vivo response to radiotherapy is <not well understood> but appears to involve the p53 tumor suppressor protein.
8 not well understood	～は、よく理解されてい ない、	258	11395388	The extent and nature of neuronal differentiation characteristics displayed by primary and metastatic melanoma cells <are not well understood>.
9 are not well understood	よりよく理解されてい ない、	55	11780124	The responses to activated IRE1 in metazoans are <less well understood>.
10 less well understood	十分には理解されてい ない、	194	11032810	The precise molecular mechanism for Raf activation is still <not fully understood>.
11 not fully understood	～は、十分には理解されてい ない、	96	11009564	Mouse myocyte contractility and the changes induced by pressure overload <are not fully understood>.
12 are not fully understood	不完全に理解されている	175	11084046	The mechanism of this down-regulation is <incompletely understood>.
13 incompletely understood	～は、不完全に理解されてい る、	62	11535565	Atherosclerotic coronary arteries are prone to constriction but the underlying causes <are incompletely understood>.
14 are incompletely understood	完全には理解されてい ない、	68	11462053	The specific mechanisms by which antibodies neutralize flavivirus infectivity are <not completely understood>.
15 not completely understood	～は、完全には理解されてい ない、	34	11343261	The pathogenic mechanisms involved in viral hepatitis <are not completely understood>.
16 are not completely understood	明らかに理解される	42	10648424	The biological significance of coexpression of 2 Fc gammaRs with distinct membrane anchors and signalling capacities is not <clearly understood>.
17 clearly understood				

2/4

Collocation of *understand*

English	Japanese	Frg.	PubMID	Sample
18 yet understood	まだ、理解されていない	40	11923199	The mechanisms of stimulation and repression of transcription elongation during development are not <yet understood>.
19 not understood	理解されていない	259	10958666	The mechanism of CCE regulation is <not understood> because few of its essential components have been identified.
20 is not understood	~は、理解されていない	163	11970979	The adjuvant LPS can increase numbers of long-lived Ag-specific T cells, but its mechanism of action <is not understood>.
21 be understood	理解される	106	12083614	Communication within a species can <be understood> only in consideration of each of these contexts.
22 can be understood	~は、理解される	53	10968784	These results <can be understood> in terms of the field-dependent deflection of current around the inhomogeneity.
23 is understood	理解されている	63	12526813	Formation of tubes of the correct size and shape is essential for viability of most organisms, yet little <is understood> of the mechanisms controlling tube morphology.
24 is understood about	~について理解されている	33	10545607	While the in vivo function of Rad27 has been well characterized through genetic and biochemical approaches, little <is understood about> the in vivo functions of human FEN1.
25 little is understood	~は、ほとんど理解されていない	41	11010946	Although extensive descriptive research shows that childhood obesity predisposes a person to adult obesity, <little is understood> about the dynamics of weight during childhood and the predictors of weight
26 to understand	~を理解するために	1,771	10094677	The studies reported here were initiated <to understand> the PhoP-DNA interaction necessary for Pho promoter regulation.
27 to understand the	~を理解すること	1,086	10099106	If human immunodeficiency virus type 1 (HIV-1) vaccines are to be highly effective, it is essential <to understand the> virologic factors that contribute to HIV-1 transmission.
28 to understand the molecular	分子の～を理解するために	131	10428888	<To understand the molecular> mechanisms of replication fork arrest by the ternary complexes, we have investigated molecular events during collisions between DNA helicases and topoisomerase-DNA complexes.
29 to understand the molecular basis of	～の分子基盤を理解するためには	36	9878450	In order <to understand the molecular basis of> this shift in specificity we have determined the crystal structure of the K89L mutant of GluDH from Clostridium symbiosum.
30 to understand the molecular mechanisms	分子機構を理解するためには	32	12438278	<To understand the molecular mechanisms> that underlie DeltaEGFR-enhanced proliferation, we examined the gene products that control cell cycle progression.
31 to understand the mechanism	機構を理解するためには	119	11134516	<To understand the mechanism> of this effect, we examined the modulation of excitatory synaptic inputs onto layer V PFC pyramidal neurons by D1/D5 receptor stimulation.
32 to understand the mechanism of	～の機構を理解するためには	69	11698415	<To understand the mechanism of> action, we examined the effects of EGCG on AP1 factor activity, MAPK signal transduction, and expression of the AP1 factor-regulated human involucrin ( <i>hINV</i> ) gene.

Collocation of *understand*

3/4

English	Japanese	Freq.	PubM_ID	Sample
33 to understand the mechanism by which	～による機構を理解するために	23	12399470	<To understand the mechanism by <b>which</b> > p105 binds and inhibits NF-kappaB, we have used both p105 and its C-terminal inhibitory segment known as IkappaBgamma for our study.
34 to understand the role of	～の役割を理解するために	105	10660622	<To understand the role of> autopolsialylation in PST enzymatic activity, we employed a mutagenesis approach.
35 to understand the structural	構造的な～を理解するために	39	12244092	<To understand the structural> basis of Chk1 inhibition by UCN-01, we determined the crystal structure of the Chk1 kinase domain in complex with UCN-01.
36 to understand the function of	～の機能を理解するために	31	11292844	<To understand the function of> the wing in the HSF DNA-binding domain, a <i>Saccharomyces cerevisiae</i> strain was created that expresses a wingless HSF protein.
37 to understand the basis	基礎を理解するために	28	11752442	It is critically important <to understand the basis> of this resistance for designing new drugs.
38 to understand the regulation of	～の調節を理解するために	23	11160300	<To understand the regulation of> B cells specific to the Sm Ag in normal mice, we have generated an Ig H chain transgenic mouse (2-12H Tg).
39 to understand how	どのように～かを理解するためには	242	11300788	It is therefore important <to understand how> cytrophoblasts respond to changes in oxygen tension.
40 to understand better	～をよりよく理解するためには	57	12122007	<To understand better> the pathogenesis of type II Bartter's syndrome, we developed a mouse lacking ROMK and examined its phenotype.
41 to understand this	～の～を理解するためには	54	11832229	<To understand this> diversity, we use two-photon imaging of layer 5 neocortical pyramidal cells and measure action potential-evoked [Ca(2+)]j transients in spines.
42 to better understand	～をよりよく理解するためには	529	12239309	<To better understand> immunodominance, we examined T(CD8+) responses to multiple defined viral peptides following infection of mice with influenza virus.
43 to better understand	～をよりよく理解するためには	360	12530829	<To better understand> the sensing mechanism, optical and potentiometric binding experiments were used to characterize the stoichiometry and the complex formation constants for this ionophore.
44 to better understand the role of	～の役割をよりよく理解するためには	53	10882741	<To better understand the role of> ELL proteins in the regulation of transcription by RNA polymerase II, we have initiated a search for proteins related to ELLs.
45 to better understand the mechanism	機構をよりよく理解するためには	36	10692406	<To better understand the mechanism> by which ARA9 modifies AHR signal transduction, we performed a series of coexpression experiments in yeast and mammalian cells.
46 to better understand how	どのように～かをよりよく理解するためには	45	12097476	<To better understand how> GABAergic inhibition might control plasticity, we assessed the status of synaptic inhibition and LTD in visual cortical slices of GAD 65 knock-out mice.

4/4

Collocation of *understand*

English	Japanese	Freq.	PubMED ID	Sample
47 to further understand	～をさらに理解するため[に]	109	9722593 <To further understand>	the function of FER, we have continued our analyses of the interaction of FER with pp120 and other proteins.

### Note

As the number (2) in the title *Collocational Analysis of Life Science English (2)* indicates, this paper is the second report of the series. Therefore, the introductory part of the paper appearing before the lists is almost identical to that of the first report except that the initial part of the current article has been made much shorter and cursory in order to avoid redundancy. To obtain more detailed information on pedagogical aspects pertaining to this series, it is highly recommended that the first report (Kawamoto et al., 2004) be referred to.

### References

- Howarth, P. 1998. Phraseology and second language proficiency. *Applied Linguistics*, 19(1), pp. 24-44.
- Hunston, S., & Francis, G. 1998. Verbs observed: A corpus-driven pedagogic grammar. *Applied Linguistics*, 19 (1), pp. 45-72.
- Kawamoto, T., Fujita, N., Kaneko, S., Morren, B., Ohtake, H. 2004. Collocational Analysis of Life Science English (1) Lists of common collocates of *possibility*, *probability*, *implication*, *involvement*, *absence*, *presence*, *evidence* . *Studia Humana et Naturalia*, 38, pp. 19-53.
- Ohtake, H., & Morren, B. 2001. A corpus study of lexical semantics in medical English. *Studia Humana et Naturalia*, 35, pp. 15-45.
- Ohtake, H., & Morren, B. 2003. Corpus evidence on English collocational patterns in scientific writing: Implications for effective writing development. *Studia Humana et Naturalia*, 37, pp. 1-22.
- Partington, A. 1998. *Patterns and Meanings: Using Corpora for English Language Research and Teaching*. John Benjamins: Amsterdam.
- Sinclair, J. M. 1991. *Corpus, Concordance, Collocation*. Oxford University Press: Oxford.
- Stubbs, M. 2001. *Words and Phrases: Corpus Studies of Lexical Semantics*. Blackwell: Oxford.