



# Indian Journal of Public Health Research & Development

An International Journal

## SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development

Scopus coverage years: from 2010 to till date. Publisher: R.K.

Sharma, Institute of Medico-Legal Publications ISSN:0976-

0245E-ISSN:0976-5506 Subject area: Medicine: Public Health,

Environmental and Occupational Health

CiteScore 2015- 0.02

SJR 2015- 0.105

SNIP 2015- 0.034



Website:

[www.ijphrd.com](http://www.ijphrd.com)

75. Sexually Transmitted Viral Infections Involving the Genitalia among Females in Nassiryia; a Clinical & Histopathological Study ..... 378  
*Hadaf A Aljunaiyeh, Maytham Talib*
76. Factors Associated to Infant Vaccination in Madurese, Indonesia ..... 385  
*Esti Yunitasari, Aria Aulia Nastiti, Wini Damayanti Hasan, Ah Yusuf, Heru Santoso Wahito Nugroho*
77. Assessment Potential of Families Increasing Ability to Care for Schizophrenia Post Restrain at East Java, Indonesia ..... 390  
*Muhammad Suhron, Ah Yusuf, Rika Subarniati*
78. Diagnosis of HCV Infection in Renal Chronic infection Patients by using ELSA and RT- PCR in Tikrit City ..... 396  
*Hala Mohammed Majeed*
79. Role of vitamin C as Antioxidant in Psoriasis Patients Treated with NB-UVB Phototherapy ..... 402  
*Sami R. Al-Katib, Hadi A.AL-Wakeel, Riyam F.AL-Rawaf*
80. Analysis of the Stressor and Coping Strategies of Adolescents with Dysmenorrhoea ..... 408  
*Nursalam Nursalam, Devi Wahyu Dwi Oktaviani, Ni Ketut Alit Armini, Ferry Efendi*
81. Cranial CT Scan and Sonographic Finding in Term and Preterm Newborn ..... 414  
*Kassim Amir Hadi Taj-aldean, Adnan Handhil Aljawdhari, Ahmed Sabah AbdulKhudhur*
82. Xilem *Pinus merkusii* as Martapura River Water Biofilter ..... 419  
*Ratih Dewi Dwiyanti, Leka Lutpiatina*
83. Factors Influencing Health Conservation of Middle-aged Men in Korea ..... 425  
*Hee Kyung Kim*
84. Micro Oxidation Sterilization by Non-Thermal Plasma Technology ..... 432
85. *Jamal Hussaini, Siti Nur Hidayah Bt Muhammad, Noor Masyitah Jumahat, Navindra Kumari Palanisamy, Farzana Y, Najnin A, Nazmul MHM*
86. Practical and Simple Method in Measurement of Forearm Muscle Fatigue in Computer Operator ..... 436  
*Hendrik, Yonathan Ramba, Arpandjam'an, M. Nurdin T., Gaurav Kapoor, Heru Santoso Wahito Nugroho*
87. Knowledge of Antenatal Mothers Admitted in King Abdul-Aziz Medical City (KAMC), Riyadh Regarding Therapeutic Benefits of Post-Natal Exercises ..... 440  
*Jobby George, Meshal Ibrahim A Alnafjan, Mufleh Saeed H Alshahrani, Rakan Khaled M Alsuqali, Zamil Abdullah Z Alsubaie*
88. The Effect of Physical Activity (Endurance and Strength) and Sleep Management on BMI and Body Fat Children Overweight in Makassar City ..... 444  
*Jamil Anshory, Hardinsyah, Ikeu Tanziha, Adam Mappaompo, Nur Miftahul Jhanna Nasrah*
89. Occupational Health and Safety Risk Assessment in Chrome Production ..... 450  
*Laura Sakebayeva, Gulsim Karashova, Galya Kuspangaliyeva, Kulyan Shayakhmetova, Dina Yegizbayeva, Asem Ktabaliyeva, Ainur Zinaliyeva*
90. Food Stalls Ownership and Its Contribution on Body Mass Index and the Risk of Cardiovascular Disease in Cooker Profession ..... 456  
*Novita Medyati, Ridwan Amiruddin, Syamsiar Russeng, Stang Abdul Rahman*

# Factors Associated to Infant Vaccination in Madurese, Indonesia

Esti Yunitasari<sup>1</sup>, Aria Aulia Nastiti<sup>1</sup>, Wini Damayanti Hasan<sup>1</sup>, Ah Yusuf<sup>1</sup>, Heru Santoso Wahito Nugroho<sup>2</sup>

<sup>1</sup>Faculty of Nursing, Airlangga University, Indonesia, <sup>2</sup>Health Polytechnic of Surabaya, Indonesia

## ABSTRACT

In Madura, a lot of infants have incomplete immunization status in which one of the areas with low immunization coverage is Burneh sub-district. The coverage of complete basic immunization in Burneh only 64% in 2015. The aim of this study was to analyze factors related to vaccination in Madurese, using cross sectional design. The sample were 97 mothers with babies 0-1 years old in Burneh sub-district. Data were collected using questionnaires, then analyzed using Chi square test. The results showed the correlation between knowledge ( $p = 0.027$ ), confidence ( $p = 0.000$ ), attitude ( $p = 0.003$ ), culture ( $p = 0.000$ ), access to health care ( $p = 0.013$ ), family support ( $p = 0.034$ ), and support of health professionals ( $p = 0.021$ ) with the basic immunization status. Meanwhile, the support of community leaders ( $p = 0.054$ ) had no correlation with the basic immunization status.

**Keywords:** *Culture, Family support, Immunization, Knowledge, Madurese, Confidence, Attitude, Access to health care*

## INTRODUCTION

Immunization is an induction of immunity in infants and children to protect them from various diseases so that they grow up healthy<sup>(1)</sup>. In Madura, many infants did not receive complete basic immunization which was proved by the high cases of diphtheria in Bangkalan, Madura. According to the Regent of Bangkalan, there are three villages in sub-districts of Blega, Tanah Merah and Burneh defined as areas with extraordinary occurrence of diphtheria<sup>(2)</sup>. Head of Public Health Office of Bangkalan explained that according to data compiled by Madura Terkini, the infant mortality rate has risen in 2015 as many as 154 cases. This number is greater than in 2014 with 112 cases<sup>(2)</sup>.

According to preliminary study conducted by researchers on March 2016 at the Public Health Office of Bangkalan, the total infant in the Public Health Center (PHC) of Burneh region was 980, while the number of

infants who have received complete basic immunization only 627. So there is only 64% infants in Burneh who were completely immunized.

Basic immunization rate in Burneh district from 2012 to 2015 has been uncertainly up and down. In 2012, the coverage of basic immunization was 60.8%. This rate declined into 58.4% in 2013. However, in 2014, the coverage increased to 68.2% which then recurrently declined to 64% in 2015.

Madura is well-known as a society which strictly upholds the cultural norms. Madurese people still believe in the statement or doctrine of the ancestors from antiquity. The people also believe in assumption that the healthy children without any disease should not be brought to health care service to get injection or other treatments. Local health professionals has been actually conducting basic counseling about immunization to mothers who have babies in Burneh district, but somehow the immunization coverage is still below the target of 100%. Many factors affect the low coverage of immunization in infants. Based on the theory of Green (1991), the behavior of an individual as well as society is affected by three factors: predisposing factor, enabling factor, and reinforcing factor<sup>(3)</sup>.

---

### Corresponding Author:

**Heru Santoso Wahito Nugroho**

Health Polytechnic of Surabaya

Jl. Pucang Jajar Tengah 56 Surabaya, Indonesia

E-mail: heruswn@gmail.com

Based on the problems above, the authors was interested to analyze factors related to basic immunization status of infants in Madurese people.

**MATERIALS AND METHOD**

The population of this cross sectional were mothers with infants aged 0-1 year old in Burneh. Sample size were 97 people selected using cluster sampling. The study was conducted on July 2016. The independent variables were knowledge, beliefs, attitudes, values and norms (culture), access to health services, family support, health professionals support, and community

leaders support, while dependent variable was basic immunization status. Data collected using questionnaire, then the categorical data were presented in the form of frequency table<sup>(4)</sup> and analyzed using Chi square test.

**FINDINGS**

Table 1 provides a summary of the results of the correlation analysis between knowledge, beliefs, attitudes, values and norms (culture), access to health services, family support, health professionals support, and community leaders support with basic immunization status.

**Table 1. The 8 independent variables and basic immunization status as dependent variable**

Independent variables	p-value	Interpretation
Knowledge	0.027	Significant
Belief	0.000	Significant
Attitude	0.003	Significant
Culture	0.000	Significant
Access to health service	0.013	Significant
Family support	0.034	Significant
Health professionals support	0.021	Significant
Community leaders support	0.054	Not significant

Based on the results of hypothesis testing (Table 1) it could be interpreted that there were 7 independent variables that correlate with basic immunization status namely knowledge, beliefs, attitudes, culture, access to health services, family support and health professionals support.

**DISCUSSION**

According to Green (1991) the behavior of an individual or society about health is determined by the level of knowledge in which the person have. Higher knowledge of mother about the health of the infant, especially for the provision of basic immunization, will influence the mother to visit the place of immunization service<sup>(3)</sup>.

Other studies have explained that knowledge of mothers about immunization is also influenced by the level of education and occupation. Rizani et al (2009) stated that education is a very important factor in

determining the behavior of mother because a mother with higher education will affect the knowledge of his family’s health in which a lot of information is acquired in school. On the contrary, the mothers who did not working will have more time to gather with their children<sup>(5)</sup>. Mother’s knowledge on the children’s health is mostly still at level knowing and has not reached the level of understanding, applying, analyzing, synthesizing and evaluating the materials related to immunization<sup>(6)</sup>. Furthermore, a person who has fair economic and earnings will likely have a good education and knowledge. However, the study that has been done showed that there are nine women who have a good knowledge about immunization but is not practicing immunization for their infants. According to some respondents, they will understand the benefits of immunization as well, but because of busy work and the obligation of taking care the other children they did not carry their infants to the immunization services.

According to WHO the belief is often obtained from parents or grandparents. A person receives his/her belief based on trust and without evidence<sup>(7)</sup>.

Education level of individual related to the level of understanding and perceptions about health and illness<sup>(7)</sup>. Someone who is highly educated will better understand and believe when their body is not going well and looking for a modern health service immediately to prevent the occurrence of disease, for example, by immunization. In addition, the number of children also will indirectly affect the mother's belief to immunization. Further, good experience and perceived benefits of immunization from previous child will certainly influence to mother's belief to basic immunization in which this belief will support the mothers to immunize their infants.

However, number of children and mothers' job in domestic work make mothers do not have enough time to bring their babies to the immunization service although the views and belief upon support good benefit from basic immunization in infants support the mother to do it. From this study, there were 25 mothers who have unsupportive belief to the immunization but still provide basic immunizations to their infant. According to Ali (2000) in Rini (2009), observation or information obtained from education, may make changes upon behavior which evolve the occurrence of new behavior. All activities performed by mothers in implementing basic immunization to their infant are the results of knowledge and information from their education<sup>(8)</sup>.

Attitude is a form of evaluation or feeling reactions. Attitudes towards an object can be in the form of supportive and unsupportive feeling about an object. Positive attitude can be predisposing factor which causes the mother to bring her infant to be immunized<sup>(3)</sup>.

Based on research by Rizani et al (2009) which stated that people's attitude and behavior is the ability, experience and education<sup>(5)</sup>. Age and education level illustrate the maturity of an individual to behave and respond to the environment that can affect knowledge, attitude and practice especially in health behavior. Mother's experience with the perceived benefits from previous children also have positive influence to their attitude and will promote mother's behavior to bring their children to health care service in order to receive basic immunization. Furthermore, Rizani et al (2009) stated that mothers' occupation, either who work or

does not work, also has relationship with their attitude towards immunization<sup>(5)</sup>. Working mothers are likely to be more informed of the disease and the benefits of immunization so they will be likely more motivated to immunize their infants.

However, this study showed that there were some women who had negative attitudes about immunization but has been completed immunization for their infants. According Notoatmodjo (2007), an attitude is not automatically realized in an action (over behavior) because to change attitude into habit needs supporting factor or a condition that make it possible, such as facilities and support of other parties<sup>(7)</sup>.

Culture can be regarded as living habits in a community. Interview results by researchers showed that some societies have supportive culture upon immunization, but in practical, they did not bring their infants to the immunization services. It can be caused by the schedule in which they have to work from morning to afternoon and can not bring their infants to PHC. In some cases, the parents tended to spend their money for other daily needs rather than accommodation for immunization.

According to Lawrence Green, the reason for not carrying their children to be immunized is the lack of information about the benefits of immunization or the distance between home and immunization center which is too far<sup>(3)</sup>.

This results correspond with the research of Widiastuti et al (2008) which stated that there was a significant relationship between access to health care services and the basic immunization in infants. The relationship between both variables is also influenced by occupation, income, and number of children<sup>(9)</sup>. Risnawati (2012) stated that access to health care services for getting immunization is not depend on the family income, because the immunization coverage has been covered by the government both for its budget and the accessible service by the immunization service center<sup>(10)</sup>.

This study found several mothers who have access to health care service with incomplete immunization status in their infants. This phenomenon is exist because these mothers have less education and information about immunization.

According to Feiring and Lewis (1984) in Yasin



(2014), good family support is influenced by several demographic factors including: maturity in relation with mothers' age, mothers' education level and occupation<sup>(11)</sup>. The knowledge about basic immunization benefits will increase along with the maturity in which the mothers can explain to the family about those benefits so that their support for immunization will be better. The mothers who have higher education are more aware about the importance of completing basic immunization, so that they will obtain support to carry their infants to the health care service. However, the results of this study showed that there were nine mothers who receive good support from their families but the status of basic immunization were incomplete. It was caused by the mother's myriad work and responsibility to care other family members as well as children so that they can not bring their infants to health care service regardless the support.

Based on the theory of Green, the health behavior can also be determined by the availability of facilities, attitudes and behavior of health professionals which will support and strengthen the behavior development<sup>(3)</sup>.

According to the most respondents, support, friendliness, and information obtained from local health professionals are very valuable and have positive impact for them. In several times, health professional along with health cadets visited homes for medical examination, particularly the administration of basic immunization in infants and children. So that the mothers who work or who are busy taking care of her family will be stay informed about basic immunizations and can immunize her infant during visitation of the health professional. Although the support of health professional has been sufficient in PHC of Burneh, but there were several mothers who still refused to immunize their infant due to their low education about immunization as well as their business and occupation which makes the mothers did not have any time to provide immunization for their infants.

According Notoatmodjo (2010), Indonesian people is a paternalistic society which usually refers to the behavior of leaders, both formal and informal. The leader is a person who has influence, be honored, and well respected in the society such as public figure and religious leader in which their existence will influence the society<sup>(6)</sup>. Mostly people actually understand about the benefits of immunization, then the facility is also provided such as PHC and health care service for immunization,

but they still hesitate to give immunization to their children because the leaders or public figure also does not join the immunization program for their children.

Based on Green (1991), community and religious leaders become reinforcing factor for the behavior development of an individual or a community. Therefore, the community and religious leaders have crucial role in providing support to people's view and healthy behavior for the surrounding community<sup>(3)</sup>.

## CONCLUSION

Based on the results, it can be concluded that knowledge, beliefs, attitudes, culture, access to health services, family support and health professional support were related factors with basic immunization status in infants.

## ADDITIONAL INFORMATION

There is no **Conflict of Interest** related to this research.

All **Funds** of this research taken from researchers.

This study already has **Ethical Approval**.

## REFERENCES

1. Hidayat AA. Introduction to Pediatric Nursing for Midwifery Education (Pengantar Ilmu Keperawatan Anak untuk Pendidikan Kebidanan). Jakarta: Salemba Medika; 2008.
2. Madura Terkini. Bangkalan is the Highest Diphtheria in East Java (Bangkalan Tertinggi Difteri di Jawa Timur) [Internet]. Latest Madura (Madura Terkini). 2013 [cited 2013 Jun 20]. Available from: <http://www.maduraterkini.com/headline/bangkalan-tertinggi-difteridi-jatim.html>.
3. Green L. Health Promotion Planning an Education and Environmental Approach. New York: Mayfield Publishing Company; 1991.
4. Nugroho HSW. Descriptive Data Analysis for Categorical Data (Analisis Data Secara Deskriptif untuk Data Kategorik). Ponorogo: Forum Ilmiah Kesehatan (Forikes); 2014.
5. Rizani. The relationship between Knowledge, Attitude and Behavior of Mother in Giving Hepatitis B Immunization (0-7 Days) in Banjarmasin City (Hubungan Pengetahuan, Sikap dan Perilaku Ibu

- dalam Pemberian Imunisasi Hepatitis B 0-7 Hari di Kota Banjarmasin). *Berita Kedokteran Masyarakat*. 2009;25(1):12-20.
6. Notoatmodjo S. *Health Promotion, Theory and Application (Promosi Kesehatan, Teori dan Aplikasi)*. Jakarta: PT Rineka Cipta; 2010.
  7. Notoatmodjo. *Health Promotion and Behavioral Sciences (Promosi Kesehatan dan Ilmu Perilaku)*. Jakarta: PT Rineka Cipta; 2007.
  8. Rini AP. Relationship between Characteristics of Number of Children and Mother Knowledge with Status of Completeness of Basic Immunization in Infants in Wonokusumo Village, Semampir Subdistrict, Surabaya in 2008 (Hubungan antara Karakteristik Jumlah Anak dan Pengetahuan Ibu terhadap Status Kelengkapan Imunisasi Dasar pada Bayi di Kelurahan Wonokusumo Kecamatan Semampir Surabaya Tahun 2008). Under-graduate Thesis. Surabaya: Fakultas Kesehatan Masyarakat Universitas Airlangga; 2009.
  9. Widiastuti YP. et al. Analysis of Factors Related to Mother's Behavior in Providing Basic Immunization to the Baby in Banyutowo Village, Kendal District (Analisis Faktor yang Berhubungan dengan Perilaku Ibu dalam Memberikan Imunisasi Dasar Kepada Bayinya di Desa Banyutowo Kabupaten Kendal). *Analisis Kesehatan Universitas Muhammadiyah Semarang*. 2008;1(1).
  10. Risnawati D. The Influence of Knowledge, Education, Income and Culture of Mother on the Completeness of Basic Immunization in Infants (Pengaruh Pengetahuan, Pendidikan, Pendapatan dan Budaya Ibu terhadap Kelengkapan Imunisasi Dasar pada Bayi). Under-graduate Thesis. Surabaya: Fakultas Kesehatan Masyarakat Universitas Airlangga; 2012.
  11. Yasin Z. Efforts to Minimize Hospitality Stress in Toddler through Playing Therapy with Caring and Transcultural Nursing Approaches (Upaya Meminimalkan Stres Hospitalisasi pada Anak Usia Toddler melalui Terapi Bermain dengan Pendekatan Caring dan Transcultural Nursing). Graduate Thesis. Surabaya: Fakultas Keperawatan Universitas Airlangga; 2014.