

Boletim do Museu de Biologia Mello Leitão

Nova Série
Volume 37 Número 3 - Julho/Setembro de 2015



Checklist of the genera of Hymenoptera (Insecta) from Espírito Santo state, Brazil

Celso O. Azevedo¹, Ana Dal Molin², Angélica Penteado-Dias³, Antonio C.C. Macedo⁴, Beatriz Rodriguez-V.⁵, Bianca Z.K. Dias¹, Cecilia Waichert⁶, Daniel Aquino⁷, David R. Smith⁸, Eduardo M. Shimbori³, Fernando B. Noll⁹, Gary Gibson¹⁰, Helena C. Onody³, James M. Carpenter¹¹, John E. Lattke¹², Kelli dos S. Ramos¹³, Kevin Williams¹⁴, Lubomir Masner¹⁰, Lynn S. Kimsey¹⁵, Marcelo T. Tavares¹, Massimo Olmi¹⁶, Matthew L. Buffington¹⁷, Michael Ohl¹⁸, Michael Sharkey¹⁹, Norman F Johnson²⁰, Ricardo Kawada¹, Rodrigo B. Gonçalves²¹, Rodrigo M. Feitosa²², Steve Heydon¹⁵, Tânia M. Guerra¹, Thiago S.R. da Silva²¹ & Valmir Costa²³

RESUMO: Lista de gêneros de Hymenoptera (Insecta) do Espírito Santo, Brasil. É apresentada uma lista dos gêneros de Hymenoptera do Espírito Santo, Brasil pela primeira vez. Foram listados 973 gêneros de Hymenoptera, dos quais

¹ Universidade Federal do Espírito Santo, Vitória, Brazil

² Texas A&M University, College Station, U.S.A.

³ Universidade Federal de São Carlos, São Carlos, Brazil

⁴ Secretaria do Meio Ambiente do Estado de São Paulo, São Paulo, Brazil

⁵ Universidad Nacional Autónoma de Mexico, Mexico City, Mexico

⁶ Utah State University, Logan, U.S.A.

⁷ Museo de La Plata, La Plata, Argentina

⁸ Smithsonian Institution, Washington, DC, U.S.A.

⁹ Universidade Estadual Paulista, São José do Rio Preto, Brazil

¹⁰ Agriculture and Agri-Food Canada, Ottawa, Canada

¹¹ American Museum of Natural History, New York, U.S.A.

¹² Universidad Nacional de Loja, Loja, Ecuador

¹³ Universidade de São Paulo, São Paulo, Brazil

¹⁴ Florida State Collection of Arthropods, Gainesville, U.S.A.

¹⁵ University of California, Davis, U.S.A.

¹⁶ University of Tuscia, Viterbo, Italy

¹⁷ United States Department of Agriculture, Washington, DC, U.S.A.

¹⁸ Museum für Naturkunde, Berlin, Germany

¹⁹ University of Kentucky, Lexington, U.S.A.

²⁰ The Ohio State University, Columbus, U.S.A.

²¹ Universidade Federal do Paraná, Palotina, Brazil

²² Universidade Federal do Paraná, Curitiba, Brazil

²³ Instituto Biológico, Campinas, Brazil

Corresponding author: bethylidae@gmail.com

Received: 03 dez 2014 – Accepted: 19 mai 2015

555 (57%) são citados pela primeira vez para o estado. As duas superfamílias com o maior número de gêneros foram Ichneumonoidea e Chalcidoidea com 241 e 203 gêneros respectivamente. Braconidae foram a família mais rica com 141 gêneros.

Palavras-chave. Biodiversidade, entomofauna, Mata Atlântica, primeiras citações, riqueza de gêneros.

ABSTRACT: The first checklist of genera of Hymenoptera from Espírito Santo state, Brazil is presented. A total of 973 genera of Hymenoptera is listed, of which 555 (57%) are recorded for the first time from this state. Ichneumonoidea and Chalcidoidea are the two superfamilies with the most genera, 241 and 203 respectively. Braconidae, with 141 genera, are the richest family.

Key words. Biodiversity, entomofauna, Atlantic forest, first records, genus richness.

Introduction

The insect order Hymenoptera is one of the dominant life forms on Earth, both in terms of number of species and in the diversity of life styles (Austin & Dowton 2000).

Hymenoptera have traditionally been divided into two suborders, “Symphyta” (sawflies) and Apocrita, with the latter subdivided into “Parasitica” (parasitoids) and Aculeata (stinging wasps, bees, and ants) (Sharkey *et al.*, 2011). Symphyta and Parasitica have been demonstrated to be paraphyletic, whereas Aculeata are monophyletic (Heraty *et al.*, 2011; Sharkey *et al.*, 2011).

The Hymenoptera are one of most speciose orders of insects, potentially surpassing the Coleoptera (Grissell, 1999; New, 2012). There are about 150,000 valid species (Huber, 2009; Aguiar *et al.*, 2013), but there are estimates of between 600,000 and 1,200,000 extant species (Grimaldi & Engel, 2005; Sharkey, 2007).

The state of Espírito Santo lies within the Atlantic forest phytogeographic domain (Lani *et al.*, 2008) and has Atlantic rain forest (hillside and flatland), Mangrove forest and Restinga coastal vegetation.

The fauna of Hymenoptera from the Brazilian state of Espírito Santo has been poorly studied. Most previous studies of this order deal with Apidae, Bethylidae, Chalcididae, and Ichneumonidae, which are focal organisms of the staff of local institutions, besides a few published surveys of Hymenoptera families for select localities (e.g. Alencar *et al.*, 2007; Azevedo & Santos 2000; Azevedo *et al.*, 2002; Azevedo *et al.*, 2003). Thus the primary goal of

the present study is to provide the first checklist of the genera of Hymenoptera from Espírito Santo, Brazil.

Materials and methods

This paper is a result of an initiative of the project “N.E.S.H. – Nucleus of Excellence in Systematic of Hymenoptera: broadening agricultural and environmental frontiers of Espírito Santo” which was carried out under coordination of the first author and supported by FAPES (the State Science Foundation).

Under this initiative about 140,000 specimens of Hymenoptera from Espírito Santo were mounted between 2011 and 2013 and deposited at UFES Insect Collection. The great majority of these specimens were collected using Malaise trap. The minority of the material was collected using other methods of collection such entomological nets and yellow pan trap. Most of the material comes from areas of Atlantic rain forests, but few specimens were collected in Mangrove forests and Restinga coastal vegetation.

A collective effort was made for the authors to visit the UFES insect collection in Vitória, the capital of the state, during a five-week workshop in 2013 to identify the material under their expertise. To elaborate the checklist we also included generic citations available from literature.

All images were prepared by Ricardo Kawada. They were taken with a Leica DFC 495 video camera attached to a Leica Z16 APO with a Planapo 1.0 or 2.0x objective lens. Figs 1-46 were produced from stacks of images that vertically transected the specimen using Leica LAS (Leica Application Suite V4.3.0) Microsystems by Leica (Switzerland) Limited. These were combined automatically into a single image using Helicon Focus (version 6.0.18), based on Method C (Pyramid) and focus autoadjustments 1% (horizontally).

The sequence of the genera in the list follows the traditional way presented in several handbooks of Hymenoptera with Symphyta, then Parasitica and finally Aculeata. An asterisk after the authorship in the checklist indicates that the genus is recorded for the first time from Espírito Santo.

Results

A total of 973 genera of Hymenoptera, belonging to 48 families, were identified (Table 1); 555 (57%) of the genera are recorded for the first time from the Brazilian state of Espírito Santo (Table 1).

Table 1. Number of genera of Hymenoptera from Espírito Santo state, Brazil (by family).

Upper group	Superfamily	Family	number of genera
“Symphyta”	Tenthredinoidea	Argidae	12
		Cimbicidae	1
		Pergidae	12
		Tenthredinidae	8
	Xiphydrioidea	Xiphydriidae	1
“Parasitica”	Stephanoidea	Stephanidae	1
	Ichneumonoidea	Braconidae	141
		Ichneumonidae	100
	Trigonalioidea	Trigonalidae	1
	Cynipoidea	Figitidae	36
		Ibaliidae	1
		Liopteridae	2
	Evanioidea	Aulacidae	2
		Evaniidae	6
		Gasteruptiidae	1
	Diaprioidea	Diapriidae	28
		Ismaridae	1
		Monomachidae	1
	Ceraphronoidea	Ceraphronidae	3
		Megaspilidae	2
	Platygastroidea	Platygastridae	54
	Proctotruopoidea	Heloridae	1
		Pelecinidae	1
		Proctotrupidae	1
	Myrmecophytoidea	Myrmecophytidae	3
	Chalcidoidea	Agaonidae	4
		Aphelinidae	2
		Chalcididae	15
		Encyrtidae	38

Table 1 (cont.)

Upper group	Superfamily	Family	number of genera
		Eucharitidae	4
		Eulophidae	35
		Eupelmidae	16
		Eurytomidae	3
		Leucospidae	1
		Mymaridae	22
		Perilampidae	1
		Pteromalidae	51
		Signiphoridae	2
		Tanaostigmatidae	2
		Torymidae	5
		Trichogrammatidae	2
Aculeata	Chrysidoidea	Bethylidae	17
		Chrysididae	10
		Dryinidae	9
		Embolemidae	1
		Sclerogibbidae	1
		Scolebythidae	1
	Vespoidea	Formicidae	66
		Mutillidae	19
		Pompilidae	28
		Rhopalosomatidae	3
		Scoliidae	1
		Tiphiidae	13
		Vespidae	21
	Apoidea	Ampulicidae	2
		Crabronidae	51
		Sphecidae	10
		Apidae	97

“SYMPHYTA”

Tenthredinoidea, Argidae

- Acrogymnia* Malaise, 1937*
Atomacera Say, 1836*
Didymia Lepeletier & Serville, 1828
Dieloceros Curtis, 1844
Durgoa Malaise, 1937
Eriglenum Konow, 1901
Hemidianeura Kirby, 1872
Manaos Rohwer, 1912*
Neurogymnia Malaise, 1937* (Figura 1)
Ptilia Lepeletier, 1823
Scobina Lepeletier & Serville, 1828
Sericoceros Konow, 1905

Tenthredinoidea, Cimbicidae

- Pachylosticta* Malaise, 1937*

Tenthredinoidea, Pergidae

- Acordulecera* Malaise, 1937*
Acorduloceridea Say, 1836*
Anathulea Lepeletier & Serville, 1828 (Figura 2)
Aulacomerus Curtis, 1844
Camptoprium Malaise, 1937
Decameria Konow, 1901

Haplostegus Kirby, 1872

Heteroperreyia Rohwer, 1912*

Lagideus Malaise, 1937*

Perreyia Lepeletier, 1823

Perreyiella Lepeletier & Serville, 1828

Quetutus Konow, 1905

Tenthredinoidea, Tenthredinidae

- Acidiophora* Malaise, 1937*
Adiaclema Say, 1836*
Andeana Lepeletier & Serville, 1828
Dochmioglene Curtis, 1844
Plaumanniana Malaise, 1937
Pristiphora Konow, 1901
Probleta Kirby, 1872
Waldheimia Rohwer, 1912*

Xiphydrioidea, Xiphydriidae

- Derecypta* Smith, 1860

“PARASITICA”

Stephanoidea, Stephanidae

- Hemistephanus* Enderlein, 1905

Ichneumonoidea, Braconidae

- Acanthorhogas* Szépligeti, 1906*



Figura 1. Argidae, *Neurogymnia* Malaise, 1937



Figura 2. Pergidae, *Anathulea* Lepeletier & Serville, 1828

- Exis* Mason, 1981*
- Lissodoryctes* Marsh, 2002*
- Alabagrus* Enderlein, 1920
- Aleiodes* Wesmael, 1838
- Allobracon* Gahan, 1915
- Allorhogas* Gahan, 1912*
- Alphomelon* Mason, 1981
- Amputoearinus* Sharkey, 2006*
- Andesipolis* Whitfield & Choi, 2004*
- Apanteles* Förster, 1862*
- Aphaereta* Förster, 1862
- Aphelopsia* Marsh, 1993*
- Aphidius* Nees, 1818*
- Araucania* Marsh, 1993*
- Aridelus* Marshall, 1887*
- Ascogaster* Wesmael, 1835*
- Asobara* Förster, 1862*
- Aspilodemon* Fischer, 1966*
- Aspilota* Förster, 1862*
- Austroearinus* Sharkey, 2006*
- Astrozele* Roman, 1910
- Barbalhoa* Marsh, 2002*
- Blacozona* van Achterberg, 1988*
- Blacus* Nees, 1818*
- Bracon* Fabricius, 1804
- Callihormius* Ashmead, 1900*
- Capitonius* Brullé, 1846
- Cardiochiles* Nees, 1819*
- Centistidea* Rohwer, 1914*
- Chelonus* Panzer, 1806*
- Choeras* Mason, 1981*
- Choreborogas* Whitfield, 1980*
- Chrysopophthorus* Goidanach, 1948*
- Clinocentrus* Haliday, 1833*
- Coiba* Marsh, 1993*
- Compsobracon* Ashmead, 1900*
- Concurtisella* Roman, 1924*
- Cotesia* Cameron, 1891
- Curtisella* Spinola, 1853*
- Cystomastax* Szépligeti, 1904*
- Dasylagon* Muesebeck, 1958*
- Dentigaster* Zettel, 1990*
- Diaeretiella* Starý, 1960
- Digonogastra* Viereck, 1912
- Dinotrema* Förster, 1862*
- Diolcogaster* Ashmead, 1900*
- Diospilus* Haliday, 1833* (Figura 3)
- Distatrix* Mason, 1981*
- Dolichozele* Viereck, 1911*
- Doryctinus* Roman, 1910*
- Doryctobracon* Enderlein, 1920
- Ecpylus* Förster, 1862*
- Eubazus* Nees, 1814*
- Euphoriella* Ashmead, 1900*
- Exasticolus* van Achterberg, 1979*
- Fornicia* Brullé, 1846*
- Fritziella* Marsh, 1993*
- Glyptapanteles* Ashmead, 1904*
- Glyptocolastes* Ashmead, 1900*
- Gnamptonodon* Haliday, 1833*
- Gnathopleura* Fischer, 1975
- Hebichneutes* Sharkey & Wharton, 1994
- Helcon* Nees, 1814*



Figura 3. Braconidae, *Diospilus* Haliday, 1833

- Helconichia* Sharkey & Wharton, 1994
Heredius Marsh, 2002*
Heterospathius Barbalho & Penteado-Dias, 1999*
Heterospilus Haliday, 1836
Hormius Nees, 1818*
Hydrangeocola Brèthes, 1927*
Hymenochaonia Dalla Torre, 1898*
Hypomicrogaster Ashmead, 1898*
Idiasta Förster, 1862
Johnsonius Marsh, 1993
Labania Hedqvist, 1963*
Larissimus Nixon, 1965*
Lecythodella Enderlein, 1912*
Leiophron Nees, 1818*
Leluthia Cameron, 1887*
Leptodrepana Shaw, 1983*
Litostolus van Achterberg, 1985*
Lysiphlebus Förster, 1862*
Lytopylus Viereck, 1905*
Macrocentrus Curtis, 1833*
Macrostomion Szépligeti, 1900*
Mariapanteles Whitfield & Fernández-Triana, 2012*
Marshiella Shaw, 1985*
Masonbeckia Sharkey & Wharton, 1994*
Mendesella Whitfield & Mason, 1994*
Meteorus Haliday, 1835*
Microcrasis Fischer, 1975*
Microctonus Wesmael, 1835*
Microplitis Förster, 1862*
Monarea Szépligeti, 1904
Monitoriella Hedqvist, 1963
Mononeuron Fischer, 1981*
Nealiolus Mason, 1974*
Notiospathius Matthews & Marsh, 1973
Oligoneurus Szépligeti, 1902*
Opis Wesmael, 1835
Orgilus Haliday, 1833*
Pambolus Haliday, 1836*
Papanteles Mason, 1981*
Paroligoneurus Muesebeck, 1931*
Pedinotus Szépligeti, 1902*
Peristenus Förster, 1862*
Phaenocarpa Förster, 1862
Phanerotoma Wesmael, 1838*
Pholetesor Mason, 1981*
Pioscelus Muesebeck & Walkley, 1951*
Plynops Shaw, 1996*
Podorgilus van Achterberg, 1994
Prasmodon Nixon, 1965*
Promicrogaster Brues & Richardson, 1913*
Protaganteles Ashmead, 1898*
Proterops Wesmael, 1835*
Psenobolus Reinhard, 1885
Pseudapanteles Ashmead, 1898*
Pseudognaptodon Fischer, 1964*
Pseudophanerotoma Zettel, 1990*
Pseudorhysipolis Scatolini, Penteado-Dias & van Achterberg, 2002*
Rasivalva Mason, 1981*
Rhysipolis Förster, 1862*
Rinamba Cameron, 1912*
Rogas Nees, 1818*
Sacirema Quicke, 1995*
Semirhytus Szépligeti, 1902*
Sendaphne Nixon, 1965*
Stantonia Ashmead, 1904*
Stiropius Cameron, 1911*
Syntretus Förster, 1862*
Therophilus Wesmael, 1837*
Topaldios Papp, 1995*
Triaspis Haliday, 1835*

- Trigonophasmus* Enderlein, 1912*
Urosigalphus Ashmead, 1889*
Utetes Förster, 1862*
Waitaca Marsh, 1993
Xanthomicrogaster Cameron, 1911*
Zamicrodus Viereck, 1912*
Zelomorpha Viereck, 1912
- Ichneumonoidea, Ichneumonidae**
- Acerastes* Cushman, 1929
Acorystus Townes, 1970
Acrotaphus Townes, 1960
Agrypon Förster, 1860*
Allophoris Förster, 1868*
Aneuclis Förster, 1868*
Anomalon Panzer, 1804
Apechoneura Kriechbaumer, 1890
Barycnemis Förster, 1868*
Bathyzonus Townes, 1970
Bicryptella Strand, 1917
Boethella Bennett, 2003
Brachycyrtus Kriechbaumer, 1880*
Calliephialtes Ashmead, 1900
Campoplex Gravenhorst, 1829*
Casinaria Holmgren, 1859*
Charops Holmgren, 1859*
Clistopyga Gravenhorst, 1829*
(Figura 4)
Colpotrochia Holmgrem, 1855
Creagura Townes, 1971*
Cryptanura Brullé, 1846
Cryptophion Viereck, 1913*
Cubus Townes, 1959*
Cymodusa Holmgren, 1859*
Debilos Townes, 1966
Diaparsis Förster, 1868*
Digonocryptus Viereck, 1913
Dimophora Förster, 1869*
Diradops Townes, 1946*
Distictus Townes, 1966
- Dolichomitus* Smith, 1877*
Dusona Cameron, 1900
Eiphosoma Cresson, 1865
Eknomia Santos & Aguiar, 2012
Enicospilus Stephens, 1835
Epirhyssa Cresson, 1865*
Eruga Townes, 1960*
Eutanygaster Cameron, 1911*
Exetastes Gravenhorst, 1829*
Ganodes Townes, 1957*
Golbachiella Townes, 1970
Grotea Cresson, 1864*
Hapsinotus Townes, 1970*
Hymenoepimecis Viereck, 1912
Joppa Fabricius, 1804
Joppidium Walsh, 1873
Labena Cresson, 1864*
Lagarosoma Gupta & Gupta, 1984
Lamprocryptus Schmiedeknecht, 1904
Latosculum Townes, 1966
Leurus Townes, 1946*
Limonethe Townes, 1946
Loxopus Townes, 1970
Lycorina Holmgren, 1859*
Macrojoppa Kriechbaumer, 1898



Figura 4. Ichneumonidae, *Clistopyga* Gravenhorst, 1829

Meggoleus Townes, 1971*
Melanocryptus Cameron, 1902
Meniscomorpha Schmiedeknecht, 1907
Mesochorus Gravenhorst, 1829
Messatoporus Cushman, 1929
Metopius Panzer, 1806*
Neotheronia Krieger, 1899*
Netelia Gray, 1860
Nonnus Cresson, 1874
Occia Tosquinet, 1903*
Oedemopsis Tschek, 1869*
Ophion Fabricius, 1798
Ophiopterus Brullé, 1846*
Orthocentrus Gravenhorst, 1829*
Oxytorus Förster, 1869
Petila Tedesco & Aguiar, 2009
Phradis Förster, 1868*
Pimpla Fahrilles, 1804*
Podogaster Brullé, 1846*
Polycyrtidea Viereck, 1913
Polyphrix Townes, 1970
Polysphincta Gravenhorst, 1829*
Priotomis Townes, 1970
Pristomerus Curtis, 1836*
Probles Förster, 1868*
Prosthoporus Porter, 1977
Rhinium Townes, 1966
Sphingozena Townes, 1971*
Stethantyx Townes, 1971*
Syzeuctus Förster, 1868*
Temelucha Förster, 1869*
Thymebatis Brèthes, 1909
Thyreodon Brullé, 1846
Ticapimpla Gauld, 1991*
Toechorychus Townes, 1946
Trathala Cameron, 1899*
Trieces Townes, 1946*
Woldstedtius Carlson, 1979*
Xanthopimpla Saussure, 1892*

Xiphosomella Szépligeti, 1905*
Xorides Latreille, 1809*
Zaglyptus Foster, 1869*
Zagryphus Cushman, 1919*
Zatypota Förster, 1869*
Zonopimpla Ashmead, 1900*

Trigonalioidea, Trigonaliidae
Taeniogonalos Schulz, 1906*
(Figura 5)

Cynipoidea, Figitidae
Acanthaegilips Ashmead, 1897*
Acantheucoila Ashmead, 1900*
Aganaspis Lin, 1988*
Agrostocynipis Diaz, 1976*
Alloxysta Förster, 1869*
Anacharis Dalman, 1823*
Angustocorpa Quinlan, 1988*
Apocharips Fergusson, 1988*
Aspicera Dahlbom, 1842*
Chrestosema Förster, 1869*
Dettmeria Borgmeier, 1935*
Dicerataspis Ashmead, 1896*
Didyctium Riley, 1880*
Dieucoila Ashmead, 1903*



Figura 5. Trigonalidae, *Taeniogonalos* Schulz, 1906

Endecameris Yoshimoto, 1963*

Figites Latreille, 1802*

Ganaspis Förster, 1869*

Gronotoma Förster, 1869*

Hexacola Förster, 1869*

Kleidotoma Westwood, 1833*

Leptolamina Yoshimoto, 1962*

Leptopilina Förster, 1869* (Figura 6)

Marthiella Buffington, 2009*

Micreroides Yoshimoto, 1962*

Neralsia Cameron, 1833*

Odontoeucoila Ashmead, 1903

Odontosema Kieffer, 1909*

Preseucoela Buffington, 2004*

Rhabdeucoela Kieffer, 1907*

Rhoptromeris Förster, 1869*

Steleucoela Kieffer, 1908

Striatovertex Schick & Forshage, 2011*

Thoreauella Girault, 1930*

Triplasta Kieffer, 1901*

Tropideucoila Ashmead, 1903*

Zaeucoila Ashmead, 1903*

Cynipoidea, Ibaliiidae

Ibalia Latreille, 1802*

Cynipoidea, Liopteridae

Liopteron Perty, 1833* (Figura 7)

Pseudibalia Kieffer, 1911*

Evanoidea, Aulacidae

Aulacus Jurine, 1807* (Figura 8)

Pristaulacus Kieffer, 1900

Evanoidea, Evaniiidae

Alobevania Kawada & Deans, 2008*

Evania Fabricius, 1775

Evanella Bradley, 1905

Evaniscus Szépligeti, 1903*



Figura 6. Figitidae, *Leptopilina* Förster, 1869



Figura 7. Liopteridae, *Liopteron* Perty, 1833



Figura 8. Aulacidae, *Aulacus* Jurine, 1807

Hyptia Illiger, 1807
Semaeomyia Bradley, 1908 (Figura 9)

Evanioidea, Gasteruptiidae
Gasterruption Latreille, 1796
 (Figura 10)

Diaprioidea, Diapriidae
Acanthopria Ashmead, 1896*
 (Figura 11)
Acidopsilus Kieffer, 1909*
Aclista Förster, 1856*
Basalys Westwood, 1833*
Belyta Jurine, 1807*
Camptopsisilus Kieffer, 1908*
Coecopria Masner, 1969*
Coptera Say, 1836*
Dissoxylabis Kieffer, 1909*
Doddius Masner & Garcia, 2002*
Doliopria Kieffer, 1910*
Entomacis Förster, 1856*
Idiotypa Förster, 1856*
Leucopria Masner & Garcia, 2002*
Lyteba Thomson, 1858*
Megoplastopria Ashmead, 1903*
Mimopria Holgren, 1908*
Miota Förster, 1856*
Monoxyllabis Kieffer, 1909*
Monoxyllabis Kieffer, 1909*
Odontopsisilus Kieffer, 1909*
Paramesius Westwood, 1832*
Pentapria Kieffer, 1905*
Propsilomma Kieffer, 1916*
Scorpioteleia Ashmead, 1897*
Spilomicrus Westwood, 1832*
Szelenyiopria Fabricius, 1974*
Tropidopsisilus Kieffer, 1908*

Diaprioidea, Ismaridae
Ismarus Haliday, 1835*



Figura 9. Evanioidea, *Semaeomyia* Bradley, 1908



Figura 10. Gasteruptiidae, *Gasterruption* Latreille, 1796



Figura 11. Diapriidae, *Acanthopria* Ashmead, 1896

Diaprioidea, Monomachidae*Monomachus* Klug, 1841 (Figura 12)**Platygastroidea, Platygastridae**

- Acanthoscelio* Ashmead, 1893
Acerotella Masner, 1964
Allostemma Masner & Huggert, 1989
Allotropa Förster, 1856*
Amblyaspis Förster, 1856
Amitus Haldeman, 1850*
Baeus Haliday, 1833
Baryconus Förster, 1856
Calliscelio Ashmead, 1893
Calotelea Westwood, 1837
Chromoteleia Ashmead, 1893
Cremastobaeus Ashmead, 1893
Duta Nixon, 1933
Dyscritobaeus Perkins, 1910
Embidobia Ashmead, 1896*
Eumicrosoma Gahan, 1913*
Euxestonotus Fouts, 1925*
Fidiobia Ashmead, 1894
Gastrotrypes Brues, 1922
Gryon Haliday, 1833
Gryonoides Dodd, 1920*
Idris Förster, 1856
Inostemma Haliday, 1833*
Iphitrachelus Haliday, 1836
Isostasius Förster, 1856*
Leptacis Förster, 1856



Figura 12. Monomachidae,
Monomachus Klug, 1841

Leptoteleia Kieffer, 1908*Macroteleia* Westwood, 1835*Metanopediias* Brues, 1910**Odontacolus* Kieffer, 1910*Oethecoctonus* Ashmead, 1893*Opisthacantha* Ashmead, 1893*Orseta* Masner & Huggert, 1989**Parabaeus* Kieffer, 1910*Parascelio* Dodd, 1920*Paridris* Kieffer, 1908*Phanuromyia* Dodd, 1914**Phanuropsis* Girault, 1916**Piestopleura* Förster, 1856**Platygaster* Latreille, 1809*Probaryconus* Kieffer, 1908*Psilanteris* Kieffer, 1916*Pyrgaspis* Kozlov, 1967**Scelio* Latreille, 1805*Sceliomorpha* Ashmead, 1893*Synopeas* Förster, 1856*Telenomus* Haliday, 1833*Thoronella* Masner, 1972*Trichacis* Förster, 1856*Trimorus* Förster, 1856*Trissolcus* Ashmead, 1893*Triteleia* Kieffer, 1906

Tyrannoscelio Masner & Johnson, 2007 (Figura 13)



Figura 13. Platygastridae, *Tyrannoscelio* Masner & Johnson, 2007

Xenomerus Walker, 1836*

Proctotrupoidea, Heloridae

Helorus Ogloblin 1928*

Proctotrupoidea, Pelecinidae

Pelecinus Latreille, 1800 (Figura 14)

Proctotrupoidea, Proctotrupidae

Exallonyx Kieffer, 1904*

(Figura 15)

Ceraphronoidea, Ceraphronidae

Aphanognus Thomson, 1858*



Figura 14. Pelecinidae, *Pelecinus* Latreille, 1800



Figura 15. Proctotrupidae, *Exallonyx* Kieffer, 1904

Ceraphron Jurine, 1807*

Synarsis Förster, 1878* (Figura 16)

Ceraphronoidea, Megasilidae

Conostigmus Dahlbom, 1858*

Dendrocerus Ratzeburg, 1852*

(Figura 17)



Figura 16. Ceraphronidae, *Synarsis* Förster, 1878



Figura 17. Megasilidae, *Dendrocerus* Ratzeburg, 1852

Mymarommatoidea,**Mymaromatidae***Mymaromella* Girault, 1931*Mymaromma* Girault, 1920*Palaeomyrmecia* Meunier, 1901**Chalcidoidea, Agaonidae***Aepocerus* Mayr, 1885*Heterandrium* Mayr, 1885*Idarnes* Walker, 1843 (Figura 18)*Pegoscapus* Cameron, 1906**Chalcidoidea, Aphelinidae***Encarsia* Förster, 1878**Punkaphytis* Kim & Heraty, 2012*

(Figura 19)

Chalcidoidea, Chalcididae*Antrocephalus* Kirby, 1883*Aspirrhina* Kirby, 1883*Brachymeria* Westwood, 1829*Ceyxia* Girault, 1911*Conura* Spinola, 1837 (Figura 20)*Dirhinus* Dalman, 1818*Ecuada* Boucek, 1992**Epitranus* Walker, 1834*Halsteadium* Boucek, 1992*Haltichella* Spinola, 1811*Hockeria* Walker, 1834**Melanosmicra* Ashmead, 1904*Notaspidium* Dalla Torre, 1897*Stypiura* Kirby, 1883

Figura 19. Aphelinidae, *Punkaphytis* Kim & Heraty, 2012



Figura 18. Agaonidae, *Idarnes* Walker, 1843



Figura 20. Chalcididae, *Conura* Spinola, 1837

Zavoya Boucek, 1992

Chalcidoidea, Encyrtidae

- Adelencyrtus* Ashmead, 1900*
- Aenasius* Walker, 1846*
- Agarwalencyrtus* Hayat, 1981*
- Anagyrus* Howard, 1896
- Anicetus* Howard, 1896*
- Aphytus* Mayr, 1876*
- Arrhenophagus* Aurivillius, 1888*
- Blastothrix* Mayr, 1876*
- Blepyrus* Howard, 1898*
- Brachyplatycerus* De Santis, 1972*
- Cerchysiella* Girault, 1914
- Cheiloneurus* Westwood, 1833*
- Coccidoctonus* Crawford, 1912*
- Coelopencyrtus* Timberlake, 1919*
- Comperia* Gomes, 1942
- Copidosoma* Ratzeburg, 1844
- Encyrtus* Latreille, 1809
- Hambletonia* Compere, 1936*
- Hemencyrtus* Ashmead, 1900
- Hexacladia* Ashmead, 1891*
- Homalopoda* Howard, 1894*
- Homalotylus* Mayr, 1876*



Figura 21. Encyrtidae, *Metaphycus* Mercet, 1917

Meromyzobia Ashmead, 1900*

- Metaphycus* Mercet, 1917*
(Figura 21)

- Microterys* Thomson, 1876*
- Mira* Schellenberg, 1803*
- Mucrencencyrtus* Noyes, 1980*
- Neastymachus* Girault, 1915*
- Ooencyrtus* Ashmead, 1900*
- Parablastothrix* Mercet, 1917*
- Prionomastix* Mayr, 1876
- Prochiloneurus* Silvestri, 1915*
- Protyndarichoides* Noyes, 1980*
- Psyllaephagus* Ashmead, 1900*
- Rhytidothorax* Ashmead, 1900*
- Shenahetia* Noyes, 1980*
- Syrphophagus* Ashmead, 1900*
- Tineophoctonus* Ashmead, 1900*

Chalcidoidea, Eucharitidae

- Isomerala* Shipp, 1894
- Kapala* Cameron, 1884*
- Lirata* Cameron, 1884* (Figura 22)
- Orasema* Cameron, 1884*

Chalcidoidea, Eulophidae

- Alveoplectrus* Wijesekara & Schauff, 1997*



Figura 22. Eucharitidae, *Lirata* Cameron, 1884

Ametallon Ashmead, 1904*
Aoridus Yoshimoto, 1971*
Apleurotropis Girault, 1913
Aprostocetus Westwood, 1833*
Cabeza Hansson & LaSalle, 2003*
Chrysocharis Förster, 1856*
Closterocerus Westwood, 1833*
(Figura 23)
Deutereulophus Schulz, 1906*
Diglyphus Walker, 1844*
Elachertus Spinola, 1811*
Elasmus Westwood, 1833*
Emersonella Girault, 1916*
Eriastichus LaSalle, 1994*
Euderus Haliday, 1844*
Euplectrus Westwood, 1832*
Galeopsomyia Girault, 1916*
Grotiusomyia Girault, 1917*
Hoplocrepis Ashmead, 1890*
Horismenus Walker, 1843*
Melittobia Westwood, 1848*
Ogmoelachertus Schauff, 2000*
Omphale Haliday, 1833*
Oxypracetus LaSalle, 1994*



Figura 23. Eulophidae, *Closterocerus* Westwood, 1833

Paracrias Ashmead, 1904*
Paraolinx Ashmead, 1894*
Pediobius Walker, 1846*
Perditorulus Hansson, 1996*
Phymastichus LaSalle, 1990*
Platyplectrus Ferrière, 1941*
Proacrias Ihering, 1914*
Pseudosecodes Girault & Dodd, 1915*
Tachinobia Boucek, 1977*
Tetrastichus Haliday, 1844*
Trichospilus Ferrière, 1930*

Chalcidoidea, Eupelmidae

Anastatus Motschulsky, 1859*
Arachnophaga Ashmead, 1896*
Australoodera Girault, 1922*
Brasema Cameron, 1884 (Figura 24)
Calosota Curtis, 1836*
Ecnomocephala Gibson, 1995*
Eupelmus Dalman, 1820*
Lecaniobius Ashmead, 1896*
Macreupelmus Ashmead, 1896*
Metapelma Westwood, 1835*
Omeganastatus Gibson, 1995*



Figura 24. Eupelmidae, *Brasema* Cameron, 1884

- Oozetetes* De Santis, 1970*
Phlebopenes Perty, 1833*
Psomizopelma Gibson, 1995*
Reikosiella Yoshimoto, 1969*
Zaischnopsis Ashmead, 1896*

Chalcidoidea, Eurytomidae

Bephrata Cameron, 1984

(Figura 25)

Khamul Gates, 2008

Rileya Ashmead, 1988



Figura 25. Eurytomidae, *Bephrata* Cameron, 1984

Chalcidoidea, Leucospidae

Leucospis Fabricius, 1775*

(Figura 26)



Figura 26. Leucospidae, *Leucospis* Fabricius, 1775

Chalcidoidea, Mymaridae

Acmoplynema Ogloblin, 1946*

(Figura 27)

Alaptus Westwood, 1839*

Anagroidea Girault, 1915*

Anagrus Haliday, 1833*

Arescon Walker, 1846*

Australomyrm Girault, 1929*

Callodicopus Ogloblin, 1955*

Camptoptera Förster, 1856*

Camptopteroidea Viggiani, 1974*

Cleruchus Enock, 1909*

Erdosiella Soyka, 1956*

Erythmelus Enock, 1909*

Gonatocerus Nees, 1834*

Litus Haliday, 1833*

Myrmecomymar Yoshimoto, 1990*

Neomyrm Carwford, 1913*

Neostethynium Ogloblin, 1964*

Omyomyrm Schauff, 1983*

Polynema Haliday, 1833*

Schizophragma Ogloblin, 1949*

Stephanocampta Mathot, 1966*

Tetrapolynema Ogloblin, 1946*



Figura 27. Mymaridae, *Acmoplynema* Ogloblin, 1946

Chalcidoidea, Perilampidae*Perilampus* Latreille, 1809 (Figura 28)**Chalcidoidea, Pteromalidae**

- Ablaxia* Delucchi, 1957*
- Acaenasis* Girault, 1917*
- Aepocerus* Mayr, 1885*
- Apsilocera* Boucek, 1956*
- Arachnopteronalus* Gordh, 1976*
- Asaphes* Walker, 1834*
- Bubekia* Dalla Torre, 1897*
- Callitula* Spinola, 1811*
- Catolaccus* Thomson, 1878*
- Chalcedectus* Walker, 1852*
- Chrysoglyphe* Ashmead, 1894*
- Cleonymus* Latreille, 1809*
(Figura 29)
- Dipara* Walker, 1833*
- Epipteromalus* Ashmead, 1904*
- Epistenia* Westwood, 1832*
- Erixestus* Crawford, 1910*
- Erotolepsia* Howard, 1894*
- Eurydinotelooides* Girault, 1913*
- Gastrancistrus* Westwood, 1833*
- Halticopterooides* Girault, 1913*
- Hedqvistia* Gibson, 2003*
- Herbertia* Howard, 1894*
- Heteroschema* Gahan, 1919*
- Holcaeus* Thomson, 1878*



Figura 28. Perilampidae, *Perilampus* Latreille, 1809

Jaliscoa Boucek, 1993**Lelaps* Walker, 1843**Leptofoenus* Smith, 1862**Lycisca* Spinola, 1840**Lyrcus* Walker, 1842**Macroglenes* Westwood, 1832**Mauleus* Graham, 1981**Metastenus* Walker, 1834**Miristhma* Boucek, 1993**Nasonia* Ashmead, 1904**Neocatolaccus* Ashmead, 1904**Netomocera* Boucek, 1954**Notoglyptus* Masi, 1917**Ogloblinisca* Hedqvist, 1968**Pachycrepoides* Ashmead, 1904**Pachyneuron* Walker, 1833**Propodeia* Boucek, 1993**Proschizonotus* Girault, 1928**Protoepistenia* Gibson, 2003**Psilocera* Walker, 1833**Shedoepistenia* Gibson, 2003**Spalangia* Latreille, 1805**Systatis* Walker, 1834**Theocolax* Westwood, 1832**Toxeumella* Girault, 1913**Trichomalopsis* Crawford, 1913**Uniclypea* Boucek, 1976*

Figura 29. Pteromalidae, *Cleonymus* Latreille, 1809

Chalcidoidea, Signiphoridae*Signiphora* Ashmead, 1880**Thysanus* Walker, 1840***Chalcidoidea, Tanaostigmatidae***Tanaostigma* Howard, 1890 (Figura 30)*Tanaostigmodes* Ashmead, 1896***Chalcidoidea, Torymidae***Palmon* Dalman, 1825*Podagrion* Spinola, 1811**Torymoides* Walker, 1871*Torymus* Dalman, 1820**Zaglyptonotus* Crawford, 1914***Chalcidoidea, Trichogrammatidae***Oligosita* Walker, 1851* (Figura 31)*Trichogramma* Westwood, 1833**ACULEATA****Chryridoidea, Bethylidae***Anisepyrus* Kieffer, 1905*Apenesia* Westwood, 1874*Aspidepyris* Evans, 1964*Bakeriella* Kieffer, 1910*Cephalonomia* Westwood, 1833*Chlorepyparis* Kieffer, 1913*Dissomphalus* Ashmead, 1893*Epyris* Westwood, 1832*Goniozus* Förster, 1856*Holepyris* Kieffer, 1905*Laelius* Ashmead, 1893*Nothepyris* Evans, 1973*Prorops* Waterson, 1923*Prosierola* Kieffer, 1905*Pseudisobrachium* Kieffer, 1904

(Figura 32)

Sclerodermus Latreille, 1809*Solepyris* Azevedo, 2006**Chryridoidea, Chrysidae***Adelphe* Krombein, 1890**Amisega* Cameron, 1888**Caenochrysis* Kimsey & Bohart,

1981 (Figura 33)

Chrysis Linnaeus, 1761**Cleptidea* Mocsáry, 1904

Figura 30. Tanaostigmatidae,
Tanaostigma Howard, 1890



Figura 31. Trichogrammatidae, *Oligosita*
Walker, 1851

Exallopelta French, 1985*

Exochrysis Bohart, 1966*

Holophhris Mocsáry, 1890*

Ipsiura Bohart, 1959*

Pleurochrysis Bohart, 1966*

Chrysidoidea, Dryinidae

Anteon Jurine, 1807*

Aphelopus Dalman, 1823

Bocchus Ashmead, 1893*

Crovettia Olmi, 1984

Deinodryinus Perkins, 1907

Dryinus Latreille, 1804*

Gonatopus Ljungh, 1810* (Figura 34)



Figura 32. Bethylidae,
Pseudisobrachium Kieffer, 1904

Neodryinus Perkins, 1905

Thaumatodryinus Perkins, 1905*

Chrysidoidea, Embolemidae

Embolemus Westwood, 1833

(Figura 35)

Chrysidoidea, Sclerogibbidae

Probethylus Ashmead, 1902

(Figura 36)



Figura 34. Dryinidae, *Gonatopus*
Ljungh, 1810



Figura 33. Chrysididae, *Caenochrysis*
Kimsey & Bohart, 1981



Figura 35. Embolemidae, *Embolemus*
Westwood, 1833

Chrysidoidea, Scolebythidae
Clystopsenella Kieffer, 1911*
 (Figura 37)

- Vespoidea, Formicidae**
- Acanthognathus* Mayr, 1887
 - Acanthoponera* Mayr, 1862
 - Acanthostichus* Mayr, 1887*
 - Acromyrmex* Mayr, 1865
 - Anochetus* Mayr, 1861
 - Apterostigma* Mayr, 1865
 - Atta* Fabricius, 1804
 - Azteca* Forel, 1878
 - Basiceros* Schulz, 1906
 - Brachymyrmex* Mayr, 1868
 - Camponotus* Mayr, 1861
 - Carebarella* Emery, 1906
 - Cephalotes* Latreille, 1802
 - Cerapachys* Smith, 1857*
 - Crematogaster* Lund, 1831
 - Cryptomyrmex* Fernández, 2004
 - Cylindromyrmex* Mayr, 1870*
 (Figura 38)
 - Cyphomyrmex* Mayr, 1862



Figura 36. Sclerogibbidae, *Probethylus* Ashmead, 1902

- Dinoponera* Roger, 1861
- Discothyrea* Roger, 1863
- Dolichoderus* Lund, 1831
- Dorymyrmex* Mayr, 1866
- Eciton* Latreille, 1804
- Ectatomma* Smith, 1858
- Eurhopalothrix* Brown & Kempf, 1961
- Gnamptogenys* Roger, 1863
- Heteroponera* Mayr, 1887
- Hylomyrma* Forel, 1912
- Hypoponera* Santschi, 1938



Figura 37. Scolebythidae,
Clystopsenella Kieffer, 1911



Figura 38. Formicidae,
Cylindromyrmex Mayr, 1870

Labidus Jurine, 1807
Lachnomyrmex Wheeler, 1910
Leptogenys Roger, 1861
Linepithema Mayr, 1866
Mayaponera Schmidt & Shattuck,
 2014
Megalomyrmex Forel, 1885
Monomorium Mayr, 1855
Mycocepurus Forel, 1893
Myrmelachista Roger, 1863
Myrmicocrypta F. Smith, 1860
Neivamyrmex Borgmeier, 1940
Neoponera Emery, 1901
Nesomyrmex Wheeler, 1910
Nomamyrmex Borgmeier, 1936
Nylanderia Emery, 1906
Octostruma Forel, 1912
Odontomachus Latreille, 1804
Oxyepoecus Santschi, 1841
Pachycondyla Smith, 1858
Paratrechina Motschoulsky, 1863
Pheidole Westwood, 1839
Platythyrea Roger, 1863*
Prionopelta Mayr, 1866*
Procryptocerus Emery, 1887
Pseudomyrmex Lund, 1831
Rogeria Emery, 1894



Figura 39. Mutilidae, *Hoplocrates* Mickel, 1937

Sericomyrmex Mayr, 1865
Simopelta Mann, 1922
Solenopsis Westwood, 1840
Stigmatomma Roger, 1859
Strumigenys Smith, 1860
Tapinoma Förster, 1850
Tetramorium Mayr, 1855
Thaumatomyrmex Mayr, 1887
Trachymyrmex Forel, 1893*
Typhlomyrmex Mayr, 1862
Wasmannia Forel, 1893

Vespoidea, Mutillidae

Calomutilla Mickel, 1952*
Darditilla Casal, 1965*
Ephuta Say, 1836
Hoplocrates Mickel, 1937 (Figura 39)
Hoplomutilla Ashmead, 1899
Horcomutilla Casal, 1962*
Lomachaeta Mickel, 1936*
Lophomutilla Mickel, 1952
Lophostigma Mickel, 1952*
Lynchiatilla Casal, 1963*
Pappognatha Mickel, 1939
Pertyella Mickel, 1952*
Pseudomethoca Ashmead, 1899*
Seabratilla Casal, 1963
Sphaeropthalma Blake, 1871*
Timulla Ashmead, 1899
Traumatomutilla André, 1901
Vianatilla Casal, 1962*
Xystromutilla André, 1905*

Vespoidea, Pompilidae

Abernessia Arlé, 1947
Ageniella Banks, 1911
Agenioideus Ashmead, 1902*
Aimatocare Roig Alsina, 1989*
Anoplius Dufour, 1834
Aplochares Banks, 1944*

Aporus Spinola, 1808* (Figura 40)
Aridesmus Banks, 1947*
Auplopus Spinola, 1841
Balboana Banks, 1944*
Caliadurgus Pate, 1946*
Ceropales Latreille, 1796*
Dicranoplus Haupt, 1950*
Dipogon Fox, 1897*
Entypus Dahlbom, 1843*
Epipompilus Kohl, 1884*
Episyron Schiødte, 1837*
Eragenia Banks, 1946
Euplaniceps Haupt, 1930*
Irenangelus Schultz, 1906*
Minagenia Banks, 1934*
Mystacagenia Evans, 1973
Notocyphus Smith, 1855
Pepsis Fabricius, 1804
Poecilopompilus Howard, 1901
Priochilus Banks, 1944
Priocnemis Schiodte, 1837*
Tachypompilus Ashmead, 1902*

Vespoidea, Rhopalosomatidae
Liosphex Townes, 1977*
Olixon Cameron, 1887*
Rhopalosoma Shuckard, 1841
 (Figura 41)



Figura 40. Pompilidae, *Aporus* Spinola, 1808

Vespoidea, Scoliidae
Campsomeris Lepeletier, 1845
 (Figura 42)

Vespoidea, Tiphidae
Aelurus Klug, 1842*



Figura 41. Rhopalosomatidae,
Rhopalosoma Shuckard, 1841



Figura 42. Scoliidae, *Campsomeris* Lepeletier, 1845

Anthobosca Guérin Méneville, 1830*
Atopothynnus Kimsey, 1991*
Epomidiopteron Romand, 1836*
Mallochessa Allen, 1972*
Mesothynnus Kimsey, 1991*
Methocha Latreille, 1804*
Myzinum Latreille, 1803*
Pterombrus Smith, 1869*
Scotaena Klug, 1810* (Figura 43)
Tiphia Fabricius, 1775*
Upa Kimsey, 1991*
Zeena Kimsey, 1991*

Vespoidea, Vespidae

Agelaia Lepeletier, 1836 (Figura 44)
Angiopolybia Araujo, 1946
Apoica Lepeletier, 1836
Brachygastra Perty, 1833
Cephalastor Giordani Soika, 1982
Chartergellus Bequaert, 1938
Epipona Latreille, 1802
Leipomeles Möbius, 1856
Mischocyttarus de Saussure, 1853
Monobia de Saussure, 1852
Montezumia de Saussure, 1852



Figura 43. Tiphidae, *Scotaena* Klug, 1810

Pachodynerus de Saussure, 1870
Pirhosigma Giordani Soika, 1978
Polistes Latreille, 1802
Polybia Lepeletier, 1836
Protonectarina Ducke, 1910
Protopolybia Ducke, 1905
Pseudodynerus de Saussure, 1855
Pseudopolybia de Saussure, 1863
Synoeca de Saussure, 1852
Zethus Fabricius, 1804

Apoidea, Ampulicidae

Ampulex Jurine, 1807*
Dolichurus Latreille, 1809*

Apoidea, Apidae

Acamptopoeum Cockerell, 1905
Ancyloscelis Latreille, 1829
Agapostemon Guerin-Meneville, 1844
Anthodioctes Holmberg, 1903
Anthrenoides Ducke, 1907
Apis Linnaeus, 1758
Ariphanarthra Moure, 1951
Augochlora Smith, 1853



Figura 44. Vespidae, *Agelaia* Lepeletier, 1836

- Augochlorella* Sandhouse, 1937
Augochloropsis Cockerell, 1897
Austrostelis Michener & Griswold, 1994
Bombus Latreille, 1802
Bothranthidium Moure, 1947
Centris Fabricius, 1804
Cephalotrigona Schwarz, 1940
Ceratalictus Moure, 1943
Ceratina Latreille, 1802*
Chilicola Spinola, 1851*
Coelioxys Latreille, 1809
Colletes Latreille, 1802*
Corynurella Eickwort, 1969*
Cyphomelissa Schrottky, 1902
Dialictus Robertson, 1902
Dicranthidium Moure & Urban, 1975
Dithygater Moure & Michener, 1955*
Epanthidium Moure, 1947
Epicharis Klug, 1807
Eufriesea Cockerell, 1909
Euglossa Latreille, 1802 (Figura 45)
Eulaema Lepeletier, 1841
Eulonchopria Brèthes, 1909
Eurytis Smith, 1854
Exaerete Hoffmannsegg, 1817
Exomalopsis Spinola, 1853
Florilegus Robertson, 1900
Friesella Moure, 1946
Frieseomelitta Ihering, 1912
Gaesischia Michener, LaBerge & Moure, 1955
Habralictus Moure, 1941*
Hoplocolletes Michener, 1965
Hoplostelis Dominique, 1898
Hylaeus Fabricius, 1793*
Hypanthidium Cockerell, 1904
Larocanthidium Urban, 1997
Leiopodus Smith, 1854
Lestrimelitta Friese, 1903
- Leurotrigona* Moure, 1951
Lophopedia Michener & Moure, 1957
Megachile Latreille, 1802
Megalopta Smith, 1853
Megaloptidia Cockerell, 1900
Megommation Moure, 1943
Melipona Illiger, 1806
Melissoptila Holmberg, 1884
Melitoma Lepeletier & Serville, 1828
Melissodes Latreille, 1829
Mesoplia Lepeletier, 1841
Microsphecodes Eickwort & Stage, 1972*
Moureanthidium Urban, 1995
Mydrosoma Smith, 1879
Nananthidium Moure, 1947
Nannotrigona Cockerell, 1922
Neocorynura Schrottky, 1910*
Nomada Scopoli, 1770*
Odyneropsis Schrottky, 1902*
Osiris Smith, 1854
Oxaea Klug, 1807
Oxytrigona Cockerell, 1917
Parapsaenythia Friese, 1908
Paratetrapedia Moure, 1941
Paratrigona Schwarz, 1938*
Partamona Schwarz, 1939



Figura 45. Apidae, *Euglossa* Latreille, 1802

- Plebeia* Schwarz, 1938
Protodiscelis Brèthes, 1909
Psaenythia Gerstaeker, 1868
Pseudagapostemon Schrottky, 1909
Pseudaugochlora Michener, 1954
Ptiloglossa Smith, 1853*
Rhathymus Lepeletier & Serville, 1828
Rhinocorynura Schrottky, 1909
Rhophitulus Ducke, 1907*
Saranthidium Moure & Hurd, 1960
Scaptotrigona Moure, 1942
Scaura Schwarz, 1938
Schwarziana Moure, 1943
Temnosoma Smith, 1853*
Tetragona Lepeletier & Serville, 1828
Tetragonisca Moure, 1946
Tetrapedia Klug, 1810
Thectochlora Moure, 1940
Thygater Holmberg, 1884
Trichocerapis Cockerell, 1904
Trigona Jurine, 1807
Trigonisca Moure, 1950
Trigonopedia Moure, 1941
Tropidopedia Michener & Moure, 1957
Xylocopa Latreille, 1802
- Apoidea, Crabronidae**
- Argogorytes* Ashmead, 1899*
Aroliagorytes Bohart, 2000*
Astata Latreille, 1796
Bembecinus A. Costa, 1859*
Bembix Fabricius, 1775
Bicyrtes Lepeletier, 1845
Bothynostethus Kohl, 1884*
Cerceris Latreille, 1802*
Clitemnestra Spinola, 1851*
Ectemnius Dahlbom, 1845
Editha Parker, 1929
- Enoplolindenius* Rohwer, 1911*
Entomocabro Kohl, 1905*
Epinysson Pate, 1935*
Foxia Ashmead, 1898*
Holcorhopalum Cameron, 1904*
(Figura 46)
Hoplisoides Gribodo, 1884*
Incastigmus Finnimore, 1995
Larra Fabricius, 1793
Lecrenierius Leclercq, 1977*
Lestiphorus Lepeletier, 1832*
Liogorytes Bohart, 1967*
Liris Fabricius, 1804*
Lyroda Say, 1837*
Microbembex Patton, 1879
Microstigmus Ducke, 1907
Nitela Latreille, 1809*
Oxybelus Latreille, 1796:*
- Pae* Pate, 1944*
Philanthus Fabricius, 1790*



Figura 46. Crabronidae,
Holcorhopalum Cameron, 1904

<i>Pison</i> Jurine in Spinola, 1808	<i>Tachytes</i> Panzer, 1806
<i>Pisoxylon</i> Menke, 1968*	<i>Tracheliodes</i> Morawitz, 1866*
<i>Pluto</i> Pate, 1937	<i>Trachypus</i> Klug, 1810*
<i>Podagritus</i> Spinola, 1851*	<i>Trypoxylon</i> Latreille, 1796
<i>Psen</i> Latreille, 1796*	
<i>Pterygorytes</i> Bohart, 1967	Apoidea, Sphecidae
<i>Quexua</i> Pate, 1942*	<i>Ammophila</i> Kirby, 1798
<i>Rhopalum</i> Stephens, 1829*	<i>Dynatus</i> Lepeletier, 1845
<i>Rubrica</i> Parker, 1929	<i>Eremnophila</i> Menke, 1964
<i>Sagenista</i> Bohart, 1967	<i>Isodontia</i> Patton, 1880*
<i>Scapheutes</i> Handlirsch, 1887*	<i>Penepodium</i> Menke in Bohart &
<i>Selman</i> Parker, 1929	Menke, 1976
<i>Solierella</i> Spinola, 1851*	<i>Podium</i> Fabricius, 1804
<i>Spilomena</i> Shuckard, 1838*	<i>Prionyx</i> Vander Linden, 1827
<i>Stictia</i> Illinger, 1807	<i>Sceliphron</i> Klug, 1801
<i>Stigmus</i> Panzer, 1804*	<i>Sphex</i> Linnaeus, 1758
<i>Tachysphex</i> Kohl, 1883	<i>Trigonopsis</i> Perty, 1833

Discussion

Fernández & Sharkey (2006) estimated 2,520 genera of Hymenoptera in the Neotropical region. So the total of 973 genera recognized from Espírito Santo represents about 38.6% of their estimate. The area of Espírito Santo is approximately 46,000 km², representing close to 0.23% of the Neotropical region. Given its high diversity of habitats and geographic location, a high level of faunistic biodiversity is expected. About 57% of the genera listed here are new records from this state. That indicates how the fauna of Hymenoptera in this area is poorly studied.

Guénard *et al.* (2012) expected 75 genera of ants for Espírito Santo, according to an interpolation model. The Espírito Santo ant fauna was known from 58 genera, and we found six more totaling 64 genera, if the recent splitting (Schmidt & Shattuck 2014) of *Pachycondyla* is not taken into account, and 66 genera considering the new definition of *Pachycondyla*. One possible reason for the present list not fulfilling these authors' expectations could be that the new data in the present checklist was mostly based on material collected using Malaise traps, available through the UFES collections. This clearly must have produced sampling bias and prevented the sampling from being exhaustive, given that several taxa need specific strategies for exhaustive sampling (see

Noyes, 1989). Nevertheless, this extensive use of Malaise traps permitted the capture of several ant species for poorly collected genera, such as two species of *Acanthostichus* and three species of *Cylindromyrmex* for Espírito Santo compared with only one species of the former genus and none for the latter in the intensive leaf litter sampling of Silva & Brandão (2014) throughout the Atlantic Forest. Given the known distribution records for ants in surrounding states (Guénard *et al.*, 2012; Silva & Brandão, 2014) we expect the following, relatively widespread, genera also to be present in Espírito Santo: *Acropyga*, *Centromyrmex*, *Cryptopone*, *Forelius*, *Kalathomyrmex*, *Mycetagroicus*, *Mycetophylax*, *Mycetarotes*, *Ochetomyrmex*, *Proceratium*, *Pseudoponera*, and *Tranopelta*. *Mycetosoritis*, *Rasoponera*, and *Tropidomyrmex*, while not as widespread as the previous genera, are to be found in neighboring states and may be present. Given the busy activities in the port city of Vitoria, additional invasive ant genera, such as *Cardiocondyla*, may also be eventually sampled. These considerations suggest the presence of at least 78 ant genera in Espírito Santo, and perhaps 81 or 82.

It is important to point out that this is the first check list of Hymenoptera from Espírito Santo and based mostly on material collected by Malaise traps in areas of Atlantic forest. Thus future field expeditions using several different methods of sampling and in different habitats will certainly improve the coverage of the present list. In spite of the sampling limitations, this checklist represents the first attempt at producing concrete faunistic estimates for a state in Southeastern Brazil, and the authors hope that it will be a starting point for more thorough research of these organisms.

Acknowledgements

We thank Paulo Stein, Chirlei Brito, Mirella Tostes, Lidiana Zampogno, Magno Ramos, Fernanda Gomes, and Felipe Fraga for mounting and labeling thousands of specimens; Sandra Fagundes for helping in preparing of thousands of pages of the report; Isabel Alencar, Diego Barbosa, and Anderson Pessan for assisting N.E.S.H.; to Chirley Brito again for uploading references and checklist; to Nelson Perioto for identifying the genus of the Eurytomidae illustrated. We also thank CNPq/FAPES, call Pronex program, for the financial support to the proposal “N.E.S.H. – Hymenoptera Systematics Center: broadening agricultural and environmental frontiers of Espírito Santo”, grant #52263010/2011 under coordination of COA. We thank Valéria Fagundes, Sandra Fagundes, and Viviana Corte for encouraging us in several steps of this work. USDA is an equal opportunity provider and employer.

Literature Cited

- Aguiar, A. P.; Deans, A. R.; Engel, M. S.; Forshage, M.; Huber, J. T.; Jennings, J. T.; Johnson, N. F.; Lelej, A. S.; Longino, J. T.; Lohrmann, V.; Mikó I.; Ohl, M.; Rasmussen, C.; Taeger, A. & Yu, D. S. 2013. Order Hymenoptera. *Zootaxa*, 3703: 51-62.
- Alencar, I. D. C. C.; Fraga, F. B.; Tavares, M. T. & Azevedo, C. O. 2007. Perfil da fauna de vespas parasitóides (Insecta, Hymenoptera) em uma área de Mata Atlântica do Parque Estadual de Pedra Azul, Domingos Martins, Espírito Santo, Brasil. *Arquivos do Instituto Biológico de São Paulo*, 74: 111-114.
- Austin, A. D. & Dowton, M. 2000. The Hymenoptera: an introduction. In Austin, A. D. & Dowton, M. (eds) *Hymenoptera: evolution, biodiversity and biological control*. CSIRO Publishing, Collingwood.
- Azevedo, C. O. & Santos, H. S. 2000. Perfil da fauna de himenópteros parasitóides (Insecta, Hymenoptera) em uma área de Mata Atlântica da Reserva Biológica de Duas Bocas, Cariacica, ES, Brasil. *Boletim do Museu Biológico Mello Leitão*, 11: 117-126.
- Azevedo, C.O.; Kawada, R.; Tavares, M.T. & Perioto; N.W. 2002. Perfil da fauna de himenópteros parasitóides (Insecta, Hymenoptera) em uma área de Mata Atlântica do Parque Estadual da Fonte Grande, Vitória, ES, Brasil. *Revista Brasileira de Entomologia*, 46: 133-137.
- Azevedo, C.O.; Corrêa M.S.; Gobbi F.T.; Kawada R.; Lanes G.O.; Moreira A.R.; Redighieri E.S.; Dos Santos L.M. & Waichert C. 2003. Perfil das famílias de vespas parasitoides (Hymenoptera) em uma área de Mata Atlântica da Estação Biológica de Santa Lúcia, Santa Lúcia, Santa Teresa, ES, Brasil. *Boletim do Museu Biológico Mello Leitão*, 16: 39-46.
- Fernández, F. & Sharkey, M. J. 2006. *Introducción a los Hymenoptera de la Región Neotropical*. Sociedad Colombiana de Entomología y Universidade Nacional de Colombia, Bogotá, 894 pp.
- Grimaldi, D. & Engel, M. S. 2005 *Evolution of the insects*. Cambridge University Press, 755 pp.
- Grissell, E. E. 1999. Hymenopteran diversity: some alien notions. *American Entomologist*, 45: 235-244.
- Guénard, B.; Weiser, M. D. & Dunn, R. R. 2012. Global models of ant diversity suggest regions where new discoveries are most likely are under disproportionate deforestation threat. *Proceedings of the National Academy of Sciences*, 109: 7368-7373.
- Heraty, J.; Ronquist, F.; Carpenter J. M.; Hawks, D.; Schulmeister, S.; Dowling, A. P.; Murray, D.; Munro, J.; Wheeler, W.C.; Schiff, N. & Sharkey,

- M. 2011. Evolution of the hymenopteran megaradiation. *Molecular Phylogenetics and Evolution*, 60: 73-88.
- Huber, J. T. 2009. Biodiversity of Hymenoptera. In Footit, R. G. & Adler, P. H. (eds) *Insect Biodiversity: Science and Society*. Wiley- Blackwell
- Lani, J. L.; Resende, M.; Rezende, S. B. & Feitosa, L. R. 2008. *Atlas dos Ecossistemas do Espírito Santo*. Secretaria Estadual de Meio Ambiente e Recursos Hídricos, UFV, Viçosa. 504 p.
- New, T. R. 2012. *Hymenoptera and Conservation*. Hoboken, NJ, Wiley- Blackwell, 232 pp.
- Noyes, J. S. 1989. A study of five methods of sampling Hymenoptera (Insecta) in a tropical rainforest, with special reference to the parasitica. *Journal of Natural History*, 23: 285-298.
- Schmidt, C. A. & Shattuck, S. O. 2014. The Higher Classification of the ant subfamily Ponerinae (Hymenoptera: Formicidae), with a Review of Ponerine Ecology and Behavior. *Zootaxa*, 3817: 1-242.
- Sharkey, M. J. 2007. Phylogeny and Classification of Hymenoptera. *Zootaxa*, 1668: 521-548.
- Sharkey, M. J.; Carpenter, J. M.; Vilhelmesen, L.; Heraty, J.; Liljeblad, J.; Ashley, P. G.; Dowling, P. G.; Schulmeister, S.; Murray, D.; Deans, A. R.; Ronquist, F.; Krognam, L. & Wheeler, W. C. 2011. Phylogenetic relationships among superfamilies of Hymenoptera. *Cladistics*, 27: 1-33.
- Silva, R. & Brandão, C. R. F. 2014. Ecosystem-wide morphological structure of leaf-litter ant communities along a tropical latitudinal gradient. *Plos One*, 9: e93049.