RECENT ADVANCES IN BIOENVIRONMENTAL ENGINEERING

Suleyman A. Muyibi
 Maan Alkhathib
 Mohd Ismail Abdulkarim
 Md Zahangir Alam
 Hamzah Mohd Salleh
 Mohammed Saedi Jami

IIUM PRESS

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA



Recent Advances in Bioenvironmental Engineering

Editors

Suleyman A. Muyibi Mohd Ismail Abdulkarim Hamzah Mohd Salleh

Maan Alkhathib Md Zahangir Alam Mohammed Saedi Jami



Published by: IIUM Press International Islamic University Malaysia

First Edition, 2011 ©IIUM Press, IIUM

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without any prior written permission of the publisher.

Perpustakaan Negara Malaysia

Cataloguing-in-Publication Data

Suleyman A. Muyibi, Maan Alkhathib, Mohd Ismail Abdulkarim, Md Zahangir Alam, Hamzah Mohd Salleh and Mohammed Saedi Jami: Recent Advances in Bioenvironmental Engineering

ISBN: 978-967-0225-85-2

Member of Majlis Penerbitan Ilmiah Malaysia – MAPIM (Malaysian Scholarly Publishing Council)

Printed by:

No. 1, Jalan Industri Batu Caves 1/3 Taman Perindustrian Batu Caves Batu Caves Centre Point 68100 Batu Caves Sclangor Darul Ehsan

CONTENTS

PREFACE	iii
CHAPTER 1 Pretreatment of Lignocellulosic Oil Palm Empty Fruit Bunch Wastes as Valuable Carbon Source for Production of Useful Cellulases Enzymes Mohamed Ismail Abdul Karim, Faridah Yusof, Manisya Zauri Abd. Wahid And Md. Zahangir Alam	1
CHAPTER 2 Utilization of Cassava Peel as Animal Feed Parveen Jamal, Tijani Iyabo Dasola Ruqayyah, Md Zahangir Alam And Mohamed Elwathig Saeed Mirghani	35
CHAPTER 3 Pervaporation Process: Separation of Bioethanol From Direct Fermentation of Cassava Starch Md. Zahangir Alam, Nassereldeen A. Kabbashi And Salma Hawari	52
CHAPTER 4 Production of Selected Hydrolytic Enzymes from Agro-Residues Hamzah Mohd. Salleh, Md. Zahangir Alam And Aliyu Salihu	71
CHAPTER 5 Kinetic Studies on Biodiesel Production from Crude Palm Oil Nassereldeen Ahmed Kabbashi; Md Zahangir Alam, And Ashraf M. A. Al-Fusaiel	98
CHAPTER 6 Production of Process Water from Biologically Treated Palm Oil Mill Effluent (POME) Using Ultrafiltration Membrane Mohammed S. Jami, Suleyman A. Muyibi, Munirat A. Idris	118
CHAPTER 7 Speciation of Fast and Slow Biochemical Oxygen Demand Zaki Zainudin. Norazah Abdul Rahma2, Norizan Abdullah	154
CHAPTER 8 Water Sampling and Testing for Nonpoint Source Pollution Load Estimation in Malaysia Abdullah Al Mamun	174
INDEX	198

CHAPTER 7

Speciation of Fast and Slow Biochemical Oxygen Demand

Ir. Zaki Zainudin¹, Assoc. Prof. Dr. Norazah Abdul Rahman², Norizan Abdullah²

¹Bioenvironmental Engineering Research Unit (BERU) Faculty of Engineering International Islamic University Malaysia (IIUM) Gombak, 50728, Malaysia

> ²Faculty of Chemical Engineering Universiti Teknologi MARA (UiTM) Shah Alam, 40450, Malaysia

Introduction

Biochemical Oxygen Demand (BOD) is a critical constituent used to measure the strength of organic pollution in water. Although new methodologies for organic quantification such as the Chemical Oxygen Demand (COD), Total Organic Carbon (TOC) tests and respirometry methodology have been introduced. The BOD method for determining organic strength is still preferred by the environmental community, despite its sometimes random and arbitrary results. The BOD test procedure dates back to early part of the 20th century by measuring dissolved oxygen (DO) depletion within a five-day period at a designated incubation temperature (Zainudin, 2008). The DO depletion is attributed to oxygen consumption (BOD) by microbial organisms present in the water column during the stabilization of biodegradable organic matter. This aspect of including the microbial population in the test is a feature not addressed in other modern methods for organic quantification (save perhaps respirometry) and is of significant importance for ambient water quality preservation proceedings, such as in the use of water quality models. Many macro and