# CURRENT RESEARCH AND DEVELOPMENT IN BIOTECHNOLOGY ENGINEERING AT IIUM

**VOLUME IV** 

**Editors:** 

Ma'an Alkhatib Abdullah Al Mamun Faridah Yusof



**IIUM PRESS** 

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA

## CURRENT RESEARCH AND DEVELOPMENTS IN BIOTECHNOLOGY ENGINEERING AT IIUM

(VOLUME IV)

Editors: Ma'an Alkhatib Abdullah Al Mamun Faridah Yusof

Department of Biotechnology Engineering Faculty of Engineering International Islamic University Malaysia



### Published by: IIUM Press International Islamic University Malaysia

First Edition, 2011 ©IIUM Press, IIUM

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without any prior written permission of the publisher.

Perpustakaan Negara Malaysia

Cataloguing-in-Publication Data

Ma'an Alkhatib, Abdullah Al Mamun & Faridah Yusof: Current Reasearch and Development in Biotechnology Engineering at IIUM Volume IV

ISBN: 978-967-418-136-9

Member of Majlis Penerbitan Ilmiah Malaysia – MAPIM (Malaysian Scholarly Publishing Council)

Printed by : IIUM PRINTING SDN. BHD.

No. 1, Jalan Industri Batu Caves 1/3
Taman Perindustrian Batu Caves
Batu Caves Centre Point
68100 Batu Caves
Selangor Darul Ehsan

### **CONTENTS**

	PREFACE	viii
CHAPTER 1	REMOVAL OF ZINC FROM WASTEWATER BY CARBON NANOTUBES	1
	Nassereldeen A. Kabbashi, Ahmad Fadzil Ahmad Shuhaili, Md Z. Alam	
CHAPTER 2	REMOVAL CHARACTERISTICS OF MANGANESE (MN2+) BY CNTS	8
	Nassereldeen A. Kabbashi, Suleyman A.M, Mohamed E.S. Mirghani, Farhana I.Y	
CHAPTER 3	REMOVAL TECHNIQUES OF CADMIUM FROM WASTEWATER BY CNTS	15
	Nassereldeen A. Kabbashi, Muhammad Fikri Bin Rosly, Suleyman Muyibi	
CHAPTER 4	KINETICS OF ACTIVATED CARBON FROM EFB IN MERCURY REMOVAL	21
	Nassereldeen. A. Kabbashi, Ma'an F. Alkhatib, Mohammed Elwathig and Ili Nadirah Bt Jamil	
CHAPTER 5	CARBON NANOFIBERS TO REMOVE ARSENIC	26
	Abdullah Al Mamun, Ma'an Alkhatib, Zahirah Abd. Kadir	
CHAPTER 6	CARBON NANOTUBES TO REMOVE CHROMIUM	32
	Abdullah Al Mamun, Ma'an Alkhatib, Aishah Jamaluddin Ahmad	
CHAPTER 7	CARBON NANOTUBES TO REMOVE NICKEL	38
	Abdullah Al Mamun, Ma'an Alkhatib, Siti Melor Asnida Zainudin	
CHAPTER 8	ADSORPTION ISOTHERM OF CARBON NANOTUBES IN REMOVING HEAVY METALS	44
	Abdullah Al Mamun, Faridah Yusof, Norsyafini Ishak	
CHAPTER 9	CARBON NANOFIBERS TO REMOVE NICKEL	50
	Abdullah Al Mamun, Ma'an Alkhatib, Halema Shajahan	
CHAPTER 10	ADSORPTION OF LEAD BY CNTS GROWN ON GAC	54
	Abdullah Al Mamun, Ma'an Alkhatib, Iman Hawari	
CHAPTER 11	ADSORPTION OF CADMIUM BY CNTS GROWN ON GACS	59
	Abdullah Al Mamun, Ma'an Alkhatib, Nada Hamid Al Samawi	
CHAPTER 12	PERFORMANCE OF CNTS COLUMN IN REMOVING LEAD FROM WATER	63
	Abdullah Al Mamun, Md Zahangir Alam, Muhammad Akram Abdul Hadi	
CHAPTER 13	STABILITY OF DISPERSION OF (SW-CNT)-CARBOXY-METHYL CELLULOSE (CMC) IN AQUEOUS SOLUTION	68
	Ahmad T. Jameel, Mohammed S. Jami and Syarifah R. Kamaruzaman	
CHAPTER 14	OPTIMUM COLLOIDAL DISPERSION OF CARBON NANOTUBE IN ETHYLENE GLYCOL USING TRITON X-100 AS DISPERSING AGENT	74
	Ahmad T. Jameel, Faridah Yusof, Natrah Ibrahim and Alade A. Olanrewaju	
CHAPTER 15	CHARACTERIZATION OF IMMOBILIZED LIPASE ON MULTI-WALLED CARBON NANOTUBE	80
	Nur Hidayah Zainan, Maan Fahmi Al-Khatib and Hamzah Mohd. Salleh	
CHAPTER 16	PURIFICATION OF SKIM LATEX PROTEIN USING CARBON NANOTUBES AS THE CHROMATOGRAPHIC MEDIA	86
	Faridah Yusof and Peer Mohamed	

CHAPTER 17	COMPUTATIONAL STUDIES OF ADSORPTION GLYCINE	92
	Ibrahim Ali Noorbatcha, Hamzah Mohd Salleh and Nursafuraa Abu Talib	
CHAPTER 18	KINETIC STUDIES ON ENHANCED MERCURY ADSORPTION USING ACTIVATED CARBON	97
	Nassereldeen Kabbashi, Noor Illi	
CHAPTER 19	ANALYSIS OF CROSS FLOW ULTRAFILTRATION MEMBRANE	103
	Mohammed Saedi Jami, Tariq Jameel and Norasila Binti Ali Mahmud	
CHAPTER 20	APPLICATION OF CARBON NANOTUBES IMPREGNATED ON ACTIVATED CARBON FOR CADMIUM REMOVAL FROM AQUEOUS SOLUTION	109
	Ma'an Alkhatib, Abdullah Al-Mamun,Nurhazwani Muhamad Nor	
CHAPTER 21	BIOPROCESSING OF MORINGA OLEIFERA FOR REMOVAL OF HEAVY METALS (CADMIUM AND CHROMIUM)	117
	Suleyman Aremu Muyibi, Jamal Parveen, Wan Mohd Syraif Wan Sulaiman	
CHAPTER 22	COAGULATION PERFORMANCE OF BIOACTIVE CONSTITUENTS ISOLATED FROM MORINGA OLEIFERA SEED IN LOW TURBIDITY WATER TREATMENT	123
	Suleyman A. Muyibi, Eman N. Ali , Mohamad Ramlan Mohamed Salleh, Hamzah Mohd Salleh and Md Zahangir Alam	
CHAPTER 23	DESIGN AND PRODUCTION OF CARBON NANOTUBE-BASED BIOSENSOR	130
	Ma'an Alkhatib, Mohamad Faizal Bin Khamis, Waleed Fekry Faris	
CHAPTER 24	DESIGN OF AN ADSORPTION SYSTEM FOR THE REMOVAL OF PHENOL FROM WATER USING ACTIVATED CARBON	138
	Ma'an Alkhatib, Ahmad Tariq Jameel, Mohammad N. A. Alherbawi	
CHAPTER 25	FEASIBILITY STUDY ON THE PRODUCTION OF BIODIESEL FROM MICROALGAE	148
	Ma'an Alkhatib, Md. Zahangir Alam, Salma A. S. Binsilm	
CHAPTER 26	IDENTIFICATION OF SUITABLE RESIN TO BE MIXED WITH COMMERCIALLY AVAILABLE CASSAVA STARCH FOR RIGID PACKAGING APPLICATION	155
	Ma'an Alkhatib, Noorhaza Bt Alias	
CHAPTER 27	IMMOBILIZATION OF LIPASE ON MULTI-WALLED CARBON NANOTUBES Ma`an Alkhatib, Hamzah Mohd Salleh, Anas M. N. Sultan	162
CHAPTER 28	INTEGRATION OF ARTIFICIAL NEURAL NETWORK AND PRINCIPAL COMPONENT ANALYSIS TECHNIQUES FOR WASTEWATER TREATMENT PLANT EVALUATION	169
	Mohammed Saedi Jami, Nassereldeen A. Kabbashi and Mustapha Mujeli	
CHAPTER 29	ISOLATION OF BACTERIA FROM OIL-CONTAMINATED SOIL FOR CRUDE OIL DEGRADATION	175
	Ma'an Alkhatib, Humaidah Bt Dr Hj Muhammad Nur Lubis, Alade Abass Olanrewaju	
CHAPTER 30	ISOLATION OF BACTERIA FROM SOIL FOR PLASTICS DEGRADATION	183
	Ma'an Alkhatib. Nur Amalina Binti Ahmad. Alade Abass Olanrewaiu	

CHAPTER 31	OPTIMIZATION OF CELLULASE ENZYME PRODUCTION USING ARTIFICIAL NEURAL NETWORK	190
	Mohammed Saedi Jami, Md. Zahangir Alam and Lamija Subasic	
CHAPTER 32	POTENTIAL OF ARTIFICIAL NEURAL NETWORKS IN THE PREDICTION OF WASTEWATER TREATMENT PLANT PERFORMANCE	196
	Mohammed Saedi Jami, Nassereldeen Ahmed Kabashi and Norhafiza Binti Abdullah	
CHAPTER 33	PRODUCTION OF ACTIVATED CARBON FROM OIL PALM EMPTY FRUIT BUNCH FOR ADSORPTION OF CADMIUM IN AQUEOUS SOLUTION	202
	Suleyman A. Muyibi, Ma'an Alkhatib, Jeminat Omotayo Amode	
CHAPTER 34	PRODUCTION OF ACTIVATED CARBON FROM PALM OIL EMPTY FRUIT BUNCH BY CHEMICAL ACTIVATION	209
	Ma'an Alkhatib, Monawar Munjid	
CHAPTER 35	REMOVAL OF AQUEOUS ZINC (II) USING PROCESSED MORINGA OLEIFERA SEEDS	217
	Suleyman A. Muyibi, Isam Y. Qudsieh, M. H. A. Rahman	
CHAPTER 36	REMOVAL OF COLOUR FROM PALM OIL MILL EFFLUENT USING GRANULAR ACTIVATED CARBON (GAC)	224
	Ma'an Alkhatib, Abdullah Al Mamun, Iqrah Akbar	
CHAPTER 37	THERMAL PROPERTIES ENHANCEMENT FOR THE DEVELOPED OF ETHYLENE VINYL ACETATE/EPOXIDIZED NATURAL RUBBER/CARBON NANOTUBES NANOCOMPOSITES	232
	Faridah Yusof and Norazlina Mohamed Yatim	
CHAPTER 38	EFFECT OF CARBON NANOTUBES LOADING ON THE MECHANICAL PROPERTIES OF ETHYLENE VINYL ACETATE/EPOXIDIZED NATURAL RUBBER NANOCOMPOSITES	242
	Faridah Yusof and Norazlina Mohamed Yatim	
	INDEX	251

### **CHAPTER 18**

## KINETIC STUDIES ON ENHANCED MERCURY ADSORPTION USING ACTIVATED CARBON

Nassereldeen Kabbashi, Noor Illi

Department of Biotechnology Engineering, Faculty of Engineering, International Islamic University Malaysia, Gombak, 50728 Kuala Lumpur, Malaysia.

### **ABSTRACT**

Activated carbons from palm oil are suitable materials for Hg(II) adsorption in a batch process. The batch process tests provide good indication of activated carbons as an effective material, which depends on the rate of Hg(II) adsorption. In order to correlate batch process properties and operation condition with their adsorptive capacity and saturation time, Hg(II) adsorptive tests were realized in a bench scale unit, consisted of 20mg activated carbon dosage. Hg(II) adsorption tests were conducted at 32°C, under 1.6 mg/L Hg(II) initial concentrations and with carbon particle sizes ranging from 75-106 and 150-250 µm, pH 6.5, agitation speed of 100 rpm and contact time of 70 minutes. The experimental results were analyzed using Langmuir and Freundlich equations. Correlation coefficients (R²) showed that the Langmuir model was used as it best described the model. Results from this study were described by the Langmuir Isotherm in which the highest adsorption capacity obtained from this analysis was 1.521 mg/g.

Keywords: kinetics, palm oil, activated carbon, mercury, Langmuir, pseudo second-order

### INTRODUCTION

Mercury is a heavy metal and is used widely in the industry. The biggest sources of mercury release according to a report published by the United Nations are from coal-burning power plants and waste incinerators. They account for approximately 70 per cent of manmade emissions. Besides that, mercury is also being used to extract gold in gold mines and this pollutes the waterways and hence will bind to have an effect towards humans and environment. From a long-term follow-up of the affected population showed that the impact was persistent and included a decline in the birth ratio (Cummins, 2003). As a result of industrialization, various kinds of pollutants are being released into the environment daily causing the environment to be polluted. Water pollution is one of the environment essentials being polluted and drastic measures have to be taken in order to conserve water. Without water, live cannot be sustained thus interrupting the balance in the ecological system. In Malaysia, the permissible discharge for mercury is 0.005 mg/L for standard A and 0.05 mg/L for standard B. (Federal Subsidiary Legislation Malaysia, 1979).

Malaysia is one of the major producers and exporters for palm oil (Arulanantham, 1989). There are many plantation estates in order to fulfill the increasing demands from the