

International Science Postgraduate Conference 2012 (ISPC 2012)

© Universiti Teknologi Malaysia

SOME PROPERTIES OF PROBABILISTIC SEMI-SIMPLE SPLICING SYSTEM

MATHURI SELVARAJOO¹, FONG WAN HENG^{2*}, NOR HANIZA SARMIN³,
SHERZOD TURAEV⁴

Abstract. The concept of splicing system was first introduced by Head in 1987. This model has been introduced to investigate the recombinant behavior of DNA molecules. Over the years, various types of splicing languages have been defined and studied by different mathematicians. Splicing systems with finite sets of axioms only generate regular languages. Therefore, different restrictions have been considered to increase the computational power up to the recursively enumerable languages. In this research, a variant of splicing systems called probabilistic splicing systems has been used to define different types of splicing systems such as probabilistic simple splicing systems, probabilistic semi-simple splicing systems and probabilistic one-sided splicing systems. In probabilistic splicing systems, probabilities (real numbers in the range of 0 and 1) are associated with the axioms, and the probability $p(z)$ of the string z generated from two strings x and y is calculated from the probability $p(x)$ and $p(y)$ according to the operation $*$ (multiplication) defined on the probabilities, i.e., $p(z) = p(x) * p(y)$.

Keywords DNA computing; probabilistic splicing systems; splicing languages; regular languages

Abstrak. Konsep sistem hiris-cantum mula diperkenalkan oleh Head pada tahun 1987. Model ini telah diperkenalkan untuk menyiasat penggabungan semula molekul-molekul DNA. Pelbagai jenis bahasa hiris-cantum telah ditakrifkan dan dikaji oleh ahli-ahli matematik. Sistem hiris-cantum dengan setaksiom terhingga hanya menjana bahasa biasa. Oleh itu, batasan yang berbeza telah digunakan untuk meningkatkan kuasa pengkomputeran sehingga ke bahasa rekursif enumerable. Dalam kertas kerja ini, satu variasi sistem hiris-cantum yang dinamakan sistem hiris-cantum berkebarangkalian telah digunakan untuk mentakrifkan jenis-jenis sistem hiris-cantum seperti sistem hiris-cantum mudah berkebarangkalian, sistem hiris-cantum separuh-mudah berkebarangkalian dan sistem hiris-cantum satu-sisi berkebarangkalian. Dalam sistem hiris-cantum berkebarangkalian, kebarangkalian (nombor nyata dalam julat 0 dan 1) dikaitkan dengan aksiom. Kebarangkalian $p(z)$ pada jujukan z yang dijana daripada dua jujukan x dan y dikira dari kebarangkalian $p(x)$ dan $p(y)$ menggunakan operasi $*$ dimana kebarangkalian, $p(z) = p(x) * p(y)$.

Kata kunci DNA pengkomputeran; sistem hiris-cantum kebarangkalian; bahasa hiris-cantum; bahasa biasa

^{1,3}Department of Mathematical Sciences, Faculty of Science, Universiti Teknologi Malaysia, 81310 UTM Johor Bahru, Johor DarulTa'azim, Malaysia.

²IbnuSina Institute for Fundamental Science Studies, Universiti Teknologi Malaysia, 81310 UTM Johor Bahru, Johor, Malaysia.

⁴Department of Computer Science, Kulliyyah of Information and Communication Technology, International Islamic University Malaysia, Kuala Lumpur, Malaysia.

* fwh@utm.my

1.0 INTRODUCTION

The concept of splicing system was first introduced by Head in 1987. This model has been defined to investigate the recombinant behavior of DNA molecules in the presence of restriction enzymes and ligases. DNA is the genetic material of organisms in a chain of nucleotides. The nucleotides differ by their chemical bases that are adenine (A), guanine (G), cytosine (C), and thymine (T). The origin of splicing system is associated with the modeling of a biological problem that is related to DNA molecules and restriction enzymes [1]. DNA bases pair up with each other, A with T and C with G, to form units called base pairs. So, nucleotides can be arranged in two long strands that form a spiral called a double helix. The structure of the double helix is somewhat like a ladder.

DNA can be represented as strings over four alphabets, i.e. $D = \{[A / T], [C / G], [G / C], [T / A]\}$. Restriction enzymes, found naturally in bacteria, can cut DNA fragment at specific sequences, known as restriction sites; while another enzyme, ligase, can rejoin DNA fragments that have complementary ends. This recombination behavior of restriction enzymes and ligases was modeled in the form of splicing systems and splicing languages by Head [2].

Later, various types of splicing languages were defined and studied by different mathematicians. Since splicing systems with finite sets of axioms and rules generate only regular languages [3], several restrictions in the use of rules have been considered, which increase the computational power up to the recursively enumerable languages. This is important from the point of view of DNA computing: splicing systems with restrictions can be considered as theoretical models of universal programmable DNA based computers. Different problems appearing in computer science areas motivate to consider suitable models for the solution of the problems.

In this research, we consider probabilistic splicing systems to introduce a new variant of splicing system [4], called probabilistic semi-simple splicing systems. In such system, probabilities (real numbers in the range $[0, 1]$) are associated with the axioms, and the probability $p(z)$ of the string z generated from two strings x and y is calculated from the probability $p(x)$ and $p(y)$ according to the operation $*$ defined on the probabilities, i.e., $p(z) = p(x) * p(y)$. Then the language generated by a probabilistic semi-simple splicing system consists of all strings generated by the semi-simple splicing systems whose probabilities are greater than (or smaller than, or equal to) some previously chosen cut-points.

This paper is organized as follows. Section 2 contains some necessary definitions from formal language theory, DNA computing and probabilistic splicing systems. The concept of probabilistic semi-simple splicing systems is introduced in Section 3. In section 3, we also establish some basic results concerning the generative power of probabilistic semi-simple splicing systems. In Section 4, we indicate some possible topics for future research in this direction.

2.0 PRELIMINARIES

In this section, the main concepts and notations that will be used in this paper are introduced. The theoretical basis of splicing system is under the framework of formal language theory that is mainly the study of finite sets of strings called languages.

Throughout the paper we use the following general notations. The symbol \in denotes the membership of an element to a set while the negation of set membership is denoted by \notin . The inclusion is denoted by \subseteq and the strict (proper) inclusion is denoted by \subset . \emptyset denotes the empty set. The sets of integers, positive rational numbers and real numbers are denoted by \mathbb{Z} , \mathbb{Q}_+ and \mathbb{R} , respectively. The cardinality of a set X is denoted by $|X|$.

Definiton1.[5] Alphabet

A finite, nonempty set A of symbols is called *alphabet*. Any finite sequence of symbols from alphabet is called a *string*. We use λ to denote the *empty string* which is a string with no symbols at all.

If A is an alphabet, we use A^* to denote the set of strings obtained by concatenating zero or more symbols from A .

Definition 2. [5] Language

A formal language L over an alphabet Σ is a subset of Σ^* , that is, a set of words over that alphabet.

The families of languages generated by phrase structure, context-sensitive, context-free, linear and regular grammars are denoted by RE, CS, CF, LIN, REG, respectively. Further we denote the family of finite languages by FIN. The next strict inclusions, named Chomsky hierarchy, holds:

$$\text{FIN} \subset \text{REG} \subset \text{LIN} \subset \text{CF} \subset \text{CS} \subset \text{RE}.$$

Definition 3. [2] Splicing System

Let V be an alphabet, and $\#, \$ \notin V$ two special symbols. A splicing rule over V is a string of the form

$$r = u_1 \# u_2 \$ u_3 \# u_4, \text{ where } u_i \in V^*, 1 \leq i \leq 4.$$

For such a rule r and strings $x, y, z \in V^*$, we write

$$(x, y) \vdash_r z \text{ iff } x = x_1 u_1 u_2 x_2, y = y_1 u_3 u_4 y_2, \text{ and } z = x_1 u_1 u_4 y_2,$$

for some $x_1, x_2, y_1, y_2 \in V^*$.

We say that z is obtained by splicing x, y , as indicated by the rule r ; $u_1 u_2$ and $u_3 u_4$ are called the *sites* of the splicing. We call x the first term and y the second term of the splicing operation. When understood from the context, we omit the specification of r and we write \vdash instead of \vdash_r .

An H scheme is a pair $\sigma = (V, R)$ where V is an alphabet and $R \subseteq V^* \# V^* \$ V^* \# V^*$ is a set of splicing rules.

For a given H scheme $\sigma = (V, R)$ and a language $L \subseteq V^*$, we define

$$\begin{aligned} \sigma(L) &= \{z \in V^* \mid (x, y) \vdash_r z, \text{ for some } x, y \in L, r \in R\}, \\ \sigma^0(L) &= L, \\ \sigma^{i+1}(L) &= \sigma^i(L) \cup \sigma(\sigma^i(L)), i \geq 0, \\ \sigma^*(L) &= \bigcup_{i \geq 0} \sigma^i(L). \end{aligned}$$

An extended H system is a construct $\gamma = (V, T, A, R)$ where V is an alphabet, $T \subseteq V$ is the terminal alphabet, $A \subseteq V^*$ is the set of axioms, and $R \subseteq V^* \# V^* \$ V^* \# V^*$ is the set of splicing rules. When $T = V$, the system is said to be non-extended. The language generated by γ is defined by

$$L(\gamma) = \sigma^*(A) \cap T^*.$$

Here, $\text{EH}(F_1, F_2)$ denotes the family of languages generated by extended H systems $\gamma = (V, T, A, R)$ with $A \in F_1$ and $R \in F_2$ where

$$(F_1, F_2) \in \{\text{FIN}, \text{REG}, \text{CF}, \text{LIN}, \text{CS}, \text{RE}\}.$$

Theorem 1 [2]

The relations in the following table hold, where at the intersection of the row marked with F_1 with the column marked with F_2 there appear either the family $EH(F_1, F_2)$ or two families F_3, F_4 such that $F_3 \subset EH(F_1, F_2) \subseteq F_4$.

	FIN	REG	CF	LIN	CS	RE
FIN	REG	RE	RE	RE	RE	RE
REG	REG	RE	RE	RE	RE	RE
CF	LIN, CF	RE	RE	RE	RE	RE
LIN	CF	RE	RE	RE	RE	RE
CS	RE	RE	RE	RE	RE	RE
RE	RE	RE	RE	RE	RE	RE

Definition 4. [6] Semi-Simple Splicing System

A semi-simple H system is a triple

$$G = (V, M, A),$$

where V is an alphabet, $M \subseteq V$, and A is a finite language over V . The elements of M are called *markers* and those of A are called *axioms*.

Definition 5. [4] Probabilistic Splicing System

A probabilistic H (splicing) system is a 5-tuple $\gamma = (V, T, A, R, p)$ where V, T, R are defined as for a usual extended H system, $p: V^* \rightarrow [0,1]$ is a probability function, and A is a finite subset of $V^+ \times [0,1]$ such that

$$\sum_{(x,p(x)) \in A} p(x) = 1.$$

Definition 6. [7] Threshold point

We consider as thresholds (cut-points) sub segments and discrete subsets of $[0, 1]$ as well as real numbers in $[0,1]$. We define the following two types of threshold languages with respect to thresholds $\Omega \subseteq [0,1]$ and $\omega \in [0,1]$:

$$L_p(\gamma, * \omega) = \{z \in T^* \mid (z, p(z)) \in \sigma^*(A) \wedge p(z) * \omega\},$$

$$L_p(\gamma, * \Omega) = \{z \in T^* \mid (z, p(z)) \in \sigma^*(A) \wedge p(z) * \Omega\},$$

where $* \in \{=, \neq, \geq, >, <, \leq\}$ and $* \in \{\in, \notin\}$ are called threshold modes.

3.0 RESULTS ON PROBABILISTIC SEMI-SIMPLE SPLICING SYSTEM

In this section we introduce the notion of probabilistic semi-simple splicing systems which is specified with a probability space and operations over probabilities closed in the probability space.

Definition 7 : Probabilistic Semi-Simple Splicing System

A probabilistic semi-simple splicing system ($pSSEH$) is a 4-tuple $\gamma = (V, A, R, p)$ where V is defined as for a usual extended H system, R is the rule in the form $(a, 1; b, 1)$ for $a, b \in A$, p is a probabilistic function defined by $p : V^* \rightarrow [0, 1]$, and A is a subset of $V^* \times [0, 1]$ such that

$$\sum_{(x, p(x)) \in A} p(x) = 1.$$

Further we define a probabilistic semi-simple splicing operation and the language generated by a probabilistic semi-simple splicing system.

Definition 8 : Probabilistic Semi-Simple Splicing System Operation

For strings $(x, p(x)), (y, p(y)), (z, p(z)) \in V^* \times [0, 1]$, and $r \in R$,

$$[(x, p(x)), (y, p(y))] \vdash_r (z, p(z))$$

if and only if $(x, y) \vdash_r z$ and $p(z) = p(x) * p(y)$ and $r = (a, 1; b, 1) \in R$.

Definition 9 : Probabilistic Semi-Simple Splicing System Language

The language generated by the semi-simple splicing system γ is defined as

$$L(\gamma) = \{ z \in T^* \mid (z, p(z)) \in \sigma^*(A) \}.$$

Remark 1. We should mention that splicing operations may result in the same string with different probabilities. Since, in this paper, we focus on strings whose probabilities satisfy some threshold requirements, i.e., the probabilities are merely used for the selection of some strings, this ‘ambiguity’ does not effect on the selection. When we investigate the properties connected with the probabilities of the strings, we can define another operation together with the multiplication, for instance, the addition over the probabilities of the same strings, which removes the ambiguity problem.

Let $L(\gamma)$ be the language generated by a probabilistic semi-simple splicing system $\gamma = (V, A, R, p)$. We consider as thresholds (cut-points) sub-segments and discrete subsets of $[0, 1]$ as well as real numbers in $[0,1]$. We define the following two types of threshold languages with respect to thresholds $\Omega \subseteq [0,1]$ and $\omega \in [0,1]$

$$L_p(\gamma, * \omega) = \{ z \in T^* \mid (z, p(z)) \in \sigma^*(A) \wedge p(z) * \omega \},$$

$$L_p(\gamma, * \Omega) = \{ z \in T^* \mid (z, p(z)) \in \sigma^*(A) \wedge p(z) * \Omega \},$$

where $* \in \{ =, \neq, \geq, >, <, \leq \}$ and $\star \in \{ \in, \notin \}$ are called threshold modes.

We denote the family of languages generated by multiplicative probabilistic semi-simple splicing system of type (F_1, F_2) by $pSSEH(F_1, F_2)$ where

$$F_1, F_2 \in \{ FIN, REG, CF, LIN, CS, RE \}.$$

Remark 2. In this paper we focus on probabilistic semi-simple splicing systems with finite set of axioms, since we consider a finite initial distribution of probabilities over the set of axioms. Moreover, it is natural in practical point of view: only splicing systems with finite components can be chosen as a theoretical model for DNA based computation devices. Thus, we use the simplified notation $pSSEH(F)$ of the language family generated by probabilistic semi-simple splicing systems with finite set of axioms instead of $pSSEH(F_1, F_2)$ where $F \in \{ FIN, REG, CF, LIN, CS, RE \}$ shows the family of languages for splicing rules.

From the definition, the next lemma follows immediately.

Lemma 1

$$SSEH(FIN, F) \subseteq pSSEH(F)$$

for all families $F \in \{FIN, REG, CF, LIN, CS, RE\}$.

Proof.

Let $G = (V, A, R)$ be a semi-simple splicing system generating the language $L(G) \in SSEH(FIN, F)$ where $F \in \{FIN, REG, CF, LIN, CS, RE\}$.

Let $A = \{x_1, x_2, \dots, x_n\}, n \geq 1$. We define a probabilistic semi-simple splicing system $G' = (V, A', R, p)$ where the set of axioms is defined by

$$A' = \{(x_i, p(x_i)) \mid x_i \in A, 1 \leq i \leq n\}$$

where $p(x_i) = \frac{1}{n}$ for all $1 \leq i \leq n$, then

$$\sum_{i=1}^n p(x_i) = 1.$$

We define the threshold language generated by G' as $L_p(G', > 0)$, then it is not difficult to see that

$$L(G) = L_p(G', > 0).$$

Next, two examples are given to illustrate the application of probability to the semi-simple splicing system.

Example 1 : Consider the semi-simple splicing system

$$G_1 = \left(\{a, b, c\}, \{a, b, c\}, \{aca, aba, baca, caba\}, \left\{ \frac{2}{17}, \frac{3}{17}, \frac{5}{17}, \frac{7}{17} \right\} \right).$$

We obtain

$$L(G_1, \bar{\eta}) = \left\{ ac^n b^n a, \left(\frac{6}{289} \right) \left(\frac{35}{289} \right)^{n-1} \mid n \geq 1 \right\}.$$

$$\text{where } \bar{\eta} = \left(\frac{6}{289} \right) \left(\frac{35}{289} \right)^{n-1}.$$

The way to obtain the string is by performing the splicing operation using the markers to the axioms.

Case 1 : Using string aca & $baca$

i : for the string $aca, p(aca) = \frac{2}{17}$ and using marker c ,
 $\left[\left(ac|a, \frac{2}{17} \right) \right] \vdash_c \left[(ac), \frac{2}{17} \right],$

ii : for the string $baca, p(baca) = \frac{5}{17}$ and using marker a ,
 $\left[(ba|ca), \frac{5}{17} \right] \vdash_a \left[(ca), \frac{5}{17} \right],$

iii : for the both string $aca, (p(aca) = \frac{2}{17})$ & $baca, (p(baca) = \frac{5}{17})$ and using the markers a and c ,

$\left[\left(ac|a, \left(\frac{2}{17} \right) \right), \left(ba|ca, \left(\frac{5}{17} \right) \right) \right] \vdash_{c,a} \left[(acca), \left(\frac{2}{17} \right) \left(\frac{5}{17} \right) \right],$

iv : for the string from (iii) and (ii) i.e.

$acca, (p(acca) = \left(\frac{2}{17} \right) \left(\frac{5}{17} \right))$ & $baca, (p(baca) = \frac{5}{17})$ and using the same markers a and c ,

$\left[\left(acc|a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right) \right), \left(ba|ca, \left(\frac{5}{17} \right) \right) \right] \vdash_{c,a} \left[\left(ac^3a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^2 \right) \right],$

v : for each new string produce $ac^{n-1}a, (p(ac^{n-1}a) = \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^{n-2})$ and string (ii) $baca, (p(baca) = \frac{5}{17})$ and using the same markers a and c ,

$\left[\left(ac^{n-1}|a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^{n-2} \right), \left(ba|ca, \left(\frac{5}{17} \right) \right) \right] \vdash_{c,a} \left[\left(ac^n a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^{n-1} \right) \right].$

Case 2 : Using string aba & $caba$

i : for the string $aba, p(aba) = \frac{3}{17}$ and using marker b ,
 $\left[\left(ab|a, \frac{3}{17} \right) \right] \vdash_b \left[(ab), \frac{3}{17} \right],$

ii : for the string $caba, p(caba) = \frac{7}{17}$ and using marker a ,
 $\left[(ca|ba), \frac{7}{17} \right] \vdash_a \left[(ba), \frac{7}{17} \right],$

iii :for the both string aba , $(p(aba) = \frac{3}{17})$ & $caba$, $(p(caba) = \frac{7}{17})$ and using the markers a and b ,

$$\left[\left(ab \mid a, \left(\frac{3}{17} \right) \right), \left(ca \mid ba, \left(\frac{7}{17} \right) \right) \right] \vdash_{b,a} \left[(abba), \left(\frac{3}{17} \right) \left(\frac{7}{17} \right) \right],$$

iv : for the string from (iii) and (ii) i.e.

$abba$, $(p(abba) = \left(\frac{3}{17} \right) \left(\frac{7}{17} \right))$ & $caba$, $(p(caba) = \frac{7}{17})$ and using the same markers a and c ,

$$\left[\left(abb \mid a, \left(\frac{3}{17} \right) \left(\frac{7}{17} \right) \right), \left(ca \mid ba, \left(\frac{7}{17} \right) \right) \right] \vdash_{b,a} \left[(ab^3a), \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^2 \right],$$

v : for each new string produce $ab^{n-1}a$, $(p(ab^{n-1}a) = \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^{n-2})$ and string (ii) $caba$, $(p(caba) = \frac{7}{17})$ and using the same markers a and b ,

$$\left[\left(ab^{n-1} \mid a, \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^{n-2} \right), \left(ca \mid ba, \left(\frac{7}{17} \right) \right) \right] \vdash_{b,a} \left[(ab^n a), \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^{n-1} \right].$$

For the strings from Case 1 $\left[\left(ac^n a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^{n-1} \right) \right]$ & Case 2

$\left[\left(ab^n a, \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^{n-1} \right) \right]$ using marker a ,

$$\left[\left(ac^n \mid a, \left(\frac{2}{17} \right) \left(\frac{5}{17} \right)^{n-1} \right), \left(a \mid b^n a, \left(\frac{3}{17} \right) \left(\frac{7}{17} \right)^{n-1} \right) \right] \vdash_a \left[ac^n b^n a, \left(\frac{6}{289} \right) \left(\frac{35}{289} \right)^{n-1} \right].$$

Therefore,

$$L(G_1, p_1) = \left\{ \left(ac^k b^m a, \left(\frac{6}{289} \right) \left(\frac{5}{17} \right)^{k-1} \left(\frac{7}{17} \right)^{m-1} \mid k, m \geq 1 \right) \right\},$$

$$p_1 = \left(\frac{6}{289} \right) \left(\frac{5}{17} \right)^{k-1} \left(\frac{7}{17} \right)^{m-1}.$$

Using the threshold properties, we can conclude the following:

$$i : \eta = 0, \Rightarrow L(G_1, = 0) = \emptyset \in REG,$$

ii : $\eta > 0, \Rightarrow L(G_1, > 0) = L(\gamma_1) \in REG,$

iii : $\bar{\eta} = \left\{ \left(\frac{6}{289} \right) \left(\frac{35}{289} \right)^{n-1} \mid n \geq 1 \right\}, \Rightarrow L(G_1, \bar{\eta}) = \{ ac^n b^n a \mid n \geq 1 \} \in CF - REG,$

iv : $\bar{\bar{\eta}} \neq \left\{ \left(\frac{6}{289} \right) \left(\frac{35}{289} \right)^{n-1} \mid n \geq 1 \right\}, \Rightarrow L(G_1, \bar{\bar{\eta}}) = \{ ac^k b^m a \mid k > m \geq 1 \} \cup \{ ac^k b^m a \mid m > k \geq 1 \} \in CF - REG.$

Example 2 : Consider the semi-simple splicing system

$$G_2 = \left(\begin{array}{l} \{a, b, c, d\}, \{a, b, c, d\}, \{aba, aca, ada, baca, caba, bada\}, \\ \left\{ \frac{2}{41}, \frac{3}{41}, \frac{5}{41}, \frac{7}{41}, \frac{11}{41}, \frac{13}{41} \right\} \end{array} \right).$$

We obtain

$$L(G_2, \bar{\eta}) = \left\{ ac^n b^n d^n a, \left(\frac{2.3.5}{41^3} \right) \left(\frac{7.11.13}{41^3} \right)^{n-1} \mid n \geq 1 \right\}.$$

$$\text{where } \bar{\eta} = \left(\frac{2.3.5}{41^3} \right) \left(\frac{7.11.13}{41^3} \right)^{n-1}$$

The way to obtain the string is by performing the splicing operation using the markers to the axioms.

Case 1 : Using string *aca* & *baca*

i : for the string *aca*, $(p(aca) = \frac{3}{41})$ and using marker *c*,

$$\left[\left(ac \mid a, \frac{3}{41} \right) \right] \vdash_c \left[(ac), \frac{3}{41} \right],$$

ii : for the string *baca*, $(p(baca) = \frac{7}{41})$ and using marker *a*,

$$\left[(ba \mid ca), \frac{7}{41} \right] \vdash_a \left[(ca), \frac{7}{41} \right],$$

iii : for the both string *aca*, $(p(aca) = \frac{3}{41})$ & *baca*, $(p(baca) = \frac{7}{41})$ and using the markers *a* and *c*,

$$\left[\left(ac \mid a, \left(\frac{3}{41} \right) \right), \left(ba \mid ca, \left(\frac{7}{41} \right) \right) \right] \vdash_{c,a} \left[(acca), \left(\frac{3}{41} \right) \left(\frac{7}{41} \right) \right],$$

iv : for the string from (iii) and (ii), i.e.

$acca, (p(acca) = \binom{3}{41} \binom{7}{41})$ & $baca, (p(baca) = \frac{7}{41})$ and using the same markers a and c ,

$$\left[\left(acc \middle| a, \binom{3}{41} \binom{7}{41} \right), \left(ba \middle| ca, \binom{7}{41} \right) \right] \vdash_{c,a} \left[\left(ac^3 a, \binom{3}{41} \binom{7}{41}^2 \right) \right],$$

v : for each new string produce $ac^{n-1}a, (p(ac^{n-1}a) = \binom{3}{41} \binom{7}{41}^{n-2})$ and string (ii) $baca, (p(baca) = \frac{7}{41})$ and using the same markers a and c ,

$$\left[\left(ac^{n-1} \middle| a, \binom{3}{41} \binom{7}{41}^{n-2} \right), \left(ba \middle| ca, \binom{7}{41} \right) \right] \vdash_{c,a} \left[\left(ac^n a, \binom{3}{41} \binom{7}{41}^{n-1} \right) \right].$$

Case 2 : Using string aba & $caba$

i : for the string $aba, (p(aba) = \frac{2}{41})$ and using marker b ,

$$\left[\left(ab \middle| a, \frac{2}{41} \right) \right] \vdash_b \left[\left(ab, \frac{2}{41} \right) \right],$$

ii : for the string $caba, (p(caba) = \frac{11}{41})$ and using marker a ,

$$\left[\left(ca \middle| ba, \frac{11}{41} \right) \right] \vdash_a \left[\left(ba, \frac{11}{41} \right) \right],$$

iii : for the both string $aba, (p(aba) = \frac{2}{41})$ & $caba, (p(caba) = \frac{11}{41})$ and using the markers a and b ,

$$\left[\left(ab \middle| a, \binom{2}{41} \right), \left(ca \middle| ba, \binom{11}{41} \right) \right] \vdash_{b,a} \left[\left(abba, \binom{2}{41} \binom{11}{41} \right) \right],$$

iv : for the string from (iii) and (ii), i.e.

$abba, (p(abba) = \binom{2}{41} \binom{11}{41})$ & $caba, (p(caba) = \frac{11}{41})$ and using the same markers a and b ,

$$\left[\left(abb \middle| a, \binom{2}{41} \binom{11}{41} \right), \left(ca \middle| ba, \binom{11}{41} \right) \right] \vdash_{b,a} \left[\left(ab^3 a, \binom{2}{41} \binom{11}{41}^2 \right) \right],$$

v : for each new string produce $ab^{n-1}a, (p(ab^{n-1}a) = \binom{2}{41} \binom{11}{41}^{n-2})$ and string (ii) $caba, (p(caba) = \frac{11}{41})$ and using the same markers a and b ,

$$\left[\left(ab^{n-1} \middle| a, \binom{2}{41} \binom{11}{41}^{n-2} \right), \left(ca \middle| ba, \binom{11}{41} \right) \right] \vdash_{b,a} \left[\left(ab^n a, \binom{2}{41} \binom{11}{41}^{n-1} \right) \right].$$

Case 3 : Using string ada & $bada$

i : for the string $ada, (p(ada) = \frac{5}{41})$ and using marker d ,
 $\left[\left(ad|a, \frac{5}{41} \right) \right] \vdash_d \left[(ad), \frac{5}{41} \right],$

ii : for the string $bada, (p(bada) = \frac{13}{41})$ and using marker a ,
 $\left[(ba|da), \frac{13}{41} \right] \vdash_a \left[(da), \frac{13}{41} \right],$

iii : for the both string $ada, (p(ada) = \frac{5}{41})$ & $bada, (p(bada) = \frac{13}{41})$ and using the markers a and d ,
 $\left[\left(ad|a, \left(\frac{5}{41} \right) \right), \left(ba|da, \left(\frac{13}{41} \right) \right) \right] \vdash_{d,a} \left[(adda), \left(\frac{5}{41} \right) \left(\frac{13}{41} \right) \right],$

iv : for the string from (iii) and (ii), i.e.

$adda, (p(adda) = \left(\frac{5}{41} \right) \left(\frac{13}{41} \right))$ & $bada, (p(bada) = \frac{13}{41})$ and using the same markers a and d ,

$\left[\left(add|a, \left(\frac{5}{41} \right) \left(\frac{13}{41} \right) \right), \left(ba|da, \left(\frac{13}{41} \right) \right) \right] \vdash_{d,a} \left[\left(ad^3a, \left(\frac{5}{41} \right) \left(\frac{13}{41} \right)^2 \right) \right],$

v : for each new string produce $ad^{n-1}a, (p(ad^{n-1}a) = \left(\frac{5}{41} \right) \left(\frac{13}{41} \right)^{n-2})$ and string (ii) $bada, (p(bada) = \frac{13}{41})$ and using the same markers a and d ,

$\left[\left(ad^{n-1}|a, \left(\frac{5}{41} \right) \left(\frac{13}{41} \right)^{n-2} \right), \left(ba|da, \left(\frac{13}{41} \right) \right) \right] \vdash_{d,a} \left[\left(ad^na, \left(\frac{5}{41} \right) \left(\frac{13}{41} \right)^{n-1} \right) \right].$

For the strings from Case 1 $\left[\left(ac^na, \left(\frac{3}{41} \right) \left(\frac{7}{41} \right)^{n-1} \right) \right]$ & Case 2

$\left[\left(ab^na, \left(\frac{2}{41} \right) \left(\frac{11}{41} \right)^{n-1} \right) \right]$ using marker a ,

$\left[\left(ac^n|a, \left(\frac{3}{41} \right) \left(\frac{7}{41} \right)^{n-1} \right), \left(a|b^na, \left(\frac{2}{41} \right) \left(\frac{11}{41} \right)^{n-1} \right) \right] \vdash_a$

$\left[ac^nb^na, \left(\frac{2.3}{41^2} \right) \left(\frac{7.11}{41^2} \right)^{n-1} \right].$

For the strings result from (Case 1 and Case 2) $\left[ac^n b^n a, \left(\frac{2.3}{41^2}\right) \left(\frac{7.11}{41^2}\right)^{n-1} \right]$ &
Case 3 $\left[\left(ad^n a, \left(\frac{5}{41}\right) \left(\frac{13}{41}\right)^{n-1} \right) \right]$ and using marker a ,
 $\left[\left(ac^n b^n | a, \left(\frac{2.3}{41^2}\right) \left(\frac{7.11}{41^2}\right)^{n-1} \right), \left(a | d^n a, \left(\frac{5}{41}\right) \left(\frac{13}{41}\right)^{n-1} \right) \right] \vdash_a$
 $\left[ac^n b^n d^n a, \left(\frac{2.3.5}{41^3}\right) \left(\frac{7.11.13}{41^3}\right)^{n-1} \right]$.

Therefore,

$$L(G_2, p_2) = \left\{ \left(ac^k b^m d^n a, \left(\frac{2.3.5}{41^3}\right) \left(\frac{7}{41}\right)^{k-1} \left(\frac{11}{41}\right)^{m-1} \left(\frac{13}{41}\right)^{n-1} \mid k, m \geq 1 \right) \right\}.$$

$$p_2 = \left(\frac{2.3.5}{41^3}\right) \left(\frac{7}{41}\right)^{k-1} \left(\frac{11}{41}\right)^{m-1} \left(\frac{13}{41}\right)^{n-1}.$$

Using the threshold properties, we can conclude the following:

i : $\eta = 0, \Rightarrow L(G_2, = 0) = \emptyset \in REG,$

ii : $\eta > 0, \Rightarrow L(G_2, > 0) = L(G_2) \in REG,$

iii : $\bar{\eta} = \left\{ \left(\frac{2.3.5}{41^3}\right) \left(\frac{7.11.13}{41^3}\right)^{n-1} \mid n \geq 1 \right\}, \Rightarrow L(G_2, \bar{\eta}) = \{ ac^n b^n d^n a \mid n \geq 1 \} \in CS - REG,$

iv : $\bar{\eta} \neq \left\{ \left(\frac{2.3.5}{41^3}\right) \left(\frac{7.11.13}{41^3}\right)^{n-1} \mid n \geq 1 \right\}, \Rightarrow$
 $L(G_2, \bar{\eta}) = \{ ac^k b^m d^n a \mid k > m > n \geq 1 \} \cup \{ ac^k b^m d^n a \mid k > n > m \geq 1 \}$
 $\cup \{ ac^k b^m d^n a \mid m > k > n \geq 1 \}$
 $\cup \{ ac^k b^m d^n a \mid m > n > k \geq 1 \}$
 $\cup \{ ac^k b^m d^n a \mid n > k > m \geq 1 \}$
 $\cup \{ ac^k b^m d^n a \mid n > m > k \geq 1 \} \in CS - REG.$

The examples above illustrate that the use of thresholds with probabilistic semi-simple splicing systems increase the generative power of splicing systems with finite components.

We should also mention two simple but interesting facts of probabilistic semi-simple splicing systems.

First as Proposition 1 and second as Proposition 2, stated in the following:

Proposition 1

For any probabilistic semi-simple splicing system (G) , the threshold language $L(G, = 0)$ is the empty set, i.e. $L(G, = 0) = \emptyset$.

Proposition 2

If for each splicing rule r in a probabilistic semi-simple splicing system (G) , $p(r) < 1$, then every threshold language $L(G, > \eta)$ with $\eta > 0$ is finite.

From Theorem 1, Lemma 1 and Examples 1,2, we obtain the following two theorems.

Theorem 2

$$REG \subset pSSEH(FIN) \subseteq pSSEH(F) = RE$$

where $F \in \{REG, CF, LIN, CS, RE\}$.

Theorem 3

$$pSSEH(FIN) - CF \neq \emptyset.$$

4.0 CONCLUSIONS

In this paper we introduced probabilistic semi-simple splicing systems by associating probabilities with strings and also establishing some basic but important facts. We showed that an extension of semi-simple splicing systems with probabilities increases the generative power of semi-simple splicing systems with finite components. In particular cases, probabilistic semi-simple splicing systems can generate noncontext-free languages. The problem of strictness of the second inclusion in Theorem 2 and the incomparability of the family of context-free languages with the family of languages generated by probabilistic semi-simple splicing systems with finite components (the inverse inequality of that in Theorem 3 remain open.

ACKNOWLEDGMENTS

The first authors would like to thank the Malaysian Ministry of Higher Education for the financial funding support through MyBrain15 scholarship. The second and third authors would also like to thank the Malaysian Ministry of Higher Education (MOHE) and Research Management Center (RMC), UTM for their financial funding through Research University Fund Vote No. 05J15.

REFERENCES

- [1] L. Adleman. Molecular computation of solutions to combinatorial problems. *Science*, 266:1021-1024, 1994.
- [2] T. Head, Formal language theory and DNA: An analysis of the generative capacity of specific recombination behaviors. *Bull. Math. Biology*, 49, 1987.
- [3] D. Pixton. Regularity of splicing languages. *Discrete Applied Mathematics*, 69:101-124, 1996.
- [4] M. Selvarajoo, W.H. Fong, N. H. Sarmin and S. Turaev. Probabilistic Splicing System. *ICCCI*, 2012 (to appear).
- [5] G. Paun, G. Rozenberg, A. Salomaa. DNA computing: New computing paradigms. *Springer-Verlag*, 1998.
- [6] E. Goode, D. Pixton. Semi-Simple Splicing System. *Discrete Applied Math*, 72: 96-107, 1996.
- [7] T. Fowler. The generative power of probabilistic and weighted context-free grammars. *Springer-Verlag*, 6878: 57-71, 2011.