

Scopus

Document details

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#)[View at Publisher](#)

Proceedings - 5th International Conference on Computer and Communication Engineering: Emerging Technologies via Comp-Unication Convergence, ICCCE 2014

4 February 2015, Article number 7031615, Pages 119-122

5th International Conference on Computer and Communication Engineering, ICCCE 2014; Sunway Putra HotelKuala Lumpur; Malaysia; 23 September 2014 through 24 September 2014; Category numberE5413; Code 110844

Self-tuning dead beat PD controller for pitch angle control of a bench-top helicopter (Conference Paper)

Mansor, H.^a [✉](#), Gunawan, T.S.^a, Khan, S.^a, Othman, N.I.^a, Tazali, N.^a, Boby, R.I.^a, Mohd-Noor, S.B.^b [✉](#)

^aElectrical and Computer Engineering Department, Kuiliyah of Engineering, International Islamic University Malaysia (IIUM), PO Box 10, Kuala Lumpur, Malaysia

^bDepartment of Electrical and Electronic Engineering, Faculty of Engineering, Universiti Putra Malaysia (UPM Serdang), Serdang, Selangor, Malaysia

Abstract

[View references \(8\)](#)

This paper presents an improved robust Proportional Derivative controller for a 3-Degree-of-Freedom (3-DOF) bench-top helicopter by using adaptive methodology. Bench-top helicopter is a laboratory scale helicopter used for experimental purposes which is widely used in teaching laboratory and research. Proportional Derivative controller has been developed for a 3-DOF bench-top helicopter by Quanser. Experiments showed that the transient response of designed PD controller has very large steady state error i.e., 50%, which is very serious. The objective of this research is to improve the performance of existing pitch angle control of PD controller on the bench-top helicopter by integration of PD controller with adaptive controller. Usually standard adaptive controller will produce zero steady state error, however response time to reach desired set point is large. Therefore, this paper proposed an adaptive with deadbeat algorithm to overcome the limitations. The output response that is fast, robust and updated online is expected. Performance comparisons have been performed between the proposed self-tuning deadbeat PD controller and standard PD controller. The efficiency of the self-tuning dead beat controller has been proven from the tests results in terms of faster settling time, zero steady state error and capability of the controller to be updated online. © 2014 IEEE.

Author keywords

[adaptive control](#) [bench-top helicopter](#) [deadbeat control](#) [self-tuning control](#)

Indexed keywords

[Engineering controlled terms:](#) [Adaptive control systems](#) [Aircraft control](#) [Helicopters](#) [Social networking \(online\)](#)

Metrics [View all metrics >](#)

1 Citation in Scopus

70th Percentile

0.90 Field-Weighted Citation Impact



PlumX Metrics [View all metrics >](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 1 document

QFT Controller for nonlinear system application to 3-DOF flight control module

Boby, R.I. , Mansor, H. , Za'bah, N.F. (2016) *ARPN Journal of Engineering and Applied Sciences*

[View details of this citation](#)

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Robust adaptive LQR control of nonlinear system application to 3-Dof flight control system

Boby, R.I. , Mansor, H. , Gunawan, T.S. (2015) *2014 IEEE International Conference on Smart Instrumentation, Measurement and Applications, ICSIMA 2014*

Modelling of a conveyor-belt grain dryer utilizing a sigmoid network

Lutfy, O.F. , Selamat, H. , Noor, S.B.M.

Adaptive Control
 Adaptive methodologies
 Bench-top helicopters
 Deadbeat control
 Performance comparison
 Proportional-derivative controllers
 Self tuning controls
 Zero steady state error

Engineering main heading: Controllers

(2015) 2015 10th Asian Control Conference: Emerging Control Techniques for a Sustainable World, ASCC 2015

Reactive power compensation by using indirect self tuning regulator

Bansode, A.Y. , Ankushe, R.S. , Hande, V.V.
 (2016) International Conference on Electrical, Electronics, and Optimization Techniques, ICEEOT 2016

View all related documents based on references

Find more related documents in Scopus based on:



Authors > Keywords >

ISBN: 978-147997635-5
Source Type: Conference Proceeding
Original language: English

DOI: 10.1109/ICCCE.2014.44
Document Type: Conference Paper
Volume Editors: Gunawan T.S.
Sponsors: Felda Wellness Corporation, Malaysia Convention and Exhibition Bureau (MyCEB), Malaysian Industry-Government Group for High Technology, University Putra Malaysia, Yayasan Kesejahteraan Bandar
Publisher: Institute of Electrical and Electronics Engineers Inc.

References (8)

[View in search results format >](#)

All [Export](#)  Print  E-mail [Save to PDF](#) [Create bibliography](#)

- 1 Gutman, P.-O.
 Robust and adaptive control: Fidelity or an open relationship?

(2003) *Systems and Control Letters*, 49 (1), pp. 9-19. Cited 8 times.
 doi: 10.1016/S0167-6911(02)00339-0

[View at Publisher](#)

- 2 Junior, F.C.S., Oliveira, J.B., Araujo, A.D.
 Design and stability analysis of a Variable Structure Adaptive Pole Placement Controller for first order systems

(2011) *IEEE International Conference on Control and Automation, ICCA*, art. no. 6138038, pp. 895-900. Cited 3 times.
 ISBN: 978-145771475-7
 doi: 10.1109/ICCA.2011.6138038

[View at Publisher](#)

- 3 Lasri, R., Rojas, I., Pomares, H., Valenzuela, O.
 Innovative strategy to improve precision and to save power of a real-time control process using an online adaptive fuzzy logic controller
Advances in Fuzzy Systems, 2013.

- 4 Mansor, H., Noor, S.B.M., Ahmad, R.K.R., Taip, F.S.
 Online Quantitative feedback theory (QFT) -based self-tuning controller for grain drying process
 (2011) *Scientific Research and Essays*, 6 (31), pp. 6520-6534. Cited 7 times.
<http://www.academicjournals.org/sre/PDF/pdf2011/16Dec/Mansor%20et%20al.pdf>
 doi: 10.5897/SRE11.1337
[View at Publisher](#)

- 5 Barbargires, C.A., Karybakas, C.A.
 Minimum-energy ripple-free dead-beat control of type-I second-order plants
 (1999) *Proceedings of the IEEE International Conference on Electronics, Circuits, and Systems*, 2, art. no. 813440, pp. 1163-1166.
 ISBN: 0780356829
 doi: 10.1109/ICECS.1999.813440
[View at Publisher](#)

- 6 Mansor, H., Mohd Noor, S.B.
 Design of QFT-based self-tuning deadbeat controller
 (2013) *World Academy of Science, Engineering and Technology*, 79. Cited 2 times.
 July

- 7 *3D Helicopter Experiment Manual, Quanser 3-DOF Helicopter Reference Manual 644(2.1)*

- 8 Bobal, V., Chalupa, P.
 (2008) *Self-tuning Controllers Simulink Library*. Cited 6 times.
 Zlin: Thomas Bata University

© Copyright 2015 Elsevier B.V., All rights reserved.

[< Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Gr