



Scopus

Document details

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#) [View at Publisher](#)Global Health Action
Volume 7, Issue 1, 2014, Article number 24725

Open Access

Intimate partner violence and its association with maternal depressive symptoms 6-8 months after childbirth in rural Bangladesh (Article)

Kabir, Z.N.^a , Nasreen, H.^b, Edhborg, M.^c ^aDivision of Nursing, Department of Neurobiology, Care Sciences and Society, Karolinska Institute, Stockholm, Sweden^bDepartment of Community Medicine, Kulliyah of Medicine, International Islamic University Malaysia, Kuala Lumpur, Malaysia^cResearch and Evaluation Division, BRAC, Dhaka, Bangladesh

Abstract

[View references \(38\)](#)

Background: The prevalence of intimate partner violence (IPV), a gross violation of human rights, ranges widely across the world with higher prevalence reported in low- and middle-income countries. Evidence related mainly to physical health shows that IPV has both direct and indirect impacts on women's health. Little is known about the impact of IPV on the mental health of women, particularly after childbirth. **Objective:** To describe the prevalence of IPV experienced by women 6-8 months after childbirth in rural Bangladesh and the factors associated with physical IPV. The study also aims to investigate the association between IPV and maternal depressive symptoms after childbirth. **Design:** The study used cross-sectional data at 6-8 months postpartum. The sample included 660 mothers of newborn children. IPV was assessed by physical, emotional, and sexual violence. The Edinburgh Postnatal Depression Scale assessed maternal depressive symptoms. **Results:** Prevalence of physical IPV was 52%, sexual 65%, and emotional 84%. The husband's education (OR: 0.41, CI: 0.23-0.73), a poor relationship with the husband (OR: 2.64, CI: 1.07-6.54), and emotional violence by spouse (OR: 1.58, CI: 1.35-1.83) were significantly associated with physical IPV experienced by women. The perception of a fussy and difficult child (OR: 1.05, CI: 1.02-1.08), a poor relationship with the husband (OR: 4.95, CI: 2.55-9.62), and the experience of physical IPV (OR: 2.83, CI: 1.72-4.64) were found to be significant predictors of maternal depressive symptoms among women 6-8 months after childbirth. Neither forced sex nor emotional violence by an intimate partner was found to be significantly associated with maternal depressive symptoms 6-8 months postpartum. **Conclusions:** It is important to screen for both IPV and depressive symptoms during pregnancy and postpartum. Since IPV and spousal relationships are the most important predictors of maternal depressive symptoms in this study, couple-focused interventions at the community level are suggested. © 2014 Zarina N. Kabir et al.

Author keywords

Bangladesh Intimate partner violence Maternal depression Mental health South asia

Indexed keywords

Metrics  [View all metrics >](#)

13 Citations in Scopus
88th Percentile

2.88 Field-Weighted
Citation Impact

PlumX Metrics Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 13 documents

Intimate partner violence around the time of pregnancy and postpartum depression: The experience of women of Bangladesh

Islam, M.J. , Broidy, L. , Baird, K. (2017) *PLoS ONE*

Prevalence and predictors of positive screening for postpartum depression in minority parturients in the South Bronx

Doe, S. , LoBue, S. , Hamaoui, A. (2017) *Archives of Women's Mental Health*

Exploring the associations between intimate partner violence victimization during pregnancy and delayed entry into prenatal care: Evidence from a population-based study in Bangladesh

Islam, M.J. , Broidy, L. , Baird, K. (2017) *Midwifery*

[View all 13 citing documents](#)

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Related documents

EMTREE medical terms: adult Bangladesh cross-sectional study depression female human mental health mother partner violence prevalence psychology risk factor rural population socioeconomics women's health

MeSH: Adult Bangladesh Cross-Sectional Studies Depression Female Humans Mental Health Mothers Prevalence Risk Factors Rural Population Socioeconomic Factors Spouse Abuse Women's Health

Intimate partner violence around the time of pregnancy and postpartum depression: The experience of women of Bangladesh

Islam, M.J. , Broidy, L. , Baird, K. (2017) *PLoS ONE*

Bangladeshi men whose father abused their mother are more likely to be violent toward their own wife

London, S. (2006) *International Family Planning Perspectives*

Psychological abuse during pregnancy linked to depression in Brazil

Ramashwar, S. (2010) *International Family Planning Perspectives*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

ISSN: 16549880
Source Type: Journal
Original language: English

DOI: 10.3402/gha.v7.24725
PubMed ID: 25226416
Document Type: Article
Publisher: Co-Action Publishing

References (38)

[View in search results format >](#)

All Export Print E-mail Save to PDF Create bibliography

- 1 Cutcliffe, J.R., McKenna, H.P. (2005) *The essential concepts of nursing: building blocks for practice*. Cited 21 times. New York: Elsevier
- 2 Garcia-Moreno, C., Jansen, H.A., Ellsberg, M., Heise, L., Watts, C.H. Prevalence of intimate partner violence: findings from the WHO multi-country study on women's health and domestic violence (2006) *Lancet*, 368 (9543), pp. 1260-1269. Cited 989 times. doi: 10.1016/S0140-6736(06)69523-8 [View at Publisher](#)
- 3 Devries, K.M., Kishor, S., Johnson, H., Stöckl, H., Bacchus, L.J., Garcia-Moreno, C., Watts, C. Intimate partner violence during pregnancy: Analysis of prevalence data from 19 countries (2010) *Reproductive Health Matters*, 18 (36), pp. 158-170. Cited 100 times. doi: 10.1016/S0968-8080(10)36533-5 [View at Publisher](#)
- 4 Naved, R.T., Azim, S., Bhuiya, A., Persson, L.A. Physical violence by husbands: Magnitude, disclosure and help-seeking behavior of women in Bangladesh (2006) *Social Science and Medicine*, 62 (12), pp. 2917-2929. Cited 102 times. doi: 10.1016/j.socscimed.2005.12.001 [View at Publisher](#)
- 5 Sambisa, W., Angeles, G., Lance, P.M., Naved, R.T., Curtis, S.L. Physical and sexual abuse of wives in Urban Bangladesh: Husbands' reports (2010) *Studies in Family Planning*, 41 (3), pp. 165-178. Cited 17 times. doi: 10.1111/j.1728-4465.2010.00241.x [View at Publisher](#)

-
- 6 Bailey, B.A.
Partner violence during pregnancy: Prevalence, effects, screening, and management
(2010) *International Journal of Women's Health*, 2 (1), pp. 183-197. Cited 50 times.
<http://www.dovepress.com/getfile.php?fileID=6629>
View at Publisher
-
- 7 Ludermir, A.B., Lewis, G., Valongueiro, S.A., De Araújo, T.V.B., Araya, R.
Violence against women by their intimate partner during pregnancy and postnatal depression: A prospective cohort study
(2010) *The Lancet*, 376 (9744), pp. 903-910. Cited 128 times.
doi: 10.1016/S0140-6736(10)60887-2
View at Publisher
-
- 8 Sarkar, N.N.
The impact of intimate partner violence on women's reproductive health and pregnancy outcome
(2008) *Journal of Obstetrics and Gynaecology*, 28 (3), pp. 266-271. Cited 137 times.
doi: 10.1080/01443610802042415
View at Publisher
-
- 9 Campbell, J.C.
Health consequences of intimate partner violence
(2002) *Lancet*, 359 (9314), pp. 1331-1336. Cited 1562 times.
doi: 10.1016/S0140-6736(02)08336-8
View at Publisher
-
- 10 Silverman, J.G., Decker, M.R., Cheng, D.M., Wirth, K., Saggurti, N., McCauley, H.L., Falb, K.L., (...), Raj, A.
Gender-based disparities in infant and child mortality based on maternal exposure to spousal violence: The heavy burden borne by Indian girls
(2011) *Archives of Pediatrics and Adolescent Medicine*, 165 (1), pp. 22-27. Cited 23 times.
<http://archpedi.ama-assn.org/cgi/reprint/165/1/22>
doi: 10.1001/archpediatrics.2010.261
View at Publisher
-
- 11 Åsling-Monemi, K., Tabassum Naved, R., Persson, L.A.
Violence against women and the risk of under-five mortality: Analysis of community-based data from rural Bangladesh
(2008) *Acta Paediatrica, International Journal of Paediatrics*, 97 (2), pp. 226-232. Cited 31 times.
doi: 10.1111/j.1651-2227.2007.00597.x
View at Publisher
-
- 12 Naved, R.T., Akhtar, N.
Spousal Violence Against Women and Suicidal Ideation in Bangladesh
(2008) *Women's Health Issues*, 18 (6), pp. 442-452. Cited 33 times.
doi: 10.1016/j.whi.2008.07.003
View at Publisher
-

-
- 13 Johnston, H.B., Naved, R.T.
Spousal violence in Bangladesh: A call for a public-health response

(2008) *Journal of Health, Population and Nutrition*, 26 (3), pp. 366-377. Cited 23 times.
http://www.icddr.org/images/JHPN263-Spousal_Violence_in_Bangladesh_A_Call_for_a_Public-health_Response.pdf

View at Publisher
-
- 14 Howard, L.M., Oram, S., Galley, H., Trevillion, K., Feder, G.
Domestic Violence and Perinatal Mental Disorders: A Systematic Review and Meta-Analysis

(2013) *PLoS Medicine*, 10 (5), art. no. e1001452. Cited 88 times.
<http://www.plosmedicine.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjournal.pmed.1001452&representation=PDF>
doi: 10.1371/journal.pmed.1001452

View at Publisher
-
- 15 Nasreen, H.E., Kabir, Z.N., Forsell, Y., Edhborg, M.
Prevalence and associated factors of depressive and anxiety symptoms during pregnancy: A population based study in rural Bangladesh

(2011) *BMC Women's Health*, 11, art. no. 22. Cited 60 times.
<http://www.biomedcentral.com/1472-6874/11/22>
doi: 10.1186/1472-6874-11-22

View at Publisher
-
- 16 (2009) *Statistical Year Book of Bangladesh 2008*. Cited 10 times.
Government of People's Republic of Bangladesh. Dhaka: Government of People's Republic in Bangladesh
-
- 17 Cox, J.L., Holden, J.M., Sagovsky, R.
Detection of Postnatal Depression: Development of the 10-item Edinburgh Postnatal Depression scale

(1987) *British Journal of Psychiatry*, 150 (JUNE), pp. 782-786. Cited 4588 times.

View at Publisher
-
- 18 Gausia, K., Fisher, C., Algin, S., Oosthuizen, J.
Validation of the Bangla version of the Edinburgh Postnatal Depression Scale for a Bangladeshi sample

(2007) *Journal of Reproductive and Infant Psychology*, 25 (4), pp. 308-315. Cited 19 times.
doi: 10.1080/02646830701644896

View at Publisher
-
- 19 Bates, J.E., Freeland, C.A., Lounsbury, M.L.
Measurement of infant difficultness.

(1979) *Child development*, 50 (3), pp. 794-803. Cited 675 times.

View at Publisher
-

-
- 20 Black, M.M., Baqui, A.H., Zaman, K., McNary, S.W., Le, K., El Arifeen, S., Hamadani, J.D., (...), Black, R.E.
Depressive symptoms among rural Bangladeshi mothers: Implications for infant development

(2007) *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 48 (8), pp. 764-772. Cited 64 times.
doi: 10.1111/j.1469-7610.2007.01752.x

[View at Publisher](#)
-
- 21 Azziz-Baumgartner, E., Homaira, N., Hamadani, J.D., Tofail, F., Dahlberg, L.L., Haque, R., Luby, S.P., (...), Naved, R.T.
The Prevalence and Impact of Intimate Partner Violence on Maternal Distress in a Community of Low-Income Bangladeshi and Displaced Ethnic Bihari Mothers: Dhaka, 2008-2009

(2014) *Violence Against Women*, 20 (1), pp. 59-73. Cited 6 times.
doi: 10.1177/1077801213520579

[View at Publisher](#)
-
- 22 Naved, R.T., Persson, L.Å.
Factors associated with spousal physical violence against women in Bangladesh

(2005) *Studies in Family Planning*, 36 (4), pp. 289-300. Cited 94 times.
doi: 10.1111/j.1728-4465.2005.00071.x

[View at Publisher](#)
-
- 23 Bacchus, L., Mezey, G., Bewley, S.
Domestic violence: Prevalence in pregnant women and associations with physical and psychological health

(2004) *European Journal of Obstetrics Gynecology and Reproductive Biology*, 113 (1), pp. 6-11. Cited 127 times.
doi: 10.1016/S0301-2115(03)00326-9

[View at Publisher](#)
-
- 24 Abramsky, T., Watts, C.H., Garcia-Moreno, C., Devries, K., Kiss, L., Ellsberg, M., Jansen, H.A.F.M., (...), Heise, L.
What factors are associated with recent intimate partner violence? findings from the WHO Multi-country Study on women's Health and Domestic Violence

(2011) *BMC Public Health*, 11, art. no. 109. Cited 255 times.
doi: 10.1186/1471-2458-11-109

[View at Publisher](#)
-
- 25 Valentine, J.M., Rodriguez, M.A., Lapeyrouse, L.M., Zhang, M.
Recent intimate partner violence as a prenatal predictor of maternal depression in the first year postpartum among Latinas

(2011) *Archives of Women's Mental Health*, 14 (2), pp. 135-143. Cited 37 times.
doi: 10.1007/s00737-010-0191-1

[View at Publisher](#)
-
- 26 Beydoun, H.A., Beydoun, M.A., Kaufman, J.S., Lo, B., Zonderman, A.B.
Intimate partner violence against adult women and its association with major depressive disorder, depressive symptoms and postpartum depression: A systematic review and meta-analysis

(2012) *Social Science and Medicine*, 75 (6), pp. 959-975. Cited 105 times.
doi: 10.1016/j.socscimed.2012.04.025

[View at Publisher](#)
-

-
- 27 (2003) *Male attitude toward violence against women in Bangladesh*
Dhaka: UNFPA
-
- 28 Clavarino, A., Hayatbakhsh, M.R., Williams, G.M., Bor, W., O'Callaghan, M., Najman, J.M.
Depression following marital problems: Different impacts on mothers and their children? A 21-year prospective study

(2011) *Social Psychiatry and Psychiatric Epidemiology*, 46 (9), pp. 833-841. Cited 7 times.
doi: 10.1007/s00127-010-0253-8

View at Publisher
-
- 29 Beach, S.R.H., O'Leary, K.D.
Marital discord and dysphoria: for whom does the marital relationship predict depressive symptomatology?
(1993) *J Soc Pers Relat*, 10, pp. 405-420. Cited 69 times.
-
- 30 Astbury, J.
Gender disparities in mental health
(2001) *Mental health 2001: a call for action by world health ministers*, pp. 73-92. Cited 12 times.
Geneva: World Health Organization, Available from
http://www.who.int/mental_health/advocacy/en/Call_for_Action_MoH_Intro.pdf
-
- 31 Beck, C.T.
Predictors of postpartum depression: An update

(2001) *Nursing Research*, 50 (5), pp. 275-285. Cited 914 times.

View at Publisher
-
- 32 Lancaster, C.A., Gold, K.J., Flynn, H.A., Yoo, H., Marcus, S.M., Davis, M.M.
Risk factors for depressive symptoms during pregnancy: a systematic review

(2010) *American Journal of Obstetrics and Gynecology*, 202 (1), pp. 5-14. Cited 336 times.
doi: 10.1016/j.ajog.2009.09.007

View at Publisher
-
- 33 Burke, J.G., Lee, L.-C., O'Campo, P.
An exploration of maternal intimate partner violence experiences and infant general health and temperament

(2008) *Maternal and Child Health Journal*, 12 (2), pp. 172-179. Cited 25 times.
doi: 10.1007/s10995-007-0218-z

View at Publisher
-
- 34 Quinlivan, J.A., Evans, S.F.
Impact of domestic violence and drug abuse in pregnancy on maternal attachment and infant temperament in teenage mothers in the setting of best clinical practice

(2005) *Archives of Women's Mental Health*, 8 (3), pp. 191-199. Cited 36 times.
doi: 10.1007/s00737-005-0079-7

View at Publisher
-
- 35 Brown, J.B., Lent, B., Brett, P.J., Sas, G., Pederson, L.L.
Development of the woman abuse screening tool for use in family practice

(1996) *Family Medicine*, 28 (6), pp. 422-428. Cited 116 times.
-

- 36 Kataoka, Y.
Development of the violence against women screen
(2005) *J Jpn Acad Nurs Sci*, 25, pp. 51-60. Cited 5 times.

- 37 Kataoka, Y., Yaju, Y., Eto, H., Horiuchi, S.
Self-administered questionnaire versus interview as a screening method for intimate partner violence in the prenatal setting in Japan: A randomised controlled trial

(2010) *BMC Pregnancy and Childbirth*, 10, art. no. 84. Cited 18 times.
<http://www.biomedcentral.com/1471-2393/10/84>
doi: 10.1186/1471-2393-10-84

View at Publisher

- 38 Wathen, C.N., Jamieson, E., MacMillan, H.L.
Who is Identified by Screening for Intimate Partner Violence?

(2008) *Women's Health Issues*, 18 (6), pp. 423-432. Cited 24 times.
doi: 10.1016/j.whi.2008.08.003

View at Publisher

👤 Kabir, Z.N.; Department of Neurobiology, Care Sciences and Society, Karolinska Institutet, Alfred Nobels allé 23, 23300, Huddinge, Sweden
© Copyright 2015 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

Terms and conditions Privacy policy

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our Cookies page.

 RELX Gr