The purpose of this book is to provide a detailed explanation on the construction of a portable Doppler ultrasound system for medical application. It is hoped that researchers and the general public will benefit from reading this book to help them to better understand the basics and application of Doppler ultrasound system especially in the clinical setting. Included are data from several experiments involving the portable Doppler ultrasound system to analyse blood velocity in common carotid arteries in subjects with various medical and physical backgrounds. The focus is mainly on blood velocities in common carotid artery and how the information could be used to evaluate the risk of cardiovascular disease in hypertensive patients. The experiments include the association of regular exercise in improving blood velocities to manage the risk of hypertension and cardiovascular disease.



Azran Azhim Yohsuke Kinouchi

# Portable Blood Flow Velocimetry for Health Care Monitoring

**Epidemiological Investigations** 

Azran Azhim, Dr. Eng., Ph.D.(Med.Sci.) is a lecturer at MJIIT, UTM Kuala Lumpur. He earned his Doctor of Engineering at Tokushima University, Japan in 2008. He then obtained his second Ph.D. at The University of Tokyo in 2014. His works involves Biomedical Engineering and Tissue Engineering. He has authored/ co-authored more than 75 publications.



78-3-659-63723-0





## Azran Azhim Yohsuke Kinouchi

Portable Blood Flow Velocimetry for Health Care Monitoring

## Azran Azhim Yohsuke Kinouchi

# Portable Blood Flow Velocimetry for Health Care Monitoring

**Epidemiological Investigations** 

**LAP LAMBERT Academic Publishing** 

#### Impressum / Imprint

Bibliografische Information der Deutschen Nationalbibliothek: Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über http://dnb.d-nb.de abrufbar.

Alle in diesem Buch genannten Marken und Produktnamen unterliegen warenzeichen-, marken- oder patentrechtlichem Schutz bzw. sind Warenzeichen oder eingetragene Warenzeichen der jeweiligen Inhaber. Die Wiedergabe von Marken, Produktnamen, Gebrauchsnamen, Handelsnamen, Warenbezeichnungen u.s.w. in diesem Werk berechtigt auch ohne besondere Kennzeichnung nicht zu der Annahme, dass solche Namen im Sinne der Warenzeichen- und Markenschutzgesetzgebung als frei zu betrachten wären und daher von jedermann benutzt werden dürften.

Bibliographic information published by the Deutsche Nationalbibliothek: The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at http://dnb.d-nb.de.

Any brand names and product names mentioned in this book are subject to trademark, brand or patent protection and are trademarks or registered trademarks of their respective holders. The use of brand names, product names, common names, trade names, product descriptions etc. even without a particular marking in this work is in no way to be construed to mean that such names may be regarded as unrestricted in respect of trademark and brand protection legislation and could thus be used by anyone.

Coverbild / Cover image: www.ingimage.com

Verlag / Publisher:
LAP LAMBERT Academic Publishing
ist ein Imprint der / is a trademark of
OmniScriptum GmbH & Co. KG
Heinrich-Böcking-Str. 6-8, 66121 Saarbrücken, Deutschland / Germany
Email: info@lap-publishing.com

Herstellung: siehe letzte Seite / Printed at: see last page ISBN: 978-3-659-63723-0

Zugl. / Approved by: Tokushima, University of Tokushima, 2008

Copyright © 2014 OmniScriptum GmbH & Co. KG Alle Rechte vorbehalten. / All rights reserved. Saarbrücken 2014

### **Abstract**

Doppler ultrasound instrument has been used in clinical setting for over 30 years and has served as a valuable method for the detection of arterial diseases. Several Doppler instrument designs and techniques have been proposed to provide quantitative measurements such as blood velocity, percent stenosis, and waveform indices. The ideal non-invasive method for detecting and quantifying atherosclerosis (formation of plaque inside the arteries) should be able to describe the level of disease over its entire spectrum, including configuration, function, composition and complication.

In this thesis, I present a detailed development of portable blood velocimetre system using Doppler ultrasound technique. The construction of the device is focused on miniaturisation of a Doppler discriminator circuit and a purpose-built ultrasonic probe, and the development of a stand-alone dialog software for signal monitor and analysis as described in Chapter 4. Prior to the construction of the device, it is important to understand the basic physics of Doppler ultrasound (Chapter 2) and to have basic understanding of particular blood flow in arteries (Chapter 3).

Of particular interest in the study is to assess health condition particularly in older people using information such as measurement of blood velocity in common carotid artery (CCA). Epidemiological investigation was performed on a total of 500 subjects to explore the association between blood velocity waveforms in CCA and other arterial haemodynamics, and the effects of age, gender, body size and so forth on blood velocity and its waveforms (Chapter 5).

From this investigation, it is found that physiological blood flow velocity in CCA is altered markedly with advancing age. (Reasons for changes in the velocity in older people?). However, it is unknown if regular aerobic exercise is able to improve blood flow velocity waveforms in either healthy young or healthy older individuals. (What is the importance/ significance of knowing this information?) We investigated the role of regular exercise on the age-associated alterations in blood velocity waveforms in CCA using cross-sectional and intervention approaches. First, we focused on 91 putatively healthy volunteers with age ranging from 20 to 76 years; 65 subjects were sedentary and 26 subjects were regular exercise-trained. We assessed the blood velocities at rest in peak systolic (S1), second systolic (S2), incisura between systole (I) and peak diastolic (D), and end-diastolic (d) in young, middle-aged and older subjects. Blood velocities in S1 were higher in exercise-trained, whereas S2, D and d were similar between exercise-trained and sedentary individuals. However, the indices of S1/S2 and D/I showed higher values in exercise-trained adults. Second, we studied seven young sedentary healthy subjects before and after one-month aerobic exercise intervention. The aerobic exercise increased whole velocity waveforms in CCA with association of decreased heart rate.

Gender-related differences in body size may affect the arterial haemodynamics such as systolic blood pressure, wave reflection and pressure wave propagation. (what makes you think gender related body size affects arterial haemodynamics?). To assess the possibility that the differences of carotid blood velocities and brachial blood pressure in both men and women are related to body size, we investigated the arterial haemodynamics in 50 healthy

young adults (30 men, 20 women) between the age of 20 to 29 years old. Blood velocities are characterized into five components of velocity waveforms as peak systolic (S1), second systolic (S2), incisura between systole and diastole (I), peak diastolic (D) and end-diastolic velocity wave (d). According to our data, the most pronounced systolic blood pressure is lower in

young women than men (P<0.05). Women have higher diastolic velocity components and second systolic velocity, but have lower systolic velocity compared to men. Thus, women have a significant wave reflection, smaller vascular resistive and lower vascular elastic recoil than in men. Greater body weight is associated with higher blood pressures (P<0.05) and lower blood velocities (P<0.05). Shorter body height affects not only the increased velocity wave reflection index (r=-0.519, P<0.0001), but also the decrease of peripheral vascular resistive index (RI) and arterial vascular elastic recoil index (r=0.463, P<0.0001; r=0.481, P<0.0001, respectively).

In conclusion, our data suggest that regular exercise improves blood flow velocities in healthy young, middle-aged and older individuals and restores levels of what? after one-month exercise in previously sedentary young men. In addition, body size influences blood pressure and velocity regulations in young population (earlier you mentioned the test was for women). The findings are important in standardising the values of CCA blood velocities and its indices for the application of monitoring health.

# **Contents**

СНАРТ	ER 1 INTRODUCTION	1
СНАРТ	ER 2 THE BASIC PHYSICS OF DOPPLER ULTRASOUND	3
2.1 In	troduction	3
2.2 W	ave Propagation	3
2.3 R	eflection and Refraction	5
2.4 Sc 2.4.1 2.4.2	attering of Sound by Blood The Structure of Blood The Scattering of Sound by a Point Target	<b>6</b> 6 7
2.5 In	tensity and Power	8
2.6 Tl	ne Doppler Effect	10
2.7 St	ımmary	12
СНАРТ	ER 3 BLOOD FLOW	13
3.1 In	troduction	13
3.2 Ba	asic Concepts and Definitions of Flow of a Fluid	13
3.2.1	Viscosity	13
3.2.2	Laminar, Turbulent and Disturbed Flow	14
3.2.3	Steady Flow	14
3.3 St	eady Flow in Rigid Tubes	14
3.3.1	Poiseuille Flow	14
3.3.2	Turbulent Flow	16
3.4 Pı	ılsatile Flow in Rigid Tubes	17
3.4.1	Fourier Analysis	17
3.4.2	Sinusoidal Flow	18
3.4.3	Pulsatile Flow	20
3.5 Sı	Immary	20

CHAPTER	4 DEVELOPMENT OF DOPPLER VELOCIMETER SYSTEM	M 21
4.1 Intro	duction	21
4.2 Ultras	sonic Probe	22
4.3 Dopp	ler Signal Discriminator Circuit	23
4.4 Real-	time Monitor and Data Analysis	25
4.4.1 R	eal-time Monitor	25
4.4.2 D	ata Analysis	27
4.5 Displa	acement of Arteries	29
4.5.1 N	lethod	29
4.5.2 R	esults	30
4.5.3 D	iscussions	35
4.6 Acous	stic pressure field of transducer	35
4.6.1 C	alculation of Ultrasonic Field	35
4.6.2 E	xperiment	40
4.6.3 R	esults and Discussions	40
4.7 Sumn	nary	42
CHAPTER	5 EPIDEMIOLOGICAL INVESTIGATIONS	44
	ise Improved Age-associated Changes in the Carotid Blood Velocity	
Waveforms		44
5.1.1 In	ntroduction	45
5.1.2 N	Ieasurements and Data Collections	46
	esults	47
5.1.3.1		47
	1.1 Age-associated Changes in Flow Velocity Waveforms	48
5.1.3.	1	49
5.1.3.	$\varepsilon$	49
	Protocol 2	50
5.1.4 D	iscussion and Conclusion	52
5.2 The I	mpact of Gender on Blood Flow Velocities and Blood Pressure: Role	of
Body Heigh	and Weight	56
	ntroduction	56
5.2.2 N	laterials and Methods	57
5.2.3 R	esults	58
5.2.3.1	Gender Differences in Arterial Haemodynamics	58
5.2.3.2	Effects of Height and Weight on Arterial Haemodynamics	59

5.2.4	Dis	scussion	62
5.3 N	Measu	rement of Blood Flow Velocity Waveforms in the Carotid, Brachia	l and
Femor	al Arte	eries during Head-up Tilt	64
5.3.1	Int	roduction	64
5.3.2	Me	easurements and Data Collections	65
5.3.3	Re	sults	67
5.3	.3.1	Changes of Blood Velocity in Carotid, Brachial and Femoral Arteries	S
duı	ring Hl	JT	67
5.3	.3.2	Changes of Heart Rate and Blood Pressure	67
5.3.4	Dis	scussions	69
СНАР	TER 6	CONCLUSIONS	73
REFEI	RENC	ES	75

**AUTHOR'S PUBLICATIONS AND PAPER AWARDS** エラー! ブックマークが定義されていません。

Academic Journal Papers

エラー! ブックマークが定義されていません。

International Conference and Symposium Papers, Technical Reports, etc エラー! ブックマークが定義されていません。

Paper Awards

エラー! ブックマークが定義されていません。

ACKNOWLEDGMENTS

81