

Web of Science

Search

Search Results

My Tools

Search History

Marked List

 [Look Up Full Text](#)[Full Text Options](#) ▼

Save to EndNote online

[Add to Marked List](#)

79 of 155

Refeeding hypophosphataemia after enteral nutrition in a Malaysian intensive care unit: risk factors and outcome

By: [Ralib, AM](#) (Ralib, Azrina Md)^[1]; [Nor, MBM](#) (Nor, Mohd Basri Mat)^[1]

ASIA PACIFIC JOURNAL OF CLINICAL NUTRITION

Volume: 27 Issue: 2 Pages: 329-335

DOI: 10.6133/apjcn.062017.09

Published: FEB 2018

Document Type: Article

[View Journal Impact](#)

Abstract

Background and Objectives: Refeeding hypophosphataemia (RH) is characterized by an acute electrolyte derangement following nutrition therapy. Complications associated include heart failure, respiratory failure, paraesthesia, seizure and death. We aim to assess its incidence, risk factors, and outcome in our local intensive care unit (ICU). **Methods and Study Design:** A prospective observational cohort study was conducted at the mixed medical-surgical of a tertiary ICU in Kuantan, Malaysia. The study was registered under the National Medical Research Register (NMRR-14-803-19813) and has received ethical approval. Inclusion criteria include adult admission longer than 48 hours who were started on enteral feeding. Chronic renal failure patients and those receiving dialysis were excluded. RH was defined as plasma phosphate less than 0.65 mmol/L and a drop of more than 0.16 mmol/L following feeding. **Results:** A total of 109 patients were recruited, of which 44 (42.6%) had RH. Patients with RH had higher SOFA score compared to those without ($p=0.04$). There were no differences in the APACHE II and NUTRIC scores. Serum albumin was lower in those with RH ($p=0.04$). After refeeding, patients with RH had lower serum phosphate, magnesium and albumin, and higher supplementation of phosphate, potassium and calcium. There were no differences in mortality, length of hospital or ICU stay. **Conclusions:** Refeeding hypophosphataemia occurs in almost half of ICU admission. Risk factors for refeeding include high organ failure score and low albumin. Refeeding was associated with imbalances in phosphate, magnesium, potassium and calcium. Future larger study may further investigate these risk factors and long-term outcomes.

Keywords

Author Keywords: [refeeding syndrome](#); [refeeding hypophosphataemia](#); [organ failure](#); [intensive care unit](#); [risk factors](#)**KeyWords Plus:** [PARENTERAL-NUTRITION](#); [MORTALITY](#); [SUPPORT](#); [ADULT](#)

Author Information

Reprint Address: Nor, MBM (reprint author)

Int Islamic Univ Malaysia, Dept Anaesthesiol & Intens Care, Kulliyyah Med, Jalan Hosp Campus, Kuantan 25000, Pahang, Malaysia.

Organization-Enhanced Name(s)
International Islamic University Malaysia

Addresses:

[1] Int Islamic Univ Malaysia, Dept Anaesthesiol & Intens Care, Kulliyyah Med, Jalan Hosp Campus, Kuantan 25000, Pahang, Malaysia

Organization-Enhanced Name(s)
International Islamic University Malaysia

E-mail Addresses: basri.matnor@gmail.com

Funding

Funding Agency	Grant Number
K Inbasegaran Research Award	

Citation Network

In Web of Science Core Collection

0

Times Cited

 [Create Citation Alert](#)

33

Cited References

[View Related Records](#)

Use in Web of Science

Web of Science Usage Count

1

Last 180 Days

1

Since 2013

[Learn more](#)

This record is from:
Web of Science Core Collection
- Science Citation Index Expanded

Suggest a correction

If you would like to improve the quality of the data in this record, please suggest a correction.

Fundamental Research Grant Scheme FRGS/1/2015/SKK02/UIAM/02/3

[View funding text](#)**Publisher**

H E C PRESS, HEALTHY EATING CLUB PTY LTD, PO BOX 4121, MCKINNON, VIC 3204, AUSTRALIA

Journal Information**Impact Factor:** [Journal Citation Reports](#)**Categories / Classification****Research Areas:** Nutrition & Dietetics**Web of Science Categories:** Nutrition & Dietetics[See more data fields](#)

79 of 155

Cited References: 33Showing 30 of 33 [View All in Cited References page](#)*(from Web of Science Core Collection)*

1. **Hypophosphatemia in the Intensive Care Unit: Incidence, Predictors and Management** **Times Cited: 1**
 By: Basri, M. N.; Janattul, A. J.; Azrina, M. R.; et al.
 INTERNATIONAL MEDICAL JOURNAL MALAYSIA Volume: 11 Issue: 1 Pages: 31-36 Published: JUN 2012
2. **Refeeding syndrome: Treatment considerations based on collective analysis of literature case reports** **Times Cited: 85**
 By: Boateng, Akwasi Afriyie; Sriram, Krishnan; Meguid, Michael M.; et al.
 NUTRITION Volume: 26 Issue: 2 Pages: 156-167 Published: FEB 2010
3. **Refeeding in the ICU: an adult and pediatric problem** **Times Cited: 33**
 By: Byrnes, Matthew C.; Stangenes, Jessica
 CURRENT OPINION IN CLINICAL NUTRITION AND METABOLIC CARE Volume: 14 Issue: 2 Pages: 186-192 Published: MAR 2011
4. **SEVERE HYPOPHOSPHATEMIA IN HOSPITALIZED-PATIENTS** **Times Cited: 54**
 By: CAMP, MA; ALLON, M
 MINERAL AND ELECTROLYTE METABOLISM Volume: 16 Issue: 6 Pages: 365-368 Published: NOV-DEC 1990
5. **Effects of a nutrition support team on clinical outcomes, metabolic complications and electrolyte abnormalities in patients receiving parenteral nutrition** **Times Cited: 3**
 By: Chong, Pei Feng; Paraidathathu, Thomas
 ASIA PACIFIC JOURNAL OF CLINICAL NUTRITION Volume: 22 Issue: 4 Pages: 548-556 Published: 2013
6. **Refeeding hypophosphatemia: a potentially fatal danger in the intensive care unit** **Times Cited: 8**
 By: Coskun, Ramazan; Gundogan, Kursat; Baldane, Suleyman; et al.
 TURKISH JOURNAL OF MEDICAL SCIENCES Volume: 44 Issue: 3 Pages: 369-374 Published: 2014
7. **The importance of the refeeding syndrome** **Times Cited: 192**
 By: Crook, MA; Hally, V; Panteli, JV
 NUTRITION Volume: 17 Issue: 7-8 Pages: 632-637 Published: JUL-AUG 2001
8. **Hypophosphatemia during continuous hemodialysis is associated with prolonged respiratory failure in patients with acute kidney injury** **Times Cited: 47**
 By: Demirjian, Sevag; Teo, Boon Wee; Guzman, Jorge A.; et al.
 NEPHROLOGY DIALYSIS TRANSPLANTATION Volume: 26 Issue: 11 Pages: 3508-3514 Published: NOV 2011
9. **Restricted versus continued standard caloric intake during the management of refeeding syndrome in critically ill adults: a randomised, parallel-group, multicentre, single-blind controlled trial** **Times Cited: 26**

- By: Doig, Gordon S.; Simpson, Fiona; Heighes, Philippa T.; et al.
 Group Author(s): Refeeding Syndrome Trial Investiga
 LANCET RESPIRATORY MEDICINE Volume: 3 Issue: 12 Pages: 943-952 Published: DEC 2015
10. **Treatment of hypophosphatemia in the intensive care unit: a review** **Times Cited: 66**
 By: Geerse, Daniel A.; Bindels, Alexander J.; Kuiper, Michael A.; et al.
 CRITICAL CARE Volume: 14 Issue: 4 Article Number: R147 Published: 2010
11. **SEVERE HYPOPHOSPHATEMIA FOLLOWING THE INSTITUTION OF ENTERAL FEEDINGS** **Times Cited: 52**
 By: HAYEK, ME; EISENBERG, PG
 ARCHIVES OF SURGERY Volume: 124 Issue: 11 Pages: 1325-1328 Published: NOV 1989
12. **Refeeding syndrome - Is underdiagnosed and undertreated, but treatable** **Times Cited: 72**
 By: Hearing, SD
 BRITISH MEDICAL JOURNAL Volume: 328 Issue: 7445 Pages: 908-909 Published: APR 17 2004
13. **Identifying critically ill patients who benefit the most from nutrition therapy: the development and initial validation of a novel risk assessment tool** **Times Cited: 127**
 By: Heyland, Daren K.; Dhaliwal, Rupinder; Jiang, Xuran; et al.
 CRITICAL CARE Volume: 15 Issue: 6 Article Number: R268 Published: 2011
14. **Hypophosphataemia at a large academic hospital in South Africa** **Times Cited: 26**
 By: Hoffmann, M.; Zemlin, A. E.; Meyer, W. P.; et al.
 JOURNAL OF CLINICAL PATHOLOGY Volume: 61 Issue: 10 Pages: 1104-1107 Published: OCT 2008
15. Title: [not available] **Times Cited: 1**
 Group Author(s): Kementerian Kesihatan Malaysia & Malaysian Society of Intensive Care
 Management Protocols in the ICU Published: 2012
 Publisher: Ministry of Health Malaysia, Kuala Lumpur
16. **Nutritional risk screening (NRS 2002): a new method based on an analysis of controlled clinical trials** **Times Cited: 698**
 By: Kondrup, J; Rasmussen, HH; Hamberg, O; et al.
 Group Author(s): ESPEN Working Grp
 CLINICAL NUTRITION Volume: 22 Issue: 3 Pages: 321-336 Published: JUN 2003
17. **Refeeding hypophosphatemia in critically ill patients in an intensive care unit - A prospective study** **Times Cited: 124**
 By: Marik, PE; Bedigian, MK
 ARCHIVES OF SURGERY Volume: 131 Issue: 10 Pages: 1043-1047 Published: OCT 1996
18. **Factors contributing to the development of hypophosphataemia when refeeding using parenteral nutrition** **Times Cited: 10**
 By: Marvin, Vanessa A.; Brown, David; Portlock, Jane; et al.
 PHARMACY WORLD & SCIENCE Volume: 30 Issue: 4 Pages: 329-335 Published: AUG 2008
19. **Association of modified NUTRIC score with 28-day mortality in critically ill patients** **Times Cited: 4**
 By: Mukhopadhyay, Amartya; Henry, Jeyakumar; Ong, Venetia; et al.
 CLINICAL NUTRITION Volume: 36 Issue: 4 Pages: 1143-1148 Published: AUG 2017
20. **Refeeding Hypophosphatemia in Adolescents With Anorexia Nervosa: A Systematic Review** **Times Cited: 26**
 By: O'Connor, Graeme; Nicholls, Dasha
 NUTRITION IN CLINICAL PRACTICE Volume: 28 Issue: 3 Pages: 358-364 Published: JUN 2013
21. **Rates of adult acute inpatients documented as at risk of refeeding syndrome by dietitians** **Times Cited: 2**
 By: Owers, Emma L.; Reeves, Anneli I.; Ko, Susan Y.; et al.
 CLINICAL NUTRITION Volume: 34 Issue: 1 Pages: 134-139 Published: FEB 2015
22. **The origin of the "ideal" body weight equations** **Times Cited: 137**
 By: Pai, MP; Paloucek, FP
 ANNALS OF PHARMACOTHERAPY Volume: 34 Issue: 9 Pages: 1066-1069 Published: SEP 2000

23. **Mat Nor MBM. Refeeding hypophosphataemia in a Malaysian intensive care unit: incidence, risk factors and outcomes** **Times Cited: 1**
By: Ralib, AM; Ismail, CAN; Hassan, MZH; et al.
Brunei International Medical Journal. Volume: 11 Pages: 65-73 Published: 2015
[\[Show additional data\]](#)
24. **Occurrence of refeeding syndrome in adults started on artificial nutrition support: prospective cohort study** **Times Cited: 28**
By: Rio, Alan; Whelan, Kevin; Goff, Louise; et al.
BMJ OPEN Volume: 3 Issue: 1 Article Number: e002173 Published: 2013
25. **Thiamin and folic acid deficiency accompanied by resistant electrolyte imbalance in the re-feeding syndrome in an elderly patient** **Times Cited: 1**
By: Serin, Sibel Ocak; Karaoren, Gulsah; Okuturlar, Yildiz; et al.
ASIA PACIFIC JOURNAL OF CLINICAL NUTRITION Volume: 26 Issue: 2 Pages: 379-382 Published: 2017
26. **Severe Hypophosphatemia in sepsis as a mortality predictor** **Times Cited: 62**
By: Shor, R; Halabe, A; Rishver, A; et al.
ANNALS OF CLINICAL AND LABORATORY SCIENCE Volume: 36 Issue: 1 Pages: 67-72 Published: WIN 2006
27. **'Malnutrition Universal Screening Tool' predicts mortality and length of hospital stay in acutely ill elderly** **Times Cited: 166**
By: Stratton, RJ; King, CL; Stroud, MA; et al.
BRITISH JOURNAL OF NUTRITION Volume: 95 Issue: 2 Pages: 325-330 Published: FEB 2006
28. **Hypophosphatemia in critically ill patients** **Times Cited: 4**
By: Suzuki, Satoshi; Egi, Moritoki; Schneider, Antoine G.; et al.
JOURNAL OF CRITICAL CARE Volume: 28 Issue: 4 Article Number: 536.e9 Published: AUG 2013
29. **Refeeding syndrome influences outcome of anorexia nervosa patients in intensive care unit: an observational study** **Times Cited: 33**
By: Vignaud, Marie; Constantin, Jean-Michel; Ruivard, Marc; et al.
Group Author(s): AZUREA Grp AnorexieRea Study Grp
CRITICAL CARE Volume: 14 Issue: 5 Article Number: R172 Published: 2010
30. **Guidelines for parenteral and enteral nutrition support in geriatric patients in China** **Times Cited: 8**
By: Wei, Junmin; Chen, Wei; Zhu, Mingwei; et al.
ASIA PACIFIC JOURNAL OF CLINICAL NUTRITION Volume: 24 Issue: 2 Pages: 336-346 Published: JUN 2015

Showing 30 of 33 [View All in Cited References page](#)