

Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

[Full Text](#) [View at Publisher](#)

International Journal of Advanced Manufacturing Technology
Volume 94, Issue 5-8, 1 February 2018, Pages 1863-1871

Effect of nanoclay on thermal behavior of jute reinforced composite (Article)

Hasan, M.H.^a, Mollik, M.S.^b, Rashid, M.M.^b 

^aDepartment of Mechanical and Industrial Engineering, Ryerson University, 350 Victoria Street, Toronto, Canada

^bDepartment of Mechatronics Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia

Abstract

[View references \(20\)](#)

Due to enhanced mechanical strength, superior flame resistance, and decreased gas permeability, montmorillonite nanoclay has been introduced to the jute-polyester resin composite materials for structural application. Long-fiber Bangla tossa special jute is being used as reinforcement materials along with 1, 3, and 5% addition of nanoclay within the matrix-fiber mixture to find the optimum percentage of nanoclay. These doped hand lay-up-processed plates are used to made samples for dynamic mechanical analysis and thermogravimetry testing as per ASTM standards. Temperature-induced weight loss due to thermal decomposition was measured and char residue was calculated up to 1000 °C, where 5% added nanoclay samples showed better thermal stability. Viscoelastic properties through storage modulus and loss modulus showed better stability with 1% nanoclay-added composite in dynamic mechanical analysis. Moisture and temperature did not affect the tested samples significantly in diminutive exposure for 1% nanoclay-added samples even though there is a loss of storage modulus 12 to 30% for 3 and 5% nanoclay-added samples, respectively. © 2017, Springer-Verlag London Ltd.

Reaxys Database Information

 [View Compounds](#)

Author keywords

Dynamic mechanical analysis Jute fiber Nanoclay Viscoelastic property

Indexed keywords

Engineering controlled terms:	Decomposition	Dynamic mechanical analysis	Dynamics	Elastic moduli	Flame resistance
	Gas permeability	Jute fibers	Mechanical permeability	Nanostructured materials	
	Polyester resins	Reinforcement	Standards	Thermogravimetric analysis	Viscoelasticity

Compendex keywords	Montmorillonite nanoclay	Nano clays	Reinforced composites	Reinforcement materials
	Structural applications	Temperature-induced	Thermal behaviors	Viscoelastic properties

Engineering main heading:	Nanocomposites
---------------------------	----------------

Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
FRGS-141310732	International Islamic University Malaysia	IIUM	See opportunities by IIUM 
	Ryerson University		See opportunities 
	International Islamic University Malaysia	IIUM	See opportunities by IIUM 

Metrics

0 Citations in Scopus

0 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Thermal conductivity and dynamic mechanical analysis of NiZn ferrite nanoparticles filled thermoplastic natural rubber nanocomposite

Flaifel, M.H. , Ahmad, S.H. , Hassan, A. (2013) *Composites Part B: Engineering*

Crystallization kinetics and thermal behaviors of multi-walled carbon nanotube dispersed jute reinforced composite

Hasan, M.H. , Mollik, M.S. (2016) *ARPN Journal of Engineering and Applied Sciences*

NiZn ferrite filled thermoplastic natural rubber nanocomposites: Effect of low temperature on their magnetic behaviour

Flaifel, M.H. , Ahmad, S.H. , Abdullah, M.H. (2012) *Cryogenics*

Acknowledgements The authors are gratefully to International Islamic University Malaysia (IIUM) for supporting this work. The authors wish to thank IIUM for financial support FRGS-141310732 and Ryerson University to carry out further research in this field.

ISSN: 02683768

CODEN: IJATE

Source Type: Journal

Original language: English

DOI: 10.1007/s00170-017-0883-z

Document Type: Article

Publisher: Springer London

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

References (20)

[View in search results format >](#)

All Export Print E-mail [Save to PDF](#) [Create bibliography](#)

- 1 Khan, M.A., Ganster, J., Fink, H.-P.

Hybrid composites of jute and man-made cellulose fibers with polypropylene by injection moulding

(2009) *Composites Part A: Applied Science and Manufacturing*, 40 (6-7), pp. 846-851. Cited 52 times.
doi: 10.1016/j.compositesa.2009.04.015

[View at Publisher](#)

- 2 Ray, D., Sarkar, B.K., Rana, A.K., Bose, N.R.

Effect of alkali treated jute fibres on composite properties

(2001) *Bulletin of Materials Science*, 24 (2), pp. 129-135. Cited 162 times.
doi: 10.1007/BF02710089

[View at Publisher](#)

- 3 Gon, D.D., Kousik, Palash, P., Subhankar, M.

Jute composites as wood substitute

(2012) *Int J Text Sci*, 1 (6), pp. 84-93. Cited 19 times.

- 4 Sindhu, S., Jegadesan, S., Parthiban, A., Valiyaveettil, S.

Synthesis and characterization of ferrite nanocomposite spheres from hydroxylated polymers

(2006) *Journal of Magnetism and Magnetic Materials*, 296 (2), pp. 104-113. Cited 39 times.
doi: 10.1016/j.jmmm.2005.02.002

[View at Publisher](#)

- 5 Yang, H.-S., Kim, H.-J., Park, H.-J., Lee, B.-J., Hwang, T.-S.

Water absorption behavior and mechanical properties of lignocellulosic filler-polyolefin bio-composites

(2006) *Composite Structures*, 72 (4), pp. 429-437. Cited 192 times.
doi: 10.1016/j.compstruct.2005.01.013

[View at Publisher](#)

- 6 Alam, J., Riaz, U., Ahmad, S.

Effect of ferrofluid concentration on electrical and magnetic properties of the Fe₃O₄/PANI nanocomposites

(2007) *Journal of Magnetism and Magnetic Materials*, 314 (2), pp. 93-99. Cited 69 times.
doi: 10.1016/j.jmmm.2007.02.195

[View at Publisher](#)

- 7 Rahmanian, S., Thean, K.S., Suraya, A.R., Shazed, M.A., Mohd Salleh, M.A., Yusoff, H.M.
Carbon and glass hierarchical fibers: Influence of carbon nanotubes on tensile, flexural and impact properties of short fiber reinforced composites
(2013) *Materials and Design*, 43, pp. 10-16. Cited 48 times.
doi: 10.1016/j.matdes.2012.06.025
[View at Publisher](#)
-
- 8 Novakova, A.A., Lanchinskaya, V.Yu., Volkov, A.V., Gendler, T.S., Kiseleva, T.Yu., Moskvina, M.A., Zezin, S.B.
Magnetic properties of polymer nanocomposites containing iron oxide nanoparticles
(2003) *Journal of Magnetism and Magnetic Materials*, 258-259, pp. 354-357. Cited 95 times.
doi: 10.1016/S0304-8853(02)01062-4
[View at Publisher](#)
-
- 9 Nathani, H., Gubbala, S., Misra, R.D.K.
Magnetic behavior of nickel ferrite-polyethylene nanocomposites synthesized by mechanical milling process
(2004) *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 111 (2-3), pp. 95-100. Cited 37 times.
doi: 10.1016/j.mseb.2004.03.002
[View at Publisher](#)
-
- 10 Voigt, A., Heinrich, M., Martin, C., Llobera, A., Gruetner, G., Pérez-Murano, F.
Improved properties of epoxy nanocomposites for specific applications in the field of MEMS/NEMS
(2007) *Microelectronic Engineering*, 84 (5-8), pp. 1075-1079. Cited 20 times.
doi: 10.1016/j.mee.2007.01.046
[View at Publisher](#)
-
- 11 Sasso, C.P., Pasquale, M., Giudici, L., Lim, S.H., Na, S.M.
Piezomagnetic coefficients of polymer bonded Co-ferrites
(2006) *Sensors and Actuators, A: Physical*, 129 (1-2 SPEC. ISS.), pp. 159-162. Cited 10 times.
doi: 10.1016/j.sna.2005.11.062
[View at Publisher](#)
-
- 12 Dey, A., De, S., De, A., De, S.K.
Characterization and dielectric properties of polyaniline-TiO₂ nanocomposites
(2004) *Nanotechnology*, 15 (9), pp. 1277-1283. Cited 192 times.
doi: 10.1088/0957-4484/15/9/028
[View at Publisher](#)
-
- 13 Rout, J., Misra, M., Mohanty, A.K., Nayak, S.K., Tripathy, S.S.
SEM observations of the fractured surfaces of coir composites
(2003) *Journal of Reinforced Plastics and Composites*, 22 (12), pp. 1083-1100. Cited 26 times.
doi: 10.1177/0731684403027377
[View at Publisher](#)
-
- 14 Sgriccia, N., Hawley, M.C., Misra, M.
Characterization of natural fiber surfaces and natural fiber composites
(2008) *Composites Part A: Applied Science and Manufacturing*, 39 (10), pp. 1632-1637. Cited 319 times.
doi: 10.1016/j.compositesa.2008.07.007
[View at Publisher](#)

15 Hasan, M.H., Mollik, Md.S.

Mechanical performance of Montmorillonite dispersed jute reinforced composite

(2015) *MATEC Web of Conferences*, 30, art. no. 01007.

<http://www.matec-conferences.org/>

doi: 10.1051/matecconf/20153001007

[View at Publisher](#)

16 Hasan, M.H., Mollik, M.S.

Crystallization kinetics and thermal behaviors of multi-walled carbon nanotube dispersed jute reinforced composite

(2016) *ARPN Journal of Engineering and Applied Sciences*, 11 (6), pp. 4137-4142.

http://www.arpnjournals.org/j eas/research_papers/rp_2016/0316_3934.pdf

17 Mollik, S., Tariq, I., Hasan, M.H.

Structural applications and emerging trends of nano-and biocomposites: a review

(2015) *Adv Mater Res*, 1115, pp. 345-348.

18 Ghasemnejad, H., Blackman, B.R.K., Hadavinia, H., Sudall, B.

Experimental studies on fracture characterisation and energy absorption of GFRP composite box structures

(2009) *Composite Structures*, 88 (2), pp. 253-261. Cited 39 times.

doi: 10.1016/j.compstruct.2008.04.006

[View at Publisher](#)

19 Yang, H.-S., Kim, H.-J., Son, J., Park, H.-J., Lee, B.-J., Hwang, T.-S.

Rice-husk flour filled polypropylene composites; mechanical and morphological study

(2004) *Composite Structures*, 63 (3-4), pp. 305-312. Cited 263 times.

www.elsevier.com/inca/publications/store/4/0/5/9/2/8

doi: 10.1016/S0263-8223(03)00179-X

[View at Publisher](#)

20 Persico, P.

(2011) *Mechanical and thermal behaviour of ecofriendly composites reinforced by Kenaf and Caroà fibers*

Int J Polym Sci

<https://doi.org/10.1155/2011/841812>

✉ Rashid, M.M.; Department of Mechatronics Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia; email:mahbub@iium.edu.my

© Copyright 2018 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

日本語に切り替える

切换到简体中文

切换到繁體中文

Русский язык

Customer Service

[Help](#)

[Contact us](#)

