

Document details

< Back to results | 1 of 152 Next >

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)
AACL Bioflux [Open Access](#)

Volume 11, Issue 1, 28 February 2018, Pages 143-157

Comparison of horseshoe crabs (*Tachypleus gigas*) morphometry between different populations using allometric analysis (Article)

Razak, M.R.M. Kassim, Z.

Kulliyah of Science, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang, Malaysia

Abstract[View references \(52\)](#)

Studies on horseshoe crabs morphometrics found that they have maintained their descendent features from the Late Ordovician Period to present day. In the present study, we applied the allometric study to evaluate the correlation of body growth in three populations of the Asian horseshoe crab (*Tachypleus gigas*) collected from Balok (Pahang), Cherok Paloh (Pahang) and Merlimau (Melaka), Malaysia, coastal areas. The aims of this study are to examine the logarithmic growth of horseshoe crabs between three populations by analyzing the variation of their body weight (BW), carapace length (CL), carapace width (CW) and telson length (TEL) to determine their growth and maturity. Their body parameters were analyzed by the allometric method. There are no significant differences between males weight in all populations ($p>0.05$). However, females from Merlimau were smallest (BW: 519.7 ± 66.3 g; CL: 21.1 ± 1.1 cm; CW: 19.6 ± 0.9 cm) among the three populations; Balok (BW: 928.5 ± 123.2 g; CL: 23.8 ± 1.0 cm; CW: 23.3 ± 1.0 cm) and Cherok Paloh (BW: 939.8 ± 125.7 g; CL: 25.4 ± 1.5 cm; CW: 25.1 ± 1.6 cm). Males and females of *T. gigas* in Merlimau could be classified as less matured among Balok and Cherok Paloh, since the increment of CL/CW were higher than their BW. Further study on *T. gigas* allometry along Malaysian coastal area is needed to understand the variation growth between populations. The study could be an alarming condition to a particular *T. gigas* population. © 2018, BIOFLUX SRL. All rights reserved.

Author keywords
[Body weight](#) [Carapace length](#) [Logarithmic growth](#) [Maturity](#) [Telson length](#)
Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
FRGS15-199-0440	Ministry of Higher Education, Malaysia	MOHE	See opportunities by MOHE
FRGS 2015-2017	Ministry of Higher Education, Malaysia	MOHE	See opportunities by MOHE

Funding text

Acknowledgements. This study was funded by The Ministry of Higher Education Malaysia under the Fundamental Research Grant Scheme (FRGS 2015-2017), FRGS15-199-0440.

ISSN: 18448143**Source Type:** Journal**Original language:** English**Document Type:** Article**Publisher:** BIOFLUX SRL**References (52)**[View in search results format >](#)
 All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)
Metrics

0 Citations in Scopus

0 Field-Weighted Citation Impact

**PlumX Metrics**

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)**Related documents**

Width-weight and length-weight relationships of the tri-spine horseshoe crab, *Tachypleus tridentatus* (Leach 1819) from two populations in Sabah, Malaysia: Implications for population management

Mohamad, F. , Manca, A. , Ahmad, A.

(2016) *Journal of Sustainability Science and Management*

Morphometric allometry of horseshoe crab, *Tachypleus gigas* at west part of Sarawak waters, Borneo, East Malaysia

Noor Jawahir, A.R. , Samsur, M. , Shabdin, M.L.

(2017) *AACL Bioflux*

Study on carapace width growth band counts relationship of orange mud crab, *Scylla olivacea* (Herbst, 1796) from Terengganu coastal waters, Malaysia

Hasyima Ismail, N. , Amin Safwan, A. Fairuz Fozi, N.

- 1 Atar, H.H., Seçer, S.
Width/length-weight relationships of the blue crab (*Callinectes sapidus* Rathbun 1896) population living in Beymelek Lagoon Lake
(2003) *Turkish Journal of Veterinary and Animal Sciences*, 27 (2), pp. 443-447. Cited 35 times.
[View at Publisher](#)
-
- 2 Berkson, J., Shuster Jr., C.N.
The horseshoe crab: The battle for a true multiple-use resource
(1999) *Fisheries*, 24 (11), pp. 6-10. Cited 89 times.
www.tandfonline.com/loi/ufsh20?open=38
doi: 10.1577/1548-8446(1999)024<0006:THCTBF>2.0.CO;2
[View at Publisher](#)
-
- 3 Botton, M.L., Shuster Jr., C.N., Sekiguchi, K., Sugita, H.
Amplexus and Mating Behavior in the Japanese Horseshoe Crab, *Tachypleus tridentatus*
(1996) *Zoological Science*, 13 (1), pp. 151-159. Cited 20 times.
<http://www.bioone.org/loi/jzoo>
doi: 10.2108/zsj.13.151
[View at Publisher](#)
-
- 4 Brockmann, H.J., Colson, T., Potts, W.
Sperm competition in horseshoe crabs (*Limulus polyphemus*)
(1994) *Behavioral Ecology and Sociobiology*, 35 (3), pp. 153-160. Cited 66 times.
doi: 10.1007/BF00167954
[View at Publisher](#)
-
- 5 Carmichael, R.H., Rutecki, D., Valiela, I.
Abundance and population structure of the Atlantic horseshoe crab *Limulus polyphemus* in Pleasant Bay, Cape Cod
(2003) *Marine Ecology Progress Series*, 246, pp. 225-239. Cited 65 times.
[View at Publisher](#)
-
- 6 Chatterji, A., Vijayakumar, R., Parulekar, A.H.
Growth and morphometric characteristics of the horseshoe crab, *Carcinoscorpius rotundicauda* (Latreille) from Canning (West Bengal), India
(1988) *Pakistan Journal of Scientific and Industrial Research*, 31 (5), pp. 352-353. Cited 13 times.
-
- 7 Chatterji, A., Pati, S.
Allometric relationship in the adult population of the Malaysian horseshoe crab (*Tachypleus tridentatus*; Leach)
(2014) *International Journal of Research*, 1 (11), pp. 1378-1385. Cited 5 times.
-
- 8 Chatterji, A.
The Indian horseshoe crab - A living fossil
(1994) *A Project Swarajya Publication*, p. 157.
-
- 9 Chatterji, A., Mishra, J.K., Vijayakumar, R., Parulekar, A.H.
Length-weight relationship of the Indian horseshoe crab *Tachypleus gigas* (Müller)
(1994) *Indian Journal of Fisheries*, 41 (2), pp. 111-113. Cited 3 times.

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

- 10 Chiu, H.M.C., Morton, B.
Growth and allometry of two horseshoe crab species, *Tachypleus tridentatus* and *Carcinoscorpius rotundicauda* (Xiphosura)
(2001) *Hong Kong. Asian Marine Biology*, 18, pp. 129-141. Cited 10 times.

-
- 11 Christopher, G.S.
The statistical theory of shape
(1996) *Springer*, p. 4.

-
- 12 Daniels, S.R., Stewart, B.A., Gibbons, M.J.
Genetic and morphometric variation in the potamonautid river crab *potamonautes parvispina* (Decapoda: Potamonautilidae) from two western cape rivers, South Africa
(1998) *Journal of Natural History*, 32 (8), pp. 1245-1258. Cited 19 times.
doi: 10.1080/00222939800770621

[View at Publisher](#)

-
- 13 Gaspar, M.B., Santos, M.N., Vasconcelos, P., Monteiro, C.C.
Shell morphometric relationships of the most common bivalve species (Mollusca: Bivalvia) of the Algarve coast (southern Portugal)
(2002) *Hydrobiologia*, 477, pp. 73-80. Cited 45 times.
doi: 10.1023/A:1021009031717

[View at Publisher](#)

-
- 14 Gerhart, S.D.
A review of the biology and management of horseshoe crabs, with emphasis on Florida populations. Fish and Wildlife Research Institute, Technical Reports, St. Petersburg, Florida, Florida Fish and Wildlife Conservation Commission
(2007) *Fish and Wildlife Research Institute*, 12, pp. 1-24.

-
- 15 Graham, L.J., Botton, M.L., Hata, D., Loveland, R.E., Murphy, B.R.
Prosomal-width-to-weight relationships in american Horseshoe crabs (*Limulus polyphemus*): Examining conversion factors used to estimate landings
(2009) *Fishery Bulletin*, 107 (2), pp. 235-243. Cited 10 times.
<http://fishbull.noaa.gov/1072/graham.pdf>

[View at Publisher](#)

-
- 16 Hickman, J.C.
The basic biology of plant numbers
(1979) *Topics in Plant Population Biology*, pp. 232-263. Cited 28 times.
Solbrig O. T., Jain S. K., Johnson G. B., Raven P. H., Columbia University Press, New York, London

-
- 17 Hussain, A., Qazi, J.I., Shakir, H.A., Mirza, M.R., Nayyer, A.Q.
Length-weight relationship, meristic and morphometric study of *Clupisoma naziri* from the River Indus, Pakistan
(2009) *Punjab University Journal of Zoology*, 24 (1-2), pp. 41-47. Cited 2 times.

-
- 18 Huxley, J.S., Teissier, G.
Terminology of relative growth [6]
(1936) *Nature*, 137 (3471), pp. 780-781. Cited 223 times.

[View at Publisher](#)

- 19 Ismail, N., Jolly, J.J., Dzulkiply, S.K., Mohd Mustakim, M.K., Nik Mohd Hafiz, A., Izzatul Huda, A.G., Taib, M., (...), Chatterji, A.
Allometric variations of horseshoe crab (*Tachypleus gigas*) populations collected from chendor and cherating, Pahang, peninsular Malaysia
(2012) *Journal of Sustainability Science and Management*, 7 (2), pp. 164-169. Cited 6 times.
<http://jssm.umt.edu.my/files/2012/11/8.pdf>
-
- 20 John, B.A.
(2012) *Feeding Ecology, Molecular Phylogeny and TAL Production from Malaysian Horseshoe Crabs (*Tachypleus Gigas* & *Carcinoscorpius Rotundicauda*)*. Cited 2 times.
PhD Thesis, Kulliyah of Science, International Islamic University, Malaysia
-
- 21 John, B.A., Jalal, K.C.A., Kamaruzzaman, Y.B., Zaleha, K.
Mechanism in the clot formation of horseshoe crab blood during bacterial endotoxin invasion
(2010) *Journal of Applied Sciences*, 10 (17), pp. 1930-1936. Cited 19 times.
<http://scialert.net/qredirect.php?doi=jas.2010.1930.1936&linkid=pdf>
View at Publisher
-
- 22 Karnik, N.S., Chakraborty, S.Kr.
Length-weight relationship and morphometric study on the squid *Loligo duvauceli* (d'Orbigny)(Mollusca / Cephalopoda) off Mumbai (Bombay) waters, west coast of India
(2001) *Indian Journal of Marine Sciences*, 30 (4), pp. 261-263. Cited 8 times.
-
- 23 Kassim, Z., Shahuddin, H., Shaharom, F., Chatterji, A.
Abundance of three species of the horseshoe crab along the coast of Malaysia
(2008) *Journal of the Bombay Natural History Society*, 105, pp. 209-211. Cited 13 times.
-
- 24 Krumholz, L.A., Cavanah, H.S.
Comparative Morphometry of Freshwater Drum from Two Midwestern Localities
(1968) *Transactions of the American Fisheries Society*, 97 (4), pp. 429-441. Cited 5 times.
doi: 10.1577/1548-8659(1968)97[429:CMOFDF]2.0.CO;2
View at Publisher
-
- 25 Kumar, V., Roy, S., Sahoo, A.K., Behera, B.K., Sharma, A.P.
Horseshoe crab and its medicinal values
(2015) *International Journal of Current Microbiology and Applied Sciences*, 4 (2), pp. 956-964. Cited 3 times.
-
- 26 Lawson, E.O., Akintola, S.L., Awe, F.A.
Length-weight relationship and morphometry for eleven (11) Fish species from Ogudu Creek, Lagos, Nigeria
(2013) *Advances in Biological Research*, 7 (4), pp. 122-128. Cited 4 times.
-
- 27 Levin, M.L.
(2003) *Evidence for the Existence of Juvenile Hormone in the Horseshoe Crab*. Cited 2 times.
MSc Thesis, Worcester Polytechnic Institute, USA
-

28 Liew, P.L., Ng, W.L., Tan, S.G.

Levels and patterns of genetic variation in an Asian horseshoe crab species, *Tachypleus gigas* Müller, from the Malay Peninsula

(2015) *Marine Biology Research*, 11 (8), pp. 879-886.

<http://www.tandf.co.uk/journals/titles/17451000.asp>

doi: 10.1080/17451000.2015.1024135

[View at Publisher](#)

29 Manca, A., Mohamad, F., Nelson, B.R., Mohd Sofa, M.F.A., Alia'M, A.A., Ismail, N.

Trailing the spawning horseshoe crab *Tachypleus gigas* (Müller, 1785) at designated natal beaches on the east coast of Peninsular Malaysia

(2016) *Cell & Development Biology*, 5, p. 171.

30 Mohamad, F., Manca, A., Ahmad, A., Sofa, M.F., Alia'm, A.A., Ismail, N.

Width-weight and length-weight relationships of the tri-spine horseshoe crab, *Tachypleus tridentatus* (Leach 1819) from two populations in Sabah, Malaysia: Implications for population management

(2016) *Journal of Sustainability Science and Management*, 11 (1), pp. 1-13. Cited 4 times.

<http://jssm.umt.edu.my/wp-content/uploads/sites/51/2016/06/Contents-JSSM-V11N1.pdf>

31 Mohanty, A.K., Nayak, L., Bhatta, K.S.

Length-weight relationship and relative condition factor of Asian Seabass, *Lates calcarifer* (Bloch) from Chilika Lagoon, Odisha

(2014) *International Journal of Fisheries and Aquatic Studies*, 1 (6), pp. 222-224. Cited 3 times.

32 Mohd Razali, M.R., Zaleha, K.

Fishery aspect of horseshoe crab [*Tachypleus gigas* (Müller, 1785)] in the Peninsular Malaysia: Exploitation status

(2017) *Universal Journal of Applied Science*, 5 (2), pp. 11-15.

33 Naqvi, S.B., Mirza, T., Sheikh, D., Abbas, T.

Application of limulus amebocyte lysate (LAL) test for detecting endotoxin (Pyrogen) in large volume parenterals

(2004) *Journal of Pharmaceutical Sciences*, 17 (1), pp. 89-94. Cited 3 times.

34 Noor Jawahir, A.R., Samsur, M., Shabdin, M.L., Rahim, K.-A.A.

Morphometric allometry of horseshoe crab, *Tachypleus gigas* at west part of Sarawak waters, Borneo, East Malaysia

(2017) *AACL Bioflux*, 10 (1), pp. 18-24.

<http://www.bioflux.com.ro/docs/2017.18-24.pdf>

35 Obst, M., Faurby, S., Bussarawit, S., Funch, P.

Molecular phylogeny of extant horseshoe crabs (Xiphosura, Limulidae) indicates Paleogene diversification of Asian species

(2012) *Molecular Phylogenetics and Evolution*, 62 (1), pp. 21-26. Cited 25 times.

doi: 10.1016/j.ympev.2011.08.025

[View at Publisher](#)

- 36 Rozihan, M., Ismail, E., John, B.A., Jalal, K.C.A., Mohd-Adnan, A.
Genetic diversity of horseshoe crab (*Tachypleus gigas*) in Malaysia revealed using microsatellite markers
(2013) *Asian Journal of Animal and Veterinary Advances*, 8 (1), pp. 63-72. Cited 7 times.
<http://scialert.net/qredirect.php?doi=ajava.2013.63.72&linkid=pdf>
doi: 10.3923/ajava.2013.63.72
[View at Publisher](#)
-
- 37 Rudkin, D.M., Young, G.A.
Horseshoe crabs - An ancient ancestry revealed
(2009) *Biology and Conservation of Horseshoe Crabs*, pp. 25-44. Cited 27 times.
<http://springerlink.com/openurl.asp?genre=book&isbn=978-0-387-89958-9>
ISBN: 978-038789958-9
doi: 10.1007/978-0-387-89959-6_2
[View at Publisher](#)
-
- 38 Rudkin, D.M., Young, G.A., Nowlan, G.S.
The oldest horseshoe crab: A new xiphosurid from late ordovician konservat-lagerstätten deposits, Manitoba, Canada
(2008) *Palaeontology*, 51 (1), pp. 1-9. Cited 70 times.
doi: 10.1111/j.1475-4983.2007.00746.x
[View at Publisher](#)
-
- 39 Rudloe, A.
Man's influence as an environmental threat to *Limulus*.
(1982) *Progress in clinical and biological research*, 81, pp. 297-300. Cited 8 times.
-
- 40 Schaefer, R., Trutschler, K., Rumohr, H.
Biometric studies on the bivalves *Astarte elliptica*, *A. borealis* and *A. montagui* in Kiel Bay (Western Baltic Sea)
(1985) *Helgoländer Meeresuntersuchungen*, 39 (3), pp. 245-253. Cited 9 times.
doi: 10.1007/BF01992772
[View at Publisher](#)
-
- 41 Sekiguchi, K., Shuster Jr., C.N.
Limits on the global distribution of horseshoe crabs (Limulacea): Lessons learned from two lifetimes of observations: Asia and America
(2009) *Biology and Conservation of Horseshoe Crabs*, pp. 5-24. Cited 30 times.
<http://springerlink.com/openurl.asp?genre=book&isbn=978-0-387-89958-9>
ISBN: 978-038789958-9
doi: 10.1007/978-0-387-89959-6_1
[View at Publisher](#)
-
- 42 Sekiguchi, K., Seshimo, H., Sugita, H.
Post-embryonic development of the horseshoe crab
(1988) *Biological Bulletin*, 174, pp. 337-345. Cited 40 times.

43 Shin, P.K.S., Li, H., Cheung, S.G.

Horseshoe crabs in Hong Kong: Current population status and human exploitation

(2009) *Biology and Conservation of Horseshoe Crabs*, pp. 347-360. Cited 38 times.

<http://springerlink.com/openurl.asp?genre=book&isbn=978-0-387-89958-9>

ISBN: 978-038789958-9

doi: 10.1007/978-0-387-89959-6_22

[View at Publisher](#)

44 Shuster Jr., C.N., Sekiguchi, K.

Basic Habitat requirements of the extant species of horseshoe crabs (Limulacea)

(2009) *Biology and Conservation of Horseshoe Crabs*, pp. 115-129. Cited 13 times.

<http://springerlink.com/openurl.asp?genre=book&isbn=978-0-387-89958-9>

ISBN: 978-038789958-9

doi: 10.1007/978-0-387-89959-6_7

[View at Publisher](#)

45 Shuster Jr., C.N.

A pictorial review of the natural history and ecology of the horseshoe crab *Limulus polyphemus*, with reference to other Limulidae.

(1982) *Progress in clinical and biological research*, 81, pp. 1-52. Cited 122 times.

46 Srijaya, T.C., Pradeep, P.J., Mithun, S., Hassan, A., Shaharom, F., Chatterji, A.

A new record on the morphometric variations in the populations of horseshoe crab (*Carcinoscorpius rotundicauda*, Latreille) obtained from two different ecological habitats of Peninsular Malaysia

(2010) *Our Nature*, 8, pp. 204-211. Cited 18 times.

47 Suggs, D.N., Carmichael, R.H., Grady, S.P., Valiela, I.

Effects of individual size on pairing in horseshoe crabs

(2002) *Biological Bulletin*, 203 (2), pp. 225-227. Cited 9 times.

<http://www.biolbull.org/>

doi: 10.2307/1543410

[View at Publisher](#)

48 Susanto, A., Irnawati, R.

Length-weight and width-weight relationship of piny rock crab *Thalamita crenata* (Crustacea, Decapoda, Portunidae) in Panjang Island Banten Indonesia

(2014) *AACL Bioflux*, 7 (3), pp. 148-152. Cited 4 times.

<http://www.bioflux.com.ro/docs/2014.148-152.pdf>

49 Tan, A.N., Christianus, A., Shakibazadeh, S., Hajeb, P.

Horseshoe crab, *Tachypleus gigas* (Müller, 1785) spawning population at Balok Beach, Kuantan, Pahang, Malaysia

(2012) *Pakistan Journal of Biological Sciences*, 15 (13), pp. 610-620. Cited 8 times.

<http://scialert.net/qredirect.php?doi=pjbs.2012.610.620&linkid=pdf>

doi: 10.3923/pjbs.2012.610.620

[View at Publisher](#)

50 Vijayakumar, R., Das, S., Chatterji, A., Parulekar, A.H.

Morphometric characteristics in the horseshoe crab *Tachypleus gigas* (Arthropoda: Merostomata)

(2000) *Indian Journal of Marine Sciences*, 29 (4), pp. 333-335. Cited 12 times.

51 Webster, M.

A cambrian peak in morphological variation within trilobite species

(2007) *Science*, 317 (5837), pp. 499-502. Cited 48 times.

doi: 10.1126/science.1142964

[View at Publisher](#)

52 Widener, J.W., Barlow, R.B.

Decline of a horseshoe crab population on Cape Cod

(1999) *Biological Bulletin*, 197 (2), pp. 300-302. Cited 33 times.

<http://www.biolbull.org/>

doi: 10.2307/1542664

[View at Publisher](#)

✉ Razak, M.R.M.; Kulliyyah of Science, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang, Malaysia; email:razalirazak5379@gmail.com

© Copyright 2018 Elsevier B.V., All rights reserved.

[< Back to results](#) | 1 of 152 [Next >](#)

[^ Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切換到繁體中文](#)

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our Cookies page.

 RELX Group™