

## Web of Science

Search

Search Results

My Tools

Search History

Marked List

Free Full Text from Publisher

Look Up Full Text

Full Text Options



Save to EndNote online

Add to Marked List

144 of 155

## Novel quinazoline and acetamide derivatives as safe anti-ulcerogenic agent and anti-ulcerative colitis activity

**By:** Alasmary, FAS (Alasmary, Fatmah A. S.)<sup>[1]</sup>; Awaad, AS (Awaad, Amani S.)<sup>[2]</sup>; Alafeefy, AM (Alafeefy, Ahmed M.)<sup>[3]</sup>; El-Meligy, RM (El-Meligy, Reham M.)<sup>[4]</sup>; Alqasoumi, SI (Alqasoumi, Saleh I.)<sup>[5]</sup>

[View ResearcherID and ORCID](#)

### SAUDI PHARMACEUTICAL JOURNAL

**Volume:** 26 **Issue:** 1 **Pages:** 138-143

**DOI:** 10.1016/j.jsps.2017.09.011

**Published:** JAN 2018

**Document Type:** Article

[View Journal Impact](#)

### Abstract

Two novel quinazoline derivatives named as; 3-[(4-hydroxy-3-methoxy-benzylidene)-amino]-2-p-tolyl-3H-quinazolin-4-one (5) and 2-p-Tolyl-3-[3,4,5-trimethoxy-benzylidene-amino]-3H-quinazolin-4-one (6) in addition to one acetamide derivative named as 2-(2-Hydroxycarbonylphenylamino)-N-(4-aminosulphonylphenyl) 11 were synthesized, and evaluated for their anti-ulcerogenic & Anti-Ulcerative colitis activities.

All of the three compounds showed curative activity against acetic acid induced ulcer model at a dose of 50 mg/kg, they produced 65%, 85% & 57.74% curative ratio for compounds 5, 6 & 11 respectively. The effect of the tested compounds 5, 6 & 11 at dose 50 mg/kg were significantly ( $P < 0.01$ ) more effective than dexamesathone (0.1 mg/kg) in reducing all parameters.

Compounds showed curative activity of for peptic ulcer (induced by absolute alcohol (at a dose of 50 mg/kg, it produced Curative of control ulcer 56.00%, 61.70% & 87.1% for compounds 5, 6 & 11 respectively at dose 50 mg/kg, while the standard drug (Omeprazole 20 mg/kg) produced 33.3%. In both tests, the activity of our target compounds were higher than the standard drugs used for treatment of peptic ulcer and ulcerative colitis. No side effects were reported on liver and kidney functions upon prolonged oral administration of this compounds. (C) 2017 The Authors. Production and hosting by Elsevier B.V. on behalf of King Saud University.

### Keywords

**Author Keywords:** Liver functions; Ulcers; Dexamesathone; Quinazoline; Acetamide; Ulcerative colitis

**KeyWords Plus:** EXTRACTS

### Author Information

**Reprint Address:** Awaad, AS (reprint author)

- + Prince Sattam bin Abdulaziz Univ, Coll Pharm, Pharmacognosy Dept, POB 173, Riyadh 11942, Saudi Arabia.

### Addresses:

- + [ 1 ] King Saud Univ, Coll Sci, Chem Dept, Riyadh 11362, Saudi Arabia
- + [ 2 ] Sattam bin Abdulaziz Univ, Coll Pharm, Pharmacognosy Dept, Al Kharj 11942, Saudi Arabia
- [ 3 ] Int Islamic Univ Malaysia, Kulliyah Sci, Dept Chem, Kuala Lumpur, Malaysia  
**Organization-Enhanced Name(s)**  
International Islamic University Malaysia
- + [ 4 ] Desert Res Ctr, Aromat & Med Plants Dept, Cairo, Egypt

### Citation Network

In Web of Science Core Collection

0

Times Cited

Create Citation Alert

20

Cited References

[View Related Records](#)

### Use in Web of Science

Web of Science Usage Count

1

Last 180 Days

1

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection

- Science Citation Index Expanded

**Suggest a correction**

*If you would like to improve the quality of the data in this record, please suggest a correction.*

+ [ 5 ] King Saud Univ, Coll Pharm, Dept Pharmacognosy, Riyadh, Saudi Arabia

E-mail Addresses: [amaniawaad@hotmail.com](mailto:amaniawaad@hotmail.com)

### Funding

Funding Agency	Grant Number
"Research Center of the Female Scientific and Medical Colleges", Deanship of Scientific Research, King Saud University	

[View funding text](#)

### Publisher

ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS

### Journal Information

Impact Factor: [Journal Citation Reports](#)

### Categories / Classification

Research Areas: Pharmacology & Pharmacy

Web of Science Categories: Pharmacology & Pharmacy

### See more data fields

144 of 155

## Cited References: 20

Showing 20 of 20 [View All in Cited References page](#)

(from Web of Science Core Collection)

- Acetamide Derivatives with Antioxidant Activity and Potential Anti-Inflammatory Activity** Times Cited: 27

By: Autore, Giuseppina; Caruso, Anna; Marzocco, Stefania; et al.  
 MOLECULES Volume: 15 Issue: 3 Pages: 2028-2038 Published: MAR 2010
- Natural products in treatment of ulcerative colitis and peptic ulcer** Times Cited: 47

By: Awaad, Amani S.; El-Meligy, Reham M.; Soliman, Gamal A.  
 JOURNAL OF SAUDI CHEMICAL SOCIETY Volume: 17 Issue: 1 Pages: 101-124 Published: JAN 2013
- Antilucerogenic Activities of the Extracts and Isolated Flavonoids of Euphorbia cuneata Vahl** Times Cited: 17

By: Awaad, Amani S.; Al-Jaber, Nabilah A.; Moses, John E.; et al.  
 PHYTOTHERAPY RESEARCH Volume: 27 Issue: 1 Pages: 126-130 Published: JAN 2013
- Anti-ulcerative colitis activity of compounds from Euphorbia granuleta Forssk.** Times Cited: 5

By: Awaad, Amani S.; El-Meligy, Reham M.; Al-Jaber, Nabila A.; et al.  
 Phytotherapy research : PTR Volume: 27 Issue: 11 Pages: 1729-34 Published: 2013-Nov (Epub 2013 Apr 11)
- Antilucerogenic activity of a crude hydroalcoholic extract and coumarin isolated from Mikania laevigata Schultz Bip** Times Cited: 88

By: Bighettia, AE; Antonio, MA; Kohn, LK; et al.  
 PHYTOMEDICINE Volume: 12 Issue: 1-2 Pages: 72-77 Published: JAN 2005
- Prophylactic and curative anti-ulcerogenic activity and the possible mechanisms of action of some desert plants** Times Cited: 3

By: El-Meligy, Reham M.; Awaad, Amani S.; Soliman, Gamal A.; et al.  
 SAUDI PHARMACEUTICAL JOURNAL Volume: 25 Issue: 3 Pages: 387-396 Published: MAR 2017
- Prophylactic and curative anti-ulcerative colitis activity and the possible mechanisms of action of some desert plants** Times Cited: 1

By: El-Meligy, Reham M.; Awaad, Amani S.; Soliman, Gamal A.; et al.

J. Enzyme Inhib. Med. Chem. Volume: 30 Issue: 2 Pages: 250-258 Published: 2011

[\[Show additional data\]](#)

8. **Chemical composition of the volatile extract and antioxidant activities of the volatile and nonvolatile extracts of Egyptian corn silk (*Zea mays* L.)** Times Cited: **1**  
By: Ghorab, K.; El-Massry, T.; Shibamoto, S.  
J. Agric. Food Chem Volume: 55 Pages: 9124-9127 Published: 2011
9. **Novel thiourea derivatives bearing sulfonamide moiety as anticancer agents through COX-2 inhibition** Times Cited: **1**  
By: Ghorab, Mostafa M.; El-Gaby, Mohamed S. A.; Alsaïd, Mansour S.; et al.  
Anticancer Agents Med. Chem Volume: 32 Issue: 1 Pages: 893-907 Published: 2017  
[\[Show additional data\]](#)
10. **Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis** Times Cited: **4**  
By: Junek, Richard; Kverka, Miloslav; Jandera, Antonin; et al.  
EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY Volume: 44 Issue: 1 Pages: 332-344 Published: JAN 2009
11. **Synthesis of biologically active 2-chloro-N-alkyl/arylacetamide derivatives** Times Cited: **5**  
By: KATKE, S.A.; AMRUTKAR, S.V.; BHOR, R.J.; et al.  
Int. J. Pharm. Sci. Res Volume: 2 Pages: 148-156 Published: 2011  
[\[Show additional data\]](#)
12. **Synthesis and biological evaluation of largazole zinc-binding group analogs.** Times Cited: **1**  
By: Kim, B.; Ratnayake, R.; Lee, H.; et al.  
Bioorg. Med. Chem. Published: 2017  
[\[Show additional data\]](#)
13. **A NEW APPROACH TO PRACTICAL ACUTE TOXICITY TESTING** Times Cited: **827**  
By: LORKE, D  
ARCHIVES OF TOXICOLOGY Volume: 54 Issue: 4 Pages: 275-287 Published: 1983
14. **Synthesis and pharmacological study of ethyl 1-methyl-5-(substituted 3,4-dihydro-4-oxoquinazolin-3-yl)-1H-pyrazole-4-acetates** Times Cited: **65**  
By: Maggio, B; Daidone, G; Raffa, D; et al.  
EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY Volume: 36 Issue: 9 Pages: 737-742 Published: SEP 2001
15. **Host-microbial Cross-talk in Inflammatory Bowel Disease** Times Cited: **3**  
By: Nagao-Kitamoto, Hiroko; Kamada, Nobuhiko  
IMMUNE NETWORK Volume: 17 Issue: 1 Pages: 1-12 Published: FEB 2017
16. **Resveratrol analogue (E)-8-acetoxy-2-[2-(3,4-diacetoxyphenyl)ethenyl]-quinazoline induces apoptosis via Fas-mediated pathway in HL-60 human leukemia cells** Times Cited: **1**  
By: Park, Eun Young; Kim, Joo-Il; Leem, Dong-Gyu; et al.  
ONCOLOGY REPORTS Volume: 36 Issue: 6 Pages: 3577-3587 Published: DEC 2016
17. **Recent advance in anti inflammatory activity of benzothiazole derivatives** Times Cited: **8**  
By: Patel, P.; Pillai, J.; Darji, N.; et al.  
Int. J. Drug Res. Tech. Volume: 2 Pages: 170-176 Published: 2012  
[\[Show additional data\]](#)
18. **Development and Validation of a Questionnaire to Assess the Quality of Life in Patients with Inflammatory Bowel Disease in Mainland China** Times Cited: **2**  
By: Ruan, Jiayin; Chen, Yan; Zhou, Yunxian  
INFLAMMATORY BOWEL DISEASES Volume: 23 Issue: 3 Pages: 431-439 Published: MAR 2017
19. **Synthesis and biological evaluation of some novel 2-phenyl benzimidazole-1-acetamide derivatives as potential anthelmintic agents** Times Cited: **19**  
By: Sawant, Ramesh; Kawade, Deepali  
ACTA PHARMACEUTICA Volume: 61 Issue: 3 Pages: 353-361 Published: SEP 2011

20. **Effect of *Emex spinosa*, *Leptadenia pyrotechnica*, *Haloxylon salicornicum* and *Ochradenus baccatus* extracts on the reproductive organs of adult male rats** **Times Cited: 13**

By: Soliman, Gamal A.; Donia, Abd El Raheim M.; Awaad, Amani S.; et al.

PHARMACEUTICAL BIOLOGY Volume: 50 Issue: 1 Pages: 105-112 Published: JAN 2012

**Showing 20 of 20**   [View All in Cited References page](#)