

1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)
[Full Text](#) [View at Publisher](#)

Applied Ecology and Environmental Research [Open Access](#)
Volume 17, Issue 4, 2019, Pages 8089-8101

Carbon sequestration rate of urban park with linear and curvilinear design landscape setting (Article)

Othman, R.^a [✉](#), Suid, S.^a, Mohd Noor, N.F.^a, Baharuddin, Z.M.^a, Hashim, K.S.H.Y.^b, Lukman Hakim Mahamod, L.H.^c [✉](#)

^aInternational Institute for Halal Research and Training (INHART), Department of Landscape Architecture, Kulliyah of Architecture and Environmental Design (KAED), International Islamic University Malaysia, Kuala Lumpur, 53100, Malaysia

^bDepartment of Urban & Regional Planning, Kulliyah of Architecture and Environmental Design (KAED), International Islamic University Malaysia, Kuala Lumpur, 53100, Malaysia

^cDepartment of Quantity Surveying, Kulliyah of Architecture and Environmental Design (KAED), International Islamic University Malaysia, Kuala Lumpur, 53100, Malaysia

Abstract

[View references \(11\)](#)

The need for urban parks became greater as cities expanded and the urban population rapidly grew. Therefore, having an urban park can facilitate a reduction in GHG emissions by alleviating some of the impacts of this dense development. Trees in the urban parks are an important factors reducing the amount of carbon dioxide accumulated in the urban area. The carbon sequestration rate was calculated with biomass equations, using field data collection, measurements and survey data analysis. This study aimed to calculate, predict and compare carbon sequestration rate of plant materials with linear and curvilinear design landscape setting. The decisive outcome of this study are the optimization of carbon sequestration rate by selecting the right plant material specifications with suitable landscape design setting. The findings revealed that the curvilinear design landscape setting sequesters more carbon per m² than linear design landscape setting. Plants with bigger girth and larger quantities contribute to sequestering greater carbon compared to smaller girth and fewer trees. These findings will become a green practice approached towards building a sustainable environment with better design solutions. © 2019, ALÖKI Kft., Budapest, Hungary.

Author keywords

[Air pollution](#) [Carbon stock](#) [Green technology](#) [Phytosequestration](#) [Urban landscape design](#)

Funding details

Funding sponsor	Funding number	Acronym
International Islamic University Malaysia	MOHE18-001-0001	IIUM
International Islamic University Malaysia		IIUM
Ministry of Higher Education, Malaysia		MOHE

Funding text

Acknowledgements. The research was supported by the Ministry of Higher Education Malaysia (MOHE) and International Islamic University Malaysia (IIUM) under research grant MOHE18-001-0001.

Metrics [🔗](#)



PlumX Metrics [▼](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)
[Set citation feed >](#)

Related documents

The influence of urban park green spaces, plant material specifications and spatial design organization and pattern towards carbon sequestration rate

Othman, R. , Suid, S. , Mohd Noor, N.F.
(2019) *Applied Ecology and Environmental Research*

Assessment of urban park landscape setting design towards carbon sequestration rate

Othman, R. , Noor, N.F.M. , Hashim, K.S.H.-Y.
(2016) *Social Sciences (Pakistan)*

Role of specific plant characteristics on thermal and carbon sequestration properties of living walls in tropical climate

Charoenkit, S. , Yiemwattana, S.
(2017) *Building and Environment*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

All Export Print E-mail Save to PDF Create bibliography

-
- 1 Framework Convention On Climate Change In December 2015
(2015) *Ministry of Natural Resources and Environment Malaysia*, pp. 1-174.
-
- 2 Demuzere, M., Orru, K., Heidrich, O., Olazabal, E., Geneletti, D., Orru, H., Bhave, A.G., (...), Faehnle, M.
Mitigating and adapting to climate change: Multi-functional and multi-scale assessment of green urban infrastructure
(2014) *Journal of Environmental Management*, 146, pp. 107-115. Cited 159 times.
<http://www.elsevier.com/inca/publications/store/6/2/2/8/7/1/index.htm>
doi: 10.1016/j.jenvman.2014.07.025

View at Publisher
-
- 3 (2011) *Population Distribution and Basic Demographic Characteristic Report*. Cited 180 times.
-
- 4 Othman, R., Abu Kassim, S.Z.
Assessment of plant materials carbon sequestration rate for horizontal and vertical landscape design
(2016) *International Journal of Environmental Science and Development*, 7 (6), pp. 410-414. Cited 6 times.
-
- 5 Pandya Ishan, Y., Salvi, H., Chahar, O., Vaghela, N.
(2013) *Quantitative Analysis on Carbon Storage of 25 Valuable Tree Species of Gujrat, Incredible India. – Indian J. Sci. Res.*, 4 (1), pp. 137-141. Cited 6 times.
-
- 6 Pataki, D.E., Carreiro, M.M., Cherrier, J., Grulke, N.E., Jennings, V., Pincetl, S., Pouyat, R.V., (...), Zipperer, W.C.
Coupling biogeochemical cycles in urban environments: Ecosystem services, green solutions, and misconceptions (Open Access)
(2011) *Frontiers in Ecology and the Environment*, 9 (1), pp. 27-36. Cited 377 times.
<http://www.esajournals.org/doi/pdf/10.1890/090220>
doi: 10.1890/090220

View at Publisher
-
- 7 Sadeghian, M.M., Vardanyan, Z.
(2013) *The Benefits of Urban Parks, a Review of Urban Research. – Journal of Novel Applied Sciences*, pp. 231-237.
-
- 8 Safaai, N.S.M., Noor, Z.Z., Hashim, H., Ujang, Z., Talib, J.
Projection of CO₂ emissions in Malaysia
(2011) *Environmental Progress and Sustainable Energy*, 30 (4), pp. 658-665. Cited 38 times.
doi: 10.1002/ep.10512

View at Publisher
-
- 9 Velasco, E., Roth, M., Norford, L., Molina, L.T.
Does urban vegetation enhance carbon sequestration?
(2016) *Landscape and Urban Planning*, 148, pp. 99-107. Cited 32 times.
www.elsevier.com/inca/publications/store/5/0/3/3/4/7
doi: 10.1016/j.landurbplan.2015.12.003

View at Publisher
-

□ 10 Wiedman, T., Minx, J.
The Carbon Trust Helps UK Businesses Reduce their Environmental Effect
(2007) *Ecological Economic Research Trend*, pp. 1-11. Cited 549 times.
Library of Congress Cataloging-In-Publication Data, Nova Science Publisher

□ 11 Yin, S., Shen, Z., Zhou, P., Zou, X., Che, S., Wang, W.
Quantifying air pollution attenuation within urban parks: An experimental approach in
Shanghai, China

(2011) *Environmental Pollution*, 159 (8-9), pp. 2155-2163. Cited 113 times.
doi: 10.1016/j.envpol.2011.03.009

[View at Publisher](#)

🔍 Othman, R.; International Institute for Halal Research and Training (INHART), Department of Landscape
Architecture, Kulliyah of Architecture and Environmental Design (KAED), International Islamic University Malaysia,
Kuala Lumpur, Malaysia; email:rashidi@iiu.edu.my

© Copyright 2019 Elsevier B.V., All rights reserved.

1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX