

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)Journal of International Dental and Medical Research [Open Access](#)  
Volume 11, Issue 2, 2018, Pages 607-613

## A preliminary study on MYO1H single nucleotide polymorphism (rs10850110) in mandibular prognathism in Malay population (Article)

Yahya, S.N.<sup>a</sup>, Razak, N.S.A.<sup>a</sup>, Mokhtar, K.I.<sup>b</sup>, Kharuddin, A.F.<sup>c</sup>, Abu Bakar, N.<sup>d</sup> [✉](#) [👤](#)<sup>a</sup>Kulliyah of Dentistry, International Islamic University Malaysia, Malaysia<sup>b</sup>Unit of Oral Biology, Kulliyah of Dentistry, International Islamic University, Malaysia<sup>c</sup>Kulliyah of Science, International Islamic University, Malaysia[View additional affiliations](#) [v](#)

### Abstract

[v View references \(25\)](#)

Evidence suggests that several genes; including Myo1H, play an important role in the etiology of Class III malocclusion. Single nucleotide polymorphism (SNP) in marker rs10850110 (locus 12q24.11) within Myo1H gene has been associated with the incidence of mandibular prognathism (MP). MYO1H is a class 1 myosin which has been implicated in various motile processes including cytoskeleton reorganization. Therefore, genetic alteration in genes responsible for muscle function will also affect the skeletal growth. This study aimed to detect the presence of Myo1H (rs10850110) SNP and to determine its genotype and allele distribution in MP patient in the local population. The sample comprises of 31 patients; 14 patients from class I malocclusion (control samples) and 17 patients from class III malocclusion (MP). Cephalometric measurements were performed prior to saliva samples collection. The DNA was amplified using the specific primers for the marker rs10850110 and the genotyping was done by sequencing. Chi-square test was used to determine the over-representation of marker allele ( $p < 0.05$ ). Presence of Myo1H SNP (rs10850110) was detected in local population analysed and the distribution of its genotype and allele could be observed. There were significant differences between allele ( $p=0.000$ ) and genotype ( $p=0.000$ ) frequency within and between control (Class I) and Class III malocclusion. Our findings are in agreement with previous studies suggesting positive influence of Myo1H (rs10850110) SNP in the incidence of MP. Further studies should be developed in order to understand the exact role and mechanism of Myo1H in different classes of malocclusions. © 2018 University of Dicle.

### SciVal Topic Prominence [i](#)

Topic: Malocclusion | Genes | III malocclusion

Prominence percentile: 75.894 [i](#)

### Author keywords

Malocclusion

Mandibular prognathism

Myo1H SNP

ISSN: 1309100X

Source Type: Journal

Original language: English

Document Type: Article

Publisher: University of Dicle

[Metrics](#) [View all metrics >](#)PlumX Metrics [v](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

### Related documents

Class III malocclusion: Missense mutations in DUSP6 gene

Nowrin, S.A. , Basri, R. , Alam, M.K.

*(2019) Pesquisa Brasileira em Odontopediatria e Clinica Integrada*

Identification and Functional Studies of MYO1H for Mandibular Prognathism

Sun, R. , Wang, Y. , Jin, M. *(2018) Journal of Dental Research*

Analysis of new Matrilin-1 gene variants in a case-control study related to dental malocclusions in Equus asinus

Rodrigues, J.B. , Araújo, S. , Guedes-Pinto, H. *(2013) Gene*[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)[References \(25\)](#)[View in search results format >](#)

- 1 Figueroa, F.R., Bancalari, C., Cartes-Velásquez, R., Sanhueza, M., Palma, C.  
Prevalence of malocclusion and its psychosocial impact in a sample of Chilean adolescents aged 14 to 18 years old  
(2017) *Journal of International Dental and Medical Research*, 10 (1), pp. 14-18. Cited 3 times.  
[http://www.ektodermaldisplazi.com/journal/Journal2017/Vol10\\_No1/3D17\\_336\\_Fernanda\\_Riveros.pdf](http://www.ektodermaldisplazi.com/journal/Journal2017/Vol10_No1/3D17_336_Fernanda_Riveros.pdf)
- 

- 2 Mtaya, M., Brudvik, P., Åstrøm, A.N.  
Prevalence of malocclusion and its relationship with socio-demographic factors, dental caries, and oral hygiene in 12- to 14-year-old Tanzanian schoolchildren ([Open Access](#))  
(2009) *European Journal of Orthodontics*, 31 (5), pp. 467-476. Cited 64 times.  
doi: 10.1093/ejo/cjn125  
[View at Publisher](#)
- 

- 3 Saleh, F.K.  
Prevalence of malocclusion in a sample of Lebanese schoolchildren: An epidemiological study  
(1999) *Eastern Mediterranean Health Journal*, 5 (2), pp. 337-343. Cited 21 times.
- 

- 4 Thilander, B., Pena, L., Infante, C., Parada, S.S., De Mayorga, C.  
Prevalence of malocclusion and orthodontic treatment need in children and adolescents in Bogota, Colombia. An epidemiological study related to different stages of dental development ([Open Access](#))  
(2001) *European Journal of Orthodontics*, 23 (2), pp. 153-167. Cited 195 times.  
doi: 10.1093/ejo/23.2.153  
[View at Publisher](#)
- 

- 5 Ngan, P.  
Treatment of Class III problems begins with differential diagnosis of anterior crossbites  
(1997) *Pediatric Dentistry*, 19 (6), pp. 386-395. Cited 38 times.
- 

- 6 Xue, F., Wong, R.W.K., Rabie, A.B.M.  
Genes, genetics, and Class III malocclusion  
(2010) *Orthodontics and Craniofacial Research*, 13 (2), pp. 69-74. Cited 43 times.  
doi: 10.1111/j.1601-6343.2010.01485.x  
[View at Publisher](#)
- 

- 7 Baccetti, T., Reyes, B.C., McNamara Jr., J.A.  
Gender differences in Class III malocclusion  
(2005) *Angle Orthodontist*, 75 (4), pp. 510-520. Cited 45 times.  
[View at Publisher](#)
-

- 8 Cruz, R.M., Krieger, H., Ferreira, R., Mah, J., Hartsfield Jr., J., Oliveira, S.  
**Major gene and multifactorial inheritance of mandibular prognathism**  
(2008) *American Journal of Medical Genetics, Part A*, 146 (1), pp. 71-77. Cited 50 times.  
doi: 10.1002/ajmg.a.32062  
[View at Publisher](#)
- 
- 9 Ko, J.-M., Suh, Y.J., Hong, J., Paeng, J.-Y., Baek, S.-H., Kim, Y.H.  
**Segregation analysis of mandibular prognathism in Korean orthognathic surgery patients and their families** ([Open Access](#))  
(2013) *Angle Orthodontist*, 83 (6), pp. 1027-1035. Cited 7 times.  
<http://www.angle.org/doi/pdf/10.2319/021313-130.1>  
doi: 10.2319/021313-130.1  
[View at Publisher](#)
- 
- 10 Tang, E.L.  
**The prevalence of malocclusion amongst Hong Kong male dental students.**  
(1994) *British journal of orthodontics*, 21 (1), pp. 57-63. Cited 42 times.  
doi: 10.1179/bjo.21.1.57  
[View at Publisher](#)
- 
- 11 Mossey, P.A.  
**The heritability of malocclusion: part 2. The influence of genetics in malocclusion.**  
(1999) *British journal of orthodontics*, 26 (3), pp. 195-203. Cited 85 times.  
doi: 10.1093/ortho/26.3.195  
[View at Publisher](#)
- 
- 12 Moreno Uribe, L.M., Miller, S.F.  
**Genetics of the dentofacial variation in human malocclusion**  
(2015) *Orthodontics and Craniofacial Research*, 18 (S1), pp. 91-99. Cited 15 times.  
<http://www3.interscience.wiley.com/journal/120118380/tocgroup>  
doi: 10.1111/ocr.12083  
[View at Publisher](#)
- 
- 13 Tassopoulou-Fishell, M., Deeley, K., Harvey, E.M., Sciote, J., Vieira, A.R.  
**Genetic variation in Myosin 1H contributes to mandibular prognathism**  
(2012) *American Journal of Orthodontics and Dentofacial Orthopedics*, 141 (1), pp. 51-59. Cited 44 times.  
doi: 10.1016/j.ajodo.2011.06.033  
[View at Publisher](#)
- 
- 14 Mooseker, M.S., Cheney, R.E.  
**Unconventional myosins**  
(1995) *Annual Review of Cell and Developmental Biology*, 11, pp. 633-675. Cited 372 times.  
<http://www.annualreviews.org/journal/cellbio>  
doi: 10.1146/annurev.cb.11.110195.003221  
[View at Publisher](#)
-

- 15 Rowlerson, A., Raoul, G., Daniel, Y., Close, J., Maurage, C.-A., Ferri, J., Sciote, J.J.  
Fiber-type differences in masseter muscle associated with different facial morphologies  
(2005) *American Journal of Orthodontics and Dentofacial Orthopedics*, 127 (1), pp. 37-46. Cited 51 times.  
doi: 10.1016/j.ajodo.2004.03.025  
View at Publisher
- 

- 16 Arun, R.M., Lakkakula, B.V.K.S., Chitharanjan, A.B.  
Role of myosin 1H gene polymorphisms in mandibular retrognathism  
(2016) *American Journal of Orthodontics and Dentofacial Orthopedics*, 149 (5), pp. 699-704. Cited 5 times.  
<http://www.sciencedirect.com/science/journal/08895406>  
doi: 10.1016/j.ajodo.2015.10.028  
View at Publisher
- 

- 17 Brotto, M., Bonewald, L.  
Bone and muscle: Interactions beyond mechanical  
(2015) *Bone*, 80, pp. 109-114. Cited 70 times.  
[www.elsevier.com/locate/bone](http://www.elsevier.com/locate/bone)  
doi: 10.1016/j.bone.2015.02.010  
View at Publisher
- 

- 18 Ghergie, M., Festila, D., Kelemen, B., Lupan, I.  
Myo1H Gene Single Nucleotide Polymorphism rs10850110 and the risk of malocclusion in the Romanian population  
(2013) *Acta Medica Transilvanica*, 2 (4), pp. 281-281.
- 

- 19 Jacobson, A.  
The "Wits" appraisal of jaw disharmony  
(1975) *American Journal of Orthodontics*, 67 (2), pp. 125-138. Cited 319 times.  
doi: 10.1016/0002-9416(75)90065-2  
View at Publisher
- 

- 20 <https://www.ncbi.nlm.nih.gov/variation/tools/1000genomes/?q=rs10850110>
- 

- 21 Ellsworth, D.L., Manolio, T.A.  
The emerging importance of genetics in epidemiologic research. I. Basic concepts in human genetics and laboratory technology  
(1999) *Annals of Epidemiology*, 9 (1), pp. 1-16. Cited 21 times.  
doi: 10.1016/S1047-2797(98)00047-7  
View at Publisher
-

□ 22 Manolio, T.A.

### Genomewide association studies and assessment of the risk of disease

(2010) *New England Journal of Medicine*, 363 (2), pp. 166-176. Cited 934 times.

<http://content.nejm.org/cgi/reprint/363/2/166.pdf>

doi: 10.1056/NEJMra0905980

[View at Publisher](#)

□ 23 Howe, S.C.

### Phenotypic characterization of class II malocclusion

(2012). Cited 2 times.

Unpublished Master of Science, University of Iowa

□ 24 Kamaluddin, J.M., Cobourne, M.T., Sherriff, M., Bister, D.

### Does the Eastman correction over- or under-adjust ANB for positional changes of N?

(2012) *European Journal of Orthodontics*, 34 (6), pp. 719-723.

doi: 10.1093/ejo/cjr108

[View at Publisher](#)

□ 25 Wang, Z., Moulton, J.

### SNPs, protein structure, and disease

(2001) *Human Mutation*, 17 (4), pp. 263-270. Cited 469 times.

doi: 10.1002/humu.22

[View at Publisher](#)

🔍 Abu Bakar, N.; Orthodontics and Dental Public Health Department Kulliyah of Dentistry, International Islamic University Malaysia Kuantan Campus, Kuantan, Pahang, Malaysia; email:nor\_aini@iiium.edu.my

© Copyright 2019 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

#### About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

#### Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

#### Customer Service

[Help](#)

[Contact us](#)

**ELSEVIER**

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX