

Find PDF Export... Add to Marked List

## Active Control of Base Pressure with Counter Clockwise Rotating Cylinder at Mach 2

By: [Asadullah, M \(Asadullah, Mohammed\)<sup>\[1\]</sup>](#); [Khan, SA \(Khan, Sher Afghan\)<sup>\[1\]</sup>](#); [Asrar, W \(Asrar, Waqar\)<sup>\[1\]</sup>](#); [Sulaeman, E \(Sulaeman, E.\)<sup>\[1\]</sup>](#)

[View Web of Science ResearcherID and ORCID](#)

2017 4TH IEEE INTERNATIONAL CONFERENCE ON ENGINEERING TECHNOLOGIES AND APPLIED SCIENCES (ICETAS)

Book Group Author(s): IEEE

Published: 2017

Document Type: Proceedings Paper

### Conference

Conference: 4th IEEE International Conference on Engineering Technologies and Applied Sciences (ICETAS)

Location: AMA INT UNIV, BAHRAIN

Date: NOV 29-DEC 01, 2017

Sponsor(s): IEEE

### Abstract

The effect of dynamic cylinder as an active controller to control the base pressure for different level of expansion have been experimentally investigated at Mach 2 through CD nozzle for area ratio 9. Solitary counter clockwise rotating cylinder of 2 mm diameter when seen from top, at 2 mm from side wall of square duct and 8 mm from square nozzle exit in the base region is mounted as a controller. Base pressure in the wake area after sudden expansion of jets from the exit of nozzle has been measured. The length-to-width ratio of sudden expansion duct taken is 10. The experiments were carried out by operating jets for different nozzle pressure ratios (NPR). The wall pressure distribution was also measured for with and without control cases in the duct to see that the amplitude of oscillations does not adversely influence the flow field in the duct. Counter clockwise rotating cylinder as an active controller were found to increase the base pressure as high as 62 percent at NPR 8.5 and 53 percent at NPR 7.8. The control effectiveness is marginal for over expanded nozzles. The wall pressure flow field with and without control are identical with minor fluctuations.

### Keywords

Author Keywords: Base pressure; Wall pressure; Nozzle pressure ratio; Mach number; Active control

KeyWords Plus: DRAG REDUCTION; CIRCULAR-CYLINDER; REYNOLDS-NUMBERS; TURBULENT-FLOW; BODY

### Author Information

Reprint Address: Asadullah, M (reprint author)

+ Int Islamic Univ Malaysia, Dept Mech Engr, Kuala Lumpur 53100, Malaysia.

Addresses:

+ [ 1 ] Int Islamic Univ Malaysia, Dept Mech Engr, Kuala Lumpur 53100, Malaysia

E-mail Addresses: [shibliibhai@gmail.com](mailto:shibliibhai@gmail.com)

### Publisher

IEEE, 345 E 47TH ST, NEW YORK, NY 10017 USA

### Categories / Classification

Research Areas: Engineering

Web of Science Categories: Engineering, Electrical & Electronic

[See more data fields](#)

### Citation Network

In Web of Science Core Collection

0

Times Cited

Create Citation Alert

29

Cited References

[View Related Records](#)

### Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection

- Conference Proceedings Citation Index-Science

[Suggest a correction](#)

*If you would like to improve the quality of the data in this record, please suggest a correction.*

---

## Cited References: 29

Showing 29 of 29 [View All in Cited References page](#)

(from Web of Science Core Collection)

---

1. **Influence of rotation on the flow over a cylinder at Re=5000** Times Cited: 12  
By: Aljure, D. E.; Rodriguez, I.; Lehmkuhl, O.; et al.  
INTERNATIONAL JOURNAL OF HEAT AND FLUID FLOW Volume: 55 Special Issue: SI Pages: 76-90 Published: OCT 2015
2. **Passive drag reduction of square back road vehicles** Times Cited: 9  
By: Altaf, Alamaan; Omar, Ashraf A.; Asrar, Waqar  
JOURNAL OF WIND ENGINEERING AND INDUSTRIAL AERODYNAMICS Volume: 134 Pages: 30-43 Published: NOV 2014
3. **The passive control of wake flow behind a circular cylinder by parallel dual plates** Times Cited: 31  
By: Bao, Y.; Tao, J.  
JOURNAL OF FLUIDS AND STRUCTURES Volume: 37 Pages: 201-219 Published: FEB 2013
4. **The airline planning process** Times Cited: 6  
By: Belobaba, P.  
The Global Airline Industry Pages: 153-81 Published: 2009
5. **Control of Subsonic and Sonic Jets with Limiting Tabs** Times Cited: 1  
By: Berrueta, T.; Rathakrishnan, E.  
INTERNATIONAL JOURNAL OF TURBO & JET-ENGINES Volume: 34 Issue: 1 Pages: 103-113 Published: APR 2017
6. Title: [not available] Times Cited: 336  
By: Gad-el, Hak, M.  
Flow Control: Passive, Active, and Reactive Flow Management Published: 2000  
Publisher: Oxford University Press, Oxford, UK
7. **Full efficiency benefits and implementation considerations for cruise altitude and speed optimization in the National Airspace system** Times Cited: 1  
By: Jensen, LL.  
FULL EFFICIENCY BENE Published: 2014  
Publisher: Massachusetts Institute of Technology
8. **Numerical study of incompressible flow about fixed cylinder pairs** Times Cited: 80  
By: Jester, W; Kallinderis, Y  
JOURNAL OF FLUIDS AND STRUCTURES Volume: 17 Issue: 4 Pages: 561-577 Article Number: PII S0889-9746(02)00149-4 Published: MAR 2003
9. **Applications of a counterflow drag reduction technique in high-speed systems** Times Cited: 16  
By: Josyula, E; Pinney, M; Blake, WB  
JOURNAL OF SPACECRAFT AND ROCKETS Volume: 39 Issue: 4 Pages: 605-614 Published: JUL-AUG 2002
10. **High Reynolds number turbulent flow past a rotating cylinder** Times Cited: 32  
By: Karabelas, S. J.; Koumroglou, B. C.; Argyropoulos, C. D.; et al.  
APPLIED MATHEMATICAL MODELLING Volume: 36 Issue: 1 Pages: 379-398 Published: JAN 2012
11. **Control of suddenly expanded flow** Times Cited: 13  
By: Khan, S. A.; Rathakrishnan, E.  
AIRCRAFT ENGINEERING AND AEROSPACE TECHNOLOGY Volume: 78 Issue: 4 Pages: 293-309 Published: 2006
12. **Plasma actuators for active flow control based on a glow discharge** Times Cited: 4  
By: Kuehn, M.; Kuehn-Kauffeldt, M.; Schein, J.; et al.  
14TH HIGH-TECH PLASMA PROCESSES CONFERENCE (HTPP 14) Book Series: Journal of Physics Conference Series Volume: 825 Article Number: UNSP 012007 Published: 2017
13. **Direct numerical simulation of turbulent flow over a backward-facing step** Times Cited: 572  
By: Le, H; Moin, P; Kim, J

14. **Flow control of circular cylinders with longitudinal grooved surfaces** Times Cited: 34  
By: Lim, HC; Lee, SJ  
AIAA JOURNAL Volume: 40 Issue: 10 Pages: 2027-2036 Published: OCT 2002
15. **Connection between base drag, separating boundary layer characteristics and wake mean recirculation length of an axisymmetric blunt-based body** Times Cited: 8  
By: Mariotti, A.; Buresti, G.; Salvetti, M. V.  
JOURNAL OF FLUIDS AND STRUCTURES Volume: 55 Pages: 191-203 Published: MAY 2015
16. **Numerical and Experimental Investigation of the effect of Multiple Rotating Cylinders on Base Pressure of a Three Dimensional Bluff Body in Ground Proximity** Times Cited: 1  
By: McArthur, D; Burton, D; Bell, J; et al.  
30 AIAA APPL AER C Pages: 2656 Published: 2012  
[\[Show additional data\]](#)
17. **Flow past a rotating cylinder** Times Cited: 245  
By: Mittal, S; Kumar, B  
JOURNAL OF FLUID MECHANICS Volume: 476 Pages: 303-334 Published: FEB 10 2003
18. **Investigation of vortical flow over bluff bodies with base cavities** Times Cited: 3  
By: Pan, Shu-Cheng; Cai, Jin-Sheng  
ACTA MECHANICA SINICA Volume: 28 Issue: 5 Pages: 1238-1247 Article Number: 0567-7718(2012)28:5<1238:IOVFOB>2.0.TX;2-V Published: OCT 2012
19. **Drag reduction in flow over a two-dimensional bluff body with a blunt trailing edge using a new passive device** Times Cited: 76  
By: Park, Hyungmin; Lee, Dongkon; Jeon, Woo-Pyung; et al.  
JOURNAL OF FLUID MECHANICS Volume: 563 Pages: 389-414 Published: SEP 25 2006
20. **Investigations on the near-wake region of a generic space launcher geometry** Times Cited: 1  
By: Saile, D; Gulhan, A; Henckels, A.  
17 AIAA INT SPAC PLA Published: 2011  
Manuscript ID
21. **EFFECT OF TABS ON THE FLOW AND NOISE FIELD OF AN AXISYMMETRICAL JET** Times Cited: 155  
By: SAMIMY, M; ZAMAN, KBMQ; REEDER, MF  
AIAA JOURNAL Volume: 31 Issue: 4 Pages: 609-619 Published: APR 1993
22. **An experimental investigation of vortex-induced vibration of a rotating circular cylinder in the crossflow direction** Times Cited: 18  
By: Seyed-Aghazadeh, Banafsheh; Modarres-Sadeghi, Yahya  
PHYSICS OF FLUIDS Volume: 27 Issue: 6 Article Number: 067101 Published: JUN 2015
23. **EXPERIMENTS ON FLOW PAST ROUGH CIRCULAR-CYLINDERS AT LARGE REYNOLDS-NUMBERS** Times Cited: 106  
By: SHIH, WCL; WANG, C; COLES, D; et al.  
JOURNAL OF WIND ENGINEERING AND INDUSTRIAL AERODYNAMICS Volume: 49 Issue: 1-3 Pages: 351-368 Published: DEC 1993
24. **Effect of high rotation rates on the laminar flow around a circular cylinder** Times Cited: 103  
By: Stojkovic, D; Breuer, M; Durst, F  
PHYSICS OF FLUIDS Volume: 14 Issue: 9 Pages: 3160-3178 Published: SEP 2002
25. **ON THE FORMATION AND SUPPRESSION OF VORTEX SHEDDING AT LOW REYNOLDS-NUMBERS** Times Cited: 335  
By: STRYKOWSKI, PJ; SREENIVASAN, KR  
JOURNAL OF FLUID MECHANICS Volume: 218 Pages: 71-107 Published: SEP 1990
26. **Active Control of Wall Pressure Flow Field at Low Supersonic Mach Numbers** Times Cited: 1  
By: Ullah, MA; Bashir, M; Janvekar, A; et al.  
IOSR Journal of Mechanical and Civil Engineering Pages: 90-8 Published: 2016  
[\[Show additional data\]](#)

27. **Cavity Flow Control Experiments and Simulations** Times Cited: 1  
By: Vakili, A. D.; Fowler, W. L.; Loewen, R. D.; et al.  
XXII INTERNATIONAL CONFERENCE ON SPECTRAL LINE SHAPES (ICSLS 2014) Book Series: Journal of Physics Conference Series Volume: 548  
Article Number: UNSP 012068 Published: 2014
28. **Flow management techniques for base and afterbody drag reduction** Times Cited: 33  
By: Viswanath, PR  
PROGRESS IN AEROSPACE SCIENCES Volume: 32 Issue: 2-3 Pages: 79-129 Published: 1996
29. **Unsteady pulsing of cylinder wakes** Times Cited: 5  
By: Williams, D.R.; Amato, C.W.  
Frontiers in Experimental Fluid Mechanics Pages: 337-364 Published: 1989  
Publisher: Springer, Berlin Heidelberg

**Showing 29 of 29** [View All in Cited References page](#)

Clarivate

Accelerating innovation

© 2019 Clarivate [Copyright notice](#) [Terms of use](#) [Privacy statement](#) [Cookie policy](#)

[Sign up for the Web of Science newsletter](#)

Follow us

