

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

[Full Text](#) View at Publisher

Molecules [Open Access](#)

Volume 24, Issue 2, 21 January 2019, Article number 506

## Specific cytotoxic effects of parasporal crystal proteins isolated from native saudi arabian bacillus thuringiensis strains against cervical cancer cells (Article)

([Open Access](#))

Aboul-Soud, M.A.M.<sup>a,b</sup> , Al-Amri, M.Z.<sup>a</sup> , Kumar, A.<sup>c</sup> , Al-Sheikh, Y.A.<sup>a</sup> , Ashour, A.E.<sup>d,e</sup> , El-Kersh, T.A.<sup>a</sup>  

<sup>a</sup>Chair of Medical and Molecular Genetics Research, Department of Clinical Laboratory Sciences, College of Applied Medical Sciences, King Saud University, P.O. Box 10219, Riyadh, 11433, Saudi Arabia

<sup>b</sup>Cairo University Research Park, Cairo University, Giza, 12613, Egypt

<sup>c</sup>Vitiligo Research Chair, College of Medicine, King Saud University, P.O. Box 10219, Riyadh, 11433, Saudi Arabia

<sup>d</sup>Department of Pharmacology and Toxicology, College of Pharmacy, King Saud University, P.O. Box 2457, Riyadh, 11451, Saudi Arabia

<sup>e</sup>Department of Basic Medical Sciences, t Kulliyah of Medicine, International Islamic University Malaysia, Kuantan, Pahang Darul Makmur, 25200, Malaysia

Hide additional affiliations ^

### Abstract

[View references \(56\)](#)

Currently, global efforts are being intensified towards the discovery of local *Bacillus thuringiensis* (Bt) isolates with unique anticancer properties. Parasporins (PS) are a group of Bt non-insecticidal crystal proteins with potential and specific *in vitro* anticancer activity. However, despite the significant therapeutic potential of PS-producing Bt strains, our current knowledge on the effects of these proteins is limited. Hence, the main objective of this study was to screen Bt-derived parasporal toxins for cytotoxic activities against colon (HT-29) and cervical (HeLa) cancerous cell lines. Nine non-larvicidal and non-hemolytic Bt strains, native to Saudi Arabia, were employed for the isolation of their parasporal toxins. 16S rDNA sequencing revealed a 99.5% similarity with a reference Bt strain. While PCR screening results indicated the absence of selected Cry (Cry4A, Cry4B, Cry10 and Cry11), Cyt (Cyt1 and Cyt2) and PS (PS2, PS3 and PS4) genes, it concluded presence of the PS1 gene. SDS-PAGE analysis revealed that proteolytically-cleaved PS protein profiles exhibit patterns resembling those observed with PS1Aa1, with major bands at 56 kDa and 17 kDa (Bt7), and 41 kDa and 16 kDa (Bt5). Solubilized and trypsinized PS proteins from all Bt strains exhibited a marked and dose-dependent cytotoxicity against HeLa cancerous cells but not against HT-29 cells. IC<sub>50</sub> values ranged from 3.2 (Bt1) to 14.2 (Bt6) with an average of 6.8 µg/mL. The observed cytotoxicity of PS proteins against HeLa cells was specific as it was not evident against normal uterus smooth muscle cells. RT-qPCR analysis revealed the overexpression of caspase 3 and caspase 9 by 3.7, and 4.2 folds, respectively, indicative of the engagement of intrinsic pathway of apoptosis. To the best of our knowledge, this is the first report exploring and exploiting the versatile repertoire of Saudi Arabian environmental niches for the isolation of native and possibly novel Saudi Bt strains with unique and specific anticancer activity. In conclusion, native Saudi Bt-derived PS proteins might have a potential to join the arsenal of natural anticancer drugs. © 2019 by the authors.

### SciVal Topic Prominence

Topic: *Bacillus thuringiensis* | Hemolysin Proteins | crystal proteins

Prominence percentile: 96.226 

### Author keywords

Apoptosis *Bacillus thuringiensis* *In vitro* cytotoxicity Non-insecticidal inclusions Parasporin δ-endotoxin

### Metrics

0 Citations in Scopus

0 Field-Weighted

Citation Impact



### PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

### Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

### Related documents

Parasporins 1 and 2: Their structure and activity

Akiba, T. , Okumura, S. (2017) *Journal of Invertebrate Pathology*

A parasporin from *Bacillus thuringiensis* native to Peninsular India induces apoptosis in cancer cells through intrinsic pathway

Chubicka, T. , Girija, D. , Deepa, K. (2018) *Journal of Biosciences*

Key aromatic amino acids of anti-hepatoma activity on Parasporin-2

Liao, L. , Lin, S. , Tian, L. (2013) *Shengwu Gongcheng Xuebao/Chinese Journal of Biotechnology*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

## Funding details

| Funding sponsor                              | Funding number | Acronym |
|--|----------------|---------|
| King Saud University                         |                |         |
| Canada Research Chairs<br>See opportunities↗ |                |         |
| King Saud University                         |                |         |
| Canada Research Chairs<br>See opportunities↗ |                |         |

### Funding text #1

Funding: This study was financially supported by King Saud University, Vice Deanship of Research Chairs.

### Funding text #2

Acknowledgments: This study was financially supported by King Saud University, Vice Deanship of Research Chairs.

ISSN: 14203049  
CODEN: MOLEF  
Source Type: Journal  
Original language: English

DOI: 10.3390/molecules24030506  
PubMed ID: 30708936  
Document Type: Article  
Publisher: MDPI AG

## References (56)

[View in search results format >](#)

All [Export](#)  Print  E-mail  Save to PDF [Create bibliography](#)

- 1 *Report on The Latest Estimates on The Global Burden of Cancer*  
Global Cancer Observatory, World Health Organization WHO. Date of Release: 12 September 2018 in Geneva, Switzerland. Available online: accessed on 13 December 2018  
[The International Agency for Research on Cancer \(IARC](#)

- 2 Bazarbashi, S., Al Eid, H., Minguet, J.  
Cancer incidence in Saudi Arabia: 2012 data from the Saudi cancer registry  
(2017) *Asian Pacific Journal of Cancer Prevention*, 18 (9), pp. 2437-2444. Cited 10 times.  
[http://journal.waocp.org/article\\_50154\\_fc2a9c7af226f9ebed7e8b4c96e0283f.pdf](http://journal.waocp.org/article_50154_fc2a9c7af226f9ebed7e8b4c96e0283f.pdf)  
doi: 10.22034/APJCP.2017.18.9.2437

[View at Publisher](#)

- 3 Ibrahim, E.M., Zeeneldin, A.A., El-Khodary, T.R., Al-Gahmi, A.M., Bin Sadiq, B.M.  
Past, present and future of colorectal cancer in the Kingdom of Saudi Arabia  
([Open Access](#))

(2008) *Saudi Journal of Gastroenterology*, 14 (4), pp. 178-182. Cited 46 times.  
<http://www.saudijgastro.com>  
doi: 10.4103/1319-3767.43275

[View at Publisher](#)