

Free Full Text from Publisher

Full Text Options



Save to Other File Formats

Add to Marked List

◀ 1 of 1 ▶

Screening of Suitable Ionic Liquids as Green Solvents for Extraction of Eicosapentaenoic Acid (EPA) from Microalgae Biomass Using COSMO-RS Model

by: [Moulaghi, SR \(Moulaghi, Sritiva Rezaei\)^{\[1\]}](#); [Harun, R \(Harun, Razif\)^{\[1\]}](#); [Biak, DRA \(Biak, Dayang Radiah Awang\)^{\[1\]}](#); [Hussain, SA \(Hussain, Siti Aslina\)^{\[1\]}](#); [Ghani, WAWA \(Ghani, Wan Azlina Wan Ab Karim\)^{\[1\]}](#); [Khezri, R \(Khezri, Ramin\)^{\[1\]}](#); [Wilfred, CD \(Wilfred, Cecilia Devi\)^{\[2\]}](#); [Elgharbawy, AAM \(Elgharbawy, Amal A. M.\)^{\[3\]}](#)

[View ResearcherID and ORCID](#)

MOLECULES

Volume: 24 Issue: 4

Article Number: 713

DOI: 10.3390/molecules24040713

Published: FEB 2 2019

Document Type: Article

[View Journal Impact](#)

Abstract

Omega-3 poly unsaturated fatty acids (PUFA) particularly eicosapentaenoic acid (EPA), and docosahexaenoic acid (DHA), have many health benefits including reducing the risk of cancer and cardiovascular disease. Recently, the use of ionic liquids (ILs) in lipid extraction from microalgae provides the potential to overcome common drawbacks, offers several other benefits. To date, very limited researches are available to focus on extracting microalgae lipid and PUFA in particular by using ILs. The objective of current work is to screen the potential ILs that can be applied in EPA extraction. In this study, fast ILs screening was performed with the help of a conductor like screening model for real solvents (COSMO-RS) and the ILs with higher capacity values for use in extraction of EPA were compared. According to the results, the highest capacity for EPA extraction among 352 screened cation/anion combinations belongs to [TMAm][SO₄]. It is expected to achieve a higher yield of EPA once applying this combination as the solvent in the process of extraction. ILs with small anions were observed to have higher capacities, as well possessing higher charge density compared to larger ones, and therefore, they are more preferable for extraction purposes. Moreover, shorter alkyl chain cations are preferred when using imidazolium-based IL, which agrees with experimental data.

Keywords

Author Keywords: COSMO-RS; omega-3; EPA extraction; ionic liquids; screening; extraction capacity; infinite dilution activity coefficient

KeyWords Plus: POLYUNSATURATED FATTY-ACIDS; HEALTH-BENEFITS; ACTIVITY-COEFFICIENTS; INFINITE DILUTION; CHARGE-TRANSFER; METHYL-ESTERS; SOLVATION; OIL; POLARIZATION; SOLUBILITY

Author Information

Reprint Address: Harun, R (reprint author)

+ Univ Putra Malaysia, Dept Chem & Environm Engr, Fac Engr, Serdang 43400, Selangor, Malaysia.

Addresses:

+ [1] Univ Putra Malaysia, Dept Chem & Environm Engr, Fac Engr, Serdang 43400, Selangor, Malaysia

[2] UTP, Dept Fundamental & Appl Sci, Ctr Res Ion Liquids CORIL, Bandar Seri Iskandar 32610, Perak, Malaysia

+ [3] Int Islamic Univ Malaysia, Int Inst Halal Res & Training INHART, Kuala Lumpur 50728, Malaysia

E-mail Addresses: shiva.rezaei.m@gmail.com; mh_razif@upm.edu.my; dradiah@upm.edu.my; aslina@upm.edu.my;

wanzlina@upm.edu.my; ramin.khezri@gmail.com; cecili@utp.edu.my; amalgh@iiium.edu.my

Funding

Funding Agency	Grant Number
	9300432

[View funding text](#)

Publisher

Citation Network

In Web of Science Core Collection

0

Times Cited

[Create Citation Alert](#)

57

Cited References

[View Related Records](#)

Use in Web of Science

Web of Science Usage Count

1

Last 180 Days

1

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection
- Science Citation Index Expanded

[Suggest a correction](#)

If you would like to improve the quality of the data in this record, please suggest a correction.

MDPI, ST ALBAN-ANLAGE 66, CH-4052 BASEL, SWITZERLAND

Categories / Classification

Research Areas: Biochemistry & Molecular Biology; Chemistry

Web of Science Categories: Biochemistry & Molecular Biology; Chemistry, Multidisciplinary

Document Information

Language: English

Accession Number: WOS:000460805900059

PubMed ID: 30781457

ISSN: 1420-3049

Other Information

IDS Number: HO3FS

Cited References in Web of Science Core Collection: 57

Times Cited in Web of Science Core Collection: 0

[See fewer data fields](#)

◀ 1 of 1 ▶

Cited References: 57Showing 30 of 57 [View All in Cited References page](#)*(from Web of Science Core Collection)*

1. [Microalgal biofactories: a promising approach towards sustainable omega-3 fatty acid production](#) Times Cited: 140
 By: Adarme-Vega, T. Catalina; Lim, David K. Y.; Timmins, Matthew; et al.
 MICROBIAL CELL FACTORIES Volume: 11 Article Number: 96 Published: JUL 25 2012
2. [COSMO-RS based predictions for the desulphurization of diesel oil using ionic liquids: Effect of cation and anion combination](#) Times Cited: 80
 By: Anantharaj, R.; Banerjee, Tamal
 FUEL PROCESSING TECHNOLOGY Volume: 92 Issue: 1 Pages: 39-52 Published: JAN 2011
3. [High and low density patches in simulated liquid water](#) Times Cited: 1
 By: Ansari, N.; Dandekar, R.; Caravati, S.; et al.
 JOURNAL OF CHEMICAL PHYSICS Volume: 149 Issue: 20 Article Number: 204507 Published: NOV 28 2018
4. [Recent advances on ionic liquid uses in separation techniques](#) Times Cited: 21
 By: Berthod, A.; Ruiz-Angel, M. J.; Carda-Broch, S.
 JOURNAL OF CHROMATOGRAPHY A Volume: 1559 Special Issue: SI Pages: 2-16 Published: JUL 20 2018
5. [The role of the anion in the toxicity of imidazolium ionic liquids](#) Times Cited: 71
 By: Biczak, Robert; Pawlowska, Barbara; Balczewski, Piotr; et al.
 JOURNAL OF HAZARDOUS MATERIALS Volume: 274 Pages: 181-190 Published: JUN 15 2014
6. [Extraction and Enrichment of n-3 Polyunsaturated Fatty Acids and Ethyl Esters through Reversible pi-pi Complexation with Aromatic Rings Containing Ionic Liquids](#) Times Cited: 12
 By: Cheong, Ling-Zhi; Guo, Zheng; Yang, Zhiyong; et al.
 JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY Volume: 59 Issue: 16 Pages: 8961-8967 Published: AUG 24 2011
7. [Association between fish consumption, long chain omega 3 fatty acids, and risk of cerebrovascular disease: systematic review and meta-analysis](#) Times Cited: 149
 By: Chowdhury, Rajiv; Stevens, Sarah; Gorman, Donal; et al.
 BMJ-BRITISH MEDICAL JOURNAL Volume: 345 Article Number: e6698 Published: OCT 30 2012
8. Title: [not available] Times Cited: 1
 By: Conchillo, A.; Valencia, I.; Puente, A.; et al.
 Componentes Funcionales en Aceites de pescado y de Alga Published: 2006
 accessed on 23 November 2005
 URL: <http://www.redalyc.org/articulo.oa?id=309226444013>

[\[Show additional data\]](#)

9. **MARINE OIL CAPSULE THERAPY FOR THE TREATMENT OF HYPERLIPIDEMIA** Times Cited: 26
By: DAVIDSON, MH; BURNS, JH; SUBBIAH, PV; et al.
ARCHIVES OF INTERNAL MEDICINE Volume: 151 Issue: 9 Pages: 1732-1740 Published: SEP 1991
10. **Classification of Organic Solvents Revisited by Using the COSMO-RS Approach** Times Cited: 29
By: Durand, Morgan; Molinier, Valerie; Kunz, Werner; et al.
CHEMISTRY-A EUROPEAN JOURNAL Volume: 17 Issue: 18 Pages: 5155-5164 Published: APR 2011
11. **Fast solvent screening via quantum chemistry: COSMO-RS approach** Times Cited: 718
By: Eckert, F; Klamt, A
AIChE JOURNAL Volume: 48 Issue: 2 Pages: 369-385 Published: FEB 2002
12. **Omega-3 fatty acids for breast cancer prevention and survivorship** Times Cited: 56
By: Fabian, Carol J.; Kimler, Bruce F.; Hursting, Stephen D.
BREAST CANCER RESEARCH Volume: 17 Article Number: 62 Published: MAY 4 2015
13. **Enzymatic catalysis for sustainable production of high omega-3 triglyceride oil using imidazolium-based ionic liquids** Times Cited: 1
By: Fu, Hong; Li, Mengqi; Ni, Ruimin; et al.
FOOD SCIENCE & NUTRITION Volume: 6 Issue: 8 Pages: 2020-2027 Published: NOV 2018
14. **Extraction of S- and N-Compounds from the Mixture of Hydrocarbons by Ionic Liquids as Selective Solvents** Times Cited: 3
By: Gabri, B.; Sander, A.; Bubalo, M.C.; et al.
Sci. World J. Volume: 2013 Article Number: 512953 Published: 2013
[\[Show additional data\]](#)
15. **Predictions of flavonoid solubility in ionic liquids by COSMO-RS: experimental verification, structural elucidation, and solvation characterization** Times Cited: 103
By: Guo, Zheng; Lue, Bena-Marie; Thomasen, Kaj; et al.
GREEN CHEMISTRY Volume: 9 Issue: 12 Pages: 1362-1373 Published: 2007
16. **An AIMD Study of CPD Repair Mechanism in Water: Role of Solvent in Ring Splitting** Times Cited: 22
By: Hassanali, Ali A.; Zhong, Dongping; Singer, Sherwin J.
JOURNAL OF PHYSICAL CHEMISTRY B Volume: 115 Issue: 14 Pages: 3860-3871 Published: APR 14 2011
17. **VARIATION OF THE CATION OF IONIC LIQUIDS: THE EFFECTS ON THEIR PHYSICOCHEMICAL PROPERTIES AND REACTION OUTCOME** Times Cited: 8
By: Hawker, Rebecca R.; Haines, Ronald S.; Harper, Jason B.
TARGETS IN HETEROCYCLIC SYSTEMS: CHEMISTRY AND PROPERTIES, VOL 18 Book Series: Targets in Heterocyclic Systems-Chemistry and Properties Volume: 18 Pages: 141-213 Published: 2015
18. **Thermodynamic properties of mixtures containing ionic liquids. 8. Activity coefficients at infinite dilution of hydrocarbons, alcohols, esters, and aldehydes in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl) imide using gas-liquid chromatography** Times Cited: 85
By: Heintz, A; Verevkin, SP; Ondo, D
JOURNAL OF CHEMICAL AND ENGINEERING DATA Volume: 51 Issue: 2 Pages: 434-437 Published: MAR-APR 2006
19. **Parameterization of COSMO-RS model for ionic liquids** Times Cited: 7
By: Jingli Han; Chengna Dai; Gangqiang Yu; et al.
Green Energy & Environment Volume: 3 Issue: 3 Pages: 247-65 Published: July 2018
20. **Hydrogen Bond Networks and Hydrophobic Effects in the Amyloid beta(30-35) Chain in Water: A Molecular Dynamics Study** Times Cited: 7
By: Jong, KwangHyok; Grisanti, Luca; Hassanali, Ali
JOURNAL OF CHEMICAL INFORMATION AND MODELING Volume: 57 Issue: 7 Pages: 1548-1562 Published: JUL 2017
21. **Separation and Purification Technology Extractive desulfurization of model fuel oil using ester functionalized imidazolium ionic liquids** Times Cited: 1
By: Joshua, J.; Magaret, S.; Pranesh, M.; et al.
Sep. Purif. Technol. Volume: 196 Pages: 115-123 Published: 2018
[\[Show additional data\]](#)

22. **A review of ionic liquids towards supercritical fluid applications** Times Cited: 462
By: Keskin, Seda; Kayrak-Talay, Defne; Akman, Ugur; et al.
JOURNAL OF SUPERCRITICAL FLUIDS Volume: 43 Issue: 1 Pages: 150-180 Published: NOV 2007
23. **Ionic liquid-mediated extraction of lipids from algal biomass** Times Cited: 90
By: Kim, Young-Hoo; Choi, Yong-Keun; Park, Jungsu; et al.
BIORESOURCE TECHNOLOGY Volume: 109 Pages: 312-315 Published: APR 2012
24. **CONDUCTOR-LIKE SCREENING MODEL FOR REAL SOLVENTS - A NEW APPROACH TO THE QUANTITATIVE CALCULATION OF SOLVATION PHENOMENA** Times Cited: 1,980
By: KLAMT, A
JOURNAL OF PHYSICAL CHEMISTRY Volume: 99 Issue: 7 Pages: 2224-2235 Published: FEB 16 1995
25. **Refinement and parametrization of COSMO-RS** Times Cited: 918
By: Klamt, A; Jonas, V; Burger, T; et al.
JOURNAL OF PHYSICAL CHEMISTRY A Volume: 102 Issue: 26 Pages: 5074-5085 Published: JUN 25 1998
26. **The COSMO and COSMO-RS solvation models** Times Cited: 10
By: Klamt, Andreas
WILEY INTERDISCIPLINARY REVIEWS-COMPUTATIONAL MOLECULAR SCIENCE Volume: 8 Issue: 1 Article Number: e1338 Published: JAN-FEB 2018
27. **Activity Coefficients at Infinite Dilution of Organic Solutes and Water in Tributylethylphosphonium Diethylphosphate Using Gas-Liquid Chromatography: Thermodynamic Properties of Mixtures Containing Ionic Liquids** Times Cited: 5
By: Krolikowska, Marta; Orawiec, Marcin
JOURNAL OF CHEMICAL AND ENGINEERING DATA Volume: 61 Issue: 5 Pages: 1793-1802 Published: MAY 2016
28. **Selective extraction and enrichment of polyunsaturated fatty acid methyl esters from fish oil by novel pi-complexing sorbents** Times Cited: 24
By: Li, Min; Pham, Patrisha J.; Wang, Tao; et al.
SEPARATION AND PURIFICATION TECHNOLOGY Volume: 66 Issue: 1 Pages: 1-8 Published: APR 7 2009
29. **Extraction of polyunsaturated fatty acid methyl esters by imidazolium-based ionic liquids containing silver tetrafluoroborate-Extraction equilibrium studies** Times Cited: 25
By: Li, Min; Pittman, Charles U., Jr.; Li, Tingyu
TALANTA Volume: 78 Issue: 4-5 Pages: 1364-1370 Published: JUN 15 2009
30. **A priori phase equilibrium prediction from a segment contribution solvation model** Times Cited: 357
By: Lin, ST; Sandler, SI
INDUSTRIAL & ENGINEERING CHEMISTRY RESEARCH Volume: 41 Issue: 5 Pages: 899-913 Published: MAR 6 2002

Showing 30 of 57 [View All in Cited References page](#)

Clarivate

Accelerating innovation

© 2019 Clarivate [Copyright notice](#) [Terms of use](#) [Privacy statement](#) [Cookie policy](#)

Sign up for the Web of Science newsletter [Follow us](#)

