

Free Full Text from Publisher [Look Up Full Text](#) [Find PDF](#) [Full Text Options](#) [Export...](#) [Add to Marked List](#)

## Variations in neurotoxicity and proteome profile of Malayan krait (*Bungarus candidus*) venoms

By: [Rusmili, MRA](#) (Rusmili, Muhamad Rusdi Ahmad)<sup>[1]</sup>; [Othman, I](#) (Othman, Iekhsan)<sup>[2]</sup>; [Abidin, SAZ](#) (Abidin, Syafiq Asnawi Zainal)<sup>[2]</sup>; [Yusof, FA](#) (Yusof, Fathin Athirah)<sup>[2]</sup>; [Ratanabanangkoon, K](#) (Ratanabanangkoon, Kavi)<sup>[3]</sup>; [Chanhome, L](#) (Chanhome, Lawan)<sup>[4]</sup>; [Hodgson, WC](#) (Hodgson, Wayne C.)<sup>[5]</sup>; [Chaisakul, J](#) (Chaisakul, Janeyuth)<sup>[6]</sup>

[ORCID](#)

### PLOS ONE

Volume: 14 Issue: 12  
 Article Number: e0227122  
 DOI: 10.1371/journal.pone.0227122  
 Published: DEC 30 2019  
 Document Type: Article  
[View Journal Impact](#)

### Abstract

Malayan krait (*Bungarus candidus*) is a medically important snake species found in Southeast Asia. The neurotoxic effects of envenoming present as flaccid paralysis of skeletal muscles. It is unclear whether geographical variation in venom composition plays a significant role in the degree of clinical neurotoxicity. In this study, the effects of geographical variation on neurotoxicity and venom composition of *B. candidus* venoms from Indonesia, Malaysia and Thailand were examined. In the chick biventer cervicis nerve-muscle preparation, all venoms abolished indirect twitches and attenuated contractile responses to nicotinic receptor agonists, with venom from Indonesia displaying the most rapid neurotoxicity. A proteomic analysis indicated that three finger toxins (3FTx), phospholipase A(2) (PLA(2)) and Kunitz-type serine protease inhibitors were common toxin groups in the venoms. In addition, venom from Thailand contained L-amino acid oxidase (LAAO), cysteine rich secretory protein (CRISP), thrombin-like enzyme (TLE) and snake venom metalloproteinase (SVMP). Short-chain post-synaptic neurotoxins were not detected in any of the venoms. The largest quantity of long-chain post-synaptic neurotoxins and non-conventional toxins was found in the venom from Thailand. Analysis of PLA(2) activity did not show any correlation between the amount of PLA(2) and the degree of neurotoxicity of the venoms. Our study shows that variation in venom composition is not limited to the degree of neurotoxicity. This investigation provides additional insights into the geographical differences in venom composition and provides information that could be used to improve the management of Malayan krait envenoming in Southeast Asia.

### Keywords

**KeyWords Plus:** [TAIPAN OXYURANUS-SCUTELLATUS](#); [IN-VITRO NEUROTOXICITY](#); [PRESYNAPTIC NEUROTOXIN](#); [FASCIATUS](#); [ANTIVENOM](#); [TOXINS](#); [COBRA](#); [INDIA](#); [PHOSPHOLIPASES](#); [NEUTRALIZATION](#)

### Author Information

**Reprint Address:** Chaisakul, J (reprint author)

+ Phramongkutklao Coll Med, Dept Pharmacol, Bangkok, Thailand.

### Addresses:

- + [ 1 ] Int Islamic Univ Malaysia, Kulliyah Pharm, Kuantan Campus, Kuantan, Pahang Darul Ma, Malaysia
- + [ 2 ] Monash Univ, Jeffrey Cheah Sch Med & Hlth Sci, Sunway Campus, Bandar Sunway, Malaysia
- + [ 3 ] Mahidol Univ, Fac Sci, Dept Microbiol, Bangkok, Thailand
- + [ 4 ] Thai Red Cross Soc, Queen Saovabha Mem Inst, Snake Farm, Bangkok, Thailand
- + [ 5 ] Monash Univ, Biomed Discovery Inst, Dept Pharmacol, Monash Venom Grp, Clayton, Vic, Australia
- + [ 6 ] Phramongkutklao Coll Med, Dept Pharmacol, Bangkok, Thailand

**E-mail Addresses:** [janeyuth.cha@pcm.ac.th](mailto:janeyuth.cha@pcm.ac.th)

### Funding

Funding Agency	Show details	Grant Number
Office of Research Development, Phramongkutklao College of Medicine & Phramongkutklao Hospital		
Thailand Research Fund (TRF)		TRG6080009
British Council		2017-18 PDG61W0015
Research Incentive Grant Scheme of International Islamic University Malaysia		RIGS 17-007-0582
National Health and Medical Research Council of Australia		1110343

[View funding text](#)

### Publisher

PUBLIC LIBRARY SCIENCE, 1160 BATTERY STREET, STE 100, SAN FRANCISCO, CA 94111 USA

### Journal Information

**Impact Factor:** [Journal Citation Reports](#)

### Citation Network

In Web of Science Core Collection

0

Times Cited

[Create Citation Alert](#)

55

Cited References

[View Related Records](#)

### Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

**Web of Science Core Collection**  
 - Science Citation Index Expanded

[Suggest a correction](#)

*If you would like to improve the quality of the data in this record, please [suggest a correction](#).*

## Categories / Classification

Research Areas: Science & Technology - Other Topics

Web of Science Categories: Multidisciplinary Sciences

[See more data fields](#)

◀ 1 of 1 ▶

## Cited References: 55

Showing 30 of 55 [View All in Cited References page](#)

(from Web of Science Core Collection)

- Snakebite in Indonesia** Times Cited: 7  
By: Adiwinata, Randy; Nelwan, Erni J.  
ACTA MEDICA INDONESIA Volume: 47 Issue: 4 Pages: 358-365 Published: OCT 2015
- Solving the 'Brown snake paradox': In vitro characterisation of Australasian snake presynaptic neurotoxin activity** Times Cited: 23  
By: Barber, Carmel M.; Isbister, Geoffrey K.; Hodgson, Wayne C.  
TOXICOLOGY LETTERS Volume: 210 Issue: 3 Pages: 318-323 Published: MAY 5 2012
- Differential Myotoxic and Cytotoxic Activities of Pre-synaptic Neurotoxins from Papuan Taipan (*Oxyuranus scutellatus*) and Irian Jayan Death Adder (*Acanthophis rugosus*) Venoms** Times Cited: 4  
By: Chaisakul, Janeyuth; Parkington, Helena C.; Isbister, Geoffrey K.; et al.  
BASIC & CLINICAL PHARMACOLOGY & TOXICOLOGY Volume: 112 Issue: 5 Pages: 325-334 Published: MAY 2013
- Evaluation of the geographical utility of Eastern Russell's viper (*Daboia siamensis*) antivenom from Thailand and an assessment of its protective effects against venom-induced nephrotoxicity** Times Cited: 1  
By: Chaisakul, Janeyuth; Alsolaiss, Jaffer; Charoenpitakchai, Mongkon; et al.  
PLOS NEGLECTED TROPICAL DISEASES Volume: 13 Issue: 10 Article Number: e0007338 Published: OCT 2019
- A Pharmacological Examination of the Cardiovascular Effects of Malayan Krait (*Bungarus candidus*) Venoms** Times Cited: 5  
By: Chaisakul, Janeyuth; Rusmili, Muhamad Rusdi Ahmad; Hodgson, Wayne C.; et al.  
TOXINS Volume: 9 Issue: 4 Article Number: 122 Published: APR 2017
- NEUROTOXINS WITH PHOSPHOLIPASE A-2 ACTIVITY IN SNAKE VENOMS** Times Cited: 126  
By: CHANG C C  
Proceedings of the National Science Council Republic of China Part B Life Sciences Volume: 9 Issue: 2 Pages: 126-142 Published: 1985
- Biological characteristics of the *Bungarus candidus* venom due to geographical variation.** Times Cited: 8  
By: Chanhome, L.; Khoo, O.; Puempunpanich, S.; et al.  
Journal of Cell and Animal Biology Volume: 3 Issue: 6 Pages: 093-100 Published: June 2009
- Proteomic Deep Mining the Venom of the Red-Headed Krait, *Bungarus flaviceps*** Times Cited: 3  
By: Chapeaurouge, Alex; Silva, Andreza; Carvalho, Paulo; et al.  
TOXINS Volume: 10 Issue: 9 Article Number: 373 Published: SEP 2018
- Non-neurotoxic activity of Malayan krait (*Bungarus candidus*) venom from Thailand** Times Cited: 2  
By: Charoenpitakchai, Mongkon; Wiwatwarayos, Kulachet; Jaisupa, Nattapon; et al.  
JOURNAL OF VENOMOUS ANIMALS AND TOXINS INCLUDING TROPICAL DISEASES Volume: 24 Article Number: 9 Published: MAR 9 2018
- A five-year retrospective review of snakebite patients admitted to a tertiary university hospital in Malaysia** Times Cited: 28  
By: Chew, Keng Sheng; Khor, Heng Wei; Ahmad, Rashidi; et al.  
INTERNATIONAL JOURNAL OF EMERGENCY MEDICINE Volume: 4 Article Number: 41 Published: 2011
- SNAKE-VENOM VARIABILITY - METHODS OF STUDY, RESULTS AND INTERPRETATION** Times Cited: 447  
By: CHIPPAUX, JP; WILLIAMS, V; WHITE, J  
TOXICON Volume: 29 Issue: 11 Pages: 1279-1303 Published: 1991
- A pharmacological examination of venom from the Papuan taipan (*Oxyuranus scutellatus canni*)** Times Cited: 25  
By: Crachi, MT; Hammer, LW; Hodgson, WC  
TOXICON Volume: 37 Issue: 12 Pages: 1721-1734 Published: DEC 1999
- Species and regional variations in the effectiveness of antivenom against the in Vitro neurotoxicity of death adder (*Acanthophis*) venoms** Times Cited: 39  
By: Fry, BG; Wickramaratna, JC; Jones, A; et al.  
TOXICOLOGY AND APPLIED PHARMACOLOGY Volume: 175 Issue: 2 Pages: 140-148 Published: SEP 1 2001
- Isolation, complete amino acid sequence and characterization of a previously unreported post-synaptic neurotoxin-AlphaN3, from the venom of *Bungarus candidus*** Times Cited: 9

15. **The three-finger toxin fold: a multifunctional structural scaffold able to modulate cholinergic functions** Times Cited: 17  
By: Kessler, Pascal; Marchot, Pascale; Silva, Marcela; et al.  
JOURNAL OF NEUROCHEMISTRY Volume: 142 Special Issue: SI Supplement: 2 Pages: 7-18 Published: AUG 2017
16. **Isolation, toxicity and amino terminal sequences of three major neurotoxins in the venom of Malayan krait (*Bungarus candidus*) from Thailand** Times Cited: 16  
By: Khoo, O; Chanhome, L; Omori-Satoh, T; et al.  
JOURNAL OF BIOCHEMISTRY Volume: 134 Issue: 6 Pages: 799-804 Published: DEC 2003
17. **Structure, function and evolution of three-finger toxins: Mini proteins with multiple targets** Times Cited: 193  
By: Kini, R. Manjunatha; Doley, Robin  
TOXICON Volume: 56 Issue: 6 Pages: 855-867 Published: NOV 2010
18. **Molecular moulds with multiple missions: Functional sites in three-finger toxins** Times Cited: 111  
By: Kini, RM  
CLINICAL AND EXPERIMENTAL PHARMACOLOGY AND PHYSIOLOGY Volume: 29 Issue: 9 Pages: 815-822 Published: SEP 2002
19. **Excitement ahead: structure, function and mechanism of snake venom phospholipase A(2) enzymes** Times Cited: 392  
By: Kini, RM  
TOXICON Volume: 42 Issue: 8 Pages: 827-840 Published: DEC 15 2003
20. **The atomic resolution structure of bucanidin, a novel toxin isolated from the Malayan krait, determined by direct methods** Times Cited: 28  
By: Kuhn, P; Deacon, AM; Comoso, S; et al.  
ACTA CRYSTALLOGRAPHICA SECTION D-STRUCTURAL BIOLOGY Volume: 56 Pages: 1401-1407 Part: 11 Published: NOV 2000
21. **Proteomic Characterization of Two Medically Important Malaysian Snake Venoms, *Calloselasma rhodostoma* (Malayan Pit Viper) and *Ophiophagus hannah* (King Cobra)** Times Cited: 3  
By: Kunalan, Sugita; Othman, Iekhsan; Hassan, Sharifah Syed; et al.  
TOXINS Volume: 10 Issue: 11 Article Number: 434 Published: NOV 2018
22. **CLEAVAGE OF STRUCTURAL PROTEINS DURING ASSEMBLY OF HEAD OF BACTERIOPHAGE-T4** Times Cited: 248,590  
By: LAEMMLI, UK  
NATURE Volume: 227 Issue: 5259 Pages: 680-+ Published: 1970
23. **Decreased parasympathetic activities in Malayan krait (*Bungarus candidus*) envenoming** Times Cited: 35  
By: Laothong, C; Sitprija, V  
TOXICON Volume: 39 Issue: 9 Pages: 1353-1357 Published: SEP 2001
24. **Specific antivenom for *Bungarus candidus*** Times Cited: 11  
By: Leeprasert, Wirat; Kaojarern, Sming  
Journal of the Medical Association of Thailand Volume: 90 Issue: 7 Pages: 1467-1476 Published: JUL 2007
25. **Cross Neutralization of Afro-Asian Cobra and Asian Krait Venoms by a Thai Polyvalent Snake Antivenom (Neuro Polyvalent Snake Antivenom)** Times Cited: 26  
By: Leong, Poh Kuan; Sim, Si Mui; Fung, Shin Yee; et al.  
PLOS NEGLECTED TROPICAL DISEASES Volume: 6 Issue: 6 Article Number: e1672 Published: JUN 2012
26. **Sealing of micromachined cavities using chemical vapor deposition methods: Characterization and optimization** Times Cited: 43  
By: Liu, C; Tai, YC  
JOURNAL OF MICROELECTROMECHANICAL SYSTEMS Volume: 8 Issue: 2 Pages: 135-145 Published: JUN 1999
27. **Phospholipases A(2): Unveiling the secrets of a functionally versatile group of snake venom toxins** Times Cited: 107  
By: Maria Gutierrez, Jose; Lomonte, Bruno  
TOXICON Volume: 62 Pages: 27-39 Published: FEB 2013
28. **Snakebite envenoming from a global perspective: Towards an integrated approach** Times Cited: 139  
By: Maria Gutierrez, Jose; Williams, David; Fan, Hui Wen; et al.  
TOXICON Volume: 56 Issue: 7 Special Issue: SI Pages: 1223-1235 Published: DEC 15 2010
29. **Candoxin, a novel toxin from *Bungarus candidus*, is a reversible antagonist of muscle (alpha beta gamma delta) but a poorly reversible antagonist of neuronal alpha 7 nicotinic acetylcholine receptors** Times Cited: 72  
By: Nirthanan, S; Charpantier, E; Gopalakrishnakone, P; et al.  
JOURNAL OF BIOLOGICAL CHEMISTRY Volume: 277 Issue: 20 Pages: 17811-17820 Published: MAY 17 2002
30. **Venom proteome of *Bungarus sindanus* (Sind krait) from Pakistan and in vivo cross-neutralization of toxicity using an Indian polyvalent antivenom** Times Cited: 10  
By: Oh, Angeline Mei Feng; Tan, Choo Hock; Tan, Kae Yi; et al.  
JOURNAL OF PROTEOMICS Volume: 193 Pages: 243-254 Published: FEB 20 2019

Clarivate

Accelerating innovation

