



Document details

1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)
[View at Publisher](#)
 International Journal of Recent Technology and Engineering [Open Access](#)
 Volume 8, Issue 4, November 2019, Pages 4544-4547

Fabrication of low-cost hip implant using direct metal laser sintering technique (Article) [\(Open Access\)](#)

Baharuddin, M.Y.^a, Zulkifly, A.H.^b, Choo, L.A.^a, Aminudin, S.N.A.^c, Lee, M.H.^d, Salleh, S.H.S.^e ^aDepartment of Health Sciences, Faculty of Sports Sciences & Coaching, Universiti Pendidikan Sultan Idris, Tanjung Malim, Perak, Malaysia^bDepartment of Orthopaedic, Traumatology & Rehabilitation, Kulliyah of Medicine, Islamic International University Malaysia, Kuantan, Pahang, Malaysia^cDepartment of Non Chronic Disease, Batu Arang Health Clinic, Ministry of Health, Putrajaya, Malaysia^dDepartment of Mathematical Sciences, Faculty of Sciences, Universiti Teknologi Malaysia, Skudai, Johor, Malaysia^eCenter for Biomedical Engineering, Universiti Teknologi Malaysia, Skudai, Johor, Malaysia

Hide additional affiliations ^

Abstract

[View references \(13\)](#)

Total hip replacement (THR) is the most popular surgery been performed in orthopedic surgery due to the inclination of musculoskeletal disorder and the aging population worldwide. However, the implant's cost-burdened the patient, especially in the ASEAN region. The main objective of this study was to fabricate the low-cost hip implant using direct laser metal sintering (DMLS). The framework starts with the three dimensional of hip anthropometric datasets from computed tomography scanner, followed with the design of hip implant, computational analysis using finite element, and finally fabrication using DMLS technique. The morphological results demonstrated the value of neck-shaft angle was 130.46°, and the femoral head offset of 30.35 mm. The finite element analysis showed strain distribution was 65 MPa for the implant in metaphyseal region and 110 MPa for intact femur under staircase physiological loading which indicated inhibition of stress shielding at medical calcar region, and micromotion was 4.8 μm which prevent the formation of fibrous tissue and promoting osseointegration between implant-bone interfaces. This study proposed the fabrication using the DMLS technique, which produced accurate implant with low-cost, which suits the ASEAN hip morphology that prolongs implant lifetime. © BEIESP.

SciVal Topic Prominence ⓘ

Topic: Hip | Arthroplasty | Developmental dysplasia

Prominence percentile: 90.139 ⓘ

Author keywords

[Direct metal laser sintering](#) [Finite element analysis](#) [Hip implant](#) [Morphology](#)

Funding details

Funding sponsor	Funding number	Acronym
Universiti Pendidikan Sultan Idris	2017-0119-105-01	

Funding text

This study funded by the Research Management Innovation Center, Universiti Pendidikan Sultan Idris, with research grants numbered 2017-0119-105-01.

Metrics ⓘ [View all metrics >](#)

PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Related documents

Primary stability recognition of the newly designed cementless femoral stem using digital signal processing

Baharuddin, M.Y., Salleh, S.-H., Hamed, M. (2014) *BioMed Research International*

Measuring geometric parameters of proximal femur by using reverse engineering

Van Tuong, N. (2019) *MM Science Journal*

Three dimensional morphometry of proximal femur to design best-fit femoral stem for Indonesian population | Morfometría tridimensional del fémur proximal para diseñar prótesis a medida en la población de Indonesia

Dewo, P., Suyitno, Dharmastiti, R. (2016) *International Journal of Morphology*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

References (13)

[View in search results format >](#)

All Export Print E-mail Save to PDF Create bibliography

- 1 Ferguson, R.J., Palmer, A.J., Taylor, A., Porter, M.L., Malchau, H., Glyn-Jones, S.
Hip replacement

(2018) *The Lancet*, 392 (10158), pp. 1662-1671. Cited 13 times.

<http://www.journals.elsevier.com/the-lancet/>

doi: 10.1016/S0140-6736(18)31777-X

[View at Publisher](#)

- 2 Kurtz, S.M., Ong, K.L., Lau, E., Bozic, K.J.
Impact of the economic downturn on total joint replacement demand in the United States: Updated projections to 2021

(2014) *Journal of Bone and Joint Surgery - American Volume*, 96 (8), pp. 624-630. Cited 406 times.

<http://jbs.org/data/journals/BJJ/929982/624.pdf>

doi: 10.2106/BJJ.S.M.00285

[View at Publisher](#)

- 3 Noble, P.C., Alexander, J.W., Lindahl, L.J., Yew, D.T., Granberry, W.M., Tullos, H.S.
The anatomic basis of femoral component design

(1988) *Clinical Orthopaedics and Related Research*, (235), pp. 148-165. Cited 513 times.

[View at Publisher](#)

- 4 Husmann, O., Rubin, P.J., Leyvraz, P.-F., De Roguin, B., Argenson, J.-N.
Three-dimensional morphology of the proximal femur

(1997) *Journal of Arthroplasty*, 12 (4), pp. 444-450. Cited 123 times.

<http://www.elsevier.com/inca/publications/store/6/2/3/1/4/1/index.htm>

doi: 10.1016/S0883-5403(97)90201-1

[View at Publisher](#)

- 5 Baharuddin, M.Y., Zulkifly, A.H., Lee, M.H., Kadir, M.R.A., Saat, A., Aziz, A.A.
Three dimensional morphometry of the femur to design the total hip arthroplasty for Malay population

(2013) *Advanced Science Letters*, 19 (10), pp. 2982-2987. Cited 5 times.

<http://docserver.ingentaconnect.com/deliver/connect/asp/19366612/v19n10/s32.pdf?>

doi: 10.1166/asl.2013.5085

[View at Publisher](#)

- 6 Baharuddin, M.Y., Kadir, M.R.A., Zulkifly, A.H., Saat, A., Aziz, A.A., Lee, M.H.
Morphology study of the proximal femur in malay population ([Open Access](#))

(2011) *International Journal of Morphology*, 29 (4), pp. 1321-1325. Cited 16 times.

<http://www.scielo.cl/pdf/ijmorphol/v29n4/art42.pdf>

doi: 10.4067/S0717-95022011000400042

[View at Publisher](#)

- 7 Baharuddin, M.Y., Salleh, S.-H., Zulkifly, A.H., Lee, M.H., Noor, A.M., A Harris, A.R., Majid, N.A., (...), Abd Kader, A.S.

Design process of cementless femoral stem using a nonlinear three dimensional finite element analysis ([Open Access](#))

(2014) *BMC Musculoskeletal Disorders*, 15 (1), art. no. 30. Cited 17 times.
doi: 10.1186/1471-2474-15-30

[View at Publisher](#)

-
- 8 Mangano, F., Chambrone, L., Van Noort, R., Miller, C., Hatton, P., Mangano, C.
Direct metal laser sintering titanium dental implants: A review of the current literature ([Open Access](#))

(2014) *International Journal of Biomaterials*, 2014, art. no. 461534. Cited 35 times.
<http://www.hindawi.com/journals/ijbm/>
doi: 10.1155/2014/461534

[View at Publisher](#)

-
- 9 Mangano, C., Raspanti, M., Traini, T., Piattelli, A., Sammons, R.
Stereo imaging and cytocompatibility of a model dental implant surface formed by direct laser fabrication

(2009) *Journal of Biomedical Materials Research - Part A*, 88 (3), pp. 823-831. Cited 37 times.
doi: 10.1002/jbm.a.32033

[View at Publisher](#)

-
- 10 Baharuddin, M.Y., Salleh, S.-H., Suhasril, A.A., Zulkifly, A.H., Lee, M.H., Omar, M.A., Abd Kader, A.S., (...), Abdul Majid, N.
Fabrication of Low-Cost, Cementless Femoral Stem 316L Stainless Steel Using Investment Casting Technique

(2014) *Artificial Organs*, 38 (7), pp. 603-608. Cited 6 times.
www.blackwellscience.com/journals/artificial/index.html
doi: 10.1111/aor.12222

[View at Publisher](#)

-
- 11 Nurhaslina, J.
Physical and mechanical properties of injection molded Co-Cr-Mo alloy powder for orthopedic applications
(2016) *Advanced Materials Research*, 1133, pp. 80-84. Cited 2 times.

-
- 12 Cerea, M., Dolcini, G.A.
Custom-Made Direct Metal Laser Sintering Titanium Subperiosteal Implants: A Retrospective Clinical Study on 70 Patients
(2018) *Biomed Research International*, 5420391, p. 11.

-
- 13 Ruppert, D.S., Harrysson, O.L.A., Marcellin-Little, D.J., Abumoussa, S., Dahners, L.E., Weinhold, P.S.
Osseointegration of Coarse and Fine Textured Implants Manufactured by Electron Beam Melting and Direct Metal Laser Sintering

(2017) *3D Printing and Additive Manufacturing*, 4 (2), pp. 91-97. Cited 10 times.
<http://www.liebertpub.com/overview/3d-printing-and-additive-manufacturing/621/>
doi: 10.1089/3dp.2017.0008

[View at Publisher](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX