

Association for Information Systems AIS Electronic Library (AISeL)

Research Papers

ECIS 2019 Proceedings

5-15-2019

TAXONOMY RESEARCH IN INFORMATION SYSTEMS: A SYSTEMATIC ASSESSMENT

Anna Maria Oberländer
FIM Research Center, anna.oberlaender@fim-rc.de

Benedict Lösser
FIM Research Center, benedict.loesser@fim-rc.de

Daniel Rau
Project Group Business & Information Systems Engineering of the Fraunhofer FIT, daniel.rau@fim-rc.de

Follow this and additional works at: https://aisel.aisnet.org/ecis2019_rp

Recommended Citation

Oberländer, Anna Maria; Lösser, Benedict; and Rau, Daniel, (2019). "TAXONOMY RESEARCH IN INFORMATION SYSTEMS: A SYSTEMATIC ASSESSMENT". In Proceedings of the 27th European Conference on Information Systems (ECIS), Stockholm & Uppsala, Sweden, June 8-14, 2019. ISBN 978-1-7336325-0-8 Research Papers.
https://aisel.aisnet.org/ecis2019_rp/144

This material is brought to you by the ECIS 2019 Proceedings at AIS Electronic Library (AISeL). It has been accepted for inclusion in Research Papers by an authorized administrator of AIS Electronic Library (AISeL). For more information, please contact elibrary@aisnet.org.

TAXONOMY RESEARCH IN INFORMATION SYSTEMS: A SYSTEMATIC ASSESSMENT

Research paper

Lösser, Benedict, FIM Research Center, University of Bayreuth, Germany
benedict.loesser@fim-rc.de

Oberländer, Anna Maria, FIM Research Center, University of Bayreuth, Germany
anna.oberlaender@fim-rc.de

Rau, Daniel, Project Group Business & Information Systems Engineering of the
Fraunhofer FIT, University of Augsburg, Germany, daniel.rau@fit.fraunhofer.de

Abstract

Today's world is changing at unprecedented speed and scale becoming more complex to understand. Taxonomies represent an important tool for understanding and analyzing complex domains based on the classification of objects. In the Information Systems (IS) domain, Nickerson et al. (2013) were the first to propose a taxonomy development method, addressing the observation that many taxonomies have been developed in an 'ad-hoc' approach. More than five years after Nickerson et al.'s (2013) publication, we examined to what extent recently published taxonomy articles account for existing methodological guidance. Therefore, we identified and reviewed 33 taxonomy articles published between 2013 and 2018 in leading Information Systems journals. Our results were sobering: We found few taxonomy articles that followed any specific development method. Although most articles correctly understood taxonomies as conceptually or empirically derived groupings of dimensions and characteristics, our study revealed that the development process often remained opaque and that taxonomies were hardly evaluated. We discuss these findings and potential root causes related to method design, method adoption, and the general positioning of taxonomy research in the IS domain. Our study proposes stimulating questions for future research and contributes to the IS community's progress towards methodologically well-founded taxonomies.

Keywords: Taxonomy, Typology, Method, Literature Review.

1 Introduction

The world is changing at unprecedented speed and scale, among others driven by digital technologies (Berger et al., 2018; Legner et al., 2017), and volatile, uncertain, complex, and ambiguous environments are emerging together with new technology-driven phenomena (Berinato, 2014) such as the 'sharing economy' and 'the fourth industrial revolution' (Wollschlaeger et al., 2017; Zhang et al., 2018). As understanding the multitude of new and fast-evolving phenomena is crucial for society and research, tools for understanding and analyzing gain importance. In particular, the Information Systems (IS) domain linking 'the natural world, the social world, and the artificial world of human constructions' (Gregor, 2006, p. 613), is at the forefront to support understanding in the context of socio-technical change (Rowe, 2018). Along these lines, taxonomies represent an important tool for understanding and analyzing complex phenomena based on the classification of objects (Nickerson et al., 2013).

Related disciplines such as natural or social sciences have already engaged extensively in classifying objects of interest into taxonomies to structure knowledge. Presumably, the most prominent example is

the periodic table which can be viewed as a taxonomy of elements facilitating the understanding of chemistry (Nickerson et al., 2013). Often used synonymously with terms such as typology or framework, taxonomies have also found their way into the IS domain where the number of IS articles referring to taxonomies (and typologies) has grown significantly (i.e., more than 20%, for details refer to section 3). Examples include taxonomies of digital technologies (Berger et al., 2018), monitoring and controlling systems (Cram and Brohman, 2013; Iannacci and Cornford, 2018) as well as digital marketplaces and platforms (Ghazawneh and Henfridsson, 2015; Guo et al., 2014; Kazan et al., 2018). Taxonomies are empirically or conceptually derived groupings (Nickerson et al., 2013). From a theoretical standpoint, taxonomies on the one hand represent conceptual knowledge as the basis for theory development beyond analysis, e.g., for predicting phenomena or designing artifacts (Gregor and Hevner, 2013; Iivari, 2007). On the other hand, taxonomies are design artifacts themselves (i.e., models) which enable classifying objects (March and Smith, 1995; Oberländer et al., 2018).

In the IS domain, Nickerson et al. (2013) were the first (and only) to propose a taxonomy development method addressing the observation that many IS taxonomies have been developed in an ‘ad-hoc’ approach rather than following a systematic and replicable method. Nickerson et al.’s (2013) method joins taxonomy development methods from related disciplines, e.g., Doty and Glick (1994) and Bailey (1994). Their iterative seven-step method allows for an inductive as well as a deductive approach. Since the method’s publication in the *European Conference on IS proceedings* and the *European Journal of Information Systems (EJIS)* Nickerson et al.’s (2009, 2013) work has been cited more than 300 times indicating substantial diffusion and impact. We know little, however, about how and to what extent existing methodological recommendations on taxonomy development have been adopted in IS research and to what extent IS taxonomies have been developed in a systematic approach. Hence, we think it is the right time to examine and reflect the current state of taxonomy research in IS and ask the following research question: *To what extent do recently published taxonomy articles in the IS domain account for existing methodological guidance?*

To answer this question, we identified and reviewed 33 taxonomy articles published between 2013 and 2018 in leading IS journals. Following Nickerson et al. (2013), we treat the terms ‘taxonomy’ and ‘typology’ as synonyms. The review of the taxonomy articles followed iteratively developed assessment attributes building on and extending Nickerson et al.’s (2013) methodological recommendations. This review helps identify patterns and trends in IS taxonomy research and leads to stimulating questions that contribute to the IS community’s progress towards methodologically well-founded taxonomies.

The remainder of this article is structured as follows: First, we set the stage by introducing existing taxonomy development methods. Then, we outline our research method, namely how taxonomy articles were selected and how assessment attributes were developed and applied. We then present and discuss our results. We conclude by highlighting limitations and stimuli to further research.

2 Background

In the literature, the terms ‘framework’, ‘classification scheme/system’, ‘typology’, and ‘taxonomy’ are often used interchangeably. On a high level of abstraction, a framework is referred to as a ‘set of assumptions, concepts, values, and practices that constitutes a way of understanding research within a body of knowledge’ (Schwarz et al., 2007, p. 41). In a similar way, a unidimensional or multidimensional classification scheme/system organizes knowledge of a field by following specific decision rules to group similar objects into classes (Bailey, 1994; Doty and Glick, 1994). Researchers such as Bailey (1994) and Doty and Glick (1994) describe both typologies and taxonomies as groupings for objects, but differentiate whether these groupings are conceptually derived (i.e., typology) or empirically derived (i.e., taxonomy). Despite this theoretical differentiation, the most commonly used term in the IS literature is ‘taxonomy’ for both conceptually and/or empirically derived groupings.

Due to many technology-driven changes in recent years, the IS discipline is increasingly asked to analyze, understand, structure, and explain emerging phenomena. However, a sound taxonomy development method has been missing in the IS context (Nickerson et al., 2013), whereas other related

disciplines such as natural sciences (e.g., Eldredge and Cracraft, 1980; Sokal and Sneath, 1963), social sciences (e.g., Bailey, 1994; Doty and Glick, 1994), and computer sciences (e.g., Bayona-Oré et al., 2014; Usman et al., 2017) have extensively studied, developed and refined taxonomy development processes.

For instance, Doty and Glick (1994) introduce ‘organizational typologies’ as complex theories and demonstrate how resulting conceptual models can be quantitatively evaluated. The authors strongly focus on the concept of taxonomies as ‘ideal types’ (i.e., unique manifestations of dimension-characteristic combinations) from which real-world objects can deviate. Doty and Glick (1994) do not elaborate on a step-wise taxonomy development method, but rather propose general guidelines for the development process. First, researchers should explicitly mention their grand theoretical assertion. Second, taxonomies must define the complete set of ideal types. Third, researchers must provide complete descriptions of each ideal type by using exactly the same set of dimensions. Fourth, assumptions about the theoretical importance of each dimension need to be stated explicitly. Fifth and finally, taxonomies must be tested with conceptual and analytical models that include the entire set of ideal types. Further, Bailey (1994) describes two different and mutually exclusive approaches for taxonomy development, the conceptual and the empirical approach. In the conceptual approach, the taxonomic structure is deduced from a theoretical foundation. Researchers can start with one single type, which is then complemented by additional dimensions until saturation and completeness are reached. Alternatively, researchers can start with an over-specified taxonomy before dimensions are eliminated in a step-wise procedure until the artifact is sufficiently parsimonious. In the empirical approach, researchers develop the grouping inductively via statistical methods such as cluster analysis. In software engineering, Usman et al. (2017) provide a taxonomy development method that comprises 13 activities from defining the knowledge area to validating the taxonomy. Despite the generalizable nature of the activities, the comparably new method has been hardly cited and not transferred to other disciplines.

In the IS context, Nickerson et al. (2013) examined taxonomy literature finding that taxonomy development was largely ad-hoc and rarely based on a systematic method. To address this finding, they proposed a systematic, iterative seven-step method that integrates both empirical (i.e., inductive) and conceptual (i.e., deductive) approaches. Thereby, Nickerson et al. (2013) incorporated extant methodological recommendations for taxonomy development from other disciplines, particularly from Doty & Glick (1994) and Bailey (1994) as described above. Their work was first published as conference article in the *European Conference on IS proceedings* (Nickerson et al., 2009), before the journal version appeared in *EJIS* (Nickerson et al., 2013). In this work, we consistently refer to the latter version as the more extensive one that has received significant attention by the IS community (>280 citations).

The taxonomy development method of Nickerson et al. (2013) starts with the *determination of a meta-characteristic* that is derived from the purpose and future users of the taxonomy. It shall prevent researchers from ‘naïve empiricism’ in which large amounts of characteristics are randomly examined (Nickerson et al., 2013, p. 343). Due to its critical impact on the final taxonomy, the meta-characteristic must be chosen carefully. In the second step, researchers define objective and subjective *ending conditions* for which the iterative taxonomy development method terminates. As different ending conditions may lead to different taxonomies, researchers might want to rely on commonly used ending conditions. Nickerson et al. (2013) therefore propose a list of eight objective and five subjective ending conditions. As a third step, researchers have to decide on the *approach* for the first/next iteration. In contrast to Bailey’s (1994) method for taxonomy development, Nickerson et al.’s (2013) method allows the combination of inductive and deductive iterations that each consist of three steps. Researchers are advised to choose an *empirical-to-conceptual* (i.e., inductive) iteration if they have little understanding of the research domain, but if data of real-world objects are available. In this case, a *subset of objects* is randomly, systematically, or conveniently drawn. Then *specific characteristics* that discriminate among the objects are derived from the meta-characteristic and *related characteristics are grouped into dimensions*. Ultimately, each dimension should consist of mutually exclusive and collectively

exhaustive characteristics. For deriving the characteristics or for grouping the characteristics into dimensions, further methods can be applied (e.g., Delphi method, statistical techniques). If no sufficient data are available, researchers are advised to choose the *conceptual-to-empirical* (i.e., deductive) approach. It starts with the *conceptualization of new characteristics (and dimensions)* based on potential similarities and dissimilarities among objects. Researchers thereby rely on their experience and knowledge. As before, characteristics of each dimension must be mutually exclusive and collectively exhaustive. In a next step, researchers *examine objects for these characteristics and dimensions* to examine whether real-world objects occupy all characteristics and dimensions or if characteristics need to be eliminated, refined, or added. The result after each iteration is a (*revised*) taxonomy that is followed by researchers *reviewing ending conditions*. The taxonomy development process continues with the next iteration until all ending conditions are met. Upon finalization, Nickerson et al. (2013) stipulate an evaluation of the taxonomy with regards to the ‘usefulness for the intended users and the intended purpose’ (Nickerson et al., 2013, p. 353).

With their iterative method, Nickerson et al. (2013) provided the first and so far only well-conceived taxonomy development method in the IS context. Their methodological recommendations on the development of useful tools for understanding and analyzing facilitate theories for analysis and beyond.

3 Research Method

To examine to what extent recently published taxonomy articles account for existing methodological guidance we identified and reviewed taxonomy articles from leading IS journals. Below, we outline our literature review before we elaborate on the development and application of our assessment attributes.

3.1 Identification of Taxonomy Articles

To identify relevant taxonomy articles in the IS domain, we performed a structured literature review following Webster and Watson (2002) as well as Vom Brocke et al. (2015). First, we specified search terms and timeframe based on our research question. Second, we excluded articles that did not comprise a taxonomy as an artifact and/or did not fit our research question.

In order to get an overview of taxonomy literature in IS before and after the publication of Nickerson et al.’s (2013) taxonomy development method in *EJIS*, we focused on the search terms ‘taxonom*’ and ‘typolog*’ in abstract, keyword, and title, following Nickerson et al.’s (2013) literature survey who conducted a similar study. To cover an equal timespan before and after Nickerson et al.’s (2013) methodology publication in *EJIS*, our search referred to the years 2007 (January) until 2018 (September). Further, we selected the IS Senior Scholars’ Basket of Journals (AIS, 2011) as well as the five leading IS conferences (AMCIS, ECIS, ICIS, PACIS, and HICSS) as sources. Table 1 illustrates the distribution of the 216 identified articles distinguishing between taxonomies and typologies as well as publication period (before and after the publication of Nickerson et al.’s (2013) publication). The number of taxonomy/typology articles has grown by 23% mainly driven by conference publications and articles referring to the term ‘taxonomy’. Based on this rising number of taxonomy articles above the overall publication increase, we can assume rising relevance of taxonomies in the IS domain. Of course, empirically justified statements require further investigations.

Search string	Publication in	Period I: 2007-2012	Period II: 2013-2018
taxonom*	IS Basket of 8	18	16
	IS Conferences	79	112
typolog*	IS Basket of 8	13	14
	IS Conferences	66	74
Sum		176	216 (+23%)

Table 1. Overview of taxonomy literature in the IS domain between 2007 and 2018

In addition, to make sure we covered the most relevant work referring to Nickerson et al.'s (2013) method, we performed a forward search for articles citing Nickerson et al. (2013). We applied Google Scholar as citation indexing service. From the identified articles, the majority referred to the above-mentioned conferences. The only IS journal which comprised more than two articles citing Nickerson et al. (2013) was *Decision Support Systems (DSS)*. In sum, we decided to first focus on the analysis of high-impact publications from the IS Senior Scholars' Basket of Journals after 2013 (30 articles as highlighted in grey in Table 1) plus three *DSS* articles citing Nickerson et al. (2013). This results in a total of 33 articles. We clearly see this as a first step to assess recently published taxonomy articles in the IS domain. Despite the high number of taxonomy conference articles, we aimed at examining the articles from leading high-impact journals first to set a point of reference, before comparing insights with results from conference articles. As a second step and as extension of this article, we plan to assess the identified conference articles promising broader insights across publication formats.




Figure 1. Systematic selection of taxonomy articles

After screening titles and abstracts of the 33 taxonomy articles, we excluded nine as they did not develop a taxonomy (e.g., only referencing taxonomies developed by others). In conclusion, 24 taxonomy articles remained for detailed assessment, as shown in Figure 1. Please find the full list of articles in our references.

3.2 Development of Assessment Attributes

To assess the 24 taxonomy articles, we developed assessment attributes referring to the example of Paré et al. (2013) who examined the rigor of ranking-type Delphi studies in the IS domain. We iteratively developed the assessment attributes building on Nickerson et al.'s (2013) methodological recommendations. We added further assessment attributes beyond Nickerson et al.'s (2013) work when we identified relevant patterns throughout the assessment process, e.g., with regards to evaluation. The overview of assessment attributes is shown in Table 2 and divided into three focus areas, i.e., the 'research product' (i.e., the taxonomy), the 'research process: development', and the 'research process: evaluation & application'.

First, we developed assessment attributes including guiding questions based on Nickerson et al. (2013). To the best of our knowledge, this is hitherto the only well-elaborated taxonomy development method in the IS domain associated with major influence. Further, Nickerson et al. (2013) themselves reviewed IS taxonomy literature as well as taxonomy development methods from other disciplines. We developed our assessment attributes in a two-fold approach: On the one hand, we adopted assessment attributes also used in Nickerson et al.'s (2013) literature review (e.g., inductive versus deductive development approach). On the other hand, we synthesized attributes by reviewing Nickerson et al.'s (2013) method description and translating relevant elements into operational assessment attributes (e.g., ending conditions, evaluation of usefulness for the intended user). The formulation of guiding questions served as helpful tool for the authors to clearly define objectively assessable attributes. It is noteworthy that Nickerson et al. (2013) incorporated methodological recommendations from other disciplines (e.g., Bailey (1994) and Doty and Glick (1994)). Hence, our assessment attributes also cover influences beyond IS.

Second, we validated and refined the initial assessment attributes and selectively added further attributes beyond Nickerson et al.'s (2013) recommendations throughout the assessment process. Therefore, we followed three steps. Initially, three articles were randomly selected and jointly assessed by all authors to align and calibrate the assessment as well as to refine ambiguous attributes. Next, the remaining 21 articles were assessed in detail by at least two authors independently.

Research product	
Focus of analysis	What is the taxonomy's focus of analysis?*
Presentation form	How is the taxonomy presented?*
Terminology	Which wording is applied?
# dimensions	How many dimensions does the taxonomy have?
Scale level	Which scale level is applied?*
# characteristics (min)	How many characteristics are developed per dimension (min)?
# characteristics (max)	How many characteristics are developed per dimension (max)?
MECE	Are characteristics mutually exclusive and collectively exhaustive (MECE)?
Research process: development	
Method reference	Which reference do authors build on for the taxonomy development?
Method description	Is the research method clearly described?
# iterations	How many iterations are conducted?
Development approach	Which development approach is applied?
# examined objects	How many objects are examined (for development)?
Ending conditions	Do the authors state ending conditions?
Research process: evaluation & application	
Evaluation method(s)	Which evaluation method is used?*
Focus on intended user	Does the evaluation involve the intended users?
Complementary application	Is the taxonomy's application demonstrated?
Archetypes	Are the findings consolidated into archetypes?*
Purpose beyond analysis	Do the authors leverage the taxonomy for a purpose beyond analysis?*

* = Assessment attributes beyond Nickerson et al.'s (2013) recommendations

Table 2. Overview of assessment attributes

In total, one author assessed all 21 articles whereas two co-authors each assessed half of the articles independently which allowed for the calculation of hit ratios as quality measure. When relevant patterns were identified beyond Nickerson et al.'s (2013) recommendations, we discussed the findings and jointly decided whether to add further attributes, e.g., on the evaluation of taxonomies or clustering into archetypes. Only if all authors agreed that a new attribute would benefit the understanding of state-of-the-art taxonomy research, the attribute was added and re-assessed for previously analyzed articles. Overall, an inter-rater agreement of 78% was obtained across all 19 final assessment attributes in the 21 independently assessed articles, which signals a strong agreement between two authors in each case and in complex cases between all authors. In case two authors assessed attributes for the same article differently, the discrepancies were identified, discussed, and a final assessment outcome jointly decided. The assessment of the attribute 'purpose beyond analysis' was the only attribute where we discovered systematic assessment discrepancies. Therefore, all authors discussed the corresponding assessments where it turned out that the authors had a different understanding regarding the purpose of a taxonomy and whether the purpose referred to the taxonomy artifact itself or to the full article including further analysis. As a result, we jointly decided that the scope of interest was on the purpose of the taxonomy as embedded in a broader context of the article. Further, we defined clear criteria for declaring a taxonomy related to a 'purpose beyond analysis', i.e., clear hypotheses had to be identified for a prediction purpose and design recommendations had to justify a 'design and action' purpose. During the iterative development of assessment attributes and guiding questions, the authors conducted several workshops for calibration. A senior researcher played the role of 'devil's advocate', specifically

enforcing comprehensible, tangible, and objectively assessable attributes. In case an attribute or question did not seem objectively assessable, clear criteria for assessment were defined and (re-) applied. Table 2 illustrates the final list of 19 assessment attributes including guiding questions. Attributes beyond Nickerson et al.'s (2013) work are marked with an asterisk (*).

4 Results

Below, we present the results of our study structured along the three focus areas 'research product' (Table 3) 'research process: development' (Table 4), and 'research process: evaluation & application' (Table 5). For each focus area, we present the result table including guiding questions as well as absolute and relative frequencies, before we elaborate on how we assessed each attribute, what our findings imply, and which interdependencies we observed. The result tables follow the structure outlined in the method section.

4.1 Research Product

Guiding question	Answer	n	%
What is the taxonomy's focus of analysis?	Established phenomenon	13	54%
	Emerging phenomenon	11	46%
How is the taxonomy presented?	Table	10	42%
	Matrix	6	25%
	Visual	4	17%
	Mathematical set	3	13%
	Textual	1	4%
Which wording is applied?	Taxonomy	14	58%
	Typology	8	33%
	Taxonomic framework	1	4%
	Typological theory	1	4%
How many dimensions does the taxonomy have?	1 to 4	12	50%
	5 to 8	7	29%
	N/A	5	21%
Which scale level is applied?	Nominal	13	54%
	Ordinal	2	8%
	Cardinal	3	13%
	Nominal and ordinal	1	4%
	N/A	5	21%
How many characteristics are developed per dimension (min)?	<5	12	50%
	>5	0	0%
	Situated on a continuum	6	25%
	N/A	6	25%
How many characteristics are developed per dimension (max)?	<5	10	42%
	>5	2	8%
	Situated on a continuum	6	25%
	N/A	6	25%
Are characteristics mutually exclusive and collectively exhaustive (MECE)?	Yes	16	67%
	No	0	0%
	N/A	8	33%

Table 3. Overview of results for focus area 'research product'

What is the taxonomy's focus of analysis? Our first attribute differentiates whether the taxonomy refers to a newly emerging or an established phenomenon. As theory of analysis, taxonomies are especially relevant to examine not yet fully understood domains. However, during our assessment we observed that taxonomies also frequently addressed established phenomena. This is why we included

the attribute in our assessment. In this context, we defined established phenomena as well-researched IS topics that have been present in the IS domain before or around the turn of the millennium and emerging phenomena as topics that emerged in the last 15 years. Established phenomena such as monitoring and controlling systems (Cram and Brohman, 2013; Iannacci and Cornford, 2018), knowledge systems (Daniel et al., 2018), and software development (Gaskin et al., 2018) were investigated in 54% of the articles. The remaining 46% of the articles referred to emerging phenomena such as the Internet of Things (Oberländer et al., 2018), IT addiction (Vaghefi et al., 2017), and digital marketplaces or platforms (Ghazawneh and Henfridsson, 2015; Guo et al., 2014; Kazan et al., 2018). The latter is particularly driven by advancements from new digital technologies. In conclusion, our assessment indicates the importance of taxonomies for both types of phenomena.

How is the taxonomy presented? With this attribute, we assessed the form in which taxonomies were presented. As the literature does not recommend any specific presentation forms for taxonomies, we aimed at examining the applied presentation forms to identify commonalities and differences. Most taxonomies were presented as tables (42%). Researchers also frequently chose matrices (25%) and creative visualizations (17%), whereas mathematical sets and textual representations accounted for 17%. If matrices were used, we often observed 2x2 matrices (i.e., two dimensions with each two characteristics) where oftentimes the four quadrants represented four archetypes (i.e., specific dimension-characteristic combinations).

Which wording is applied? With this assessment attribute, we refer to the terminology used for the research product. Our sample confirms Nickerson et al.'s (2013) findings with the term 'taxonomy' being the most frequent (58%). 'Typology' is used less often (33%). Other articles comprised the terms 'taxonomic framework' and 'typological theory' (8%). Although Bailey (1994) and Doty and Glick (1994) refer to typologies as conceptually derived groupings, a direct link between the terminology and the development approach (inductive versus deductive) could not be observed. In contrast, the majority (63%) of taxonomies was developed in a conceptual approach. If the taxonomy development referred to Nickerson et al. (2013), 'taxonomy' was used consistently as term. If the taxonomy development was put in reference to Doty and Glick (1994), authors mostly (4 of 5 articles) referred to 'typology'. Further, no evidence was found that typology articles derived archetypes more often compared to taxonomy articles.

How many dimensions does the taxonomy have? Taxonomies consist of dimensions and characteristics. Nickerson et al. (2013) as well as Bailey (1994) recommend a parsimonious use of dimensions, as an extensive number can exceed the cognitive load without increasing the explanatory power. Half of the taxonomies in our sample consist of two to four dimensions. The maximum number was eight. Most common were taxonomies with two dimensions (33%), often (seven of eight) presented as two-dimensional matrix. Note that five taxonomies (21%) did not provide clear dimensions, this being classified as 'N/A'. Authors of these articles directly presented archetypes without providing details on dimensions and characteristics.

Which scale level is applied? Taxonomy dimensions' characteristics can follow a nominal, ordinal, or cardinal scale. Despite its potential relevance for the application of further methods (e.g., cluster analysis), the literature does not address this attribute with regards to taxonomies. We therefore decided to assess the scales of the taxonomies' dimensions. The majority (58%) of articles built on nominally scaled dimensions. Ordinal dimensions and cardinal dimensions were mostly (six of seven) used when characteristics were situated on a continuum, as demonstrated by Kietzmann et al.'s (2013) ordinal dimension 'organizational alignment' ranging on a continuous scale from 'low' to 'high' and Lu et al.'s (2016) cardinal dimension 'time of entry in an auction' with a continuous scale between 0 and 1.

How many characteristics are developed per dimension? Dimensions can comprise two to many characteristics. As Bailey (1994) and Nickerson et al. (2013) state, a useful taxonomy should be concise. Following their argumentation, an inordinate multitude of dimensions and characteristics might be interpreted as a weakness. In our study, the number of characteristics per dimension ranged between two and 34. Six articles (25%) presented dimensions that did not mention distinct characteristics due to

their continuous scale. Another six articles (25%) did not mention characteristics at all and were classified as ‘N/A’. As described above, five of these six articles did not state any dimensions either.

Are characteristics mutually exclusive and collectively exhaustive (MECE)? Nickerson et al. (2013) define taxonomies as a set of dimensions consisting of mutually exclusive and collectively exhaustive characteristics. Characteristics are mutually exclusive if objects can never simultaneously occupy two characteristics within one dimension. Characteristics are collectively exhaustive if all objects occupy one of the characteristics within each dimension. When characteristics were complementary (e.g., ‘yes’ and ‘no’ in Oberländer et al. (2018)) or clearly exclusive (e.g., ‘one-way’ and ‘two-way’ in Varshney (2014)), then we classified the characteristics as mutually exclusive. When characteristics were complementary (e.g., ‘e-Ordering’ and ‘No e-Ordering’ in Guo et al. (2014)), situated on a continuum (e.g., ‘low’ to ‘high’ in Kietzmann et al. (2013)), or entirely covering the space defined by a (explicit or implicit) meta-characteristic (e.g., ‘individual’ and ‘group’ in Nickerson et al. (2013)), then we classified the taxonomy as collectively exhaustive. Most taxonomies (67%) followed Nickerson et al.’s (2013) recommendations regarding mutual exclusiveness and collective exhaustiveness. This attribute could not be clearly assessed for the five articles (21%) that did not provide distinct dimensions and characteristics as well as three more articles (13%).

4.2 Research Process: Development

Guiding question	Answer	n	%
Which reference do authors build on for the taxonomy development?	Doty & Glick (1994)	5	21%
	Nickerson et al. (2013)	4	17%
	George & Bennet (2005)	1	4%
	N/A	14	58%
Is the research method clearly described?	Yes	12	50%
	No	12	50%
How many iterations are conducted?	1 to 3	1	4%
	4 to 6	3	13%
	N/A	20	83%
Which development approach is applied?	Deductive (conceptual)	15	63%
	Inductive (empirical)	3	13%
	Both, iteratively	6	25%
How many objects are examined (for development)?	0	11	46%
	1 to 99	6	25%
	100 to 1,000	4	17%
	>1,000	3	13%
Do the authors state ending conditions?	Yes	4	17%
	No	20	83%

Table 4. Overview of results for focus area ‘research process: development’

Which reference do authors build on for the taxonomy development? In general, research methods support researchers in conducting and describing their research approaches in a structured, transparent, and replicable manner. Therefore, we were particularly interested in the research methods applied in our sample. Against our initial expectations, Nickerson et al.’s (2013) taxonomy development method was rarely cited and applied (17%). In contrast, we found that most taxonomies did not rely on any specific taxonomy development method (58%). Few articles referred to Doty and Glick’s (1994) guidelines (21%) or to general theory development by George and Bennett (2005) (4%). We did not find any study that referred to methods outside the IS context. For clarification: ‘N/A’ in this context does not mean that the articles did not provide any method section at all. However, instead of elaborating on the taxonomy development, these articles outlined methods, for instance, with regards to an underlying literature review or a case study.

Is the research method clearly described? With this attribute, we assessed the transparency and comprehensibility of the articles' taxonomy development process, irrespective whether a specific taxonomy development method was cited or not. Following Nickerson et al.'s (2013) recommendation on transparent and comprehensible taxonomy development, we assessed whether development steps were clearly stated, explained, and whether (interim) results were presented. Our assessment revealed that half of the articles did not transparently describe all development steps, refrained to present (interim) results, and lacked transparency and comprehensibility in general. In contrast, taxonomy articles that explicitly followed Nickerson et al.'s (2013) guidance all described their research method transparently and comprehensibly.

How many iterations are conducted? The number of iterations describes how often new distinct data sources or conceptual input are used to revise the taxonomy. Nickerson et al.'s (2013) method proposes an iterative development approach. We collected the number of development iterations from the articles' method section or counted if the number was not explicitly stated, but iterations were described. Our results showed that the number of iterations was only stated for taxonomies clearly referencing Nickerson et al.'s (2013) iterative method (17%). Other articles (83%) did not transparently describe iterations.

Which development approach is applied? In each iteration, taxonomy development either follows a deductive (conceptual-to-empirical) or an inductive (empirical-to-conceptual) approach. In the literature, Doty and Glick (1994) and Bailey (1994) refer deductive approaches to typologies and inductive approaches to taxonomies. Nickerson et al. (2013) allow for the iteration of both approaches. We documented a deductive approach, if researchers solely used their knowledge and experience (e.g., from literature) to conceptualize dimensions first. We referred to an inductive approach if real-world objects were examined first to derive characteristics and dimensions. Our sample indicates that a mere deductive (63%) was used more often than a mere inductive approach (13%). Iterative approaches with conceptual and empirical iterations accounted for 25% of all articles. Besides, we found examples of conceptually derived taxonomies, where individual dimensions were not explicitly justified. Nickerson et al. (2013) refer to such cases as 'intuitive' or ad-hoc. For instance, Cram and Brohman's (2013) work did not elaborate on why and how they selected the dimensions 'control practices' and 'control objectives' for their taxonomy.

How many objects are examined (for development)? Nickerson et al. (2013) recommend to incorporate real-world objects in an iterative development and revision of the taxonomy with regards to inductive as well as deductive iterations. Therefore, we assessed the particular number of objects which were used during the taxonomy development process, either for the empirical derivation and/or the validation of conceptually derived dimensions and characteristics. We assessed the number of examined real-world objects from the articles' method section and counted the total number of considered objects where necessary. In our sample, only half of the assessed articles (54%) considered real-world objects for the taxonomy development, with a greatly varying number of objects (from 1 to 8,384).

Do the authors state ending conditions? Nickerson et al. (2013) suggest to terminate an iterative taxonomy development process when both objective and subjective ending conditions are met. We screened all articles to find out whether researchers explicitly stated and checked ending conditions. Our results show that ending conditions were rarely specified (83%). In fact, only articles grounded on Nickerson et al.'s (2013) method did explicitly state and check ending conditions (17%).

4.3 Research Process: Evaluation & Application

Which evaluation method is used? We understand this attribute as the set of methods used to validate the taxonomy after the development process has terminated. Nickerson et al. (2013) recommend an evaluation of the taxonomy's usefulness for the intended users and with regards to the intended purpose. However, as Nickerson et al. (2013) do not specify evaluation methods and target outcomes. Therefore, we assessed if and how researchers evaluated their taxonomy after development. We only focussed on methods explicitly mentioned in relation to the taxonomy, but not used for its development and revision. Our sample reveals that around half of the assessed taxonomies were not evaluated (54%). Articles that

incorporated evaluation steps after the taxonomy development applied different methods, among others, cluster analysis (13%), case study research (8%), robustness tests, and Q-sort. In other words, no dominating evaluation method for taxonomies could be identified. However, we found authors referring to a taxonomy evaluation by iteratively testing and revising their taxonomy (e.g., Addas and Pinsonneault, 2015) even though this is considered an inherent part of the taxonomy development process itself. Hence, evaluations, which resulted in a revision of the taxonomy, were not categorized as evaluation but as part of the development process.

Guiding question	Answer	n	%
Which evaluation method is used?	Cluster analysis	3	13%
	Case study research	2	8%
	Others	6	25%
	None	13	54%
Does the evaluation involve the intended users?	Yes	3	13%
	No	21	88%
Is the taxonomy's application demonstrated?	Yes	19	79%
	No	5	21%
Are the findings consolidated into archetypes?	Yes	18	75%
	No	5	21%
	N/A	1	4%
Do the authors leverage the taxonomy for a purpose beyond analysis?	No, focus is on analysis	14	58%
	Yes, for testable hypotheses (prediction)	8	33%
	Yes, for recommendations	2	8%
	(design and action)		

Table 5. Overview of results for focus area 'research process: evaluation & application'

Does the evaluation involve the intended users? Nickerson et al. (2013) state that a taxonomy should be evaluated with its intended users to assess relevance and usefulness. Therefore, we assessed if intended users (beyond the authors) were involved in the evaluation process. We found that if a taxonomy was evaluated, then hardly with the intended users (13% of all, 27% of articles with taxonomy evaluation). Only one of the articles grounded on Nickerson et al.'s (2013) method followed this methodological recommendation.

Is the taxonomy's application demonstrated? We define 'application' as the use of the taxonomy for its intended purpose beyond the evaluation process. The literature does not provide any guidance on the application of taxonomies. As we observed that articles applied taxonomies beyond evaluation, we decided to also assess supplementary methods as described by the authors. The majority of taxonomies were applied in different contexts beyond evaluation (79%). Exemplary applications comprise an analysis of complex real-world objects (Oberländer et al., 2018) or the derivation of competitive strategies with regards to digital platforms building on the taxonomy's conceptualization (Kazan et al., 2018).

Are the findings consolidated into archetypes? Archetypes are manifestations of specific dimension-characteristic combinations and a reoccurring pattern in our sample beyond the recommendations of Nickerson et al. (2013). In three-quarter of all assessed taxonomies, archetypes were provided (one to five archetypes in 50% of all articles and six to ten in 25%). Archetypes were presented e.g., by Oberländer et al. (2018) with their six types of business-to-thing interaction patterns or by Lacity and Willcocks (2017) with their three conflict types. Besides, we identified one article (Iannacci and Cornford, 2018), which does not clearly describe and outline its archetypes, and decided to categorize it as 'N/A'.

Do the authors leverage the taxonomy for a purpose beyond analysis? Building on Gregor's (2006) nature of theory in IS and her positioning of taxonomies as *theories for analysis*, we assessed whether taxonomies are also leveraged for further theorizing beyond analysis. To assess the taxonomy's purpose

the authors jointly discussed every article. If taxonomies served as a basis for testable hypotheses, we interpreted this as a first step towards a *theory for prediction*. If taxonomies provided specific recommendations with regards to the design of artifacts, we interpreted this as a first step towards a *theory for design and action*. In sum, we found that half of the taxonomies' focus was on analysis (58%). However, 33% of all articles posed testable hypotheses and 8% derived specific recommendations with regards to the design of artifacts.

5 Discussion

Despite the fact that taxonomies represent an important tool for understanding and analyzing, Nickerson et al. (2013) found that many taxonomies in the IS domain have been developed in an 'ad-hoc' approach rather than following a systematic method. Five years after Nickerson et al.'s (2013) work, our aim was to examine to what extent recently published taxonomy articles account for existing methodological guidance. Our analysis shows that methodological guidelines were followed implicitly with regards to the research product. The majority of authors understands taxonomies in line with Nickerson et al. (2013) as empirically or conceptually derived groupings consisting of dimensions with mutually exclusive and collectively exhaustive characteristics. However, our findings on the development and evaluation of taxonomies were sobering: Although the number of taxonomies has grown, we found few taxonomy articles from high-impact IS journals that followed Nickerson et al.'s (2013) or any other specific development method. Hence, our study revealed that the development process often remained opaque and that taxonomies were hardly evaluated. Most probably, the reasons for our findings are manifold. However, we would like to outline three potential root causes relating to method design, method adoption, and the general positioning of taxonomy research in the IS domain. Corresponding stimulating questions might guide reflection on the community's progress towards methodologically well-founded taxonomy research.

First, methodological guidance on taxonomy development in the IS domain is mostly limited to Nickerson et al.'s (2013) iterative seven-step method, which incorporates both a conceptual and an empirical approach. This method design, however, might be too detailed and complex for deriving a sometimes seemingly intuitive artifact such as a taxonomy. Further, besides the detailed method description for taxonomy development, specific actionable practices might be missing to support researchers in following the existing methods, e.g., with regards to the examination of objects. In contrast to the detailed taxonomy development process, the IS body of knowledge lacks any methodological guidance on taxonomy evaluation and application – a gap that should be addressed by further research and might be inspired by taxonomy development methods from related or other disciplines. In addition, existing taxonomy development methods do not account for any philosophical assumptions and potential guidance (e.g., positivist or interpretivist context). Building on these findings, we raise the question how existing methodological guidance should be adapted and/or extended with regards to taxonomy development, evaluation, and application?

Second, despite extant methodological recommendations, most articles we investigated did not adopt any existing methodological guidance. Hence, we observed a lack of transparency about development iterations, interim results, objects for validation, ending conditions, and evaluation purposes. Articles based on Nickerson et al.'s (2013) method described taxonomy development and evaluation more transparently and comprehensibly. Hence, we raise the question how to best motivate researchers as well as reviewers to pay more attention on providing transparency with regards to the taxonomy development and evaluation process.

Third, besides method design and adoption, the general positioning of taxonomy research as a tool for understanding and analyzing might have to be strengthened. Only one half of all authors positioned taxonomies as theories for analysis, whereas the other half extended the taxonomies' purpose beyond analysis by deriving testable hypotheses (for prediction) or specific recommendations (for design and action). Thus, researchers might interpret taxonomies as vehicles for further theorizing and therefore pay less attention on providing details of taxonomy development and evaluation. Against this backdrop, we want to stimulate reflection on the general positioning of taxonomies in IS research.

We see our study as ‘food for thought’ to reflect on the IS community’s progress towards methodologically well-founded taxonomy research. In the future, attention needs to be put on method design, method adoption, and the general positioning of taxonomy research in the IS domain. In Table 6, we present a set of corresponding ‘stimulating questions’ to provoke discussion and further research.

Stimulating question
How should existing methodological guidance be adapted and/or extended with regards to taxonomy development, evaluation, and application?
How can researchers and reviewers be motivated to pay more attention on providing transparency with regards to the taxonomy development and evaluation process?
How should taxonomy research be positioned in the IS domain?

Table 6. Stimulating questions for further research

6 Conclusion

Our main contribution is a structured assessment of the adoption of methodological guidance in recently published taxonomy articles and the derivation of stimulating questions for future research. After identifying and reviewing 24 taxonomy articles in detail, our results were sobering: We found few taxonomy articles that followed any specific development method. Although most articles correctly understood taxonomies as conceptually or empirically derived groupings of dimensions and characteristics, our study revealed that the development process often remained opaque and that taxonomies were hardly evaluated.

As any research endeavor, our work is beset with limitations. First, we did not include any conference articles into our study, even though they represent an important source of knowledge in the fast-evolving IS domain. Second, low adoption rates of existing methodological guidance might be caused by comparably long review cycles of high-impact IS journals (AIS, 2018). In order to address both limitations, we plan to extend our analysis to IS conferences with comparably short review cycles. Third, we might have missed further taxonomy articles since we excluded rather ambiguously and broadly defined synonyms such as ‘framework’ or ‘classification’ following Nickerson et al. (2013). Fourth, we performed our assessment based on the information described in the assessed articles to which we had access.

In particular, future research should address the stimulating questions regarding method design, method adoption, and the general positioning of taxonomy research in IS as described. This could and should be inspired by taxonomy research from related or other domains. Finally, IS scholars should evaluate whether IS requires its own specific taxonomy development method. All in all, we hope that this review will assist fellow IS researchers in positioning, developing, and evaluating taxonomies in the future.

References

- Addas, S. and A. Pinsonneault (2015). “The many faces of information technology interruptions: a taxonomy and preliminary investigation of their performance effects.” *Information Systems Journal* 25 (3), 231–273.
- AIS (2011). *Senior Scholars' Basket of Journals*. URL: <https://aisnet.org/page/SeniorScholarBasket> (visited on 11/18/2018).
- AIS (2018). *Senior Scholars Journal Review Quality Survey*. URL: <https://aisnet.org/page/SeniorScholarSurvey/Senior-Scholars-Journal-Review-Quality-Survey.htm> (visited on 11/10/2018).
- Bailey, K. (1994). *Typologies and Taxonomies*. Thousand Oaks: SAGE Publications, Inc.
- Bayona-Oré, S., J. A. Calvo-Manzano, G. Cuevas and T. San-Feliu (2014). “Critical success factors taxonomy for software process deployment.” *Software Quality Journal* 22 (1), 21–48.
- Berger, S., M.-S. Denner and M. Röglinger. “The Nature of Digital Technologies: Development of a Multi-layer Taxonomy.” In: *ECIS 2018 Proceedings*, p. 1–18.
- Berinato, S. (2014). *A Framework for Understanding VUCA*. URL: <https://hbr.org/2014/09/a-framework-for-understanding-vuca> (visited on 11/10/2018).
- Cram, W. A. and M. K. Brohman (2013). “Controlling information systems development: a new typology for an evolving field.” *Information Systems Journal* 23 (2), 137–154.
- Daniel, S., V. Midha, A. Bhattacharjee and S. P. Singh (2018). “Sourcing knowledge in open source software projects: The impacts of internal and external social capital on project success.” *The Journal of Strategic Information Systems* 27 (3), 237–256.
- Doty, D. H. and W. H. Glick (1994). “Typologies As a Unique Form Of Theory Building: Toward Improved Understanding and Modeling.” *Academy of Management Review* 19 (2), 230–251.
- Eldredge, N. and J. Cracraft (1980). *Phylogenetic patterns and the evolutionary process*. New York: Columbia University Press.
- Gaskin, J., N. Berente, K. Lyytinen and G. Rose (2018). “Innovation among different classes of software development organizations.” *Information Systems Journal* 28 (5), 849–878.
- George, A. L. and A. Bennett (2005). *Case studies and theory development in the social sciences*. Cambridge, London: MIT Press.
- Ghazawneh, A. and O. Henfridsson (2015). “A paradigmatic analysis of digital application marketplaces.” *Journal of Information Technology* 30 (3), 198–208.
- Gregor, S. (2006). “The Nature of Theory in Information Systems.” *Management Information Systems Quarterly* 30 (3), 611–642.
- Gregor, S. and A. R. Hevner (2013). “Positioning and presenting design science research for maximum impact.” *Management Information Systems Quarterly* 37 (2), 337–356.
- Guo, X., K. Reimers, B. Xie and M. Li (2014). “Network relations and boundary spanning: understanding the evolution of e-ordering in the Chinese drug distribution industry.” *Journal of Information Technology* 29 (3), 223–236.
- Iannacci, F. and T. Cornford (2018). “Unravelling causal and temporal influences underpinning monitoring systems success: A typological approach.” *Information Systems Journal* 28 (2), 384–407.
- Iivari, J. (2007). “A Paradigmatic Analysis of Information Systems As a Design Science.” *Scandinavian Journal of Information Systems* 19 (2), 39–64.
- Kazan, E., C.-W. Tan, E. T.K. Lim, C. Sørensen and J. Damsgaard (2018). “Disentangling Digital Platform Competition: The Case of UK Mobile Payment Platforms.” *Journal of Management Information Systems* 35 (1), 180–219.
- Kietzmann, J., K. Plangger, B. Eaton, K. Heilgenberg, L. Pitt and P. Berthon (2013). “Mobility at work: A typology of mobile communities of practice and contextual ambidexterity.” *The Journal of Strategic Information Systems* 22 (4), 282–297.
- Lacity, M. and L. Willcocks (2017). “Conflict resolution in business services outsourcing relationships.” *The Journal of Strategic Information Systems* 26 (2), 80–100.

- Legner, C., T. Eymann, T. Hess, C. Matt, T. Böhmman, P. Drews, A. Mädche, N. Urbach and F. Ahlemann (2017). "Digitalization: Opportunity and Challenge for the Business and Information Systems Engineering Community." *Business & Information Systems Engineering* 59 (4), 301–308.
- Lu, Y., A. Gupta, W. Ketter and E. van Heck (2016). "Exploring bidder heterogeneity in multichannel sequential B2B auctions." *Management Information Systems Quarterly* 40 (3), 645–662.
- March, S. T. and G. F. Smith (1995). "Design and natural science research on information technology." *Decision Support Systems* 15 (4), 251–266.
- Nickerson, R., J. Muntermann, U. Varshney and H. Isaac. "Taxonomy Development in Information Systems: Developing a Taxonomy of Mobile Applications." In: *ECIS 2009 Proceedings*, 388.
- Nickerson, R. C., U. Varshney and J. Muntermann (2013). "A method for taxonomy development and its application in information systems." *European Journal of Information Systems* 22 (3), 336–359.
- Oberländer, A. M., M. Röglinger, M. Rosemann and A. Kees (2018). "Conceptualizing business-to-things interactions – A sociomaterial perspective on the Internet of Things." *European Journal of Information Systems* 27 (4), 486–502.
- Paré, G., A.-F. Cameron, P. Poba-Nzaou and M. Templier (2013). "A systematic assessment of rigor in information systems ranking-type Delphi studies." *Information & Management* 50 (5), 207–217.
- Rowe, F. (2018). "Being critical is good, but better with philosophy! From digital transformation and values to the future of IS research." *European Journal of Information Systems* 27 (3), 380–393.
- Schwarz, A., M. Mehta, N. Johnson and W. W. Chin (2007). "Understanding frameworks and reviews: a commentary to assist us in moving our field forward by analyzing our past." *The Database for Advances in Information Systems* 38 (3), 29–50.
- Sokal, R. R. and P. H.A. Sneath (1963). *Principles of Numerical Taxonomy*. San Francisco: W.H. Freeman and Company.
- Usman, M., R. Britto, J. Börstler and E. Mendes (2017). "Taxonomies in software engineering: A Systematic mapping study and a revised taxonomy development method." *Information and Software Technology* 85, 43–59.
- Vaghefi, I., L. Lapointe and C. Boudreau-Pinsonneault (2017). "A typology of user liability to IT addiction." *Information Systems Journal* 27 (2), 125–169.
- Varshney, U. (2014). "Mobile health: Four emerging themes of research." *Decision Support Systems* 66, 20–35.
- Vom Brocke, J., A. Simons, K. Riemer, B. Niehaves, R. Plattfaut and A. Cleven (2015). "Standing on the Shoulders of Giants: Challenges and Recommendations of Literature Search in Information Systems Research." *Communications of the AIS* 37 (1), 205–224.
- Webster, J. and R. T. Watson (2002). "Analyzing the past to prepare for the future: Writing a literature review." *Management Information Systems Quarterly* 26 (2), xiii–xxiii.
- Wollschlaeger, M., T. Sauter and J. Jasperneite (2017). "The Future of Industrial Communication: Automation Networks in the Era of the Internet of Things and Industry 4.0." *IEEE Industrial Electronics Magazine* 11 (1), 17–27.
- Zhang, C., W. J. Kettinger, P. Kolte and S. Yoo (2018). "Established Companies' Strategic Responses to Sharing Economy Threats." *Management Information Systems Quarterly Executive* 17 (1), 23–40.

References of Assessed Taxonomy Articles

- Addas, S. and A. Pinsonneault (2015). "The many faces of information technology interruptions: a taxonomy and preliminary investigation of their performance effects." *Information Systems Journal* 25 (3), 231–273.
- Bhattacharjee, A., C. J. Davis, A. J. Connolly and N. Hikmet (2017). "User response to mandatory IT use: a Coping Theory perspective." *European Journal of Information Systems*.
- Cram, W. A. and M. K. Brohman (2013). "Controlling information systems development: a new typology for an evolving field." *Information Systems Journal* 23 (2), 137–154.

- Daniel, S., V. Midha, A. Bhattacharjee and S. P. Singh (2018). "Sourcing knowledge in open source software projects: The impacts of internal and external social capital on project success." *The Journal of Strategic Information Systems* 27 (3), 237–256.
- Gaskin, J., N. Berente, K. Lyytinen and G. Rose (2018). "Innovation among different classes of software development organizations." *Information Systems Journal* 28 (5), 849–878.
- Ghazawneh, A. and O. Henfridsson (2015). "A paradigmatic analysis of digital application marketplaces." *Journal of Information Technology* 30 (3), 198–208.
- Guo, X., K. Reimers, B. Xie and M. Li (2014). "Network relations and boundary spanning: understanding the evolution of e-ordering in the Chinese drug distribution industry." *Journal of Information Technology* 29 (3), 223–236.
- Heumann, J., M. Wiener, U. Remus and M. Mähring (2015). "To coerce or to enable? Exercising formal control in a large information systems project." *Journal of Information Technology* 30 (4), 337–351.
- Iannacci, F. and T. Cornford (2018). "Unravelling causal and temporal influences underpinning monitoring systems success: A typological approach." *Information Systems Journal* 28 (2), 384–407.
- Kazan, E., C.-W. Tan, E. T.K. Lim, C. Sørensen and J. Damsgaard (2018). "Disentangling Digital Platform Competition: The Case of UK Mobile Payment Platforms." *Journal of Management Information Systems* 35 (1), 180–219.
- Kietzmann, J., K. Plangger, B. Eaton, K. Heilgenberg, L. Pitt and P. Berthon (2013). "Mobility at work: A typology of mobile communities of practice and contextual ambidexterity." *The Journal of Strategic Information Systems* 22 (4), 282–297.
- Lacity, M. and L. Willcocks (2017). "Conflict resolution in business services outsourcing relationships." *The Journal of Strategic Information Systems* 26 (2), 80–100.
- Liu, D., R. Santhanam and J. Webster (2017b). "Toward Meaningful Engagement: A Framework for Design and Research of Gamified Information Systems." *Management Information Systems Quarterly* 41 (4), 1011–1034.
- Lu, Y., A. Gupta, W. Ketter and E. van Heck (2016). "Exploring bidder heterogeneity in multichannel sequential B2B auctions." *Management Information Systems Quarterly* 40 (3), 645–662.
- Nickerson, R. C., U. Varshney and J. Muntermann (2013). "A method for taxonomy development and its application in information systems." *European Journal of Information Systems* 22 (3), 336–359.
- Oberländer, A. M., M. Röglinger, M. Rosemann and A. Kees (2018). "Conceptualizing business-tothing interactions – A sociomaterial perspective on the Internet of Things." *European Journal of Information Systems* 27 (4), 486–502.
- Posey, C., U. Raja, R. E. Crossler and A. J. Burns (2017). "Taking stock of organisations' protection of privacy: categorising and assessing threats to personally identifiable information in the USA." *European Journal of Information Systems* 26 (6), 585–604.
- Posey, C., T. Roberts, P. Lowry, B. Bennett and J. Courtney (2013). "Insiders' protection of organizational information assets: Development of a systematics-based taxonomy and theory of diversity for protection-motivated behaviors." *Management Information Systems Quarterly* 37 (4), 1189–1210.
- Prat, N., I. Comyn-Wattiau and J. Akoka (2015). "A Taxonomy of Evaluation Methods for Information Systems Artifacts." *Journal of Management Information Systems* 32 (3), 229–267.
- Siering, M., B. Clapham, O. Engel and P. Gomber (2017). "A taxonomy of financial market manipulations: establishing trust and market integrity in the financialized economy through automated fraud detection." *Journal of Information Technology* 32 (3), 251–269.
- Vaghefi, I., L. Lapointe and C. Boudreau-Pinsonneault (2017). "A typology of user liability to IT addiction." *Information Systems Journal* 27 (2), 125–169.
- Varshney, U. (2014). "Mobile health: Four emerging themes of research." *Decision Support Systems* 66, 20–35.
- Zhang, P. (2013). "The affective response model: A theoretical framework of affective concepts and their relationships in the ict context." *Management Information Systems Quarterly* 37 (1), 247–274.

Zimmermann, A., K. Raab and L. Zanutelli (2013). "Vicious and virtuous circles of offshoring attitudes and relational behaviours. A configurational study of German IT developers." *Information Systems Journal* 23 (1), 65–88.