Your abstract submission has been received

Print this page

You have submitted the following abstract to 2015 GSA Annual Meeting in Baltimore, Maryland, USA (1-4 November 2015). Receipt of this notice does not guarantee that your submission was complete or free of errors.

CALCAREOUS NANNOFOSSILS SURVIVORSHIP AT THE ONSET OF THE MESSINIAN SALINITY CRISIS

LOZAR, Francesca¹, DELA PIERRE, Francesco², NATALICCHIO, Marcello³, VIOLANTI, Donata⁴, GENNARI, Rocco⁵ and TURCO, Elena⁵, (1)Department of Earth Sciences, University of Torino, Via Valperga Caluso, 35, Torino, SK 10125, Italy, (2)Department of Earth Sciences, University of Torino, Via Valperga Caluso 35, Torino, 10125, Italy, (3)Department of Earth Sciences, University of Torino, Via Valperga Caluso, 35, Torino, 10125, Italy, (4)Dept. of Earth Sciences, University of Torino, via Valperga Caluso, 35, Torino, 10125, Italy, (5)Dept. of Physics and Earth Sciences, University of Parma, Viale G P Usberti, 7/A, Parma, 43124, Italy, francesca.lozar@unito.it

The Messinian salinity crisis is a short lived (5.97-5.33 Ma) dramatic paleo-oceanographic event occurred in the Mediterranean area; it is linked to the restriction of hydrological connection between the Mediterranean sea and the Atlantic ocean. Its main evidence in the geological record is a thick evaporite sequence cropping out onshore and recorded in deep sea cores and seismic lines; these deposits witness extreme condition in the water column and at the sea bottom during the crisis and are a good record of past extreme events impacting the biosphere. Despite more than fourty years of intense researches, both on shore and in the deep sea, the structure of the upper water column and life condition at the synchronous onset of gypsum deposition across the basin are far from being fully understood.

The occurrence of sedimentary sequences recording the lower cycles of the first phase of the crisis (tens to hundreds of kyrs) in non evaporitic sediments allowed us to recognize that the photic zone was inhabited even during the salinity crisis; calcareous plankton underwent dramatic reduction in size, diversity, and abundance; conversely, siliceous plankton bloomed. At the sea bottom sulphate oxidizing bacteria flourished. Moreover, fish remains are widespread all over the record, testifying the presence of a well developed food chain despite the chemico-physical changes occurred in the basin at the beginning of the crisis.

We present data showing the development, at onset of the crisis, of oligotypic calcareous nannofossil (CN) assemblages dominated by opportunistic taxa able to thrive in meso to eutrophic environments such as *H. carteri* and *R. minuta*. The occurrence of high nutrient supply across the onset of the crisis is also recorded by microbial blooms, both in the water column and at the sea floor, and by the widespread occurrence of diatomaceous sediments. Other taxa now extinct (*S. abies, U. rotula* and *Rhabdhosphaera* spp.) are also very abundant. In contrast, these taxa are believed to show warm and oligotrophic waters. Thus additional chemico-physical parameters, other than Temperature and Nutrient availability, must have driven the CN assemblage composition, suggesting that survivorship was limited to genera adapted to sudden photic zone changes, as also reported for other past geological transitions.

Abstract ID#: 264138 Password: 191448

Meeting: 2015 GSA Annual Meeting in Baltimore, Maryland, USA (1-4 November 2015)

Session Type: Topical Session

Primary Selection: T152. Geobiology of Critical Transitions: Integrating Fossils, Proxies,

and Models

Abstract Title: CALCAREOUS NANNOFOSSILS SURVIVORSHIP AT THE ONSET OF

THE MESSINIAN SALINITY CRISIS

Preferred Presentation Format: Oral

Discipline Categories: Paleoclimatology/Paleoceanography Paleontology, Paleoecology/Taphonomy Paleontology, Diversity, Extinction, Origination

Abstract Submission Fee: Paid (gsa-2015AM-2751-7501-0375-8411)

Presenting Author

Francesca Lozar University of Torino Via Valperga Caluso, 35 Department of Earth Sciences Torino, SK 10125

Italy

Phone Number: +390116705199 Email: francesca.lozar@unito.it

Alternate Email: francesca.lozar@gmail.com

Student? N

Francesco Dela Pierre University of Torino Via Valperga Caluso 35 Department of Earth Sciences Torino, 10125 Italy

Phone Number: +39 0116705198 Fax Number: +39 0116705146 Email: francesco.delapierre@unito.it

Student? N

Marcello Natalicchio
University of Torino
Via Valperga Caluso, 35
Department of Earth Sciences
Torino, 10125

Email: marcello.natalicchio@unito.it

Student? N

Donata Violanti University of Torino via Valperga Caluso, 35 Dept. of Earth Sciences Torino, 10125

Italy

Phone Number: +390116705192 Email: donata.violanti@unito.it

Student? N

Rocco Gennari

University of Parma Viale G P Usberti, 7/A Dept. of Physics and Earth Sciences Parma, 43124 Italy

Email: rocco.gennari@gmail.com

Student? N

Elena Turco
University of Parma
Viale G P Usberti, 7/A
Dept. of Physics and Earth Sciences
Parma, 43124
Italy
Empile class turce@unips it

Email: elena.turco@unipr.it

Student? N

If necessary, you can make changes to your abstract submission until Tuesday, 11 August 2015.

- To access your submission in the future, use the direct link to your abstract submission from one of the automatic confirmation emails that were sent to you during the submission.
- Or point your browser to /gsa/reminder.cgi to have that URL mailed to you again. Your username/password are 264138/191448.

Any changes that you make will be reflected instantly in what is seen by the reviewers. You DO NOT need to go through all of the submission steps in order to change one thing. If you want to change the title, for example, just click "Title" in the abstract control panel and submit the new title.

When you have completed your submission, you may close this browser window.

Tell us what you think of the abstract submission process

Home Page