



JAMDA

journal homepage: [www.jamda.com](http://www.jamda.com)

## Original Study

# Understanding Factors Associated With Psychomotor Subtypes of Delirium in Older Inpatients With Dementia



Alessandro Morandi MD, MPH<sup>a,\*</sup>, Antonella Zambon PhD<sup>b</sup>, Simona G. Di Santo MS<sup>c</sup>,  
 Andrea Mazzone MD<sup>d</sup>, Antonio Cherubini MD, PhD<sup>e</sup>, Enrico Mossello MD, PhD<sup>f</sup>,  
 Mario Bo MD, PhD<sup>g</sup>, Alessandra Marengoni MD, PhD<sup>h</sup>,  
 Giuseppe Bellelli MD<sup>c,i</sup>, on behalf of the Italian Study Group on Delirium (ISGoD)

<sup>a</sup> Department of Rehabilitation and Aged Care, “Fondazione Camplani” Hospital, Cremona, Italy

<sup>b</sup> School of Medicine and Surgery, University of Milano-Bicocca, Milan, Italy

<sup>c</sup> Department of Clinical and Behavioral Neurology, Neuropsychiatry Laboratory, IRCCS Foundation S Lucia, Rome, Italy

<sup>d</sup> Redaelli Geriatric Institute, Milan, Italy

<sup>e</sup> Geriatria, Accettazione geriatrica, Centro di ricerca per l'invecchiamento, IRCCS-INRCA, Ancona, Italy

<sup>f</sup> Research Unit of Medicine of Ageing, Department of Experimental and Clinical Medicine, University of Florence and Azienda Ospedaliero-Universitaria Careggi, Florence, Italy

<sup>g</sup> Section of Geriatrics, Città della Salute e della Scienza–Molinette, Turin, Italy

<sup>h</sup> Department of Clinical and Experimental Sciences, University of Brescia, Brescia, Italy

<sup>i</sup> Geriatric Unit, S. Gerardo Hospital, Monza, Italy

## ABSTRACT

### Keywords:

Motor subtypes of delirium  
 dementia  
 elderly

**Objectives:** Few studies have analyzed factors associated with delirium subtypes. In this study, we investigate factors associated with subtypes of delirium only in patients with dementia to provide insights on the possible prevention and treatments.

**Design:** This is a cross-sectional study nested in the “Delirium Day” study, a nationwide Italian point-prevalence study.

**Setting and Participants:** Older patients admitted to 205 acute and 92 rehabilitation hospital wards.

**Measures:** Delirium was evaluated with the 4-AT and the motor subtypes with the Delirium Motor Subtype Scale. Dementia was defined by the presence of a documented diagnosis in the medical records and/or prescription of acetylcholinesterase inhibitors or memantine prior to admission.

**Results:** Of the 1057 patients with dementia, 35% had delirium, with 25.6% hyperactive, 33.1% hypoactive, 34.5% mixed, and 6.7% nonmotor subtype. There were higher odds of having venous catheters in the hypoactive (OR 1.82, 95% CI 1.18–2.81) and mixed type of delirium (OR 2.23, CI 1.43–3.46), whereas higher odds of urinary catheters in the hypoactive (OR 2.91, CI 1.92–4.39), hyperactive (OR 1.99, CI 1.23–3.21), and mixed types of delirium (OR 2.05, CI 1.36–3.07). We found higher odds of antipsychotics both in the hyperactive (OR 2.87, CI 1.81–4.54) and mixed subtype (OR 1.84, CI 1.24–2.75), whereas higher odds of antibiotics was present only in the mixed subtype (OR 1.91, CI 1.26–2.87).

**Conclusions and Implications:** In patients with dementia, the mixed delirium subtype is the most prevalent followed by the hypoactive, hyperactive, and nonmotor subtype. Motor subtypes of delirium may be triggered by clinical factors, including the use of venous and urinary catheters, and the use of antipsychotics. Future studies are necessary to provide further insights on the possible pathophysiology of delirium in patients with dementia and to address the optimization of the management of potential risk factors.

© 2020 AMDA – The Society for Post-Acute and Long-Term Care Medicine.

The full list of investigators and members of the Italian Study Group on Delirium (ISGoD) is included in the [Appendix](#).

The authors declare no conflicts of interest.

\* Address correspondence to Alessandro Morandi, MD, MPH, Department of Rehabilitation and Aged Care “Fondazione Camplani” Hospital, Cremona, Italy 26100.

E-mail address: [morandi.alessandro@gmail.com](mailto:morandi.alessandro@gmail.com) (A. Morandi).

<https://doi.org/10.1016/j.jamda.2020.02.013>

1525-8610/© 2020 AMDA – The Society for Post-Acute and Long-Term Care Medicine.

Several studies have shown a strong association between delirium and dementia,<sup>1</sup> being that delirium is a risk factor for both dementia onset and worsening of a pre-existing dementia.<sup>2</sup> The coexistence of delirium and dementia is referred to as delirium superimposed on dementia (DSD), and its prevalence in community populations and hospitalized patients ranges from 22% to 89%.<sup>3</sup> This prevalence is probably underestimated given the challenge of diagnosing delirium, especially in late dementia.<sup>4–6</sup> The occurrence of DSD is associated with significant adverse outcomes, including functional and cognitive decline and increased mortality and institutionalization.<sup>3,7,8</sup>

An important and neglected issue in DSD is the psychomotor manifestation. When delirium is diagnosed, it can be classified in 4 psychomotor subtypes: hyperactive, hypoactive, mixed and non-hyperactive-hypoactive subtype.<sup>9</sup> These different manifestations often increase the complexity of delirium diagnosis, especially in the context of dementia. Few studies have investigated the prevalence of different delirium subtypes and their association with worse outcomes but not specifically in patients with dementia.<sup>10</sup> The hypoactive form seems to be associated with worse outcomes in terms of mortality compared with the hyperactive and mixed subtypes.<sup>11–13</sup> Further complexity in the interpretation of delirium subtypes is related to the identification of specific risk factors, which could provide key information for delirium prevention.<sup>14</sup> Risk factor profiles might be different in people with dementia, who may have aberrant motor behavior irrespective of delirium. Finally, medical treatment can vary in different delirium subtypes; to date, the hyperactive and mixed delirium have been associated with a higher use of antipsychotics.<sup>15,16</sup> To our knowledge, few studies were carried out to investigate delirium motor subtypes in patients with dementia, or their prevalence and associated factors. A previous multicenter study showed that dementia was associated with hyperactive, hypoactive, and mixed type of delirium in 275 elderly patients of whom 59% had dementia.<sup>17</sup> In another study evaluating a large cohort of acutely ill elderly patients admitted to geriatric wards, dementia prevalence was slightly higher in the hypoactive delirium subtype, and specifically severe dementia.<sup>18</sup>

Given the high worldwide prevalence of dementia and its projected increase by 2050, it is imperative to increase awareness of these two clinical conditions in daily clinical practice.<sup>19–21</sup>

In 2015 and 2016, a point-prevalence study named “Delirium Day” was conducted in Italy to evaluate the prevalence of delirium among patients admitted to acute hospital and rehabilitation wards.<sup>8,22</sup> As part of the study protocol, the presence of dementia and delirium subtypes classification were recorded. In the current study, we aim to investigate the prevalence of delirium subtypes and the associated factors in patients with dementia admitted to acute hospital wards and rehabilitation units in Italy.

## Methods

This is a cross-sectional study nested in the Delirium Day study. The aims of Delirium Day were previously described.<sup>22</sup> It is a nationwide point-prevalence study conducted in Italy evaluating the prevalence of delirium on an index day; two editions (2015 and 2016) have been carried out up to now. A total of 205 acute and 92 rehabilitation hospital wards were involved in the study. The Ethics Committee of the IRCCS Fondazione Santa Lucia, Rome (CE/PROG.500) approved the 2015 study protocol, whereas the Ethical Committee of the Monza Brianza Province approved the 2016 study protocol (Prot n 18904, 1/06/2016). Informed consent was obtained from all participants. When participants were not capable to provide informed consent because of

delirium or dementia and a legal representative was not available, we obtained the informed consent from their next of kin.

## Study Protocol

### Delirium assessment

Delirium was assessed using the 4AT that was administered by the attending physician at each hospital ward as part of the study protocol on the index day.<sup>23</sup> The 4AT is a relatively novel tool for the assessment of delirium validated against the *Diagnostic and Statistical Manual for Mental Disorders, Fourth Edition* (DSM-IV), criteria in acute and rehabilitation hospital wards, with a sensitivity of 89.7% and specificity of 84.1% for delirium detection.<sup>23</sup> In the subgroup of patients with dementia, the sensitivity was 94% and the specificity 64.9%.<sup>23</sup> The area under the receiver operating characteristic (ROC) curves for delirium diagnosis was 0.93 in the entire studied population, 0.92 in patients without dementia, and 0.89 in patients with dementia.<sup>23</sup> The 4AT has shown good accuracy in other settings, including palliative care and emergency departments.<sup>24,25</sup> A recent large multicenter study of older acute medical inpatients showed that the 4AT had a sensitivity of 76% and a specificity of 94%, with an ROC curve of 0.90.<sup>26</sup> Important characteristics of the 4AT are its brevity (generally <2 minutes) and the fact that no specific training is needed for its use, making this tool appealing for large, multicenter studies. A 4AT score of 0 indicates the absence of dementia or delirium, a score between 1 and 3 suggests a possible cognitive impairment but not delirium, whereas a score  $\geq 4$  is strongly suggestive of delirium.

### Delirium motor subtype evaluation

When the 4AT score was  $\geq 4$ , then the attending physician evaluated the motor subtypes of delirium with the Delirium Motor Subtype Scale (DMSS). The DMSS is an 11-item scale<sup>27,28</sup> that can be rated by any health care professional. Each item assesses specific patient behaviors occurring in the previous 24 hours or more (4 hyperactive and 7 hypoactive features). Each item is scored as positive or negative when at least 2 symptoms are present from either the hyperactive or hypoactive list to meet subtype criteria. Patients meeting both hyperactive and hypoactive criteria were classified in the mixed subtype whereas those meeting neither criterion were classified as nonmotor subtype.

### Dementia evaluation

Dementia was defined by the presence of a documented diagnosis in the medical records and/or prescription of acetylcholinesterase inhibitors or memantine prior to admission. The documentation used to ascertain the presence of a previous dementia was gathered from the hospital medical records and from the documentation delivered by the caregivers. Information regarding the drugs prescription was collected from the medical history based on the patient/caregiver interview, medical records, and availability of the actual drugs boxes.

### Clinical assessment

Demographics and the date of hospital admission were recorded. The presence of comorbidity was assessed using the Charlson Index,<sup>29</sup> excluding dementia from the total score. Functional status before admission was evaluated using the Katz Activities of Daily Living (ADL) scale with a score ranging from 0 (patient dependent) to 6 (patient completely independent).<sup>30</sup> A Katz score of 4 or higher is indicative of moderate impairment.<sup>30</sup> The presence of specific drugs (ie, antihypertensives, antiplatelets, antiarrhythmics, statins and lipid-lowering drugs, antidiabetics, antiulcers, antibiotics, benzodiazepines, antipsychotics, antidepressants, antiepileptics, and acetylcholinesterase inhibitor or memantine) received by each patient on the index day

was recorded. We also collected, on the index day, information on the use of feeding tubes [ie, nasogastric tube (NT) or percutaneous endoscopic gastrostomy (PEG)], peripheral venous catheters, urinary catheters, and physical restraints (ie, vests, wrists, inguinal restraints, and bedrails).

### Statistical Analysis

Continuous variables were reported as median and interquartile range and categorical variables as count and relative frequency. Comparisons between psychomotor subtypes of delirium were made with Kruskal-Wallis tests for noncontinuous variables and chi-square or Fisher exact test for categorical data. A generalized logit model was used to model relationships between the polytomous response variable without an ordered structure (psychomotor subtype of delirium) and the set of regressor variables (clinical and sociodemographic variables listed in Table 1). In brief, the generalized logit model consists of a combination of several binary logits estimated simultaneously considering the same reference category for the response variable. The exponential of the estimated coefficient for each response category is reported as odds ratio and corresponding 95% confidence intervals are reported. To select a parsimonious model, we applied a stepwise approach to select variables. We considered  $P = .15$  as the critical value for entering and remaining in the model.

Finally, in the model selected by the stepwise approach, we performed all head-to-head comparisons for testing linear hypotheses of the parameters. Specifically, we tested the hypothesis that the logOR for the  $i$ th level of the response variable with respect to the reference category was equal to those of the  $j$ th level (with  $j > i$ ). This test is a Wald test, which is based on the asymptotic normality of the parameter estimators, and follows an asymptotic  $\chi^2$  distribution.

For all hypothesis tests, statistical significance was set at a  $P$  value of less than 0.05. All analyses were performed by the Statistical Analysis System Software (version 9.4; SAS Institute, Cary, NC).

### Results

Of 4514 patients enrolled in 2015 and 2016 (1856 in 2015 and 2658 in 2016), dementia was recognized as already present before the index hospitalization in 1057 (23%) (441 in 2015 and 616 in 2016). A total of 1057 patients with dementia were included in the study, 969 admitted to acute hospital and 88 to rehabilitation wards. Delirium overall prevalence was 35% ( $n = 371$ ) with the following categorization of motor subtypes: 25.6% ( $n = 95$ ) hyperactive, 33.1% ( $n = 123$ ) hypoactive, 34.5% ( $n = 128$ ) mixed, and 6.7% ( $n = 25$ ) nonmotor subtype of delirium. In the acute settings, the prevalence of delirium was 36% ( $n = 357$ ), with 25% ( $n = 90$ ) hyperactive, 34% ( $n = 121$ ) hypoactive, 34% ( $n = 121$ ) mixed, and 7% ( $n = 25$ ) nonmotor subtype. In the rehabilitation settings, the prevalence of delirium was 16% ( $n = 14$ ), with 40% ( $n = 5$ ) hyperactive, 10% ( $n = 2$ ) hypoactive, 50% ( $n = 7$ ) mixed, and 0% nonmotor subtype.

Table 1 shows the characteristics of patients with and without delirium according to delirium subtypes. Patients with hyperactive delirium had a higher impairment in ADL at baseline (19%). Overall, the median number of drugs was greater in patients with mixed delirium. Among the specific drugs, we found a higher prevalence of antiplatelets drugs in the mixed delirium (66.4%), statins and lipid-lowering drugs in the hyperactive delirium (12.6%), antibiotics in the mixed delirium (56.3%), and antipsychotics in the hyperactive delirium (64.2%). Finally, venous catheters were more prevalent in the mixed delirium (73.4%), urinary catheters in the hypoactive delirium (57.7%), and physical restraints in the hyperactive delirium (24.2%).

**Table 1**  
Baseline Characteristics of the Population With Dementia According to Delirium Psychomotor Subtypes

Variables	No Delirium ( $n = 686$ )	Delirium ( $n = 371$ )				P Value*
		Delirium Psychomotor Subtypes				
		Nonmotor ( $n = 25, 6.7\%$ )	Hypoactive ( $n = 123, 33.1\%$ )	Mixed ( $n = 128, 34.5\%$ )	Hyperactive ( $n = 95, 25.6\%$ )	
Age, y	85 (80-89)	87 (82-90)	86 (81-90)	86 (82-90)	86 (81-89)	.14
Female gender	345 (50.3)	12 (48.0)	64 (52.0)	58 (45.3)	51 (53.7)	.75
ADL score >4/6 <sup>†</sup>	157 (22.9)	2 (8.0)	13 (10.6)	8 (6.3)	18 (19.0)	<.001
Charlson Comorbidity Index (excluding dementia)	2 (1-3)	2 (1-3)	2 (1-3)	1.5 (1-4)	2 (1-3)	.73
Number of drugs	4 (3-5)	3 (2-4)	3 (2-5)	4 (3-6)	3 (2-4)	.004
Diuretics	324 (47.2)	14 (56.0)	62 (50.4)	71 (55.5)	37 (39.0)	.13
Antihypertensive drugs	409 (59.6)	14 (56.0)	70 (56.9)	85 (66.4)	55 (57.9)	.55
Antiplatelet drugs	337 (49.1)	10 (40.0)	45 (36.6)	63 (49.2)	33 (34.7)	.012
Antiarrhythmic drugs	65 (9.5)	4 (16.0)	6 (4.9)	13 (10.2)	7 (7.4)	.31
Statins or lipid-lowering drugs	124 (18.1)	1 (4.0)	14 (11.4)	13 (10.2)	12 (12.6)	.027
Antidiabetics	121 (17.6)	3 (12.0)	21 (17.1)	20 (15.6)	18 (19.0)	.91
Antiulcer drugs	467 (68.1)	17 (68.0)	86 (69.9)	87 (68.0)	57 (60.0)	.58
Antibiotics	229 (33.4)	10 (40.0)	65 (52.9)	72 (56.3)	29 (30.5)	<.001
Benzodiazepines	166 (24.2)	5 (20.0)	31 (25.2)	24 (18.8)	29 (30.5)	.35
Antipsychotics	239 (34.8)	12 (48.0)	36 (29.3)	64 (50.0)	61 (64.2)	<.001
Antidepressants	244 (35.6)	6 (24.0)	38 (30.9)	38 (29.7)	25 (26.3)	.22
Antiepileptics	65 (9.5)	0 (0.0)	9 (7.3)	12 (9.4)	10 (10.5)	.50
AChE-I or memantine	58 (8.5)	1 (4.0)	8 (6.5)	10 (7.8)	4 (4.2)	.57
Feeding tubes (NT/PEG)	10 (1.5)	0 (0.0)	5 (4.1)	4 (3.1)	5 (5.3)	.06
Venous catheter	338 (49.3)	15 (60.0)	86 (69.9)	94 (73.4)	55 (57.9)	<.001
Urinary catheter	188 (27.4)	13 (52.0)	71 (57.7)	67 (52.3)	40 (42.1)	<.001
Physical restraints	49 (7.1)	1 (4.0)	10 (8.1)	16 (12.5)	23 (24.2)	<.001

AChE-I, acetylcholinesterase inhibitor; NT, nasogastric tube; PEG, percutaneous endoscopic gastrostomy.

Data are expressed as  $n$  (%) or median (interquartile range).

\*Comparisons between psychomotor subtype of delirium were made with Kruskal-Wallis tests for noncontinuous variables and chi-square or Fisher exact test for categorical data.

<sup>†</sup>Functional status before admission was evaluated using the Katz Activities of Daily Living (ADL) scale with a score ranging from 0 (patient dependent) to 6 (patient independent). A Katz score of  $\geq 4$  is indicative of moderate impairment.




Fig. 1. Study flowchart of 1057 patients older patients admitted to acute and rehabilitation hospital wards. DD, Delirium Day.

In the multivariable model (Figure 2), there was no difference in the comparison between the nonmotor subtype of delirium vs absence of delirium. There were higher odds of having venous catheters in the hypoactive (OR 1.82, 95% CI 1.18–2.81) and mixed type of delirium (OR 2.23, CI 1.43–3.46), whereas higher odds of urinary catheters were present for the hypoactive (OR 2.91, CI 1.92–4.39), hyperactive (OR 1.99, CI 1.23–3.21), and mixed types of delirium (OR 2.05, CI 1.36–3.07). We found higher odds of antipsychotics both in the hyperactive (OR 2.87, CI 1.81–4.54) and mixed subtype (OR 1.84, CI 1.24–2.75), with higher odds of antibiotics only in the mixed subtype (OR 1.91, CI 1.26–2.87). Finally, in the head-to-head comparisons of the different variables included in the model of Figure 2 and the 4 delirium subtypes, we found that there was no difference in the association between venous and urinary catheters. Physical restraints were significantly different when comparing the nonmotor subtype and the hyperactive

subtype ( $\chi^2$ ;  $P = .05$ ) and the hypoactive and the hyperactive subtypes ( $\chi^2$ ;  $P = .02$ ). There was a significant difference in ADL at baseline between the mixed and the hyperactive delirium subtype ( $\chi^2$ ;  $P = .01$ ). The association between antibiotics and delirium was different when comparing the hypoactive and the hyperactive delirium subtype ( $\chi^2$ ;  $P = .03$ ) and the mixed and hyperactive subtypes ( $\chi^2$ ;  $P = .01$ ). Antibiotics were significantly different in the hypoactive and mixed delirium subtypes ( $\chi^2$ ;  $P = .01$ ), and in the hypoactive and hyperactive subtypes ( $\chi^2$ ;  $P < .01$ ). Antiplatelet drugs were different in the hypoactive and mixed delirium subtypes ( $\chi^2$ ;  $P = .03$ ).

## Discussion

Findings from this large multicenter study showed that delirium is highly prevalent in older hospitalized patients with dementia. The




Fig. 2. Multivariate analysis of factors associated with different psychomotor subtypes of delirium.

most frequent delirium subtype was the mixed one followed by the hypoactive, hyperactive, and nonmotor subtypes. Urinary catheters were significantly associated with all delirium subtypes, whereas the presence of venous catheter was associated only with the hypoactive and the mixed delirium subtype. Antipsychotic prescriptions were associated with both mixed and hyperactive delirium, and antibiotics only with the mixed subtype.

To our knowledge, this is the first multicenter study that specifically investigated factors potentially associated with different delirium subtypes in patients with dementia, though the cross-sectional nature of the study limits our ability to draw any causal-effect association.

In previous investigations, the hypoactive delirium subtype has been shown to be the most common. However, there might be some differences in delirium subtype distribution if we consider the incidence and not the prevalence. For instance, it has been shown that in orthogeriatric patients the most frequent incident delirium subtypes are the hyperactive and the mixed.<sup>31</sup> In the same study, dementia was more prevalent in the mixed delirium subtype followed by the hyperactive and the hypoactive delirium.<sup>31</sup> In a large single-center prospective cohort of 1409 elderly patients admitted to an acute geriatric ward, hypoactive delirium was the most prevalent, followed by mixed and hyperactive delirium.<sup>18</sup> In the same study, about half of the patients had dementia but the authors did not report the prevalence of delirium according to the presence and severity of dementia. It should, however, be noticed that dementia prevalence was slightly higher in the hypoactive delirium subtype. In a previous study from our research group, dementia was equally associated with the 3 delirium subtypes (hypoactive, hyperactive, mixed).<sup>17</sup> One single-center study of 37 older patients admitted for hip fracture found the hyperactive delirium being the most prevalent (47%), followed by the hypoactive (26%) and mixed subtype (26%).<sup>32</sup> In the same study,

dementia was more prevalent in the hyperactive subtype (44%), followed by the hypoactive (33%) and mixed subtype (22%). Finally, in a recent investigation on 352 older patients with multimorbidity admitted to a subacute care unit, hyperactive delirium was the most frequent (40%), followed by the mixed (31%) and hypoactive (31%) subtypes.<sup>33</sup> Dementia was more prevalent in the hypoactive delirium (87%) followed by the hyperactive (70%) and mixed (68%) subtypes.

Few studies tried to investigate the factors associated with different delirium subtypes but none has specifically analyzed patients with DSD. Studies on delirium subtypes have been hindered by the tendency to consider dementia and delirium as caused by a single etiology rather than multiple interacting etiologies.<sup>10</sup> Avelino-Silva and colleagues found that older age and malnutrition were associated with the mixed delirium subtype, greater ADL impairment, and malnutrition with both mixed and hypoactive delirium, while signs of possible infections (ie, leucocytes count and elevated C reactive protein) were similar in the 3 delirium subtype groups.<sup>18</sup> Other studies focused on delirium subtypes but not on the presence of dementia. In a small study of 49 older patients with delirium, 3 possible etiologic categories were described: an anticholinergic group, a group with drug-related causes, and another group including metabolic and infectious illnesses. Drug-related causes showed the highest severity score for delirium, and the anticholinergic causes the lowest. The authors concluded that the study supports the possibility that the etiologic cause may influence the different symptom patterns.<sup>34</sup>

An emerging literature supported the phenomenon of exaggerated Central Nervous System (CNS) effects of systemic inflammation in elderly people with dementia.<sup>35</sup> The explanation for this phenomenon appears to lie in the “priming” of microglial cells. Microglial cells are primed in older patients with dementia leading to a greater pro-inflammatory response subsequent to an infection.<sup>35</sup> A greater prevalence of hypoactive delirium subtype in aged mice with dementia

after a challenge with infectious trigger has been described.<sup>35</sup> The use of antibiotics is an indirect sign of the presence of an infection. Our findings of the association of a possible infection with a mixed delirium subtype are in line with a previous investigation.<sup>36</sup> However, one might expect that in patients with infections and, especially severe infections, the hypoactive subtype might be more prevalent, as previously described in a cohort of palliative care patients.<sup>15</sup> Other studies have reported that patients with sepsis are more likely to have hypoactive behaviors, including weakness, and inability to concentrate.<sup>37</sup> However, further studies are necessary to investigate this etiologic mechanism in the subgroup of patients with dementia.

Bo and colleagues<sup>38</sup> in a large cohort of 1867 patients with an overall 60% prevalence of dementia patients found that urinary catheter was associated with an acute change and a fluctuating course, a possible expression of a mixed delirium subtype. In our study, we found that urinary catheter was associated with all 3 delirium subtypes. It should be noticed that the prevalence of urinary catheter in patients with delirium compared to patients without delirium was almost double. These findings combined with previous publications support the indication of the Hospital Elder Life Program (HELP) protocol to avoid unnecessary catheterization and to remove it as soon as possible.<sup>39</sup>

On the other hand, the association between venous catheters with hypoactive and mixed delirium is not clear. In our study, venous catheters were more prevalent in the hypoactive and mixed delirium subtypes. A previous study of 73 patients with hypoactive or mixed postoperative delirium showed that 23.3% had at least 1 delirium-related adverse event, including inadvertent tube or line removals.<sup>40</sup> The higher association we found in our investigation might be related to the need to administer drugs, which might lead to a hypoactive or mixed delirium subtype. Other explanations might be that patients with hypoactive delirium are sicker and require fluid administration also related to the low ability to drink and eat. Previous studies showed that patients with hypoactive delirium were sicker on admission with longer hospital stays and suffered from a more persistent delirium.<sup>41</sup>

Finally, previous investigations have shown atypical antipsychotics to be more prevalent in older patients with hyperactive and mixed delirium regardless of the presence of dementia.<sup>20</sup> We also found that antipsychotics were more prevalent in the mixed and hyperactive delirium. Antipsychotics were prescribed to 60% of patients with hyperactive delirium, 50% with mixed delirium, and 30% with hypoactive delirium. Though we cannot rule out causality, it is likely that these patients receive more antipsychotics because of agitation and aggressive behaviors. However, it might be that these patients were already receiving antipsychotics because of behavioral disorders associated with the pre-existing dementia. These are relevant information given the lack of benefits of antipsychotics for the prevention and treatment of delirium as well as their deleterious effect in patients with dementia.<sup>41–43</sup> A recent seminal trial in critical care patients did not show any effect of antipsychotics on both hyperactive and hypoactive delirium not supporting their use in the treatment of delirium.<sup>44</sup> Longitudinal studies are warranted to further elucidate the association between delirium subtypes and antipsychotic prescription.

Our study has strengths along with limitations. This is the first real-world multicenter study evaluating delirium subtypes in a large cohort of older patients with dementia. We used validated tools (ie, 4AT and the DMSS) both to assess for the presence of delirium and to categorize the subtypes of delirium. A possible limitation of the use of the DMSS is that an Italian validation of this tool is not currently available. However, the DMSS does not require to ask specific questions to the patients but it is scored according to the evaluation of the patient's behaviors by the health care providers, thus reducing the bias of using a tool not specifically validated in an Italian population.

The main limitation of the study lies in its cross-sectional design; thus, we cannot establish causality between the factors associated with the different delirium subtypes. We were also limited in the investigation of the nonmotor delirium subtype given the low number of patients in this subgroup. Future prospective studies are needed to further investigate risk factors and to establish interventions to reduce the impact of these factors on the development of delirium in this frail population. Additionally, future larger studies are needed to explore delirium subtypes across different types of dementia: Alzheimer's disease, vascular disease, Lewy body dementia, and Parkinson's disease. It also will be informative to further study psychomotor activities during hospitalization in patients with dementia, with or without delirium. Finally, the ascertainment of dementia in our investigation might have underestimated the true prevalence of this condition. However, we found a 23% prevalence of dementia in the population included in our study, which is in line with a previous large investigation on dementia in elderly patients admitted to acute hospital that showed a prevalence of dementia ranging from 23% to 48% in patients aged 70–79 years to 80–89 years, respectively.<sup>42</sup>

## Conclusion and Implications

Delirium is highly prevalent in patients with dementia; the mixed subtype is the most prevalent manifestation followed by the hypoactive, hyperactive, and nonmotor subtype. Urinary catheters were significantly associated with all delirium subtypes, whereas the presence of venous catheter was associated only with the hypoactive and mixed delirium subtypes. Antipsychotics were associated with both mixed and hyperactive delirium, and antibiotics only with the mixed subtype. Though we cannot assess causality because of the cross-sectional nature of the study, these findings suggest that clinicians should carefully review the need of urinary catheters in older hospitalized patients because we found an association with all delirium subtypes. Additionally, further attention should be given to antipsychotic prescription in patients with dementia irrespective of whether they are prescribed for behavioral disturbances or hyperactive delirium. In fact, it has been widely shown that there is no current evidence of their use to treat delirium other than for the presence of distressing psychotic features, as indicated in the most recent guidelines.<sup>43</sup> Future longitudinal studies are necessary to provide further insights on the possible pathophysiology of delirium in patients with dementia and to address the optimization of potential risk factors such as medications (ie, antipsychotics) and the use of urinary catheters.

## Acknowledgments

We acknowledge all the participants of Delirium Day 2015–2016 for their collaboration in data collection.

## References

1. Davis DH, Muniz-Terrera G, Keage HA, et al. Association of delirium with cognitive decline in late life: A neuropathologic study of 3 population-based cohort studies. *JAMA Psychiatry* 2017;74:244–251.
2. Davis DH, Skelly DT, Murray C, et al. Worsening cognitive impairment and neurodegenerative pathology progressively increase risk for delirium. *Am J Geriatr Psychiatry* 2015;23:403–415.
3. Fick DM, Agostini JV, Inouye SK. Delirium superimposed on dementia: A systematic review. *J Am Geriatr Soc* 2002;50:1723–1732.
4. Morandi A, Han JH, Meagher D, et al. Detecting delirium superimposed on dementia: Evaluation of the diagnostic performance of the Richmond Agitation and Sedation Scale. *J Am Med Dir Assoc* 2016;17:828–833.
5. Morandi A, Davis D, Bellelli G, et al. The diagnosis of delirium superimposed on dementia: An emerging challenge. *J Am Med Dir Assoc* 2017;18:12–18.
6. Bellelli G, Speciale S, Morghen S, et al. Are fluctuations in motor performance a diagnostic sign of delirium? *J Am Med Dir Assoc* 2011;12:578–583.
7. Morandi A, Davis D, Fick DM, et al. Delirium superimposed on dementia strongly predicts worse outcomes in older rehabilitation inpatients. *J Am Med Dir Assoc* 2014;15:349–354.

8. Morandi A, Di Santo SG, Zambon A, et al. Delirium, dementia and in-hospital mortality: The results from the Italian Delirium Day 2016, a national multi-center study. *J Gerontol A Biol Sci Med Sci* 2019;74:910–916.
9. Lipowski ZJ. *Delirium: Acute Confusional States*. New York: Oxford University Press; 1990.
10. Meagher D. Motor subtypes of delirium: Past, present and future. *Int Rev Psychiatry* 2009;21:59–73.
11. Yang FM, Marcantonio ER, Inouye SK, et al. Phenomenological subtypes of delirium in older persons: Patterns, prevalence, and prognosis. *Psychosomatics* 2009;50:248–254.
12. Bellelli G, Speciale S, Barisione E, Trabucchi M. Delirium subtypes and 1-year mortality among elderly patients discharged from a post-acute rehabilitation facility. *J Gerontol A Biol Sci Med Sci* 2007;62:1182–1183.
13. Kiely DK, Jones RN, Bergmann MA, Marcantonio ER. Association between psychomotor activity delirium subtypes and mortality among newly admitted post-acute facility patients. *J Gerontol A Biol Sci Med Sci* 2007;62:174–179.
14. Slor CJ, Adams D, Jansen RW, et al. Delirium motor subtypes in elderly hip fracture patients: Risk factors, outcomes and longitudinal stability. *J Psychosom Res* 2013;74:444–449.
15. Meagher DJ, Leonard M, Donnelly S, et al. A longitudinal study of motor subtypes in delirium: Relationship with other phenomenology, etiology, medication exposure and prognosis. *J Psychosom Res* 2011;71:395–403.
16. Meagher DJ, Leonard M, Donnelly S, et al. A longitudinal study of motor subtypes in delirium: Frequency and stability during episodes. *J Psychosom Res* 2012;72:236–241.
17. Morandi A, Di Santo SG, Cherubini A, et al. Clinical features associated with delirium motor subtypes in older inpatients: Results of a multicenter study. *Am J Geriatr Psychiatry* 2017;25:1064–1071.
18. Avelino-Silva TJ, Campora F, Curiati JAE, Jacob-Filho W. Prognostic effects of delirium motor subtypes in hospitalized older adults: A prospective cohort study. *PloS One* 2018;13:e0191092.
19. Prince M, Bryce R, Albanese E, et al. The global prevalence of dementia: A systematic review and metaanalysis. *Alzheimers Dementia* 2013;9:63–75. e2.
20. Bellelli G, Morandi A, Trabucchi M, et al. Italian intersociety consensus on prevention, diagnosis, and treatment of delirium in hospitalized older persons. *Eur Geriatr Med* 2017;8:293–298.
21. Pozzi C, Lucchi E, Lanzoni A, et al. Preliminary evidence of a positive effect of occupational therapy in patients with delirium superimposed on dementia. *J Am Med Dir Assoc* 2017;18:1091–1092.
22. Bellelli G, Morandi A, Di Santo SG, et al. "Delirium Day": A nationwide point prevalence study of delirium in older hospitalized patients using an easy standardized diagnostic tool. *BMC Med* 2016;14:106.
23. Bellelli G, Morandi A, Davis DH, et al. Validation of the 4AT, a new instrument for rapid delirium screening: A study in 234 hospitalised older people. *Age Ageing* 2014;43:496–502.
24. Baird L, Spiller JA. A quality improvement approach to cognitive assessment on hospice admission: Could we use the 4AT or Short CAM? *BMJ Open Qual* 2017;6:e000153.
25. O'Sullivan D, Brady N, Manning E, et al. Validation of the 6-item Cognitive Impairment Test and the 4AT test for combined delirium and dementia screening in older emergency department attendees. *Age Ageing* 2018;47:61–68.
26. Shenkin SD, Fox C, Godfrey M, et al. Delirium detection in older acute medical inpatients: A multicentre prospective comparative diagnostic test accuracy study of the 4AT and the confusion assessment method. *BMC Med* 2019;17:138.
27. Meagher D, Moran M, Raju B, et al. A new data-based motor subtype schema for delirium. *J Neuropsychiatry Clin Neurosci* 2008;20:185–193.
28. Godfrey A, Leonard M, Donnelly S, et al. Validating a new clinical subtyping scheme for delirium with electronic motion analysis. *Psychiatry Res* 2010;178:186–190.
29. Charlson ME, Pompei P, Ales KL, MacKenzie CR. A new method of classifying prognostic comorbidity in longitudinal studies: Development and validation. *J Chronic Dis* 1987;40:373–383.
30. Katz S. Assessing self-maintenance: Activities of daily living, mobility, and instrumental activities of daily living. *J Am Geriatr Soc* 1983;31:721–727.
31. Bellelli G, Carnevali L, Corsi M, et al. The impact of psychomotor subtypes and duration of delirium on 6-month mortality in hip-fractured elderly patients. *Int J Geriatr Psychiatry* 2018;33:1229–1235.
32. Santana Santos F, Wahlund LO, Varli F, et al. Incidence, clinical features and subtypes of delirium in elderly patients treated for hip fractures. *Dement Geriatr Cogn Disord* 2005;20:231–237.
33. Gual N, Inzitari M, Carrizo G, et al. Delirium subtypes and associated characteristics in older patients with exacerbation of chronic conditions. *Am J Geriatr Psychiatry* 2018;26:1204–1212.
34. Meagher DJ, O'Hanlon D, O'Mahony E, et al. Relationship between etiology and phenomenologic profile in delirium. *J Geriatr Psychiatry Neurol* 1998;11:146–149. discussion 157–8.
35. Cunningham C. Systemic inflammation and delirium: Important co-factors in the progression of dementia. *Biochem Soc Trans* 2011;39:945–953.
36. van Munster BC, Korevaar JC, Zwinderman AH, et al. Time-course of cytokines during delirium in elderly patients with hip fractures. *J Am Geriatr Soc* 2008;56:1704–1709.
37. Dantzer R. Cytokine-induced sickness behaviour: A neuroimmune response to activation of innate immunity. *Eur J Pharmacol* 2004;500:399–411.
38. Bo M, Porrino P, Di Santo SG, et al. The association of indwelling urinary catheter with delirium in hospitalized patients and nursing home residents: An explorative analysis from the "Delirium Day 2015". *Aging Clin Exp Res* 2019;31:411–420.
39. Yue J, Tabloski P, Dowal SL, et al. NICE to HELP: Operationalizing National Institute for Health and Clinical Excellence guidelines to improve clinical practice. *J Am Geriatr Soc* 2014;62:754–761.
40. Robinson TN, Raeburn CD, Tran ZV, et al. Motor subtypes of postoperative delirium in older adults. *Arch Surg* 2011;146:295–300.
41. Liptzin B, Levkoff SE. An empirical study of delirium subtypes. *Br J Psychiatry* 1992;161:843–845.
42. Sampson EL, Blanchard MR, Jones L, et al. Dementia in the acute hospital: Prospective cohort study of prevalence and mortality. *Br J Psychiatry* 2009;195:61–66.
43. Scottish Intercollegiate Guidelines Network. Risk reduction and management of delirium. Available at: <https://www.sign.ac.uk/sign-157-delirium.html>. Accessed March 31, 2019.
44. Girard TD, Exline MC, Carson SS, et al. MIND-USA Investigators. Haloperidol and Ziprasidone for Treatment of Delirium in Critical Illness. *N Engl J Med* 2018;379:2506–2516.

## Appendix

The full list of the investigators list of investigators and members of the Italian Study Group on Delirium (ISGoD) is the following:

Vincenzo Rispoli, RSA Santa Maria del Monte, San Sostene (CZ).  
 Alba Malara, Centro di Riabilitazione Estensiva e RSA San Domenico, Lamezia Terme (CZ).  
 Fausto Spadea, RSA Casa Amica Fossato Serralta (CZ).  
 Serena Di Cello, RSA Villa Elisabetta, Cortale (CZ).  
 Francesco Ceravolo, Casa Protetta San Domenico, Palermiti (CZ).  
 Francesco Fabiano, Casa Prot. Madonna del Rosario, Lamezia Terme (CZ).  
 Giuseppe Chiaradia, Casa Protetta San Pio, Corigliano Calabro (CS).  
 Amedeo Gabriele, RSA La Quietè, Castiglione Cosentino (CS).  
 Peluso Lenino, Taristano Andrea, RSA “San Raffaele,” Castiglione Cosentino (CS).  
 Vincenzo Settembrini, Casa Protetta “Villa Azzurra,” Roseto Capo Spulico (CS).  
 Domenico Capomolla, Casa Protetta Villa delle Rose, Vibo Valentia (VV).  
 Antonella Citrino, RSA Ippolito Dodaro, Falerna (CZ).  
 Antonietta Scriva, Casa Protetta Universo, Africo (RC).  
 Irene Bruno, RSA Villa Serena, Bologna (BO).  
 Roberto Secchi, RSA Villa Sorriso, Marano sul Panaro (MO).  
 Eugenio De Martino, RSA Villa Ranuzzi, Bologna (BO).  
 Roberto Muccinelli, RSA Villa Salus, Viserbella (RN).  
 RSA Villa del Sole, Castiglione dei Pepoli (BO).  
 Gerardo Lupi, RSA I Platani, Bologna (BO).  
 Patrizio Paonessa, Istituto Sant’Anna, Bologna (BO).  
 Andrea Fabbri, RSA Residenza Paradiso, Ferrara (FE).  
 Maria Teresa Passuti, RSA Il Pellicano, Bazzano (BO).  
 Sofia Castellari, RSA Villa Armonia, Imola (BO).  
 Andrea Po, RSA Villa Estense, Maranello (MO).  
 Guido Gaggioli, Senior Hotel Arcadia, Casalecchio di Reno (BO).  
 Massimo Varesi, La Collina, Nibbiano (PC).  
 Paolo Moneti, RSA Villa Gisella, Firenze (FI).  
 Sebastiano Capurso, RSA Bellosguardo, Civitavecchia (RO).  
 Vincenzo Latini, RSA Santa Rufina, Rieti (RI).  
 Stefano Ghidotti, RSA Corviale, Roma.  
 Francesco Riccardelli; RSA Salus, Roma.  
 Maurizio Macchi, Rosaria Rigo, Piccola Casa della Divina Provvidenza–Cottolengo Nucleo Alzheimer Beato Paleari, Turin (TO).  
 Pascale Claudio, Bosio Angelo, Cerrato Flavio, Bardelli Benedetta, SC Medicina Interna–Presidio Ospedale Cottolengo, Turin (TO).  
 Stefano Boffelli, Angela Cassinadri, Fondazione Poliambulanza, Brescia (BS).  
 Simone Franzoni, Elena Spazzini, Daniela Andretto, Ortopedia, Fondazione Poliambulanza, Brescia (BS).  
 Gabriele Tonini, Laura Andreani, Mirco Coralli, Azienda USL di Bologna (BO).  
 Antonio Balotta, Roberto Cancelliere, Giorgio Ballardini, Margherita Simoncelli, Annarita Mancini, Ospedale Infermi Rimini (RN).  
 Mara Strazzacapa, Pierangela Cavallino Centro di Recupero e Rieducazione Funzionale “Mons.Luigi Novarese,” Moncrivello (VC).  
 Stefano Fabio, ASL Verbanò Cusio Ossola (VB).  
 Francesco De Filippi, Chiara Giudice, Patrizia Floris AO della Valtellina e della Valchiavenna/Presidio di Sondrio, Sondrio (SO).  
 Cosimo Dentizzi, Katia D’Elia RSA, Larino (LC).  
 Margherita Azzini, Marco Cazzadori, Valeria Mastroeni, Paolo Bertassello, Helena Santana Claudia Benati, Elisa Nesta, Chiara Tobaldini, Angela Antonioli Azienda ULSS 20, Verona (VR).  
 Fabio Guerini, Tambara Elena, Casa di Cura “San Clemente,” Mantova (MN).

Paolo Mombelloni, Fulvio Fontanini, RSA Residenza S. Marta, Genova (GE).

Lassa Gabriella, Crosio Pizzorni, RSA Celesia, Lungodegenza E Riabilitazione Extra-Ospedaliera, Genova (GE).

Martina Oliverio, Luciano Luca Del Grosso, Casa di Cura Malacarne, Ferrara (FE).

Cristina Giavedoni, Giuliano Bidoli, IPAB Residenza per Anziani “G. Francescon,” Portogruaro (VE).

Bruno Mazzei, Andrea Corsonello, Sergio Fusco, Silvio Vena, Tommaso De Vuono, Giorgio Maiuri, INRCA, Presidio Ospedaliero di Cosenza (CS).

Fimognari Filippo Luca, Arone Andrea, UOC Geriatria, Azienda Ospedaliera Di Cosenza (CS).

Sgrò Giovanni, Nicolazzo Rossella, RSA Villa Silvia, Altilia (CS).

Eugenio Castegnaro, Salvatore De Rosa; Rossella Bazzano Sechi, Ospedale Sant’Antonio, Padova (PD).

Enrico Benvenuti, Ilaria Del Lungo, Sante Giardini, Chiara Giulietti, Di Bari Mauro, Barghini Eleonora, Paoli Martina, Fiordelli Irene, Ospedale Santa Maria Annunziata, Florence (FI).

Barucci Riccardo, Geriatria, Ospedale Santa Maria Annunziata, Florence (FI).

Sgrilli Federica, Del Lungo Ilaria, Ortopedia, Ospedale Santa Maria Annunziata, Florence (FI).

Erik Bertoletti, Ospedale Santa Viola, Bologna; Ferdinando D’Amico, Francesco Caronzolo, Alessandro Grippa, Giuseppina Lombardo, Tiziana Pipicella, presidio ospedaliero Patti, AO Provinciale Messina (ME).

Saitta Antonino, Corica Francesco, Prestipino Giarritta Valeria, Larosa Daniela, Cucinotta Domenico, Basile Giorgio, AOU Policlinico “G. Martino,” Messina (ME).

Albert March, Maria Teresa Nitti, Alessandro Felici, Silvia Pavan, Fabrizio Piazzani, Alessandra Lunelli, Ospedale Centrale di Bolzano (BZ).

Sergio Dimori, Fondazione Angelo Poretti e Angelo Magnani Onlus Vedano Olona (VA).

Alessandro Margotta, Tiziano Soglia, USL Ravenna (RA).

Demetrio Postacchini, Roberto Brunelli, Silvia Santini, Monia Francavilla, Ilenia Macchiati, Francesca Sorvillo, Cinzia Giuli, INRCA POR Fermo (FM).

Patrizia Mecocci, Annalisa Longo, Manuela Conestabile della Staffa Ospedale S. Maria della Misericordia di Perugia (PG).

Francesco Perticone, Desirèè Addesi, Paola Cerra Rosa, Giuseppe Bencardino, Tania Falbo, Nadia Grillo, Filice Marco, Flippo Mirella, Policlinico Universitario “Mater Domini” Catanzaro (CZ).

Fausto Fantò, Gianluca Isaia, Stella Pezzilli, Daniele Bergamo, Elisabetta Furno, Sokol Rrodhe, AOU S Luigi Gonzaga, Orbassano (TO).

Simonetta Lucarini, Babette Dijk, Francesca Dall’Acqua, Francesco Cappelletto, RSA Chiavari (GE).

Donatella Calvani, Dimitri Becheri, Mottino Giuseppe, Mitidieri Costanza, Antonio Vito, Bartalucci Francesca, Lorenza Magherini, Malin Novella, Boni Franca, Paoli Martina Lucia Gambardella, Carlo Valente, Nuovo Ospedale, Azienda ASL-4 Prato (PO).

Bracali Ilaria, Foschini Alice, U.O. Medicina II, Nuovo Ospedale Di Prato, Via Suor Niccolina Infermiera, Prato (PO).

Mario Bo, Paola Porrino, Giacomo Ceci, Bottignole Giuliana, Tibaldi Michela, Coppo Eleonora, Geriatria, AO Molinette, Turin (TO).

Evaristo Ettore, Cinzia Camellini, Adriana Servello, Alessandro Grassi, Policlinico Umberto Primo, Rome.

Renzo Rozzini, Sara Tironi, Fondazione Poliambulanza, Brescia (BS).

Maria Grazia Grassi, Elio Troisi, Caltagirone Carlo, Di Santo Simona Gabriella, Franchini Flaminia, Ratto Federica, Pavoni Beatrice, Toniolo Sofia, IRCCS Fondazione Santa Lucia, Rome.

Anna Gabutto, RSA Pio Lascito Nino Baglietto, Cogoleto (GE).

Loredana Quazzo, Annalisa Rosatello, Casa di riposo Villa Sampo Cortemilia (CN).



- Domenico Suraci, P.O. di Locri ASP Reggio Calabria (RC).
- Benedetta Tagliabue, Chiara Perrone, Lucia Ferrara, Alberto Cas-  
tagna, Maria Luisa Tremolada, Istituti Clinici Zucchi, Carate Brianza  
(MB).
- Castoldi Giuseppe, Barbero Stefano, Oltramonti Davide, Ortopedia,  
Ospedale Di Carate Brianza, Carate Brianza (MB).
- Simonetta Piano, Casa di riposo Orfanelle Chieri (TO).
- Gaetano Serviddio, Aurelio Lo Buglio, Tiziana Gurrera, Valeria  
Merlo, Carla Rovai, AOU Ospedali Riuniti di Foggia; Antonino Maria  
Cotroneo, Rosaria Carlucci, Anna Abbaldò, Ospedale Birago di Vische  
ASL To2, Turin (TO).
- Fabio Monzani, Ahmad Amedeo Qasem, Giacomo Bini, Silvia  
Tafuto, AOU Pisa Cisanello (PI).
- Giovanni Galli, Comunità Protetta Alta Assistenza Salò (BS).
- Amalia Cecilia Bruni, Giovanna Mancuso, Gerardo Mancuso,  
Daniela Calipari, De Luca Giuseppe Massimiliano, AO Lamezia Terme  
(CZ).
- Bruno Bernardini, Carla Corsini, Ciccarelli Michele, Dal Farra Sara,  
Istituto Clinico Humanitas, Rozzano (MI).
- Annachiara Cagnin, Federica Fragiaco, Sara Pompanin, Amodio  
Piero, Cagnin Marco, Ospedale di Padova (PD).
- Amedeo Zurlo, Gianluca Guerra, Marco Pala, Luca Menozzi, Chiara  
Delli Gatti, Stefania Magon, Azienda Ospedaliera Universitaria S. Anna  
di Ferrara (FE).
- Manfredini Roberto, De Giorgi Alfredo, Fabbian Fabio, Tiseo Ruana,  
Misurati Elisa, Boari Benedetta, Molino Christian, Clinica  
Medica–Azienda Ospedaliera Universitaria S. Anna Di Ferrara (FE).
- Pala Marco, Gallerani Massimo, Azienda Ospedaliera Universitaria  
S. Anna di Ferrara (FE).
- Vincenzo Di Francesco, Silvia Faccioli, Luca Pellizzari, Fontana  
Giorgia, AOU Verona.
- Giuseppe Barbagallo, Giuseppe Limone P.O. “Carlo Basi-  
lotta”–Nicosia–ASP Enna (EN).
- Maria Lia Lunardelli, Emilio Martini, Eleonora Ferrari, Maria Mac-  
chiarulo, Maria Corneli, Monica Bacci, AOU S. Orsola-Malpighi,  
Bologna (BO).
- Giuseppe Battaglia, ASP Vibo Valentia (VV).
- Luigi Anastasio, U.O.C. Medicina Interna ASP Vibo Valentia (VV).
- Mario Sostene Lo Storto, Chiara Seresin, Matteo Simonato, Michele  
Loreggian, Fausta Cestonaro, Mario Durando, ULSS Padova (PD).
- Raffaele Latella, Marta Mazzoleni, Casa Serena di Brembate di  
Sopra (BG).
- Giuseppe Russo, Martino Ponte, Città della Carità, Taranto (TA).
- Alessandro Valchera, Giuseppe Salustri, Donatella Petritola, Casa di  
Cura Villa San Giuseppe, Ascoli Piceno (AP).
- Alfredo Costa, Elena Sinforiani, Matteo Ramusino Cotta, Centro di  
Neuroscienze Cognitive e Comportamentali, Istituto Neurologico  
Nazionale C. Mondino, Università di Pavia (PV).
- Simonetta Piano, Casa di riposo Luigi Zabert Valfenera (AT).
- Renato Nicola Pizio, Germana Perego, ASL 4 Chiavarese (GE).
- Alberto Cester, Marino Formilan, Bonometto Pietro, USLL Veneto  
Ospedale di Dolo (VE).
- Pasqualina Carbone, Ilaria Cazzaniga, RSA Oasi Domenicana Besana  
in Brianza (MB).
- Ildebrando Appollonio, Diletta Cereda, Andrea Stabile, Rubjona  
Xhani, Roberto Acampora, Lucio Tremolizzo; UO Neurologia, AO S  
Gerardo Monza (MB).
- Pieruzzi Federico, Nefrologia, AO S Gerardo Monza (MB).
- Ciacchio Antonio, Pontecorvi Valerio, Burti Cesare, Gastro-  
enterologia, ASST-Monza Ospedale San Gerardo, Monza (MB).
- Mokini Zhirajr, Vitale Giovanni, Amigoni Maria, Sparacino  
Mariaelena, Anestesia e Rianimazione, ASST-Monza Ospedale San  
Gerardo, Monza (MB).
- Edo Bottacchi, Elisabetta Bucciantini, Marco Di Giovanni, Ospedale  
“Umberto Parini” Aosta.
- Fabrizio Franchi, Lucio Lucchetti, Sara Barbieri AO “Guglielmo da  
Saliceto” di Piacenza.
- Claudio Mariani, Giulia Grande, UO Neurologia Ospedale Sacco,  
Milan (MI).
- Piero Rapazzini, Ospedale di Varese (VA).
- Mauri Marco, UOC Neurologia E Stroke Unit, Ospedale Di Circolo  
Varese (VA).
- Giuseppe Romanelli, Alessandra Marengoni, Nicosia Franco, UO  
Geriatrics, Spedali Civili Brescia (BS).
- Margola Alessio, Bonardelli Stefano, Latronico Nicola, Porcella  
Laura, Portolani Nazario, Chirurgia, Spedali Civili Brescia (BS).
- Concoreggi Carlo, Grassini Chiara, Pronto Soccorso, ASST Spedali  
Civili Di Brescia, Brescia (BS).
- Salvi Andrea, Bianchetti Luca, Spagnoli Francesca, Apuzzo Roberto,  
Medicina Generale 3, Spedali Civili Brescia, Brescia (BS).
- Fontanella Marco, Ceraso Anna, Neurochirurgia, ASST Spedali Civili  
Di Brescia, Brescia (BS).
- Castelli Francesco, Ceraso Anna, Malattie Infettive, ASST Spedali  
Civili Di Brescia, Brescia (BS).
- Luciano Fugazza, Chiara Guerrini, Giovanna De Paduanis, Ospedale  
Maggiore di Lodi (LO).
- Lucia Iallorardo, Pasquale Palumbo, Centro Siria, Salerno (SA).
- Giovanni Zuliani, Beatrice Ortolani, Eleonora Capatti, Cecilia Soavi,  
Lara Bianchi, Daniela Francesconi, Agata Miselli, Brombo Gloria,  
Romagnoli Tommaso, Pazzagli Chiara, Miselli Maria Agata, Dall'A-  
gata Marco, UO Medicina AOU S Anna, Cona, Ferrara (FE).
- Menozzi Luca, Guerra Gianluca, UO Geriatrics, Cona, Ferrara (FE).
- Teresa Suardi, Andrea Mazzone, Cinzia Zaccarini, Riva Manuela,  
Gianluca Mirra, ASP Golgi Redaelli, Milano (MI).
- Ettore Muti, Renato Bottura, Moretti Gianpaolo, RSA Fondazione  
Mons. Mazzali ONLUS, Mantova (MA).
- Piero Secreto, Erika Bisio, Marco Cecchetti, Tamara Naldi, Ales-  
sandra Pallavicino, Presidio Ospedaliero Beata Vergine  
Consolata–Fatebenefratelli, Turin (TO).
- Michela Pugliese, Rosaria Cosima Iozzo, Giovanni Sgrò RSA San Vito  
Hospital, Associazione Vivere Insieme, San Vito sullo Jonio (CZ).
- Guido Grassi, Bombelli Michele, Dell'Oro Raffaella, Quarti Treveno  
Fosca, UO Medicina, AO S Gerardo, Monza (MB).
- Giussani Carlo Giorgio, Paternò Giovanni, Neurochirurgia, AO S  
Gerardo, Monza (MB).
- Contro Ernesto, Pronto Soccorso, AO S Gerardo, Monza (MB).
- Antonio Mannironi, Elisa Giorli, Ospedale S Andrea, La Spezia (SP).
- Sara Oberti, RSA Pensionato ContessiSangalli, Costa Volpino (BG).
- Brigida Fierro, Tommaso Piccoli, Fabio Giacalone, AUOP Paolo  
Giaccone, Palermo (PA).
- Antonella Mandas, Luca Serchisu, Diego Costaggu, Elisa Pinna,  
Francesca Orrù, Martina Mannai, AOU Cagliari (CA).
- Zeno Cordioli, Luca Pelizzari, Emanuela Turcato, Pietro Arduini,  
Carlo Cacace, Barbara Rimondi Ospedale Sacro Cuore Don Calabria,  
Negrar (VR).
- Roberta Chiloiro, Centro Anziani “Opera Don Guanella,” Bari (BA).
- Rosella Cimino, Carmen Ruberto, Ruotolo Giovanni, Gareri Pietro,  
Greco Laura, AO “Pugliese Ciacchio” di Catanzaro (CZ).
- Castagna Alberto, Gareri Pietro, Ruberto Carmen, CDCD Catanzaro  
Lido, (CZ).
- Pierluigi Dal Santo, Antonino Andriolli, Giuseppe Burattin, Laura  
Rossi, Cervati Giovanna Andreolli Antonino, Catalano Giuseppe, Fabi-  
ana Tezza, Ospedale S. Maria della Misericordia Rovigo (RO).
- Pizzardini Maddalena, Stievano Laura, Ospedale Di Trecenta,  
Rovigo (RO).
- Patrizia Crippa, Paola Aloisio, Tiziana Di Monda, Alessandro  
Malighetti, Gloria Galbassini, Domus Salutis, Brescia (BS).
- Claudio Ivaldi, Anna Maria Russo, Ettore Bennati, Elisabetta Pino,  
Gianmaria Zavarise, Ospedale Andrea Gallino Pontedecimo, Genova  
(GE).

Alberto Pesci, Giulia Suigo, Paola Faverio, UO Pneumologia, AO S Gerardo, Monza.

Gori Andrea, Perego Sabrina, UO Malattie Infettive, AO S Gerardo, Monza (MB).

Massimo Zanasi, Giovanni Moniello, AOU Ospedali Riuniti di Foggia (FG).

Carlo Rostagno, Alessandro Cartei, Gianluca Polidori, Andrea Ungar, Maria Ramona Melis, Eleonora Martellini, Mossello Enrico, Torrini Monica, Giordano Antonella, Leone Giovanna, Marta Migliorini, Francesca Caramelli, UO Geriatria AOU Careggi, Florence (FI).

Bruno Battiston, Maurizio Berardino, Simona Cavallo, Massè Alessandro, Santoro Anna, Città della salute e della scienza di Torino, presidio CTO (TO).

Bruna Lombardi, Pierpaolo D'Ippolito, Azienda USL 4 Prato (PO).

Angela Furini, Ospedale C Poma, Mantova (MN).

Daniele Villani, Raimondi Clara, Massimo Guarneri, CDC Figlie di S Camillo, Cremona (CR).

Stefano Paolucci, Andrea Bassi, Paola Coiro, Domenico De Angelis, Giovanni Morone, Vincenzo Venturiero, IRCCS Fondazione Santa Lucia, Rome.

Lorenzo Palleschi, Paolo Raganato, Giuseppina Di Niro, AO San Giovanni–Addolorata Roma.

Casini Anna Rosa, Bove Loredana, Neurologia, AO San Giovanni–Addolorata Roma.

Alessandra Imoscopi, RSA Istituto Altavita IRA Padova (PD).

Giancarlo Isaia, V Tibaldi, G Bottignole G, E Calvi, C Clementi, M Zanocchi, L Agosta, A Criasia, E Spertino, A.O.U. Città della Salute e della Scienza di Torino (TO).

Antonella Nortarelli, USL Empoli (FI).

Giuseppe Provenzano, P Principato, A Rizzo, E Cellura, ASP 1 Agrigento (AG).

Daniela Mari, Federica Ylenia Romano, Francesca Rosini, Marta Mansi, Silvia Rossi, Alex Riccardelli, Geriatria, Lorenzo Inzaghi, Giulia Bonini, Paolo Rossi, Scuola di Specializzazione, Università degli Studi di Milano (MI).

Alfredo Potena, Mihaela Lichii, Clinica Salus, Ferrara (FE).

Tiziana Candiani, William Grimaldi, Emiliano Bertani, Porta Alessandra, Ospedale di Magenta-Legnano (MI).

Pietro Calogero, Daniela Pinto, Roberto Bernardi, Francesco Nicolino, Caterina Galetti, Alice Gianstefani, Corvalli Giulia, Mulazzani Lorenzo, AOU S. Orsola–Malpighi Bologna (BO).

Patrizio Odetti, Fiammetta Monacelli, Matteo Prefumo, AOU San Martino, Genova (GE).

Monacelli Fiammetta, Marta Canepa, Cecilia Minaglia, Geriatria, AOU San Martino, Genova.

Giuseppe Paolisso, Maria Rosaria Rizzo, Raffaele Prestano, Anna Maria Dalise, Università degli studi di Napoli (NA).

Davide Barra, Livio Dal Bosco, Vincenzo Asprinio, Luciana Dallape, Elisa Perina, RSA Residenza Valle dei Laghi, Cavedine (TN).

Raffaele Antonelli Incalzi, Isaura Rossi Bartoli, Campus Biomedico, Rome.

Alice Pluderi, Antonella Maina, Elisabetta Pecoraro, Michela Sciarra, Angela Prudente, RSA Gruppo La Villa, Turin (TO).

Maina Paola, RSA Asl To 4, Turin (TO).

Mete Francesca, Ventura Manuel, Medicina Interna, Ospedale degli Infermi, Rivoli (TO).

Cesari Luisella, Pernigotti Luigi Maria, Santangelo Tina, Complesso Bosco Della Stella–RSA Santa Maria Della Stella/RSA San Giovanni Bosco, Rivoli (TO).

Lucia Benini, Francesco Levato, Victor Mhiuta, Florin Alius, Diana Davidoaia, CRA Residenza Paradiso, Ferrara (FE).

Vittorio Giardini, Mattia Garancini, AO S Gerardo, Monza (MB).

Claudio Bellamoli, Luciano Terranova, Claudia Bozzini, Paolo Tosoni, Emma Provoli, Luisa Cascone, Andrea Dioli, Gianfranco Ferrarin, UO Geriatria Azienda ULSS 20 Verona (VR).

Anna Gabutto, Adelmo Bucci, RSA Villa Ferretto, Fontanegli, Genova (GE).

Guido Bua, Sara Fenu, Policlinico Sassarese (SS).

Giovanna Bianchi, Silvia Casella, Valentina Romano, Spedali Civili Gardone Valtrompia, Brescia (BS).

Polì Maurizio, Ilenia Mascherona, Pronto Soccorso ASST Spedali Civili Di Brescia Presidio Gardone Valtrompia (BS).

Gloria Belotti, Sabina Cavaliere, Estella Cuni, Nina Merciu, Rosella Oberti, Silvia Veneziani, Emanuela Capoferri, Elisabetta De Bernardi, Katia Colombo, Giovanni Bellini Fondazione Carisma, Bergamo (BG).

Marco Bravi, Negrinotti Nicoletta, Clinica Privata Accreditata Castelli, Bergamo (BG).

Paolo D'Arcangelo, Nicola Montenegro, Cittadella della carità, Taranto (TA).

Giovanni Galli, Comunità Riabilitativa Alta Assistenza, Lonato (BS).

Roberto Montanari, Pierpaolo Lamanna, Beatrice Gasperini, AO "Ospedali Riuniti Marche Nord," Fano (PU).

Montesi Isabella, Diotallevi Stefania, Altobelli Gaia, Unità Di Cure Post-Acuzie Azienda Ospedaliera Ospedali Riuniti Marche Nord, Fano (PU).

Calcinaro Filippo, Chiara Palamà, Chiara Di Emidio, U.O.C. Medicina Interna, Ospedale C. & G. Mazzoni, ASUR Marche, Ascoli Piceno (AP).

Elio Scarpini, Andrea Arighi, Giorgio Fumagalli, Paola Basilico, Migone De Amicis Margherita, Mancarella Marta, Maira Diletta, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan (MI).

Ferdinando D'Amico, Antonino Granata, AO Provinciale Messina, presidio ospedaliero, Patti (ME).

Carlo Rostagno, Claudia Ranalli, Alessandra Cammilli, Maria Chiara Cavallini, Manola Tricca, Daniela Natella; AOU Careggi, Florence (FI).

Luciano Gabbani, Francesca Tesi, Letizia Martella, Tiziana Gurrera, Rosalba Imbrici, Geriatria Per La Complessità Assistenziale, Dipartimento Medico Geriatrico–AOU Careggi, Florence (FI).

Gianbattista Guerrini, Anna Maria Scotuzzi, Ferdinando Sozzi, Luigi Valenti, Fondazione Brescia Solidale, Brescia (BS).

Antonino Chiarello, Monella Monia, Fondazione "Opere Pie Riunite G.B. Rubini" ONLUS, Romano di Lombardia (BG).

Alberto Pilotto, Camilla Prete, Barbara Senesi, EO Ospedali Galliera, Genova (GE).

Anna Cristina Meta, Enrico Pendenza, Presidio Ospedaliero di Tagliacozzo (AQ).

Fabio Monzani, Giuseppe Pasqualetti, Antonio Polini, Sara Tognini, Elena Ballino, AOU Pisa DAI Area Medica (PI).

Antonio Cherubini, Giuseppina Dell'Aquila, Pina Maria Gasparrini, Elisabetta Marotti, Monica Migale, Antonia Scrimieri, INRCA POR Ancona (AN).

Lorenzo Falsetti, Aldo Salvi, Medicina Interna Generale E Subintensiva–Ospedali Riuniti Di Ancona, Ancona (AN).

Gabriele Toigo, Giuliano Ceschia, Alessia Rosso, Chiara Tongiorgi, Cristina Scarpa, AOU Triestina; Pacchioni Maurizio, ASP Milanese e Frosi Trigolo (CR);

Luigino De Dominicis, Eugenio Pucci, Sara Renzi, Elisabetta Cartechini, ASUR Marche Area Vasta 3, Ospedale di Macerata (MC).

Pia Francesca Tomassini, Maurizio Del Gobbo, UO Geriatria Area Vasta 3 Ospedale Di Macerata (MC).

Francesca Ugenti, Pasquale Romeo, Azienda USL Bologna; Anna Nardelli, Fulvio Lauretani, Sandra Visioli, Ilaria Montanari, Francesca Ermini, Antonio Giordano, AOU Parma (PA).

Giorgio Pigato, AOU Padova (PD).

Emilio Simeone, Franco Colameco, Antonella Cecamore, Rosa Scurti, Maria Cristina Lupinetti, Ospedale Santo Spirito Pescara (PE).

Mario Barbujani, Osedale Santa Maria degli Angeli ULSS 19, Adria; Beatrice Perazzi, CRA La Madonnina, Caorso (PC).

Marina Giampieri, INRCA POR, Ancona (AN).

Raffaele Amoroso, ASP di Catanzaro/Presidio Ospedaliero di Soveria Mannelli (CZ).

Maristella Piccinini, Camilla Ferrari, Claudio Gambetti, Ospedale San Giovanni di Dio, Florence (FI).

Mario Sfrappini, Letizia Semeraro, Rinaldo Striuli, Claudia Mariani, ASUR Marche Area Vasta 5.

Giuseppe Pelliccioni, Donatella Marinelli, Katia Fabi, Tommaso Rossi, Martina Pesallaccia, Debora Sabbatini, Beatrice Gobbi, Raffaella Cerqua, INRCA POR Ancona (AN).

Giancarla Tagliani, Elena Schlauser, Fondazione Casa di soggiorno per Anziani ONLUS, Bedizzole (BS).

Luciano Caser, Elisa Caramello, Franca Sandigliano, Giorgio Rosso, Casa della Divina Provvidenza Cottolengo di Biella (BI).

Alberto Ferrari, Chiara Bendini, ASMN-IRCCS Reggio Emilia (RE).

Davoli Maria Luisa, Monica Casella, Raffaella Prampolini, SOC Geriatria–SOS Degenza Post–Acuta E Riabilitazione Estensiva–Azienda Ospedaliera ASMN-IRCC, Reggio Emilia (RE).

Moreno Scevola, Enrico Vitale, Lungodegenza e Riabilitazione, CDC Noale, Venezia (VE).

Brugiolo Roberto, Fagherazzi Carlo, Fusco Sergio, UOC Geriatria, Ospedale dell'Angelo Mestre, Venezia (VE).

Scarpa Alberto, Zara Daniela, Bertozzo Giulia, Granziera Serena, Barazzuol Michele, Ospedale Villa Salus, Mestre, Venezia (VE).

Domenico Maugeri, Rosaria Sorace, Massimiliano Anzaldi, AO Cannizzaro Università degli studi di Catania (CT).

Roberto De Gesu, Giuseppe Morrone, Federica Davolio, Andrea Fabbo, Marina Palmieri, Casa Residenza per Anziani “E. Cialdini,” Modena (MO).

Giuseppe Barbagallo, P.O. “Carlo Basilotta”–Nicosia–ASP, Enna (EN).

Marco Zoli, Paola Forti, Luca Pirazzoli, Elisa Fabbri, Laura Terenzi, Federica Bergolari, AOU S. Orsola–Malpighi, Bologna (BO).

Christian Wenter, Ingrid Ruffini, Miriam Insam, Elisabeth Abraham, Christine Kirchlechner, Azienda sanitaria comprensorio di Merano (BZ).

Domenico Cucinotta, Lasco Antonino, Giorgio Basile, AOU Policlinico “G. Martino” Messina (ME).

Arena Maria Grazia, UOSD Neurofisiopatologia E Disordini Del Movimento, AOU Policlinico “G. Martino,” Messina (ME).

Pasquale Parise, Andrea Boccali, Serena Amici, Maurizia Gambacorta, Ospedale Pantalla, Todi (PG).

Alberto Ferrari, Anna Lasagni, ASMN-IRCCS Reggio Emilia (RE).

Roberto Lovati, Francesca Giovinnazzo, Elzbieta Kimak, Paolo Zappa, Francesco Medici, Marika Lo Castro, Flavia Mauro, Alessandro De Luca, RSA “Casa per Coniugi” Milano (MI).

Giuseppe Sancesario, Alessandro Martorana, Beatrice Scaramazza, Sofia Toniolo, Francesco Di Lorenzo, Claudio Liguori, AOU Roma Tor Vergata.

Antonino Lasco, Giorgio Basile, AOU Policlinico Messina; Natale Vita, Mirna Giomi, COOP Comunità Alloggio Bosco Mesola (FE).

Sergio Dimori, Floriana Forte, RSA Residenza Ambrosiana; Alessandro Padovani, Luca Rozzini, Anna Ceraso, Caratuzzolo Salvatore, Alessandro Padovani. UO Neurologia Spedali Civili di Brescia (BS).

Maria Cottino, Silvia Vitali, Eleonora Marelli, ASP Golgi Redaelli, Milano (MI).

Gabriele Tripi, Salvatore Miceli, Giovanni Urso, ASP 9 Trapani Ospedale S. Antonio Abate (TP).

Giuseppe Grioni, Giuliana Vezzadini, Giulia Misaggi, Chiara Forlani, Stefano Avanzi, Fondazione Salvatore Maugeri Castelgoffredo (MN).

Saulle Serena, Casarini Claudia, Fondazione Salvatore Maugeri, Cure Palliative, Pavia (PV).

Viggiano Marilena, Fondazione Salvatore Maugeri, Lungodegenza e Riabilitazione, Pavia (PV).

Luisa Alberto, Ghianda Diego, Giordano Alessandro, Lungodegenza e Riabilitazione, ICS Maugeri (Istituti Clinici Scientifici), Istituto Di Lumezzane (BS).

Francesco Iemolo, Antonello Giordano, Enzo Sanzaro, Gabriele D'Asta, Maria Proietto, Anna Carnemolla, Grazia Razza, Daniela Spadaro, AO Guzzardi di Vittoria, Ragusa (RG).

Marco Bertolotti, Chiara Mussi, Francesca Neviani, Medicina Metabolica, Ortopedia, Lungodegenza e Riabilitazione, Nuovo Ospedale S. Agostino–Estense Baggiovara, Modena (MO).

Chiesa Roberto, Guerzoni Valentina. Morselli Linda, Venturelli Francesca, Adriano Tarozzi, Geriatria Nucleo Ospedaliero Demenze Ad Alta Complessità Assistenziale, Villa Igea, Modena (MO).

Francesca Balestri, RSA Residenza Sanitaria Sole Misano Adriatico; Torrini Monica, Giulio Mannarino, Francesca Tesi, AOU Careggi, Florence (FI).

Michela Bigolari, Alessia Natale, Simona Grassi, Cinzia Bottaro, Sara Stefanelli, Ugo Bovone, Umberto Tortorolo, Istituto Paverano, Genova (GE).

Roberto Quadri, Giuseppe Leone, Maria Ponzetto, Paola Frasson, Ospedale Chivasso, Turin (TO).

Giorgio Annoni, Giuseppe Bellelli, Adriana Bruni, Roberto Confalonieri, Maurizio Corsi, Daniela Moretti, Fabiola Teruzzi, Simona Umidi, Paolo Mazzola, Sabrina Perego, Ilaria Persico, Giulia Olivieri, Alessandra Bonfanti, Szabò Hajnalka, Marianna Galeazzi, Francesca Massariello, Alessandra Anzuini, UO Geriatria, AO S Gerardo, Monza (MB).

Paolo Caffarra, Federica Barocco, Marco Spallazzi, AOU Parma (PA). Ceda Gian Paolo, Morganti Simonetta, Artoni Andrea, UO Geriatria, Azienda Ospedaliera Universitaria Di Parma (PA).

Paolo Chioatto, Sandra Bortolamei, Lucia Soattin, USL Vicenza (VI).

Giovanni Ruotolo, Borelli Beneamino, Gareri Pietro, Barilaro Giuseppe, Ruberto Carmen, Alberto Castagna, AO Pugliese Ciaccio, Catanzaro (CZ).

Marco Bertazzoli, Elisabetta Rota, Annamaria Adobati, Fondazione RSA Ponte S Pietro (BG).

Alberto Scarpa, Serena Granziera, Paola Zuccher, Angela Dal Fabbro, Daniela Zara, Ambra Lo Nigro, Lorena Franchetti, Marika Toniolo, Cinzia Marcuzzo, Ospedale Villa Salus Mestre.

Simonetta Piano, Casa Gonella Pecetto Torinese (TO).

Marco Rollone, Fabio Guerriero, Carmelo Sgarlata, Istituto di cura S Margherita, Pavia (PV).

Alessandro Massè, Maurizio Berardino, Simona Cavallo, Santoro Anna, Città della salute e della scienza di Torino, presidio CTO (TO).

Giovanni Zatti, Massimiliano Piatti, Jole Graci, UO Ortopedia AO S Gerardo, Monza.

Giuseppe Benati, Federica Boschi, Mario Biondi, Nicoletta Fiumi, Tamburini Erika, Ospedale Morgagni Pierantoni Forlì (FC).

Sergio Mario Locatelli, Sabrina Mauri, Mauro Beretta, Laura Margheritis, RSA Casa di cura Villa San Benedetto Menni, Albese con Cassano (CO).

Giovanbattista Desideri, Ester Liberatore, Anna Cecilia Carucci, Presidio ospedaliero di Avezzano (AQ).

Paolo Bonino, Margherita Caput, Maria Paola Antonietti, Giuseppe Polistena, Franz De la Pierre, Azienda USL Valle d'Aosta (AO).

Marcello Mari, Paola Massignani, ULSS Ovest Vicentino–Ospedale Valdagno (VC).

Fabio Tombesi, Fabio Selvaggio, Brunella Verbo, RSA Quinta Stella (PU).

Paolo Bodoni, RSA Montanaro, Turin; Niccolò Marchionni, Enrico Mossello, Maria Chiara Cavallini, AOU Careggi, Florence (FI).

Tony Sabatini, Eleonora Mussio, UO Medicina, Fondazione Poliambulanza, Brescia (BS).

Eugenio Magni, Neurologia, Fondazione Poliambulanza, Brescia (BS).

Angelo Bianchetti, Andrea Crucitti, Giulia Titoldini, Beatrice Cossu, UO Medicina, Istituto Clinico S Anna, Brescia (BS).

Sara Fascendini, Cristina Licini, Angela Tomasoni, FERB Onlus Gazzaniga (BG).

Massimo Calderazzo, Tropiano Daniela, Laganà Valentina, AO Lamezia Terme (CZ).

Alberto Ferrari, Raffaella Prampolini, ASMN-IRCCS Reggio Emilia (RE).

Rita Maria Melotti, Albina Lilli, Simona Buda, Marco Adversi, AOU S. Orsola–Malpighi, Bologna (BO).

Gabriele Noro, Renato Turco, UO Geriatria S Ospedale Chiara, Trento (TN).

M Chiara Ubezio, Anna Roberta Mantovani, Maria Cristina Viola, Fondazione Istituto Ospedaliero Sospiro, Cremona (CR).

Carlo Serrati, Stefano Pretta, Maria Infante, IRCCS Ospedale S Martino, Genova (GE).

Simona Gentile, Alessandro Morandi, Viviana D'Ambrosio, Paolo Mazzanti, Cristina Brambilla, Silvia Sportelli, Caterina Platto, Bianca Faraci, Daniela Quattrocchi, Dipartimento Riabilitazione Fondazione Teresa Camplani, Cremona (CR).

Luigi Maria Pernigotti, Cristina Pisu, Francesca Sicuro, RSA al Castello casa di cura ospedale Koelliker Alpignano, Turin (TO).

Martina Oliverio, Luciano Luca Del Grosso, RSA S Chiara, Modena; Piergiuseppe Zagnoni, Stefania Ghiglia; RSA Mater Amabilis, Cuneo (CN).

Massimiliano Mosca, Ileana Corazzin, Mariangela Deola, Ospedale di Agordo, USLL Belluno (BL).

Carlo Adriano Biagini, Francesca Bencini, Claudia Cantini, Elisabetta Tonon, Silvia Pierinelli, USL Pistoia (PI).

Marco Onofri, Astrid Thomas, Borbone Filomena, Laura Bonanni, Ospedale Clinicizzato "SS. Annunziata" Chieti (CH).

Cacchiò Gabriella, Ospedale "C e G Mazzoni" Ascoli Piceno (AP).

Giancarlo Comi, Giuseppe Magnani, Roberto Santangelo, Salvatore Mazzeo, Ospedale San Raffaele, Milano (MI).

Magnani Giuseppe, Caso Francesca, Cecchetti Giordano, Sant'Angelo Roberto, Riabilitazione specialistica, Ospedale San Raffaele, Milano (MI).

Cristina Barbieri, Liviana Giroldi, Federica Davolio, Casa Residenza Anziani "Ramazzini," Modena (MO).

Fabio Bandini, Ospedale San Paolo Savona (SV).

Marco Masina, Simona Malservisi, Annalena Cicognani, Azienda USL Bologna; Laura Ricca, RSA Post-acute S. Secondo Ventimiglia (IM).

Laura Ricca, Maristella Piccininni, Camilla Ferrari, Claudio Gambetti, Ospedale S Giovanni di Dio, Florence (FI).

Tiziana Tassinari, Davide Brogi, Annalisa Sugo, Ospedale Santa Corona Pietra Ligure (SV).

Filippi Alessandra, Manfredi Sonia, Vanni Valerio, Usai Carlo Andrea, Colombo Enrico, Renna Francesca Vera, Sauchella Assunta, Geriatria, Ospedale Santissima Annunziata, Sassari.

Zavarise Gianmaria, Prete Mauro, Bisagni Pietro, Masini Roberto, Carrabetta Salvatore, POU Asl 3 Genova (GE).

Antonella Barone, Monica Razzano, Ortopedia, Ospedale Galliera, Genova (GE).

Imperoli Giuseppe, Bini Angela, Serra Francesco, D'Agostino Valeria, Gianolla Federico, Pietrangeli Lucia, Velardi Antonella, Di Cello Elisabetta, Rosati Cristina, Casali Nadia, Presidio Ospedaliero S. Filippo Neri ASL Roma.

Sessa Maria, Abruzzi Luciano, Costanzi Chiara, U. O. Neurologia, Cremona (CR).

Paolo Bini, Michele Pignata, Hospice Ancelle Della Carità Fondazione Teresa Camplani, Cremona (CR).

Buonagurio Enrico, Vollery Maria, ASP Golgi-Redaelli, RSA, Vimodrone (MI).

CARRIERI Giovanni, Cioni Giorgio, Toschi Andrea, Medicina Post-Acuti, Ospedale Di Pavullo Nel Frignano (MO).

Metra Marco, Ceraso Anna, ASST Spedali Civili Di Brescia (BS).

Ranieri Piera, Zucchelli Alberto, UO Riabilitazione, Brescia (BS).

Anna Cecon, Laura Magrin, Sara Marin, Sofia Barbara, Azienda ULSS 15 "Alta Padovana," Cittadella Padova (PD).

Masina Marco, Ghedini Laura, UOC Geriatria, Bentivoglio (BO).

Moroni Matteo, Paragona Marco, Pallotti Maria Caterina, Hospice Maria Teresa Chiantore Seragnoli Onlus, Bentivoglio (BO).

Rota Carla, Gottardi Federica, Tomasoni Clara, Cappuccio Melania, Bonini Giampaolo, Guerini Stefano, Guerini Valeria, Merla Lucia, Fondazione I.P.S. Card. Gusmini Onlus, Vertova (BG).

Desideri Giovambattista, Liberatore Ester, Carucci Anna Cecilia, Ospedale SS Filippo e Nicola, Via G. Di Vittorio.

Tovaglieri Maurizio, Humanitas Mater Domini Di Castellanza, Castellanza (VA).

Filippi Alessandra, Renna Francesca Vera, Lungodegenza Post Acuti–AOU Sassari (SS).

Bongiorni Nadia, Hospice, Istituto Geriatrico Piero Redaelli, Milano (MI).

Antonio Grillo, Francesca Arenare, Mineo Tonino, Kanah David, Vianello Piero Giorgio, RSA, Istituto Geriatrico Piero Redaelli, Milano (MI).

Balducci Ubaldo, Sidoti Vincenzo, Montanari Stefano, Neurologia Stroke Unit, ASST Franciacorta, Chiari (BS).

Formilan Marino, Murelli Teodolindo Busonera Flavio, Albanese Paolo, Maselli Monica, Bolzetta Francesco, Fabris Roberto, UOC Di Geriatria, Dolo (VE).

Bonino Paolo, SC Geriatria E Geriatria Post Acuzie, Aosta (AO).

Emanuele DuranteMangoni, Michela Testoni, AORN Dei Colli-Ospedale Monaldi.

Di Stefano Fabio, Seccia Loredana, Morabitudaniela, Sonzini Valeria, Maria Fabiano, SCO Geriatria Omegna (VCO).

Di Giorgio Annabella, De Cosmo Salvatore, Antonio Greco, D'Onofrio Grazia, Sancarolo Daniele, Fondazione Casa Sollievo Della Sofferenza IRCCS, San Giovanni Rotondo (FG).

Resta Gianluca, Ospedale S.M. Delle Croci Medicina Interna 1 RA. Girardello Renzo, Minervini Sergio, Boni Morena, Unità Operativa Geriatria Ospedale Di Rovereto, Rovereto (TN).

Mariagrazia Vitali, RSA Luzzago Brescia (BS).

Pizzoni Marina, Presidio Ospedaliero Di Gardone Valtrompia, ASST Spedali Civili Di Brescia (BS).

De Colle Paolo, Scarpa Cristina, Ortogeriatrics, Ospedale Di Cattinara, Ortogeriatrics Presso SC Clinica Ortopedica, Trieste Strada Di Fiume (TS).

Fratolla Alessandra, Ospedale Di Desio ASST-Monza (MB).

Francesco Orlandini, Micaela La Regina, SC Medicina Interna, Ospedale Sant'Andrea. La Spezia (SP).

Addesi Desirée, Filippo Mirella, Filice Marco, Policlinico Universitario "Mater Domini," Catanzaro (CZ).

Bo Mario, Porrino Paola, Bottignole Giuliana, Tibaldi Michela, Coppo Eleonora, Filomena Padulo, IRV "Istituto Di Riposo Per La Vecchiaia", Turin (TO).

Margheriti Cristina, Rolano Dario, Sacchelli Cristina Fondazione Giuseppina Brunenghi ONLUS-RSA, Castellone (CR).

Moscatelli Giancarla, Hospice Abbiategrasso (MI).

Radaelli Guido, Montini Elena, Ospedale di Piacenza (PC).

Cosimo Prete, ASST Lariana, Ospedale, Ospedale Sant'Antonio Abate Cantù (CO).

Novello Marileda, Bramuzzo Igor, Bertin Nicole, Rinaldo Elena, Clinica Medica ASUIUD, Udine (UD).

Ciro Paolillo, Angela Riccardi, Medicina d'Urgenza. Azienda Sanitaria Universitaria Integrata Di Udine, Udine (UD).

Benedetti Claudia, EASP Ente Di Assistenza E Servizi Alla Persona "A. Baldassini" (PG).

Rizzi Barbara, Montagna Francesca, Hospice Casa Vidas, Milano (MI).

Vitali Silvia, Cutaia Chiara, Baca Oliver, Colombo Mauro, Marelli Eleonora, Procino Giuseppe, Tararà Rosaria, Cottino Maria, Dell'Acqua Davide, Cislighi Stefania, Cairati Marco, Istituto Camillo Golgi, Abbiategrasso (MI).

Porta Massimo, Scaglione Luca, SC Medicina Interna, Città Della Salute E Della Scienza Di Torino (TO).

De Feo Martina, Vertolli Paola, Salvati Lia, Cinotti Sandro, De Santis Valentina, Biferi Erminia, Cheli Paola, Ospedale San Salvatore, L'Aquila (AQ).

Ribizzo Romina, Centro Socio-Sanitario S.Cuore, Brugnato (SP).

Salvatore Minisola, Colangelo Luciano, UOC Medicina Interna A E Malattie Metaboliche Dell'osso, Policlinico Umberto I, Rome.

Abete Pasquale, Liguori Ilaria, Curcio Francesca, Subintensiva Internistica AOU Federico II Napoli (NA).

Spasini Guglielmo, Engheben Marco, Riabilitazione Generale Geriatrica Anni Azzurri Rezzato, Residenza Anni Azzurri, Rezzato, (BS).

Rotunno Sara, Ospedale San Pietro, Rome.

Arosio Paola, Angelini Claudio, Reggiani Francesco, Cappelli Alessandro, Humanitas Research Hospital (MI).

Marcheselli Simona, Fratticci Lara, Neurologia D'urgenza E Stroke Unit, Humanitas Research Hospital, Rozzano (MI).

Ranzani Paola, Fondazione Giuseppe Gemellaro, Albairate (MI).

Cesarini Simonetta, Cerini Antonella, Fontenuovo Fondazione ONLUS.

Uomo Generoso, Gallucci Fernando, AORN Cardarelli, Napoli (NA).

Ceschia Giuliano, Serra Emanuela, Sola Mariolina, UOC Geriatria, Trieste (TS).

Delitala Alessandro, Pes Chiara, AUO Sassari (SS).

Lobianco Giulia, Giani Alessandro, Simone Famularo, Marta Sandini, Enrico Pinotti, Luca Gianotti, UOC Chirurgia, Ospedale San Gerardo Monza (MB).

Battuello Antonella, Pintore Giulia, Ospedale di Chioggia (VE).

Giardini Sante, Cure Intermedie P.Thouar, Florence (FI).

Andrea Rossi, Sofia Rubele, Selena Sant, Geriatria B AOUI Verona (VR).

Vignati Marco, Clerici Danila, Rosa Fabio, Maria Pia Bandirali, Cattaneo Nicoletta, Boffi Laura, RSA S. Pertini Garbagnate Milanese (MI).

Tosoni Paolo, Terranova Luciano, UOC Geriatria, San Bonifacio (VR).

Avalli Leonello, Scanziani Margherita, Terapia Intensiva Cardioracovascolare, Dipartimento Di Emergenza E Urgenza, Ospedale S.Gerardo Monza (MB).

De Notaris Stefania, Pronto Soccorso e Medicina d'Urgenza, Bologna (BO).

Del Santo Pierluigi, Rossi Laura, Tezza Fabiana, Cervati Giovanna, Andreolli Antonino, Catalano Felice, Burattin Giuseppe, Unità Operativa Complessa Geriatria E Lungodegenza, Ospedale "S. Maria Della Misericordia," Rovigo (TN).

Fogli Danilo, UOC Neurologia fondazione IRCCS, Casa sollievo della sofferenza.

Di Bella Giovanna, Geriatria E Lungodegenza, Policlinico Universitario Di Pa.

Landi Francesco, Sara Salini, Policlinico Gemelli, Rome.

Brunetti Maria Angela, Francesco De Filippi, Riabilitazione Generale Geriatrica Morbegno, Sondrio (SO).

Cappa Giorgetta, Galvagno Giovanni, Cena Paola, Bruno Gerardo, Raspo Silvio, SC Geriatria, ASO S Croce E Carle, Cuneo (CN).

Semeraro Letizia, UO Geriatria, San Benedetto del Tronto (AP).

Pedrotti Sabrina, Barra Davide, APSP Opera Romani, RSA.

Rivizzo Maria Rosaria, Dalise Anna Maria, Prestano Raffaele, VI Divisione Di Medicina Interna AOU SUN, Napoli (NA).

Vincenzo Ostilio Palmieri, Giuseppe Palasciano, Anna Belfiore, Piero Portincasa, Clinica Medica "A. Murri," Policlinico Bari (BA).

Sabbà Carlo, Solfrizzi Vincenzo, D'introno Alessia, Vincenzo Valiani, Medicina Interna Universitaria, "C. Frugoni" Policlinico Università Degli Studi Bari (BA).

Bologna Carolina, Ciarambino Tiziana. UOC Medicina Interna, Ospedale Clinicizzato Marcianise (CE).

Magnani Giuseppe, Caso Francesca, Cecchetti Giordano, Sant'Angelo Roberto, Neurologia San Raffaele, Milano (MI).

Turelli Paola, Pazzaglia Ugo, ASST Spedali Civili, Brescia (BS).

Rodella Federica, Piana Giacomo, ASST Spedali Civili, Brescia (BS).

Maurizio Castellano, Garelli Anna, Casella Elisa, Campana Federica, Coschignano Maria Antonietta, Medicina, ASST Spedali Civili, Brescia(BS).

Marinangeli Luigi (Direttore), Lorico Fabio, Bazzano Salvatore, S.C. Geriatria, Ospedale San Bassiano, Bassano Del Grappa (VI).

Menculini Giuseppe, Residenza Protetta "Creusa Brizi Bittoni," Perugia (PG).

Giorgio Gelosa, Ambrogio Teresa Viviana, Valentina Piras, Circicugno Andrea, Bollari Alessandra, Neurologia, ASST Grande Ospedale Metropolitano Niguarda, Milano (MI).

Daniele Coen, Medicina d'Urgenza, Grande Ospedale Metropolitano Niguarda, Milano (MI).

Renata Magliola, Deborah Milanese, RSA Il Valentino, Turin (TO).

Carlo Lorenzo Muzzolini, Fogliacco Paolo, Medicina Interna Ospedale Ceva (CN).

Turla Marinella, Cotelli Maria Sofia, Bianchi Marta, UOSD Neurologia, ASST Valcamonica, Sebino Esine (BS).

Pietro Siano, Giuseppe Capo, Rosa Napoletano, U.O. Neurologia-SSD Stroke Unit, Salerno (SA).

Politi Cecilia, Concetta Mancini, Corrado Del Buono, Giuseppe De Bartolomeo, Martinelli Addolorata, Cefalogli Carmen, Medicina Interna Ospedale Veneziale, Isernia (IS).

Cozzi Roberto, RSA Virgilio Ferrari, Milano (MI).

Virtuani Angelo Giovanni, Gianfilippo Moschettini, Hospice Il Nespolo, Airuno (LC).

Mastroianni Franco, Ospedale F. Mulli, Acquaviva delle Fonti, Bari (BA).

Roglia Daniela, Lungodegenza, Ospedale Di Settimo Torinese, Turin (TO).

Gabriella D'Amico, Palella Mirella, Cristina Endrizzi, Hospice Il Gelso, Alessandria (AL).

Lucia Trotta, Medicina, Ospedale Fatebenefratelli, Milano (MI).

Tiziana Ciarambino, Medicina, Ospedale Marcianise, Caserta (CE).

Zanetti Orazio, Lungodegenza e Riabilitazione, IRCCS Centro S. Giovanni di Dio Fatebenefratelli, Brescia (BS).

Terazzi Emanuela, Sacchetti Marta, Fleetwood Thomas, Tondo Giacomo, Neurologia, Azienda Ospedaliera Universitaria Maggiore Della Carità Di Novara (NO).

Di Fazio Ignazio, Fondazione Ospedale e casa di riposo Nobile Paolo Richiedi, Palazzolo sull'Oglio (BS).

Bruni Andrea, Orsitto Giuseppe, U.O.C. Medicina Interna P.O. "Di Venere," Bari (BA).

Fabbro Emanuela, Medicina Interna Presidio Ospedaliero San Daniele Tolmezzo, San Daniele Del Friuli (TS).

Amici Serena, RSA Marsciano (PG).

D'Imporzano Elena, Hospice, Livorno (LI).

Casanova Anna, Bertolio Serena, Nervo Erika, Medicina, Chirurgia, Neurologia, Ortopedia, Lungodegenza e Riabilitazione, Ospedale Santa Maria Del Prato Feltre (BL).

Silvestri Roberto, Semproni Elena, Pintus Manuela, Aloe Francesca, Tagliaccica Angelo, Medicina, Villa delle Querce, Nemi, Rome.