



VU Research Portal

Approaches to analyse and model changes in impacts

Kreibich, Heidi; Blauhut, Veit; Aerts, Jeroen C.J.H.; Bouwer, Laurens M.; Van Lanen, Henny A.J.; Mejia, Alfonso; Mens, Marjolein; Van Loon, Anne F.

published in

Hydrological Sciences Journal
2020

DOI (link to publisher)

[10.1080/02626667.2019.1701194](https://doi.org/10.1080/02626667.2019.1701194)

document version

Publisher's PDF, also known as Version of record

document license

Article 25fa Dutch Copyright Act

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Kreibich, H., Blauhut, V., Aerts, J. C. J. H., Bouwer, L. M., Van Lanen, H. A. J., Mejia, A., Mens, M., & Van Loon, A. F. (2020). Approaches to analyse and model changes in impacts: reply to discussions of "How to improve attribution of changes in drought and flood impacts" . *Hydrological Sciences Journal*, 65(3), 491-494.
<https://doi.org/10.1080/02626667.2019.1701194>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl



Approaches to analyse and model changes in impacts: reply to discussions of “How to improve attribution of changes in drought and flood impacts”

Heidi Kreibich, Veit Blauhut, Jeroen C. J. H. Aerts, Laurens M. Bouwer, Henny A. J. Van Lanen, Alfonso Mejia, Marjolein Mens & Anne F. Van Loon

To cite this article: Heidi Kreibich, Veit Blauhut, Jeroen C. J. H. Aerts, Laurens M. Bouwer, Henny A. J. Van Lanen, Alfonso Mejia, Marjolein Mens & Anne F. Van Loon (2020) Approaches to analyse and model changes in impacts: reply to discussions of “How to improve attribution of changes in drought and flood impacts”, Hydrological Sciences Journal, 65:3, 491-494, DOI: [10.1080/02626667.2019.1701194](https://doi.org/10.1080/02626667.2019.1701194)

To link to this article: <https://doi.org/10.1080/02626667.2019.1701194>



Published online: 18 Dec 2019.



Submit your article to this journal [↗](#)



Article views: 420



View related articles [↗](#)



View Crossmark data [↗](#)

REPLY

Approaches to analyse and model changes in impacts: reply to discussions of “How to improve attribution of changes in drought and flood impacts”*

Heidi Kreibich ^a, Veit Blauhut^b, Jeroen C. J. H. Aerts ^c, Laurens M. Bouwer ^d, Henny A. J. Van Lanen ^e, Alfonso Mejia ^f, Marjolein Mens^g and Anne F. Van Loon ^h

^aSection Hydrology, GFZ German Research Centre for Geosciences, Potsdam, Germany; ^bEnvironmental Hydrological Systems, University of Freiburg, Freiburg, Germany; ^cDepartment of Water and Climate Risk, Institute for Environmental Studies, Vrije Universiteit Amsterdam, Amsterdam, The Netherlands; ^dClimate Service Center Germany, Helmholtz-Zentrum Geesthacht, Hamburg, Germany; ^eHydrology and Quantitative Water Management Group, Wageningen University, Wageningen, The Netherlands; ^fDepartment of Civil and Environmental Engineering, The Pennsylvania State University, State College, Pennsylvania, USA; ^gDepartment of Water Resources Management, Deltares, Delft, The Netherlands; ^hSchool of Geography, Earth and Environmental Sciences, University of Birmingham, Birmingham, UK

ABSTRACT

We thank the authors, Brunella Bonaccorso and Karsten Arnbjerg-Nielsen for their constructive contributions to the discussion about the attribution of changes in drought and flood impacts. We appreciate that they support our opinion, but in particular their additional new ideas on how to better understand changes in impacts. It is great that they challenge us to think a step further on how to foster the collection of long time series of data and how to use these to model and project changes. Here, we elaborate on the possibility to collect time series of data on hazard, exposure, vulnerability and impacts and how these could be used to improve e.g. socio-hydrological models for the development of future risk scenarios.

ARTICLE HISTORY

Received 16 November 2019
Accepted 27 November 2019

EDITOR

A. Castellarin

ASSOCIATE EDITOR

not assigned

KEYWORDS

hydrological extremes;
damage; dynamic risk; new
data; projecting risk

The Panta Rhei opinion paper series intends to foster scientific discussion about approaches to increase our knowledge of interactions and feedbacks between hydrology and society (<https://think.taylorandfrancis.com/panta-rhei-collection>; Kreibich *et al.* 2017). Thus, we are grateful to the authors, Bonaccorso (2020) and Arnbjerg-Nielsen (2020), for supporting our view and for their constructive comments on our opinion paper “How to improve attribution of changes in drought and flood impacts” (Kreibich *et al.* 2019). Both authors back up our appreciation that droughts and floods have much in common and that flood risk management measures may influence drought risk, and *vice versa*, partly because of inadequate land management practices. Furthermore, both authors agree on the need for a closer cooperation between drought and flood experts to carry out joint analysis of the effects of flood and drought management on impact changes, which is important for scientific advancement in this area. Bonaccorso (2020) stresses that, in addition to interdisciplinary teamwork of experts with a natural sciences or engineering background, a broader debate and closer cooperation with water resources economists and socio-political scientists is necessary for sustainable, pro-active risk management, which focuses on adaptive solutions to cope with droughts and floods in the future.

There are convincing examples of such successful cooperation in practice as well as in science. We cannot provide an

overview here, particularly not about the many good activities happening in practice, but we give some examples. For instance, hydrologists, economists and geographers have together developed the cost assessment cycle, which involves the continuous monitoring and reduction of the total costs associated with natural hazard impacts and risk management, thus enabling the early detection of inefficient risk mitigation strategies (Kreibich *et al.* 2014). Psychologists, economists, political scientists, physical geographers and urban planners are working together to better understand relocation decisions to reduce flood risks (Bukvic *et al.* 2015, Botzen *et al.* 2016). In a collaboration between human and physical geographers, international development specialists and hydrological modellers, Rangelcroft *et al.* (2018) explored interdisciplinary ways to increase preparedness for drought. Breyer *et al.* (2018) present the work of an engineer and a geographer who modelled the feedbacks between drought and urban water-use restrictions. They conclude that “*adapting to anthropogenic drought requires sustained engagement between hydrology and social sciences to integrate socioeconomic status and political feedbacks into the water cycle.*” In the EU-funded project DROUGHT-R&SPI (<http://www.eu-drought.org/>), economists and political scientists worked together with weather-related hazard experts on economic losses in Southern European agriculture (Musolino *et al.* 2018). The study reveals

CONTACT Heidi Kreibich  kreib@gfz-potsdam.de

*Bonaccorso, B., 2020. Discussion of “How to improve attribution of changes in drought and flood impacts”, *Hydrological Sciences Journal*, <https://doi.org/10.1080/02626667.2019.1701193>
Arnbjerg-Nielsen, K., 2020. Discussion of “How to improve attribution of changes in drought and flood impacts”, *Hydrological Sciences Journal*, <https://doi.org/10.1080/02626667.2019.1701192>

that drought does not have only “losers”, but also “winners”. In their case, farmers were the winners, while the consumers were the losers. These findings also refer to the suggestion of Arnbjerg-Nielsen (2020) to investigate how stakeholders are differently affected, e.g. citizens *versus* agriculture.

However, we agree that interdisciplinary cooperation should be further strengthened in drought and flood research. This is especially crucial if we want to model drought and flood risks using improved scenarios for exposure and vulnerability, as suggested by Arnbjerg-Nielsen (2020). Such scenarios cannot be developed without a strong collaboration with social scientists. In recent years, a rethinking towards the need for more inter- and transdisciplinary research projects began. Nevertheless, collaboration between physical and social scientists requires extra time that needs to be invested in order to gain sufficient mutual understanding of concepts, approaches and models, which is often difficult to justify in research proposals. The well-established inclusion of some social scientists in the Panta Rhei initiative and working groups is a step in the right direction (<https://iahs.info/Commissions-W-Groups/Working-Groups/Panta-Rhei/Working-Groups.do>). However, it is unclear if and how this cooperation will continue after the end of this scientific decade in 2022 (Montanari *et al.* 2013, McMillan *et al.* 2016). The European Commission should include in their RTD programme (e.g. upcoming Horizon Europe) calls for projects addressing interdisciplinary cooperation on changes in risk of weather-related natural hazards, including floods and droughts due to global change.

Arnbjerg-Nielsen (2020) acknowledges the challenge of compiling matching data of impacts and their potential drivers for catchments or regions, which is especially true for droughts where impacts are not always directly attributable to the hazard (Kreibich *et al.* 2019). Recently a global inventory was made for drought risk assessment, consisting of over 200 datasets, tools, indicators, text-based information, etc. (Hendriks *et al.* 2018, World Bank 2019), which shows that most available data are on (historical) drought hazards, whereas impact data are very limited or even lacking. Bonaccorso (2020) provides hope, however, that impact and other data will become increasingly available through private initiatives of big on-line service providers, such as Google, or insurance companies. Indeed, in recent years, new data sources such as those derived from satellite images, from crowd sourcing on social media, from measurements of innovative sensors, or gained in a participative way, e.g. when citizens provide information, are gaining more and more importance in science and application domains.

Several studies have shown the significant potential that data science can encompass for natural hazards research. For instance, crop data derived from a multi-year satellite image analysis and ancillary soil data were analysed with data mining Net Bayesian Classifiers to support the estimation of flood losses to agricultural crops. The approach was validated in flood retention areas at the Havel River, which were used for temporary storage of flood water during the extreme flood event in August 2002 in Germany (Tapia-Silva *et al.* 2011). Sieg *et al.* (2019) developed an approach for seamless damage estimation including uncertainty quantification, which is based on open access building data from openstreetmap.org

that is collected in a participatory way, in combination with random forest based loss modelling. In Florida, USA, citizens are helping to collect information on flooded locations and other data during flooding in high-tide events (SLSC 2019). News media data are also increasingly used in flood and drought risk studies. For example, Quesnel and Ajami (2017) used news media coverage and Google search frequency to study drought awareness in California, USA, between 2005 and 2015. They found that residential water use was strongly related to the news media coverage. A promising governmental tool of the European commission is the Europe Media Monitor (EMM), which was initially developed to globally monitor outbreaks of diseases. “*Monitoring thousands of news sources in over 70 languages, the system uses advanced information extraction techniques to automatically determine what is being reported in the news*” and could be adapted to scan for impacts of natural hazards (Steinberger *et al.* 2013).

Bonaccorso (2020) stresses the need for international standards for impact data collection and she suggests that the scientific community should be in charge of developing general guidelines. There are several scientific studies aiming to define what data should be collected for which purpose and how (e.g. Elmer *et al.* 2010, Van Lanen *et al.* 2016, Molinari *et al.* 2018). Impact data collections are undertaken by different stakeholders after drought and flood events: scientists collect impact data to gain knowledge about damage processes, governmental agencies and insurance companies collect data in the framework of loss compensation. Scientific assessments often contain a lot of detail, but suffer from a relatively small sample size (Blong 2004, Mazzorana *et al.* 2014). Data collected by government agencies and insurance companies are often classified and not accessible for research. Thus, a closer cooperation between these different stakeholders would be advantageous. Among other important developments are the EU initiatives for recording and sharing disaster damage and loss data (<https://drmkc.jrc.ec.europa.eu/partnership/Science-Policy-Interface/Disaster-Loss-and-Damage-Working-Group>; JRC 2013), and the OECD initiative to develop a framework for accounting risk management expenditure and losses due to disasters (OECD 2014). Nongovernmental organizations (NGOs) also play an important role as intermediaries, including aid and other relief organizations in developing countries, where public authority capacity is lower compared to developed countries. For instance, the Red Cross is active in collecting disaster event data and also in developing algorithms to predict where and when impacts can be expected in the future (Van den Homberg *et al.* 2018).

With reference to the proposed paired-event approach, Bonaccorso (2020) suggests that it would be essential for better detecting changes in vulnerability to go back in time to find a baseline scenario, where almost no risk-reduction intervention has been put in place yet. We are not so sure about the possibility of such a baseline scenario, since humans have been managing water already for centuries to millennia in many areas around the world and often no data predating human interventions exist (e.g. Kuil *et al.* 2016, Ochoa-Tocachi *et al.* 2019). However, we agree that the paired-event data would gain significantly in value if the data at the two points in time (i.e. for the two events) could be extended with longer time series of

hazard, exposure, vulnerability and impact data, indicators or proxies. That means, it would be interesting to check the availability of time series of the variables that have been collected for paired-event case studies (Table 2 in Kreibich *et al.* 2019). As suggested by Arnbjerg-Nielsen (2020), processes and variables that are difficult to monitor might be represented via modelling approaches, i.e. constructed time series data, such as from regional climate models. Such an extended dataset would enable time series analyses of impacts and their drivers (e.g. Bubeck *et al.* 2012, Safavi *et al.* 2014, Blauhut *et al.* 2015; Sutanto *et al.* 2019) to gain more knowledge about the temporal dynamics of drought and flood risk processes, causes and consequences. Also, Erfurt *et al.* (2019) proved the added value of long-term data going back to the early 19th century, showing that the severity of recent drought events is nothing new, while underlying vulnerabilities might have changed as indicated by drought impact reports.

Arnbjerg-Nielsen (2020) stresses the need to develop modelling approaches to enable the projection of drought and flood risk. He suggests that many regions of the world are very likely to experience more water extremes in the future, i.e. an increase in the occurrence and magnitude of both droughts and floods in the same catchments. Using historical data might underestimate the linkages that are important for risk management even in the near future (Arnbjerg-Nielsen 2020). Indeed, more quantitative knowledge about possible future developments together with an adaptable risk management strategy is urgently needed (Kreibich *et al.* 2014). One of the big challenges is to develop the “reasonable scenarios for exposure and vulnerability” that Arnbjerg-Nielsen (2020) mentions. To develop plausible future scenarios, more (semi-)quantitative analysis of dynamic vulnerability of historic events is needed, so that past trends may be extrapolated into the future, with the possibility of assuming different trends in vulnerability reduction (see e.g. Jongman *et al.* 2015). Additionally, the application of stress test scenarios is a promising novel approach to gain insights for possible future conditions (e.g. Guillod *et al.* 2018, Zischg *et al.* 2018, Stoelzle *et al.* 2020). Such stress test scenarios will “help to explore the resilience of socio-ecological systems to droughts” (Hall and Leng 2019). Additionally, the above-mentioned long-term datasets might be used to improve socio-hydrological models (e.g. Barendrecht *et al.* 2019), or other models that could be used to project the dynamics of drought and flood risk. According to Barendrecht *et al.* (2017) and Aerts *et al.* (2018) other models that are able to describe the interaction of hydrological and anthropogenic processes are system-of-systems models (e.g. O’Connell and O’Donnell 2014, Falter *et al.* 2016, Metin *et al.* 2018), or agent-based models (e.g. Haer *et al.* 2016, 2019, Jenkins *et al.* 2017). For example, Barreteau *et al.* (2014) developed an agent-based model to evaluate the suitability of different drought indicators for different stakeholders. Examples are, however, very limited and more research in this direction would certainly be very valuable. This can help answer the question “How can we extract information from available data on human and water systems in order to inform the building process of socio-hydrological models and conceptualisations?”, which is listed by Blöschl *et al.* (2019) as one of the 23 unsolved problems in hydrology.

Acknowledgements

The study is a contribution to the UNESCO IHP-VIII EURO FRIEND-Water programme.

Disclosure statement

No potential conflict of interest was reported by the authors.

Funding

HvL is supported by the ANYWHERE project [grant agreement: 700099], which is funded within the EU’s horizon 2020 research and innovation programme (www.anywhereh2020.eu). JCJHA is supported by the NWO-VICI project [no. 016.140.067]. HK is supported by the H2020 IMPREX project [grant agreement 641811].

ORCID

Heidi Kreibich  <http://orcid.org/0000-0001-6274-3625>
 Jeroen C. J. H. Aerts  <http://orcid.org/0000-0002-2162-5814>
 Laurens M. Bouwer  <http://orcid.org/0000-0003-3498-2586>
 Henny A. J. Van Lanen  <http://orcid.org/0000-0001-9226-3921>
 Alfonso Mejia  <http://orcid.org/0000-0003-3891-1822>
 Anne F. Van Loon  <http://orcid.org/0000-0003-2308-0392>

References

- Aerts, J.C.J.H., *et al.*, 2018. Including human behaviour in flood risk assessment. *Nature Climate Change*, 8, 193–199. doi:10.1038/s41558-018-0085-1
- Arnbjerg-Nielsen, K., 2020. Discussion of “how to improve attribution of changes in drought and flood impacts”. *Hydrological Sciences Journal*. doi:10.1080/02626667.2019.1701192
- Barendrecht, M.H., *et al.*, 2019. The value of empirical data for estimating the parameters of a socio-hydrological flood risk model. *Water Resources Research*, 55 (2), 1312–1336. doi:10.1029/2018WR024128
- Barendrecht, M.H., Viglione, A., and Blöschl, G., 2017. A dynamic framework for flood risk. *Water Security*, 1, 3–11. doi:10.1016/j.wasec.2017.02.001
- Barreteau, O., *et al.*, 2014. Agent based simulation of drought management in practice. In: B. Kamiński and G. Koloch, eds. *Advances in social simulation*. Advances in intelligent systems and computing, vol. 229. Berlin, Germany: Springer, 237–248. doi:10.1007/978-3-642-39829-2_21
- Blauhut, V., Gudmundsson, L., and Stahl, K., 2015. Towards pan-European drought risk maps: quantifying the link between drought indices and reported drought impacts. *Environmental Research Letters*, 10 (1), 014008. doi:10.1088/1748-9326/10/1/014008/meta
- Blong, R., 2004. Residential building damage and natural perils: examples and issues. *Building Research and Information*, 32, 379–390. doi:10.1080/0961321042000221007
- Blöschl, G., *et al.*, 2019. Twenty-three unsolved problems in hydrology (UPH) – a community perspective. *Hydrological Sciences Journal*, 64 (10), 1141–1158. doi:10.1080/02626667.2019.1620507
- Bonaccorso, B., 2020. Discussion of How to improve attribution of changes in drought and flood impacts. *Hydrological Sciences Journal*. doi:10.1080/02626667.2019.1701193
- Botzen, W.J.W., *et al.* 2016. How political affiliation affects adaptation to climate risks: evidence from New York City. *Climatic Change Letters*, 138 (1), 353–360. doi:10.1007/s10584-016-1735-9
- Breyer, B., Zipper, S.C., and Qiu, J., 2018. Sociohydrological impacts of water conservation under anthropogenic drought in Austin, TX (USA). *Water Resources Research*, 54 (4), 3062–3080. doi:10.1002/2017WR021155

- Bubeck, P., et al., 2012. Long-term development and effectiveness of private flood mitigation measures: an analysis for the German part of the River Rhine. *Natural Hazards and Earth System Sciences*, 12 (11), 3507–3518. doi:10.5194/nhess-12-3507-2012
- Bukvic, A., Smith, A., and Zhang, A., 2015. Evaluating drivers of coastal relocation in Hurricane Sandy affected communities. *International Journal of Disaster Risk Reduction*, 13, 215–228. doi:10.1016/j.ijdr.2015.06.008
- Elmer, F., et al., 2010. A Delphi method expert survey to derive standards for flood damage data collection. *Risk Analysis*, 30 (1), 107–124. doi:10.1111/j.1539-6924.2009.01325.x
- Erfurt, M., Glaser, R., and Blauhut, V., 2019. Changing impacts and societal responses to drought in southwestern Germany since 1800. *Regional Environmental Change*, 2019, 1–3.
- Falter, D., et al., 2016. Continuous, large-scale simulation model for flood risk assessments: proof-of-concept. *Journal of Flood Risk Management*, 9 (1), 3–21. doi:10.1111/jfr3.12105
- Guilod, B.P., et al., 2018. A large set of potential past, present and future hydro-meteorological time series for the UK. *Hydrology and Earth System Sciences Discussions*, 22, 611–634. doi:10.5194/hess-22-611-2018
- Haer, T., Botzen, W.J., and Aerts, J.C.J.H., 2016. Integrating household mitigation behaviour in flood risk analysis: an agent based model approach. *Risk Analysis*, 12740, 1–15.
- Haer, T., Botzen, W.J., and Aerts, J.C.J.H., 2019. Advancing disaster policies by integrating dynamic adaptive behaviour in risk assessments using an agent-based modelling approach. *ERL*. doi:10.1088/1748-9326/ab0770
- Hall, J.W. and Leng, G., 2019. Can we calculate drought risk ... and do we need to? *Wiley Interdisciplinary Reviews: Water*. January, e1349. doi:10.1002/wat2.1349
- Hendriks, D.M.D., et al., 2018. *Global inventory of drought Hazard and risk modeling tools*. Delft, The Netherlands: Deltares, Deltares Report 11200758-002. Available from: www.droughtcatalogue.com
- Jenkins, K., et al., 2017. Assessing surface water flood risk and management strategies under future climate change: insights from an agent-based model. *Science of the Total Environment*, 595, 159–168. doi:10.1016/j.scitotenv.2017.03.242
- Jongman, B., et al., 2015. Declining vulnerability to river floods and the global benefits of adaptation. *Proceedings of the National Academy of Sciences*, 112, E2271–E2280. doi:10.1073/pnas.1414439112
- JRC (Joint Research Centre of the European Commission), 2013. *Recording disaster losses. Recommendations for a European approach*, Report JRC83743. doi:10.2788/98653
- Kreibich, H., et al., 2014. Costing natural hazards. *Nature Climate Change*, 4, 303–306. doi:10.1038/nclimate2182
- Kreibich, H., et al., 2017. Scientific debate of Panta Rhei research – how to advance our knowledge of changes in hydrology and society? *Hydrological Sciences Journal*, 62 (3), 331–333. doi:10.1080/02626667.2016.1209929
- Kreibich, H., et al., 2019. How to improve attribution of changes in drought and flood impacts. *Hydrological Sciences Journal*, 64 (1), 1–18. doi:10.1080/02626667.2018.1558367
- Kuil, L., et al., 2016. Conceptualizing socio-hydrological drought processes: the case of the Maya collapse. *Water Resources Research*, 52 (8), 6222–6242. doi:10.1002/2015WR018298
- Mazzorana, B., et al., 2014. A physical approach on flood risk vulnerability of buildings. *Hydrology and Earth System Sciences*, 18, 3817–3836. doi:10.5194/hess-18-3817-2014
- McMillan, H., et al., 2016. Panta Rhei 2013–2015: global perspectives on hydrology, society and change. *Hydrological Sciences Journal*, 61 (7), 1174–1191. doi:10.1080/02626667.2016.1159308
- Metin, A.D., et al., 2018. How do changes along the risk chain affect flood risk? *Natural Hazards and Earth System Sciences*, 18, 3089–3108. doi:10.5194/nhess-18-3089-2018
- Molinari, D., et al., 2018. Validation of flood risk models: current practice and innovations. *International Journal of Disaster Risk Reduction*. doi:10.1016/j.ijdr.2018.10.022
- Montanari, A., et al., 2013. “Panta Rhei – everything flows”: change in hydrology and society – the IAHS scientific decade 2013–2022. *Hydrological Sciences Journal*, 58 (6), 1256–1275. doi:10.1080/02626667.2013.809088
- Musolino, D.A., Massarutto, A., and de Carli, D., 2018. Does drought always cause economic losses in agriculture? An empirical investigation on the distributive effects of drought events in some areas of Southern Europe. *Science of the Total Environment*, 633, 1560–1570. doi:10.1016/j.scitotenv.2018.02.308
- O’Connell, P.E. and O’Donnell, G., 2014. Towards modelling flood protection investment as a coupled human and natural system. *Hydrology and Earth System Sciences*, 18 (1), 155–171. doi:10.5194/hess-18-155-2014
- Ochoa-Tocachi, B.F., et al., 2019. Potential contributions of pre-Inca infiltration infrastructure to Andean water security. *Nature Sustainability*, 2, 584–593. doi:10.1038/s41893-019-0307-1
- OECD (Organization for Economic Cooperation and Development), 2014. Improving the evidence base on the costs of disasters to inform better policy making for disaster risk management: towards a framework for accounting national risk management expenditures and losses of disasters. Available from: <https://www.oecd.org/gov/risk/issues-paper.pdf> [Accessed 31 Oct 2019].
- Quesnel, K.J. and Ajami, N.K., 2017. Changes in water consumption linked to heavy news media coverage of extreme climatic events. *Science Advances*, 3 (10), e1700784. doi:10.1126/sciadv.1700784
- Rangecroft, S., et al., 2018. Hydrological modelling as a tool for interdisciplinary workshops on future drought. *Progress in Physical Geography: Earth and Environment*, 42 (2), 237–256. doi:10.1177/0309133318766802
- Safavi, H.R., Esfahani, M.K., and Zamani, A.R., 2014. Integrated index for assessment of vulnerability to drought, case study: zayandehrood River Basin, Iran. *Water Resources Management*, 28 (6), 1671–1688. doi:10.1007/s11269-014-0576-4
- Sieg, T., et al., 2019. Seamless estimation of hydrometeorological risk across spatial scales. *Earth’s Future*, 7 (5), 574–581. doi:10.1029/2018EF001122
- SLSC (Sea Level Solutions Center), 2019. Citizen science. Miami, FL: Florida International University. Available from: <https://slsc.fiu.edu/solutions/outreach-and-engagement/citizen-science/index.html> [Accessed 6 Nov 2019].
- Steinberger, R., Pouliquen, B., and Van der Goot, E., 2013. An introduction to the Europe media monitor family of applications. *arXiv pre-print*, arXiv:1309.5290.
- Stoelzle, M., et al., 2020. Stress testing as complement to climate scenarios: recharge scenarios to quantify streamflow drought sensitivity. *Proceedings of the International Association of Hydrological Sciences*. (in review).
- Sutanto, S.J., et al., 2019. Moving from drought hazard to impact forecasts. *Nature Communications*, 10. doi:10.1038/s41467-019-12840-z
- Tapia-Silva, F., et al., 2011. Estimation of flood losses to agricultural crops using remote sensing. *Physics and Chemistry of the Earth*, 36 (7), 253–265. doi:10.1016/j.pce.2011.03.005
- Van den Homberg, M., Monné, R., and Spruit, M., 2018. Bridging the information gap of disaster responders by optimizing data selection using cost and quality. *Computers and Geosciences*, 120, 60–72. doi:10.1016/j.cageo.2018.06.002
- Van Lanen, H.A.J., et al., 2016. Hydrology needed to manage droughts: the 2015 European case. *Hydrological Processes*, 30, 3097–3104. doi:10.1002/hyp.10838
- World Bank, 2019. *Assessing drought hazard and risk: principles and implementation guidance*. Washington, DC: World Bank. Available from: https://www.gfdr.org/sites/default/files/publication/%E2%80%A2Drought_FINALWEB_LOWHRES.pdf
- Zischg, A.P., et al., 2018. Extending coupled hydrological-hydraulic model chains with a surrogate model for the estimation of flood losses. *Environmental Modelling & Software*, 108, 174–185. doi:10.1016/j.envsoft.2018.08.009