











Geology of Queensland

Edited by Peter A Jell

- Abbey, EA, Webster, JM, Beaman, R 2011, 'Geomorphology of submerged reefs on the shelf edge of the Great Barrier Reef: the influence of oscillating pleistocene sea-levels', Marine Geology, vol. 288, pp. 1–4, 61–78.
- Abbott, DH, Martos, SN, Elkinton, H, Bryant, E, Gusiakov, V & Breger, D 2006, 'Impact craters as sources of megatsunami generated chevron dunes', Geological Society of America Annual Meeting, Abstracts with Program, vol. 38, p. 299.
- Abbott, DH, Martos, SN, Elkinton, H, Fleming, R, Garcia, A, Chivas, AR, Breger, D, Haslett, S & Kaplan, MR 2009, 'Did two bolide fragments strike the Gulf of Carpentaria around 1500 years ago?' American Geophysical Union Fall Meeting, Abstract, no. P43B, p. 1436.
- Abbott, DH, Tester, EW, Meyers, CA & Breger, D 2007, 'Impact ejecta and megatsunami deposits from a historical impact into the Gulf of Carpentaria', Geological Society of America Annual Meeting, Abstracts with Program, vol. 39, p. 312.
- Abtmaier, BP 1973, Mulgrave River groundwater investigations—progress report on hydrogeological investigations, record no. 1973/13, Geological Survey of Queensland, Brisbane.
- ACARP 2010, 'Quality of Australian black coals, physical and chemical properties', report prepared by Ultra-Systems Technology Pty Ltd for the Australian Coal Association Research Program Project C17053.
- Adams, CJ, Campbell, HJ, &
 Griffin, WR 2007, 'Provenance
 comparisons of Permian to Jurassic
 tectonostratigraphic terranes in New
 Zealand: perspectives from detrital
 zircon age patterns', Geological
 Magazine, vol. 144, pp. 701–29.
- Adams, CJ, Cluzel, D, Griffin, WL 2009, 'Detrital-zircon ages and geochemistry of sedimentary rocks in basement Mesozoic terranes and their cover rocks in New Caledonia, and provenances at the eastern Gondwanaland margin', Australian Journal of Earth Sciences, vol. 56, pp. 1023–47.
- AERA-see Geoscience Australia & ABARE.
- AGC—see Australian Groundwater Consultants.

- AGE—see Australian Groundwater & Environmental Consultants.
- Agnew, NH & Oxnam, WB 1983, 'Conservation of the Lark Quarry dinosaur trackway', *Curator*, vol. 26, pp. 219–33.
- Ahmad, M & Wygralak, AS 1990, 'Murphy Inlier and environs; regional geology and mineralisation', Monographs of the Australasian Institute of Mining and Metallurgy, no. 14, pp. 819–26.
- Airey, PL, Bentley, HW, Calf, GE, Davis, SN, Elmore, D, Gove, HE, Habermehl, MA, Phillips, FM, Smith, J & Torgersen, T 1983, 'Isotope hydrology of the Great Artesian Basin, Australia', in Papers of the International Conference on Groundwater and Man, Sydney, 5–9 December 1983, Australia Water Resources Council, Australian Government Publishing Service, Canberra, pp. 1–11.
- Aitchison, J 1988, 'Early Carboniferous Radiolaria from the Neranleigh-Fernvale beds near Brisbane', Queensland Government Mining Journal, vol. 89, pp. 240-1.
- Aitchison, JC, Blake, MCJr, Flood, PG & Jayko, AS 1994, 'Palaeozoic ophiolitic assemblages within the southern New England Orogen of eastern Australia: implications for growth of the Gondwana margin', Tectonics, vol. 13, pp. 1135–49.
- Aitchison, JC & Flood, PG 1990a, 'Early Carboniferous radiolarian ages constrain the timing of sedimentation within the Anaiwan terrane, New England Orogen, eastern Australia', Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, vol. 180, pp. 1–19.
- Aitchison, JC & Flood, PG 1990b, 'Geochemical constraints on the depositional setting of Palaeozoic cherts from the New England Orogen, NSW, eastern Australia', Marine Geology, vol. 94, pp. 79–95.
- Aitchison, JC & Ireland, TR 1995, 'Age profile of ophiolitic rocks across the late Palaeozoic New England Orogen, New South Wales: implications for tectonic models', Australian Journal of Earth Sciences, vol. 42, pp. 11–23.
- Aitchison, JC, Ireland, TR, Blake, MCJr & Flood, PG 1992, '530 Ma zircon age for ophiolite from the New England Orogen: oldest rocks known from eastern Australia', Geology, vol. 20, pp. 125-8.

- Al-Arouri, KR 1996, 'Petroleum geochemistry, source rock evaluation and modelling of hydrocarbon generation in the southern Taroom Trough with particular reference to the Triassic Snake Creek Mudstone', PhD thesis, University of Adelaide.
- Al-Arouri, KR, Boreham, CJ, McKirdy, DM & Lemon, NM 1998, 'Modelling of thermal maturation and hydrocarbon generation in petroleum systems of the southern Taroom Trough, Australia', Bulletin of the American Association of Petroleum Geologists, vol. 82, pp. 1504–27.
- Alder, D 2001, 'Offshore Clarence— Moreton: an overlooked basin with petroleum potential?', PESA News, vol. 54, NSW Supplement, pp. 5–7.
- Alexander, EM, Gravestock, DI, Cubitt, C & Chaney, A 1998, 'Lithostratigraphy and environments of deposition', Primary Industries and Resources SA, Report Book, no. 98/9, pp. 69–115.
- Alexander, EM & Krieg, GW 1995, 'Stratigraphy—lower nonmarine succession', Bulletin of the Geological Survey of South Australia, vol. 54, pp. 105–12.
- Alexander, I, Wilson, PA, Cooper, MJ & International Consortium Great Barrier Reef Drilling 2001, 'New constraints on the origin of the Australian Great Barrier Reef: results from an international project of deep coring', Geology, vol. 29, pp. 483-6.
- Ali, A 2010, 'The tectono-metamorphic evolution of the Balcooma Metamorphic Group, north-eastern Australia: a multidisciplinary approach', Journal of Metamorphic Geology, vol. 28, pp. 397–422.
- Allen, CM 2000, 'Evolution of a postbatholith dike swarm in central coastal Queensland, Australia: arc-front to backarc?' Lithos, vol. 51, pp. 331-49.
- Allen, CM, Chappell, BW, Wooden, JL & Williams, IS 1994, 'Ages, compositions, and sources of the Urannah Batholith', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 107–10.

- Allen, CM, Williams, IS, Stephens, CJ & Fielding, CR 1998, 'Granite genesis and basin formation in an extensional setting: the magmatic history of the northernmost New England Orogen', Australian Journal of Earth Sciences, vol. 45, pp. 875–88.
- Allen, CM, Wooden, JL & Chappell, BW 1997, 'Late Paleozoic crustal history of central coastal Queensland interpreted from geochemistry of Mesozoic plutons: the effects of continental rifting', Lithos, vol. 42, pp. 67–88.
- Allen, GE 1984, Audit of Monto coal resources, Brigalow Mines Pty Ltd, Brisbane.
- Allen, JP & Fielding, CR 2007a, 'Sequence architecture within a low-accommodation setting: an example from the Permian of the Galilee and Bowen basins, Queensland, Australia', Bulletin of the American Association of Petroleum Geologists, vol. 91, pp. 1503–39.
- Allen, JP & Fielding, CR 2007b,

 'Sedimentology and stratigraphic architecture of the Late Permian Betts Creek beds, Queensland, Australia',

 Sedimentary Geology, vol. 202, pp. 5–34.
- Allen, RJ 1961, The Kholo Sub-group of the Ipswich Coal Measures, publication no. 300, Geological Survey of Queensland, Brisbane.
- Allen, RJ 1983, 'Queensland energy resources', *Queensland Government Mining Journal*, vol. 84, pp. 143–51.
- Allen, RJ, Best, JG, Coaldrake, JE, Connah, TH, Cribb, HGS, Hill, D, Isbell, RF, Levingston, KR, Newman, PW, Paten, RJ, Stevens, NC, Tweedale, GW & Woods, JT 1960, 'Upper Cainozoic', Journal of the Geological Society of Australia, vol. 7, pp. 387-8.
- Allen, RJ & Hogetoorn, DJ 1970, 'Petroleum resources of Queensland', report no. 43, Geological Survey of Queensland, Brisbane.
- Allen, RJ, Staines, HRE & Wilson, EG 1960, 'The Ipswich Basin', Journal of the Geological Society of Australia, vol. 7, pp. 252–61.
- Alley, NF 1998, 'Cainozoic stratigraphy, palaeoenvironments and geological evolution of the Lake Eyre Basin', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 144, pp. 239-63.
- Almond, CS 1982, 'Stratigraphic drilling report—GSQ Ipswich 26', Queensland Government Mining Journal, vol. 83, pp. 514–23.

- Almond, CS 1983, 'Stratigraphic drilling report—GSQ Eromanga 1', Queensland Government Mining Journal, vol. 84, pp. 359–68.
- Almond, CS 1986, 'Stratigraphic drilling report—GSQ Thargomindah 1–1A', Queensland Government Mining Journal, vol. 87, pp. 68–77.
- Ambrose, G, Suttill, R & Lavering, I 1982,
 'A review of the Early Cretaceous Murta
 Member in the southern Eromanga
 Basin', in PS Moore & TJ Mount (eds),
 Eromanga Basin Symposium, summary
 papers, Geological Society of Australia
 and Petroleum Exploration Society
 of Australia, Adelaide, pp. 92–109.
- Ambrose, G, Suttill, R & Lavering, I 1986, 'The geology and hydrocarbon potential of the Murta Member (Mooga Formation) in the southern Eromanga Basin', Special Publication of the Geological Society of Australia, no. 12, pp. 71–84.
- Amoco Australia Petroleum Co. 1983, 'Results of 1983 field program, Lawn Hill area, ATP 327P, Queensland', unpublished report held by the Geological Survey of Queensland as CR12489.
- Amos, BJ 1962, Palaeozoic structural history of the Cooktown 1:250 000 sheet area, record no. 1962/136, Bureau of Mineral Resources, Australia, Canberra.
- Amos, KJ, Croke, JC, Hughes, AO, Chapman, J, Takken, I & Lymburner, L 2008, 'A catchment-scale assessment of anabranching in the 143 000 km² Fitzroy River catchment, north-eastern Australia', Earth Surface Processes and Landforms, vol. 33, pp. 1222-41.
- Anderson, HM, Holmes, WB & Fitness, LA 2008, 'Stems with attached *Dicroidium* leaves from the Ipswich Coal Measures, Queensland, Australia', *Memoirs of the* Queensland Museum, vol. 52, pp. 1–11.
- Anderson, JC 1981, Departmental coal exploration, southwest Bowen Basin, Cullin-la-ringo area, record no. 1981/41, Geological Survey of Queensland, Brisbane.
- Anderson, JC 1985, 'Geology of the Fort Cooper Coal Measures interval', Geological Society of Australia Abstracts, vol. 17, pp. 87–91.
- Anderson, JC & Jameson, PR 1982,
 Departmental coal exploration, north
 central Bowen Basin, Roper Creek East
 stage II, record no. 1982/10, Geological
 Survey of Queensland, Brisbane.

- Anderson, JC & Palmeri, V 1977, 'The Fork Lagoon Beds, an Ordovician unit of the Anakie inlier, central Queensland', Queensland Government Mining Journal, vol. 78, pp. 260-3.
- Anderson, JD & Till, VS 1982, 'Exploration and relinquishment report on A to P 2788M Beaudesert Area', unpublished report held by the Geological Survey of Queensland as CR10575.
- Anderson, KL, Lackie, MA & Clark, DA 2004, 'Palaeomagnetic results from the Palaeozoic basement of the southern Drummond Basin, central Queensland, Australia', International Geophysical Journal, vol. 159, pp. 473–85.
- Andrews, EC 1938, 'The structural history of Australia during the Palaeozoic', Journal and Proceedings of the Royal Society of New South Wales, vol. 71, pp. 118–87.
- Andrews, JE, Packham, G et al. 1975, 'Site reports, sites 285 to 289', Initial Reports of the Deep Sea Drilling Project, vol. 30, pp. 25–398, US Government Printing Office, Washington DC.
- Anonymous 1864, 'Miscellaneous: discovery of an aerolite, and visit to a petrified forest in northern Queensland', Geological Magazine, vol. 1, pp. 142–3.
- Anonymous 1913, 'Queensland meteorites', Queensland Government Mining Journal, vol. 14, p. 404.
- ANRA—see Australian Natural Resources Atlas.
- Apak, SN, Stuart, WJ & Lemon, NM 1993, 'Structural-stratigraphic development of the Gidgealpa-Merrimelia-Innamincka Trend with implications for petroleum trap styles, Cooper Basin, Australia', APEA Journal, vol. 33, pp. 94-104.
- Apak, SN, Stuart, WJ & Lemon, NM 1995, 'Compressional control on sediment and facies distribution SW Nappamerri Syncline and adjacent Murteree High, Cooper Basin', APEA Journal, vol. 35, pp. 190–202.
- Apak, SN, Stuart, WJ, Lemon, NM & Wood, G 1997, 'Structural evolution of the Permian-Triassic Cooper Basin, Australia: relation to hydrocarbon trap styles', Bulletin of the American Association of Petroleum Geologists, vol. 81, pp. 533-55.
- APC-see Australian Petroleum Company.
- Archer, M 1977, 'Origins and subfamilial relationships of *Diprotodon* (Diprotodontidae, Marsupialia)', *Memoirs of the Queensland Museum*, vol. 18, pp. 37–9.

- Archer, M 1978, 'Quaternary vertebrate faunas from the Texas Caves of southeastern Queensland', Memoirs of the Queensland Museum, vol. 19, pp. 61–109.
- Archer, M 1982, 'Review of the dasyurid (Marsupialia) fossil record, integration of data bearing on phylogenetic interpretation, and suprageneric classification', in M Archer (ed.), Carnivorous marsupials, Surrey, Beatty and Sons, Chipping Norton, Sydney, pp. 397–443.
- Archer, M 1984, 'Background to the search for Australia's oldest mammals', in M Archer & G Clayton (eds), Vertebrate zoogeography and evolution in Australasia, Hesperian Press, Carlisle, WA, pp. 517–65.
- Archer, M, Arena, DA, Bassarova, M, Beck, RMD, Black, K, Boles, WE, Brewer, P, Cooke, BN, Crosby, K, Gillespie, A, Godthelp, H, Hand, SJ, Kear, BP, Louys, J, Morrell, A, Muirhead, J, Roberts, KK, Scanlon, JD, Travouillon, K & Wroe, S 2006, 'Current status of species-level representation in faunas from selected fossil localities in the Riversleigh World Heritage Area, northwestern Queensland', Alcheringa Special Issue, vol. 1, pp. 1–17.
- Archer, M, Godthelp, H, Hand, SJ 1993, 'Early Eocene marsupial from Australia', Kaupia, vol. 3, pp. 193–200.
- Archer, M, Godthelp, H, Hand, SJ & Megirian, D 1989, 'Preliminary overview of mammalian diversity, biostratigraphy, correlation and environmental change evidenced by the fossil deposits of Riversleigh, northwestern Queensland, Australia', Australian Zoologist, vol. 25, pp. 29-64.
- Archer, M, Hand, SJ & Godthelp, H 1991, Riversleigh: the story of animals in ancient rainforests of inland Australia, Reed Books, Sydney, 264 pp.
- Archer, M, Hand, SJ, Godthelp, H & Creaser, P 1997, 'Correlation of the Cainozoic sediments of the Riversleigh World Heritage fossil property, Queensland, Australia', in J-P Aguilar, S Legendre & J Michaux, Actes du Congrès BiochroM'97, École Pratique des Hautes Études, Institut de Montpellier, pp. 131–52.
- Archer, M & Wade, M 1976, 'Results of the Ray E Lemley Expeditions, Part 1.

 The Allingham Formation and a new Pliocene vertebrate fauna from northern Queensland', Memoirs of the Queensland Museum, vol. 17, pp. 379–97.

- Archer, RH 1982, 'Interim report on investigation of the Langton Dolomite near Clermont, central Queensland, Authority to Prospect 3127M', unpublished report held by the Geological Survey of Queensland as CR11069.
- Arena, DA 2004, 'The geological history and evolution of the terrain at the Riversleigh World Heritage Area in the middle Tertiary', PhD thesis, University of New South Wales, Sydney.
- Arnold, GO 1975, 'A structural and tectonic study of the Broken River Province, north Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Arnold, GO 1996, 'Interim report on core logging, Gympie Goldfield, January 1996', Gympie Eldorado Gold Mine, Gympie, unpublished report.
- Arnold, GO & Fawckner, JF 1980, 'The Broken River and Hodgkinson Provinces', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 175–89.
- Arnold, GO & Henderson, RA 1976, 'Lower Palaeozoic history of the southwestern Broken River Province, north Queensland', Journal of the Geological Society of Australia, vol. 23, pp. 73–93.
- Arnold, GO & Rubenach, MJ 1976,
 'Mafic-ultramafic complexes of the
 Greenvale area, north Queensland.
 Devonian intrusions or Precambrian
 metamorphics?' Journal of the Geological
 Society of Australia, vol. 23, pp. 119–39.
- Arnold, GO & Sillitoe, RH 1989, 'Mount Morgan gold-copper deposit,
 Queensland, Australia: evidence for an intrusion-related replacement origin',
 Economic Geology, vol. 84, pp. 1805–16.
- Arrow Energy 2007, 'ATP 787P
 "Hillsborough" annual report 1 April
 2006 to 31 March 2007', unpublished
 report held by the Geological Survey
 of Queensland as CR46291.
- Ashkenazy, Y & Tziperman, E 2004, 'Are the 41 kyr glacial oscillations a linear response to Milankovitch forcing?', Quaternary Science Reviews, vol. 23, pp. 1879–90.

- Ashley, PM & Shaw, SE 1993, 'Apparent ages of hydrothermal alteration zones in the North Arm Volcanics, southeast Queensland', Australian Journal of Earth Sciences, vol. 40, pp. 415–21.
- Aspandiar, MF, Taylor, G & Eggleton, RA 2003, 'Charters Towers region, Queensland', in RR Anand & P de Broekert (eds), Regolith landscape evolution across Australia. A compilation of regolith-landscape case studies and landscape evolution models, Cooperative Research Centre for Landscape Environments and Mineral Exploration, Canberra, pp. 174–77.
- Atkinson, A & Atkinson, V 1995, *Undara* volcano and its lava tubes, Vernon & Anne Atkinson, Brisbane.
- Atkinson, A, Griffin, TJ & Stephenson, PJ 1976, 'A major lava tube system from the Undara volcano, north Queensland', Bulletin of Volcanologique, vol. 39, pp. 266–93.
- Auchincloss, G 1976. 'Adavale Basin', Australasian Institute of Mining and Metallurgy, Monograph, no. 7, vol. 3, pp. 309-15.
- Aung, AK 1991, 'Early to Middle Devonian rugose coral and conodont faunas of the Burges Formation, Broken River Province; north Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Austin, JR & Blenkinsop, TG 2010, 'Cloncurry Fault Zone: strain partitioning and reactivation in a crustal-scale deformation zone, Mount Isa Inlier', Australian Journal of Earth Sciences, vol. 57, pp. 1–21.
- Australian Groundwater Consultants 1971, Townsville plant supply groundwater studies, Yabulu, Metals Exploration Queensland Pty Ltd.
- Australian Groundwater Consultants 1981, Yabulu Wellfield management studies 1974–1980, 2nd triennial assessment, Queensland Nickel Pty Ltd.
- Australian Groundwater & Environmental Consultants 2006, Report on subartesian water resources in the Burdekin Basin and Wet Tropics Areas, Department of Natural Resources and Water, Brisbane.

- Australian Groundwater & Environmental Consultants 2007, Far North Queensland draft regional water supply strategy, technical document no. 6, Far North Queensland water strategy groundwater aspects, Brisbane.
- Australian Natural Resources Atlas
 2008, Australian Natural Resources
 Atlas, water resources—overview—
 Queensland—groundwater management,
 Department of the Environment, Water,
 Heritage and the Arts, Canberra.
- Australian Petroleum Company 1961, 'Geological results of petroleum exploration in western Papua', Journal of the Geological Society of Australia, vol. 8, pp. 1–133.
- Auzende, JM, Van de Beuque, S, Regnier, M, Lafoy, Y & Symonds, PA 2000, Origin of the New Caledonian ophiolites based on a French-Australian seismic transect', Marine Geology, vol. 162, pp. 225–36.
- Bachelor RA & Bowden, P 1985, 'Petrogenetic interpretation of granitoid rock series using multicationic parameters', Chemical Geology, vol. 48, pp. 43–55.
- Bagas, L, Bierlein, FP, Anderson, JAC & Maas, R 2010, 'Collision-related granitic magmatism in the Granites-Tanami Orogen, Western Australia', Precambrian Research, vol. 177, pp. 212–26.
- Bailey, JC 1969, 'Geochemistry of Georgetown Granites', PhD thesis, Australian National University, Canberra.
- Bailey, JC 1977, 'Petrochemistry of the Claret Creek Ring Complex, northeast Queensland', Journal of the Geological Society of Australia, vol. 24, pp. 1–14.
- Bailey, JC 1984, 'Geochemistry and origin of hornblende-bearing xenoliths in the I-type Petford Granite, north-east Queensland', Australian Journal of Earth Sciences, vol. 31, pp. 7–23.
- Bailey, JC, Morgan, WR & Black, LP 1982, 'Geochemical and isotopic evidence for the age, orogenic setting and petrogenesis of the Nychum volcanic association, north Queensland', Journal of the Geological Society of Australia, vol. 29, pp. 375–93.
- Bailleul, J, Robin, C, Chanier, F,
 Guillocheau, F, Field, B & Ferrière, J 2007,
 'Turbidite systems in the inner forearc
 domain of the Hikurangi convergent
 margin (New Zealand): new constraints
 on the development of trench—slope
 basins', Journal of Sedimentary
 Research, vol. 77, pp. 263–83.

- Bain, JHC & Draper, JJ 1997, 'North Queensland geology', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 1–600 and Queensland Geology, vol. 9.
- Bain, JHC, Heinrich, CA & Henderson, GAM 1992, 'Stratigraphy, structure, and metasomatism of the Haslingden Group, east Moondarra area, Mount Isa: a deformed and mineralised Proterozoic multistage rift-sag sequence', Bulletin of the Australian Geological Survey Organisation, vol. 243, pp. 125–36.
- Bain, JHC & Haipola, D (eds) 1997, North Queensland geology (1:1 000 000 scale map), Australian Geological Survey Organisation, Canberra and Geological Survey of Queensland, Brisbane.
- Bain, JHC, Mackenzie, DE, Withnall, IW & Champion, DC 1997, 'Silurian-Devonian', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 35-6.
- Bain, JHC, Withnall, IW, Oversby, BS & Mackenzie, DE 1985, Geology of the Georgetown region, Queensland, 1:250 000 map, Bureau of Mineral Resources, Australia, Canberra.
- Bajracharya, K 1999, Report on Mulgrave groundwater model, Queensland Department of Natural Resources and Mines, Brisbane.
- Baker, EM 1975, 'The geology of the Charters Towers goldfield', unpublished report by James Cook University of North Queensland for AOG Minerals.
- Baker, EM 1981, 'Authority to Prospect No. 2813M. Final report for the period ending December 18, 1981', unpublished report held by the Geological Survey of Queensland as CR9989.
- Baker, EM & Andrew, AW 1991, 'Geologic, fluid inclusion, and stable isotope studies of the gold-bearing breccia pipe at Kidston, Queensland, Australia', *Economic Geology*, vol. 86, pp. 810–30.
- Baker GL & Skerman, WR 2006, 'The significance of coal seam gas in Queensland', APPEA Journal, vol. 46, p. 329.
- Baker, JC 1991, 'Diagenesis and reservoir quality of the Aldebaran Sandstone, Denison Trough, east-central Queensland, Australia', Sedimentology, vol. 38, pp. 819–38.

- Baker, MJ, Crawford, AJ & Withnall, IW 2010, 'Geochemical, Sm-Nd isotopic characteristics and petrogenesis of Paleoproterozoic mafic rocks from the Georgetown inlier, north Queensland: implications for relationship with the Broken Hill and Mount Isa Eastern Succession', Precambrian Research, vol. 17, pp. 39-54.
- Baker, T, Mustard, R, Brown, V, Pearson, N, Stanley, CR, Radford, NW & Butler, I 2006, 'Textural and chemical zonation of pyrite at Pajingo: a potential vector to epithermal gold veins', Geochemistry: Exploration, Environment, Analysis, vol. 6, pp. 283–93.
- Balfe, PE 1979, 'Stratigraphic drilling report—GSQ Hughenden 7', Queensland Government Mining Journal, vol. 80, pp. 282–93.
- Balfe, PE 1980, 'Stratigraphic drilling report—GSQ Charters Towers 1', Queensland Government Mining Journal, vol. 81, pp. 542–49.
- Balfe, PE 1982, 'Permian stratigraphy of the Springsure Arcturus Downs area', Queensland Government Mining Journal, vol. 83, pp. 133–59.
- Ball, LC 1904a, 'Notes on tin, copper and silver mining in the Stanthorpe district', Queensland Government Mining Journal, vol. 5, pp. 321–7, 376–83.
- Ball, LC 1904b, 'Certain iron ore, manganese ore and limestone deposits in the central and southern districts of Queensland', Queensland Government Mining Journal, vol. 5, pp. 486–97, 544–53, 605–9.
- Ball, LC 1905a, 'Sapphire fields of central Queensland', *Queensland Government Mining Journal*, vol. 6, pp. 112–17.
- Ball, LC 1905b, 'Gold, platinum, tinstone, and monazite in the beach sands on the south coast of Queensland', *Queensland Government Mining Journal*, vol. 6, pp. 62–7.
- Ball, LC 1910, 'Coal at Black Rock Creek, near Mackay', Queensland Government Mining Journal, vol. 11, pp. 283–4.
- Ball, LC 1911a, 'Notes on magnesite. An occurrence on Forest Gate Farm, near Toowoomba', Queensland Government Mining Journal, vol. 12, pp. 174-5.
- Ball, LC 1911b, 'Wolfram and molybdenum in Queensland', Queensland Government Mining Journal, vol. 12, pp. 504–8, 564–8.

- Ball, LC 1913, 'Notes on the Anakie sapphire fields in 1913', Queensland Government Mining Journal, vol. 14, pp. 233-8.
- Ball, LC 1914a, 'Tertiary oil shales of Baffle Creek, Port Curtis district', Queensland Government Mining Journal, vol. 15, pp. 19–25.
- Ball, LC 1914b, 'Tertiary oil shales of The Narrows, Port Curtis district', Queensland Government Mining Journal, vol. 15, pp. 73-6.
- Ball, LC 1914c, 'Mercury in Queensland', Queensland Government Mining Journal, vol. 15, pp. 623-9.
- Ball, LC 1916, 'Notes on a short tour of the Gladstone district', Queensland Government Mining Journal, vol. 17, pp. 213–14.
- Ball, LC 1917, 'Mount Mulligan Coalfield', Queensland Government Mining Journal, vol. 18, pp. 444–53.
- Ball, LC 1919, 'Arsenic mines near Gore, Stanthorpe Mineral Field', Queensland Government Mining Journal, vol. 20, p. 464.
- Ball, LC 1923, 'Manganese on the Darling Downs', Queensland Government Mining Journal, vol. 24, pp. 457–9.
- Ball, LC 1927a, 'Oilshale in the Eungella district', Queensland Government Mining Journal, vol. 28, p. 306.
- Ball, LC 1927b, 'Diatomite at Black Duck', Queensland Government Mining Journal, vol. 28, pp. 308-10.
- Ball, LC 1928, 'Report on exposures of oil shale in the Dawson River bed', Queensland Government Mining Journal, vol. 29, pp. 298–9.
- Ball, LC 1931a, 'Wellington Point bore', Queensland Government Mining Journal, vol. 32, p. 11.
- Ball, LC 1931b, 'Search on south-east coast', Queensland Government Mining Journal, vol. 32, pp. 11–12.
- Ball, LC 1946, 'Oil shales of the Narrows, central Queensland', Queensland Government Mining Journal, vol. 47, pp. 176-9.
- Bann, KL & Fielding, CR 2004,

 'An integrated ichnological and sedimentological comparison of non-deltaic shoreface and subaqueous delta deposits in Permian reservoir units of Australia', Geological Society of London, Special Publication, vol. 228, pp. 273–307.

- Barclay, D & Pearce BR 1999, Report on a preliminary review of available groundwater reserves in the Atherton Tableland basalts, Department of Natural Resources, Brisbane.
- Barker, F 1979, Trondhjemites, dacites and related rock, Elsevier, Amsterdam.
- Barker, RM, Blake, PR, Burrows, PE,
 Crouch, SBS, Fordham, BGF,
 Hayward, MA, Livingstone, MD,
 Morwood, DA, Murray, CG, Parfrey, SM,
 Robertson, ADC, Simpson, GA,
 Taube, A, Domagala, G & Randall, RE
 1997a, 'New insights into the
 geology of the northern New England
 Orogen in the Rockhampton—Monto
 region, central coastal Queensland:
 progress report on the Yarrol project',
 Queensland Government Mining
 journal, vol. 98, pp. 11–26.
- Barker, RM, Burrows, PE, Genn, DLP & Culpeper, LG 1997b, Mineral occurrences in the Einasleigh 1:250 000 sheet area, north Queensland, record no. 1997/5, Geological Survey of Queensland, Brisbane.
- Barker, RM, Burrows, PE, Scott, M, Genn, DLP & Cranfield, LC 1993, Mineral occurrences, Gympie and Laguna Bay 1:100 000 sheet areas, record no. 1993/14, Geological Survey of Queensland, Brisbane.
- Barlow, MG & Dunster, JN 1988: 'Final report Carpentaria Basin seismic surveys, Authority to Prospect 373P, Queensland. Comalco Aluminium Limited', unpublished report held by the Geological Survey of Queensland as CR20346.
- Barnbaum, D 1976, 'The geology of the Burrum syncline, Maryborough Basin, southeast Queensland', University of Queensland Papers, Department of Geology, vol. 7, no. 3, pp. 1–45.
- Barnes, RG 1987, Preliminary geological notes for the Manilla 1:250 000 sheet, report no. 1986/01, Geological Survey of New South Wales, Sydney.
- Barnes, RG, Brown, RE, Brownlow, JW & Stroud, WJ 1991, 'Late Permian volcanics in New England—the Wandsworth Volcanic Group', New South Wales Geological Survey, Quarterly Notes, vol. 84, pp. 1–36.
- Barnett, BJ & Muller, J 2008, Upper Condamine groundwater model calibration report, CSIRO Murray-Darling Basin Sustainable Yields Project, report to the Australian Government, Canberra.

- Barone-Nugent, ED, McLoughlin, S & Drinnan, AN 2003, 'New species of Rochipteris from the Upper Triassic of Australia', Review of Palaeobotany and Palynology, vol. 123, pp. 273–87.
- Barovich, KM & Hand, M 2008,

 'Tectonic setting and provenance
 of the Paleoproterozoic Willyama
 Supergroup, Curnamona Province,
 Australia; geochemical and Nd isotopic
 constraints on contrasting source
 terrain components', Precambrian
 Research, vol. 166, pp. 318–37.
- Barrett, PJ 2000, 'EPM 11309, Mount Sawnee Project, combined annual and final report for the period ending 15/2/2000', unpublished report held by the Geological Survey of Queensland as CR31783.
- Barron, BJ, Robertson, AD & Sutherland, FL 1996, 'Olivine "leucitites", their xenolith and megacryst, suites, Hoskings Peaks, north Queensland', Australian Journal of Earth Sciences, vol. 43, pp. 231–44.
- Barron, LM, Lishmund, SR, Oakes, GM, Barron, BJ & Sutherland, FL 1996, 'Subduction model for the origin of some diamonds in the Phanerozoic of eastern New South Wales', Australian Journal of Earth Science, vol. 43, pp. 257–67.
- Bartholomai, A 1966, 'Fossil footprints in Queensland', Australian Natural History, vol. 15, pp. 147–50.
- Bartholomai, A 1968, 'A new fossil koala from Queensland and a re-assessment of the taxonomic position of the problematical species, Koalemus ingens de Vis', Memoirs of the Queensland Museum, vol. 15, pp. 65–71.
- Bartholomai, A 1977, 'The fossil vertebrate fauna from Pleistocene deposits at Cement Mills, Gore, southeastern Queensland', Memoirs of the Queensland Museum, vol. 18, pp. 41–51.
- Bartholomai, A & Woods, JT 1976, 'Notes of the vertebrate fauna of the Chinchilla Sand', Bulletin of the Bureau of Mineral Resources, Australia, vol. 166, pp. 151-2.
- Batchelor, RA & Bowden, P 1985, "Petrogenetic interpretation of granitoid rock series using multicationic parameters', Chemical Geology, vol. 48, pp. 43–55.
- Bateman, R 1985a, 'Aureole deformation by flattening around a diapir during in situ ballooning: the Cannibal Creek Granite', Journal of Geology, vol. 93, pp. 293–310.

- Bateman, R 1985b, 'Progressive crystallisation of a granitoid and its relationship to stages of emplacement, *Journal of Geology*, vol. 93, pp. 645–62.
- Bateman, R 1989, 'Cannibal Creek Granite: post-tectonic "ballooning" or pre-tectonic piercement diaper: a discussion', Journal of Geology, vol. 97, pp. 766–8.
- Battersby, DG 1976, 'Cooper Basin gas and oil fields', Monograph of the Australasian Institute of Mining and Metallurgy, no. 7, vol. 3, pp. 321–68.
- Baxter, KG 1981, 'The geology of the Mount Marysmokes area of the Neurum Tonalite, south east Queensland', MSc thesis, University of Queensland, St Lucia, Qld.
- Bayly, MG 1952, 'Beach sand mining in Queensland', Queensland Government Mining Journal, vol. 53, pp. 742-55.
- Beahan, PL & Barlow, MG 1987, 'Final report Carpentaria Basin seismic surveys, Authority to Prospect 373P, Queensland. Comalco Aluminium Limited', unpublished report held by the Geological Survey of Queensland as CR20220.
- Beaman, RJ 2010, Marine and tropical sciences research facility (MTSRF) project 2.5i.1a final report, Reef and Rainforest Research Centre, Cairns, pp. 1–13.
- Beaman, RJ, Webster, JM & Wust, RAJ 2007, 'New evidence for drowned shelf edge reefs in the Great Barrier Reef, Australia', Marine Geology, vol. 247, pp. 17–34.
- Beams, SD 1991, 'Polymetallic massive sulphide exploration case histories, Mount Windsor Volcanic belt, north Queensland', Geological Society of Australia Abstracts, vol. 30, p. 20.
- Beams, SD & Hartley, JS 1990, 'Geology and mineralisation of the Mount Windsor Volcanic Belt, North Queensland', Geological Society of Australia Abstracts, vol. 25, p. 37.
- Beardsmore, TJ, Newbery, SP & Laing, WP 1988, 'The Maronan Supergroup: an inferred early volcanosedimentary rift sequence in the Mount Isa inlier, and its implications for ensialic rifting in the middle Proterozoic of northwest Queensland', *Precambrian Research*, vol. 40–41, pp. 487–507.
- Beasley, AW 1945, 'Ostracods from some Queensland Tertiary Basins, and their bearing on the correlation of strata', Proceedings of the Royal Society of Queensland, vol. 56, pp. 95–124.

- Beck, RMD, Godthelp, H, Weisbecker, V, Archer, M & Hand, SJ 2008, 'Australia's oldest marsupial fossils and their biogeographic implications', PLoSONE, vol. 3, p. 1858.
- Beckmann, GG & Stevens, NC 1976, 'Geological history of the Brisbane River system', Proceedings of the Royal Society of Queensland, vol. 89, pp. 77–85.
- Bedford, K 1978a, Internal report on groundwater resources of the Pioneer Valley, Irrigation and Water Supply Commission, Brisbane.
- Bedford, K 1978b, Report on several north Queensland fractured rock aquifers, Irrigation and Water Supply Commission, Brisbane.
- Bedford, K 1982a, Report on Kinchant Dam foundation investigation, Irrigation and Water Supply Commission, Brisbane.
- Bedford, K 1982b, Aspects of the hydrogeology of some north Queensland aquifers, Irrigation and Water Supply Commission, Brisbane.
- Bedford, K 1983, The Atherton basalts, Queensland Water Resources Commission, Brisbane.
- Beeston, JW 1981, Coal rank variation in the Bowen Basin, record no. 1981/48, Geological Survey of Queensland, Brisbane.
- Beeston, JW 1988, 'Aspects of inertinite formation and deposition in the Denison Trough, Queensland', Australian Coal Geology, vol. 1, pp. 33–45.
- Beeston, JW 1991, 'Coal facies depositional models, Denison Trough area, Bowen Basin', *Queensland Geology*, vol. 2, pp. 3–33.
- Beeston, JW 1994, 'Tertiary palynology of the Mount Coolon and Riverside areas', Queensland Geology, vol. 6, pp. 127-79.
- Beeston, JW 1995a, 'Coal rank and vitrinite reflectivity', Special Publication of the Geological Society of Australia Coal Geology Group, vol. 1, pp. 83–92.
- Beeston, JW 1995b, 'Cooper Basin', Special Publication of the Geological Society of Australia Coal Geology Group, vol. 1, pp. 353–60.
- Beeston, JW & Davis, A 1976, 'Petrography of coal seams in departmental borehole Bowen N.S. 597, Collinsville', *Queensland Government Mining Journal*, vol. 77, pp. 4–14.

- Beeston, JW & Draper, JJ 1991, 'Organic matter deposition in the Bandanna Formation, Bowen Basin', Queensland Geology, vol. 2, pp. 35–81.
- Beeston, JW & Gray, A 1993, Ancient rocks of Carnarvon Gorge, Queensland Department of Minerals and Energy, Brisbane.
- Beeston, JW & Green, PM 1995, New stratigraphic names in the southern Taroom Trough, Queensland', Queensland Government Mining Journal, vol. 96, pp. 23–8.
- Behets, RA 1987, 'Geology of the southernmost Callide Basin, eastcentral Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Bell, RM 1982, 'Geology and hydrocarbon potential of A-P 295P, Queensland, Balladorn Investments Pty Ltd', unpublished report held by the Geological Survey of Queensland as CR10451.
- Bell, TH 1980, 'The deformation history of northeastern Queensland—a new framework', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia Queensland Division, Brisbane, pp. 307–13.
- Bell, TH 1983, 'Thrusting and duplex formation at Mount Isa, Queensland, Australia', Nature, vol. 304, pp. 493-7.
- Bell, TH & Hammond, RL 1984, 'On the internal geometry of mylonite zones', Journal of Geology, vol. 92, pp. 667–86.
- Bell, TH & Rubenach, MJ 1983, 'Sequential porphyroblast growth and crenulation cleavage development during progressive deformation', Tectonophysics, vol. 92, pp. 171–94.
- Bellamy, DE 1976, 'Kariboe layered gabbro', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Belousova, EA, Griffin, WL & O'Reilly, SY 2006, 'Zircon crystal morphology and Hf isotope composition as a tool for petrogenetic modelling: examples from eastern Australian granitoids', Journal of Petrology, vol. 47, pp. 329–53.
- Belousova, EA, Griffin,WL, O'Reilly, SY & Fisher, NI 2002, 'Igneous zircon: trace element composition as an indicator of source rock type', Contribution to Mineralogy and Petrology, vol. 143, pp. 602–22.

- Belperio, AP 1983, 'Terrigenous sedimentation in the central Great Barrier Reef Lagoon: a model from the Burdekin region', BMR Journal of Australian Geology & Geophysics, vol. 8, pp. 179–90.
- Benbow, DD 1980, 'The petroleum prospects of the Great Barrier Reef region', APEA Journal, vol. 20, pp. 159–75.
- Bendall, C 1996, 'A comparative study of an ancient VHMS deposit and a modern seafloor sulphide deposit', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Benedek, S 1965, 'Well completion report, Alliance Jericho 1', unpublished report held by the Geological Survey of Queensland as CR1831.
- Bengtson, S 1986, 'Siliceous microfossils from the Upper Cambrian of Queensland', Alcheringa, vol. 10, pp. 195–216.
- Bengtson, S, Conway Morris, S, Cooper, BJ, Jell, PA & Runnegar, BN 1990, 'Early Cambrian fossils from South Australia', Memoirs of the Association of Australasian Palaeontologists, vol. 9, pp. 1–364.
- Benstead, WL 1976, 'Styx Basin', Monographs of the Australasian Institute of Mining and Metallurgy, no. 7, pp. 446–7.
- Bentley, HW, Phillips, FM, Davis, SN, Habermehl, MA, Airey, P, Calf, GE, Elmore, D, Gove, HE & Torgersen, T 1986, 'Chlorine dating of very old groundwater: the Great Artesian Basin, Australia', Water Resources Research, vol. 22, pp. 1991–2001.
- Bernecker, T 1993, 'A sedimentation model for the Chillagoe Formation in the Mungana area, North Queensland', PhD thesis, La Trobe University, Melbourne.
- Berry, RF & Crawford, AJ 1988, 'The tectonic significance of Cambrian allochthonous mafic-ultramafic complexes in Tasmania', Australian Journal of Earth Sciences, vol. 35, pp. 523–33.
- Berry, RF, Huston, DL, Stolz, AJ, Hill, AP, Beams, SD, Kuronen, U & Taube, A 1992, 'The stratigraphy, structure and mineralisation of the Mount Windsor subprovince north Queensland, Australia', Economic Geology, vol. 87, pp. 739-63.
- Best, JG 1960, Some Cainozoic basaltic volcanoes in north Queensland, record no. 1960/78, Bureau of Mineral Resources, Australia, Canberra.

- Best, JG 1962, Atherton (SE/55-5), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Best, MG, Barr, DL, Christiansen, EH, Gromme, S, Deino, AL & Tingey, DG 2009, 'The Great Basin Altiplano during the middle Cenozoic ignimbrite flareup: insights from volcanic rocks', International Geology Review, vol. 51, pp. 589-633.
- Bettelli, G & Vannucchi, P 2003, 'Structural style of the offscraped Ligurian oceanic sequences of the northern Apennines: new hypothesis concerning the development of mélange blockin-matrix fabric', Journal of Structural Geology, vol. 25, pp. 371–88.
- Betts, PG 1999, 'Palaeoproterozoic midbasin inversion in the northern Mount Isa Terrane, Queensland', Australian Journal of Earth Sciences, vol. 46, pp. 735–48.
- Betts, PG, Ailleres, L, Giles, D & Hough, M 2000, 'Deformation history of the Hampden Synform in the Eastern Fold Belt of the Mt Isa terrane', Australian Journal of Earth Sciences, vol. 47, pp. 1113–25.
- Betts, PG & Armit, RJ 2011, 'Appendix 2: Proterozoic Mount Isa synthesis: section II: Eastern Australia Proterozoic correlations', in Northwest Queensland Mineral and Energy Province Report, Geological Survey of Queensland, Brisbane.
- Betts, PG, Armit, RJ, Hutton, LJ,
 Withnall, IW & Donchak, PJT 2011,
 'Appendix 1: Proterozoic Mount
 Isa synthesis: Section I: Mount Isa
 Inlier geodynamic synthesis', in
 North-west Queensland Mineral and
 Energy Province Report, Geological
 Survey of Queensland, Brisbane.
- Betts, PG & Giles, D 2006, 'The 1800–1100 Ma tectonic evolution of Australia', *Precambrian Research*, vol. 144, pp. 92–125.
- Betts, PG, Giles, D, Foden, J, Schaefer, BF, Mark, G, Pankhurst, MJ, Forbes, CJ, Williams, HA, Chalmers, NC & Hills, Q 2009, 'Mesoproterozoic plume-modified orogenesis in eastern Precambrian Australia', Tectonics, vol. 28, TC3006, doi:10.1029/2008TC002325.
- Betts, PG, Giles, D & Lister, GS 2004, 'Aeromagnetic patterns of half-graben and basin inversion: implications for sediment-hosted massive sulfide Pb-Zn-Ag exploration', *Journal of Structural Geology*, vol. 26, pp. 1137-56.

- Betts, PG, Giles, D, Lister, GS & Frick, LR 2002, 'Evolution of the Australian lithosphere', Australian Journal of Earth Sciences, vol. 49, pp. 661–95.
- Betts, PG, Giles, D, Mark, G, Lister, GS, Goleby, BR & Ailleres, L 2006, 'Synthesis of the Proterozoic evolution of the Mt Isa Inlier', Australian Journal of Earth Sciences, vol. 53, pp. 187–211.
- Betts, PG, Giles, D & Schaeffer, BF 2008, 'Comparing 1800–1600 Ma accretionary and hasin processes in Australia and Laurentia: possible geographic connections in Columbia', *Precambrian Research*, vol. 166, pp. 81–92.
- Betts, PG, Giles, D, Schaefer, BF & Mark, G 2007, '1600-1500 Ma hotspot track in eastern Australia: implications for Mesoproterozoic continental reconstructions', Terra Nova, vol. 19, pp. 496-501.
- Betts, PG & Lister, GS 2002,

 "Geodynamically indicated targeting strategy for shale-hosted massive sulphide Pb-Zn-Ag mineralisation in the Western Fold Belt, Mt Isa terrane", Australian Journal of Earth Sciences, vol. 49, pp. 985-1010.
- Betts, PG, Lister, GS & O'Dea, MG 1998, 'Asymmetric extension of the Middle Proterozoic lithosphere, Mount Isa Terrane, Queensland, Australia', Tectonophysics, vol. 296, pp. 293–316.
- Betts, PG, Lister, GS & Pound, KS 1999, 'Architecture of a Palaeoproterozoic rift system: evidence from the Fiery Creek Dome region, Mt Isa terrane', Australian Journal of Earth Sciences, vol. 46, pp. 533–54.
- Betts, PG, Valenta, RK & Finlay, J 2003, 'Evolution of the Mount Woods Inlier, northern Gawler Craton, southern Australia: an integrated structural and aeromagnetic analysis', Tectonophysics, vol. 366, pp. 83–111.
- Bevan, AWR 1992, 'Australian meteorites', Records of the Australian Museum Supplement, vol. 15, pp. 1–27.
- Bevan, AWR 1996, 'Meteorites recovered from Australia', Journal of the Royal Society of Western Australia, vol. 79, pp. 33–42.
- Bhatia, MR 1981, 'Petrology, geochemistry and tectonic setting of some flysch deposits', PhD thesis, Australian National University, Canberra.

- Bhatia, MR & Crook, KAW 1986, 'Trace element characteristics of greywacke and tectonic discrimination of sedimentary basins', Contributions to Mineralogy and Petrology, vol. 92, pp. 181–93.
- Bierlein, FP & Betts, PG 2004, 'The Proterozoic Mount Isa Fault Zone, northeastern Australia: is it really a ca 1.9 Ga terrane-bounding suture?', Earth and Planetary Science Letters, vol. 225, pp. 279–94.
- Bierlein, FP, Black, LP, Hergt, J & Mark, G 2008, 'Evolution of pre-1.8 Ga basement rocks in the Western Mt Isa Inlier, northeastern Australia—insights from SHRIMP U-Pb dating and in-situ Lu-Hf analysis of zircons', Precambrian Research, vol. 163, pp. 159-73.
- Bierlein, FP, Maas, R & Woodhead, J 2007, 'Pre-1.8 Ga tectono-magmatic evolution of the Kalkadoon-Leichhardt Belt—implications for the crustal architecture and metallogeny of the Mt Isa Inlier, northwest Queensland, Australia', Australian Journal of Earth Sciences, vol. 58, pp. 887-915.
- Biggs, MS, Burgess, AW & Patrick, RB 1995, 'Callide Basin', Special Publication of the Geological Society of Australia Coal Geology Group, vol. 1, pp. 471–88.
- Binns, RA 1967, 'Possible meteorite craters near Dirranbandi, Queensland', Paper presented at the 30th Annual Meeting of the Meteoritic Society, Moffett Field, California.
- Bird, MI & Chivas, AR 1988, 'Oxygen isotope dating of the Australian regolith', Nature, vol. 331, pp. 513–16.
- Bird, MI & Chivas, AR 1989, 'Stableisotope geochronology of the Australian regolith', Geochimica et Cosmochimica Acta, vol. 53, pp. 3239–56.
- Bird, MI & Chivas, AR 1993, 'Geomorphic and palaeoclimatic implications of an oxygen-isotope chronology for Australian deeply weathered profiles', Australian Journal of Earth Sciences, vol. 40, pp. 345–58.
- Bird, MI, Chivas, AR & McDougall, I 1990, 'An isotopic study of surficial alunite in Australia: 2. Potassiumargon geochronology', Chemical Geology, vol. 80, pp. 133–45.
- Bischoff, K, Derriman, M & Halley, S 1986, 'Rosehall Gold Project, A-P 4277M Mt Saul, Report on 1986 exploration, Peko-Wallsend Operations Ltd', unpublished report held by the Geological Survey of Queensland as CR16901A.

- Bjornsson, B, Oehlerich, G & Sturgess, B 1999, Risk assessment of Queensland aquifers for the current state of development, Department of Natural Resources, Brisbane.
- Black, K & Archer, M 1997, 'Nimiokoala gen. nov. (Marsupialia: Phascolarctidae) from Riversleigh, northwestern Queensland, with a revision of Litokoala', Memoirs of the Queensland Museum, vol. 41, pp. 209–28.
- Black, KH, Archer, M, Hand, SJ &
 Godthelp, H 2010, 'First comprehensive
 analysis of cranial ontogeny in a
 fossil marsupial—from a 15 millionyear-old cave deposit in northern
 Australia', Journal of Vertebrate
 Paleontology, vol. 30, pp. 1–20.
- Black, KH, Camens, AB, Archer, M & Hand, SJ in press, 'Herds overhead: Nimbadon lavarackorum (Diprotodontidae), heavyweight marsupial herbivores in the Miocene forests of Australia', PLoS ONE.
- Black, KH, Camens, AB, Archer, M, Hand, SJ & Godthelp, H 2011, 'Functional morphology of the postcranial skeleton reveals a new niche for Nimbadon lavarackorum (Marsupialia, Diprotodontidae)', record no. 2011/9, Geological Survey of Western Australia, Perth, p. 20.
- Black, KH & Hand, SJ 2010, 'First crania and assessment of species boundaries in Nimbadon (Marsupialia: Diprotodontidae) from the middle Miocene of Australia', American Museum Novitates, no. 3678, pp. 1–60.
- Black, LP 1973, Tables of isotopic ages from the Georgetown Inlier, north Queensland, record no. 1973/50, Bureau of Mineral Resources, Australia, Canberra.
- Black, LP 1978, Isotopic ages of rocks from the Georgetown/Mount Garnet/ Herberton area, north Queensland, report no. 200, Bureau of Mineral Resources, Australia, Canberra.
- Black, LP 1980, 'Rb-Sr systematics of the Claret Creek Ring Complex and their bearing on the origin of Upper Palaeozoic igneous rocks in northeast Queensland', Journal of the Geological Society of Australia, vol. 25, pp. 157-66.
- Black, LP 1994, Appendix 2: U-Pb zircon geochronology, record no. 1994/21, Australian Geological Survey Organisation, Canberra, pp. 163-8.
- Black, LP 1997, 'Geochronology', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 429-42.

- Black, LP, Bell, TH, Rubenach, MJ & Withnall, IW 1979, 'Geochronology of discrete structural-metamorphic events in a multiply deformed Precambrian terrain', Tectonophysics, vol. 54, pp. 103–37.
- Black, LP, Blake, DH & Olatunji, JA 1978, 'Ages of granites and associated mineralisation in the Herberton tinfield of northeast Queensland', BMR Journal of Australian Geology & Geophysics, vol. 3, pp. 173–80,
- Black, LP, Bultitude, RJ, Sun, SS, Knutson, J & Blewett, RS 1992a, 'Emplacement ages of granitic rocks in the Coen Inlier (Cape York): implications for local geological evolution and regional correlation', BMR Journal of Australian Geology & Geophysics, vol. 13, pp. 191–200.
- Black, LP, Bultitude, RJ, Sun, SS, Knutson, J & Blewett, RS 1992b, U-Pb analytical results for granitic rocks from the Coen Inlier, North Queensland, record no. 1992/64, Australian Geological Survey Organisation, Canberra.
- Black, LP, Carr, GR & Sun, SS 1997, 'Applied isotope geochronology and geochemistry', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 429–48.
- Black, LP, Gregory, P, Withnall, IW & Bain, JHC 1998, 'U-Pb zircon age for the Etheridge Group. Georgetown region, north Queensland: implications for relationship with the Broken Hill and Mount Isa sequences', Australian Journal of Earth Sciences, vol. 45, pp. 925-35.
- Black, LP, Kamo, SL, Williams, IS, Mundil, R, Davis, DW, Korsch, RJ & Foudoulis, C 2003, 'The application of SHRIMP to Phanerozoic geochronology; a critical appraisal of four zircon standards', Chemical Geology, vol. 200, pp. 171–88.
- Black, LP & McCulloch, MT 1984, 'Sm-Nd ages of the Arunta, Tennant Creek and Georgetown Inliers of northern Australia', Australian Journal of Earth Sciences, vol. 31, pp. 49-60.
- Black, LP & McCulloch, MT 1990, 'Isotopic evidence for the dependence of recurrent felsic magmatism on new crust formation: an example from the Georgetown region of northeastern Australia', Geochimica et Cosmochimica Acta, vol. 54, pp. 183–96.
- Black, LP & Richards, JR 1972a, 'Rb-Sr study of some igneous rocks near Chillagoe and Herberton, northeastern Queensland', Journal of the Geological Society of Australia, vol. 19, pp. 271-9.

- Black, LP & Richards, JR 1972b, 'Rock lead isotopes in northeast Queensland', Journal of the Geological Society of Australia, vol. 19, pp. 321–30.
- Black, LP & Richards, JR 1972c, 'Isotopic composition and possible genesis of ore leads in north-eastern Queensland, Australia', Economic Geology, vol. 67, pp. 1168-79.
- Black, LP & Withnall, IW 1993, 'The ages of Proterozoic granites in the Georgetown Inlier of northeastern Australia, and their relevance to the dating of tectonothermal events', AGSO Journal of Australian Geology & Geophysics, vol. 14, pp. 331–41.
- Black, LP, Withnall, IW, Gregory, P, Oversby, BS & Bain, JHC 2005, 'U-Pb zircon ages from leucogneiss in the Etheridge Group and their role in the early history of the Georgetown region', Australian Journal of Earth Sciences, vol. 52, pp. 385-401.
- Blake, DH 1970, 'Geology and mineral deposits of the Herberton Tinfield north Queensland', Queensland Government Mining Journal, vol. 71, pp. 446–54.
- Blake, DH 1972, 'Regional and economic geology of the Herberton/Mount Garnet area—Herberton tinfield, North Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 124, pp. 1–265.
- Blake, DH 1987, "Geology of the Mount Isa Inlier and environs, Queensland and Northern Territory", Bulletin of the Bureau of Mineral Resources, Australia, vol. 225, pp. 1–83.
- Blake, DH, Bultitude, RJ & Donchak, PJT 1982, Dajarra, Queensland 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Blake, DH, Jaques, AL & Donchak, PJT 1983, Selwyn region, Queensland 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Blake, DH & Stewart, AJ 1992, 'Stratigraphic and tectonic framework, Mount Isa', Bulletin of the Australian Geological Survey Organisation, vol. 243, pp. 1–11.
- Blake, PR 1991, The sedimentary provinces of the Cape York Peninsula/ Gulf of Carpentaria area—a summary of their geological history, and mineral and energy resources, record no. 1991/16, Geological Survey of Queensland, Brisbane.

- Blake, PR 2010, 'Devonian corals of the Yarrol Province, easterncentral Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 38, pp. 1–191.
- Blake, PR, Withnall, IW & Hayward, MA 1995, 'Devonian-Carboniferous stratigraphy of the southern Anakie Inlier and adjacent Drummond Basin', Queensland Geology, vol. 7, pp. 67-94.
- Bleakley, A 1993, Review of groundwater yield Section 8A, Callide Valley irrigation project, Water Resources Commission. Biloela.
- Bleakley, A 1994, Callide Valley recharge, Department of Natural Resources, Brisbane.
- Bleakley, A 2001, Callide Valley recharge, Department of Natural Resources, Brisbane.
- Blenkinsop, TG (ed.) 2005, 'Total system analysis in the Mt Isa eastern succession, final report of Project I2+3, April 2002 – March 2005', Predictive Mineral Discovery Cooperative Research Centre, Melbourne.
- Blenkinsop, TG, Huddlestone-Holmes, CR, Foster, DRW, Edmiston, MA, Lepong, P, Mark, G, Austin, JR, Murphy, FC, Ford, A & Rubenach, MJ 2008, 'The crustal scale architecture of the Eastern Succession, Mount Isa: the influence of inversion', *Precambrian Research*, vol. 163, pp. 31–49.
- Blevin, PL 1990, 'The tungsten molybdenum—bismuth hydrothermal mineralising system at Bamford Hill, northeast Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Blevin, PL 2004, 'Redox and compositional parameters for interpreting the granitoid metallogeny of eastern Australia: implications for gold-rich ore systems', Resource Geology, vol. 54, pp. 241–52.
- Blevin, PL 2010, 'Igneous metallogenic contrasts between the northern and southern New England Orogen, eastern Australia', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 40–4.

- Blevin, PL & Chappell, BW 1992, 'The role of magma sources, oxidation states and fractionation in determining the granite metallogeny of eastern Australia', Transactions of the Royal Society of Edinburgh: Earth Sciences, vol. 83, pp. 305–16.
- Blevin, PL & Chappell, BW 1996,

 'Internal evolution and metallogeny
 of Permo-Triassic high-K granites in
 the Tenterfield-Stanthorpe region,
 southern New England Orogen,
 Australia', Geological Society of Australia
 Abstracts, vol. 43, pp. 94–100.
- Blevin, PL, Chappell, BW & Allen, CM 1996, 'Intrusive metallogenic provinces in eastern Australia based on granite source and composition', *Transactions* of the Royal Society of Edinburgh: Earth Sciences, vol. 87, pp. 281–90.
- Blevin, PL & Morrison, GS 1997, 'Magmatic and hydrothermal evolution of major intrusive related gold deposits', final report of Project P425, Australian Mineral Industries Research Association, Melbourne, 293 pp.
- Blewett, RS 1997a, 'Deformation history', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 133-6.
- Blewett, RS 1997b, 'Savannah Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 454-5.
- Blewett, RS & Black, LP 1998, 'Structural and temporal framework of the Coen region North Queensland; implications for major tectonothermal events in east and north Australia', Australian Journal of Earth Sciences, vol. 45, pp. 597–609.
- Blewett, RS, Black, LP, Sun, SS, Knutson, J, Hutton, LJ & Bain, JHC 1998, 'U-Pb zircon and Sm-Nd geochronology of the Mesoproterozoic of north Queensland: implications for a Rodinian connection with the Belt Supergroup of North America', Precambrian Research, vol. 89, pp. 101-27.
- Blewett, RS, Denaro, TJ, Knutson, J, Wellman, P, Mackenzie, DE, Cruikshank, BI, Wilford, JR, von Gnielinski, FE, Pain, CF, Sun, SS & Bultitude, RJ 1997, 'Coen region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 117–38.
- Blewett, RS & Knutson, J 1997, 'Proterozoic', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 118–23.

- Blewett, RS & Trail, DS 1995, 'Ebagoola (SD54-12) Queensland 1:250 000 geological map commentary, Australian Geological Survey Organisation, Canberra.
- Blewett, RS, Trail, DS, Mackenzie, DE, Wellman, P, Knutson, J, von Gnielinski, FE, Bain, JHC, Pain, CF, Wilford, JR & Dohrenwend, JC 1995, Ebagoola (SD54-12) Queensland 1:250 000 geological map, 2nd edn, Australian Geological Survey Organisation, Canberra.
- Blewett, RS, Trail, DS & von Gnielinski, FE 1992, The stratigraphy of metamorphic rocks of the Ebagoola 1:250 000 sheet area in Cape York Peninsula, north Queensland, record no. 1992/74, Bureau of Mineral Resources, Australia, Canberra.
- Blewett, RS & Wellman, P 1994,

 'Asymmetrical lithospheric rifting in late Silurian: a cause for the Coen Orogeny and development of the Hodgkinson Basin in NE Australia?', Geological Society of Australia, Abstracts, vol. 36, pp. 12–13.
- Blewett, RS & Wilford, JR 1996, Hann River (SD54-16) 1:250 000 geological map, 2nd edn, Australian Geological Survey Organisation, Canberra.
- Bloomer, JJ 1994, 'Stratigraphy of the Calen district', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Bluck, RG, Edgecombe, DR & Yates, KR 1982, 'A-P application 1/82, 2/82, 3/82, 4/82, 5/82, 6/82, 7/82 (Charleville), Adavale Basin. Potash potential of the Boree Salt Member', unpublished report held by the Geological Survey of Queensland as CR10541.
- BMR 1986, Proserpine total magnetic intensity 1:250 000 map, Bureau of Mineral Resources, Australia, Canberra.
- Boger, SD & Hansen, D 2004, 'Metamorphic evolution of the Georgetown Inlier, northeast Queensland, Australia: evidence for an accreted Palaeoproterozoic terrane?', Journal of Metamorphic Geology, vol. 22, pp. 511–27.
- Boger, SD & Miller, IMcL 2004, 'Terminal suturing of Gondwana and the onset of the Ross-Delamerian Orogeny: the cause and effect of an early Cambrian reconfiguration of plate motions', Earth and Planetary Science Letters, vol. 219, pp. 35-48.

- Bohte, A & Kershaw, PA 1999, 'Taphonomic influences on the interpretation of the palaeoecological record from Lynch's Crater, northeastern Australia', Quaternary International, vol. 57/58, pp. 49–59.
- Boles, WE 1995, 'The world's oldest songbird', Nature, vol. 374, pp. 21-2.
- Boles, WE 1997a, 'Fossil songbirds (Passeriformes) from the early Eocene of Australia', Emu, vol. 97, pp. 43-50.
- Boles, WE 1997b, 'Hindlimb proportions and locomotion of Emuarius gidju', Memoirs of the Queensland Museum, vol. 41, pp. 235–40.
- Boles, WE 1998, 'A budgerigar

 Melopsittacus undulatus from the

 Pliocene of Riversleigh, north-western

 Queensland', Emu, vol. 98, pp. 32-5.
- Boles, WE 1999, 'Early Eocene shorebirds (Aves: Charadriiformes) from the Tingamarra Local Fauna, Murgon, Queensland, Australia', Records of the Western Australian Museum, vol. 57, supplement, pp. 229–38.
- Bonner, MH 1953, "Diatomite—West Haldon", Queensland Government Mining Journal, vol. 54, pp. 657–8.
- Boreham, CJ 1994, Origin of petroleum in the Bowen and Surat basins: implications for source, maturation and migration, record no. 1994/42, Australian Geological Survey Organisation, Canberra.
- Boreham, CJ 1995, 'Origin of petroleum in the Bowen and Surat basins: geochemistry revisited', APEA Journal, vol. 35, pp. 534–67, 579–612.
- Boreham, CJ & de Boer, RA 1998, 'Origin of Gilmore gas and oil, Adavale Basin, central Queensland', APPEA Journal, vol. 38, pp. 399-420.
- Boreham, CJ, Hope, JM & Hartung-Kagi, B 2001, 'Understanding source, distribution and preservation of Australian natural gas: a geochemical perspective', APPEA Journal, vol. 41, pp. 523–48.
- Boreham, CJ, Horsfield, B & Schenk, HJ 1999, 'Predicting the quantities of oil and gas generated from Australian Permian coals, Bowen Basin, using pyrolytic methods', Marine and Petroleum Geology, vol. 16, pp. 165–88.

- Boreham, CJ, Korsch, R & Carmichael, D 1996, 'The significance of mid-Cretaceous burial and uplift on the maturation and petroleum generation in the Bowen and Surat basins, eastern Australia', Geological Society of Australia Abstracts, vol. 43, pp. 104–13.
- Boreham, CJ & Summons, RE 1999, 'New insights into the active petroleum systems in the Cooper and Eromanga Basins, Australia', APPEA Journal, vol. 39, pp. 263–96.
- Bostock, HC, Opdyke, BN, Gagan, MK & Fifield, LK 2009, 'Late Quaternary siliciclastic/carbonate sedimentation model for the Capricorn Channel, southern Great Barrier Reef province, Australia', Marine Geology, vol. 257, pp. 107–23.
- Bosworth, W 1989, 'Melange fabrics in the unmetamorphosed external terranes of the northern Appalachians', Special Paper of the Geological Society of America, vol. 228, pp. 65-91.
- Bottomley, RJ & Koeberl, C 1999, 'The age of a separate Australian tektite event', Meteoritics and Planetary Science, vol. 34, no. 4 supplement, pp. 15–16.
- Boult, PJ, Lanzilli, E, Michaelsen, BH, McKirdy, DM & Ryan, MJ 1998, 'A new model for the Hutton/Birkhead reservoir/seal couplet and associated Birkhead-Hutton(!) petroleum system', APPEA Journal, vol. 38, pp. 724-44.
- Bowen, R 1988, Isotopes in the Earth Sciences, Springer, Berlin.
- Bowler, JM 1986, 'Spatial variability and hydrologic evolution of Australian lake basins: analogue for Pleistocene hydrologic change and evaporite formation', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 54, pp. 21–41.
- Bowman, S 1990. Interpreting the past: radiocarbon dating, University of California Press, Berkeley.
- Boyd, R, Ruming, K, Davies, S,
 Payenberg, T & Lang, S 2004,
 'Fraser Island and Hervey Bay—
 a classic modern sedimentary
 environment', in PJ Boult, DR Johns
 & SC Lang (eds), Eastern Australian
 Basins Symposium II, Adelaide,
 19–22 September 2004, Petroleum
 Exploration Society of Australia,
 special publication, pp. 511–21.

- Boyd, R, Ruming, K, Goodwin, I, Sandstrom, M & Schröder-Adams, C 2008, 'Highstand transport of coastal sand to the deep ocean: a case study from Fraser Island, southeast Australia', Geology, vol. 36, pp. 15–18.
- Boynton, WV 1984, 'Geochemistry of the rare earth elements: meteorite studies', in P Henderson (ed.), Rare earth element geochemistry, Elsevier, Amsterdam, pp. 63-114.
- Bradley, B 1994, 'Arc-related stratigraphy and sedimentology of the Early Devonian Morinish beds, Yarrol Province, central Queensland', BAppSc (hons) thesis, Queensland University of Technology, Brisbane.
- Bradshaw BE, Lindsay JF, Krassay,
 AA & Wells, AT 2000, 'A:tenuated
 basin-margin sequence stratigraphy
 of the Paleoproterozoic Calvert
 and Isa superbasins: the Fickling
 Group, southern Murphy Inlier,
 Queensland', Australian Journal of
 Earth Sciences, vol. 47, pp. 599–623.
- Bradshaw, BE & Scott, DL 1999, Integrated basin analysis of the Isa Superbasin using seismic, well-log and geo-potential data: an evaluation of the economic potential of the northern Lawn Hill Platform, record no. 1999/19, Australian Geological Survey Organisation, Canberra.
- Bradshaw, BE, Scott, DL, Krassay, AA & Southgate, PN 1998, Elizabeth Creek Prospect: buried mineral play in Century-equivalent strata, northern Lawn Hill Platform, Queensland, record no. 1998/4, Australian Geological Survey Organisation, Canberra.
- Bradshaw, BE, Spencer, LK, Lahtinen, AC, Khider, K, Ryan, DJ, Colwell, JB, Chirinos, A & Bradshaw, J 2009, Queensland carbon dioxide geological storage atlas, Queensland Department of Employment, Economic Development and Innovation, Brisbane.
- Bradshaw, J., Nicoll, RS & Bradshaw, MT 1990, 'The Cambrian to Triassic Arafura Basin, northern Australia', APEA Journal, vol. 30, pp. 107–27.
- Bradshaw, MT 1993, 'Australian petroleum systems', Journal of the Petroleum Exploration Society of Australia, vol. 21, pp. 43–53.
- Bradshaw, MT & Challinor, AB 1992, 'Regional geology and stratigraphy— Australasia', in GEG Westermann (ed.), The Jurassic of the circum-Pacific, Cambridge University Press, Cambridge, pp. 162–80.

- Bradshaw, MT, Yeates, AN, Beynon, RM, Brakel, AT, Langford, RP, Totterdell, M & Yeung, M 1988, 'Palaeogeographic evolution of the North West Shelf region', in PG Purcell & RR Purcell, (eds), The North West Shelf, Australia, Petroleum Exploration Society of Australia, Perth, pp. 29–54.
- Braga, JC & Aguirre, J 2004, 'Coralline algae indicate Pleistocene evolution from deep, open platform to outer barrier reef environments in the northern Great Barrier Reef margin', Coral Reefs, vol. 23, pp. 547–58.
- Brain, TJ, McKellar, JL & Carmichael, DC 1991, Stratigraphic drilling report—GSQ Muttaburra 1, record no. 1991/25, Geological Survey of Queensland, Brisbane.
- Braithwaite, CJR, Dalmasso, H, Gilmour, MA, Harkness, DD, Henderson, GM, Kay, RLF, Kroon, D, Montaggioni, LF & Wilson, PA 2004, 'The Great Barrier Reef: the chronological record from a new borehole', Journal of Sedimentary Research, vol. 74, pp. 298–310.
- Braithwaite, CJR & Montaggioni, LF 2009, 'The Great Barrier Reef: a 700 000 year diagenetic history', Sedimentology, vol. 56, pp. 1591–622.
- Brakel, AJ 1989, 'Chapter 9. Calen Basin', Bulletin of the Bureau of Mineral Resources Australia, vol. 231, pp. 107–10.
- Brakel, AT 1995, 'Calen Basin, Queensland', Special Publication of the Geological Society of Australia Coal Geology Group, no. 1, pp. 435-7.
- Brakel, AT, Totterdell, JM, Wells, AT & Nicoll, MG 2009, 'Sequence stratigraphy and fill history of the Bowen Basin, Queensland', Australian Journal of Earth Sciences, vol. 56, pp. 401–32.
- Branagan, DF 1975, 'Distribution and geological setting of coal measures in Australia and Papua New Guinea', Monograph of the Australian Institute of Mining and Metallurgy, no. 6, pp. 25–51.
- Branch, CD 1966, 'Volcanic cauldrons, ring complexes, and associated granites of the Georgetown Inlier, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 76, pp. 1–158.
- BREE 2011, Resources and energy statistics 2011, Bureau of Resources and Energy Economics, Canberra.

- Briese, ML 1998, 'Supergene copper ore and regolith genesis, Esperanza mine, Gunpowder, northwest Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Briggs, C 1929, 'The Brisbane Tuff', Proceedings of the Royal Society of Queensland, vol. 40, pp. 147–62.
- Briggs, DJC 1993, 'Time control in the Permian of the New England Orogen', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, University of New England, Armidale, pp. 283–92.
- Briggs, DJC 1998, 'Permian Productidina and Strophalosiidina from the Sydney-Bowen Basin and New England Orogen: systematics and biostratigraphic significance', Memoirs of the Association of Australasian Palaeontologists, vol. 19, pp. 1–258.
- Briggs, DJC & Waterhouse, JB 1982, 'Summary of formations and faunas of the Permian Back Creek Group in the south-eastern Bowen Basin, Queensland', University of Queensland Papers, Department of Geology, vol. 10, pp. 69–82.
- Brock, GA & Talent, JA 1993, 'Emsian (Early Devonian) brachiopods from the Ukalunda Beds and Douglas Creek, north Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 15, pp. 225–48.
- Brodie, R 1983, 'Geology and mineralisation of the Mole River – Silent Grove area, near Tenterfield, northern New South Wales', BSc (hons) thesis, University of New England, Armidale.
- Bron, K 2008, 'Accretionary lapilli from the Tookoonooka impact event, Australia', Proceedings of Large Meteorite Impacts and Planetary Evolution IV, August 17– 21, 2008, Vredefort Dome, South Africa, Lunar and Planetary Institute Contribution, no. 1423, p. 3072.
- Bron, K 2009, 'The Tookoonooka tsunami sequence: evidence for marine impact in Australia's Lower Cretaceous', Proceedings of the 40th Lunar and Planetary Science Conference, p. 2560.
- Bron, K 2010, 'Tookoonooka impact sedimentation: evidence for resurge cyclicity within the crater fill', Proceedings of the 41st Lunar and Planetary Science Conference, p. 2034.
- Brookfield, M 1970, 'Dune trends and wind regime in central Australia', Zeitschrift für Geomorphologie. Supplementband, vol. 10, pp. 121–53.

- Brooks, JH 1953, 'Mineral sand deposits— Tugun', Queensland Government Mining Journal, vol. 54, pp. 493–4.
- Brooks, JH 1956, 'Iron ore resources of Queensland', Queensland Government Mining Journal, vol. 57, pp. 837–43.
- Brooks, JH 1957a, Iron ore resources of Queensland, publication no. 283, Geological Survey of Queensland, Brisbane.
- Brooks, JH 1957b, "Big Beryl" mine, Mount Isa, Cloncurry Mineral Field', Queensland Government Mining Journal, vol. 58, p. 605.
- Brooks, JH 1963, 'Galah Creek beryl pegmatites, Mount Isa Mineral Field, north-western Queensland', Queensland Government Mining Journal, vol. 64, pp. 371–81.
- Brooks, JH 1964a, 'Marlborough Creek chrysoprase deposits, Rockhampton district, central Queensland', Queensland Government Mining Journal, vol. 65, pp. 135–40.
- Brooks, JH 1965a, Amethyst–quartz crystal occurrence, Back Creek, Canungra, commodity file 4–28–0, Geological Survey of Queensland, Brisbane.
- Brooks, JH 1965b, 'Occurrence of beryl and tantalite, Crystal M.L. 5560, Mica Creek, Mount Isa', Queensland Government Mining Journal, vol. 66, p. 73.
- Brooks, JH 1967, 'A prospector's guide to opal in the Yowah-Eromanga area', Queensland Government Mining Journal, vol. 68, pp. 453-7.
- Brooks, JH 1970, Summary report iron ore resources of Queensland, report no. 56, Geological Survey of Queensland, Brisbane.
- Brooks, JH 1971, Departmental diamond drilling programme—Monsidale gold—silver—lead—zinc deposits, report no. 59, Geological Survey of Queensland, Brisbane.
- Brooks, JH 1972, Uranium exploration in Queensland, 1967–71, report no. 69, Geological Survey of Queensland, Brisbane.
- Brooks, JH 1979, 'Cobalt resources of Queensland', Queensland Government Mining Journal, vol. 80, pp. 7–25.
- Brooks, JH 1984, Mineral basis for new technology in Queensland, record no. 1984/48, Geological Survey of Queensland, Brisbane.

- Brooks, JH, Houston, B & Simmonds, NAH 1964, Recent investigations of the Tenham meteorite shower, publication no. 320, Geological Survey of Queensland, Brisbane, pp. 7–12.
- Brooks, JH & Shipway, CH 1960, 'Mica Creek pegmatites, Mount Isa, north-western Queensland', Queensland Government Mining Journal, vol. 61, pp. 511–22.
- Brooks, JH & Shipway, CH 1961.

 Mica Creek pegmatites, Mount
 Isa, north-western Queensland,
 publication no. 301, Geological
 Survey of Queensland, Brisbane.
- Brooks, JH, Syvret, JN & Sawers, JD 1974, Mineral resources of the Kilkivan district, report no. 60, Geological Survey of Queensland, Brisbane.
- Brown, B, Gaina, C & Müller, RD 2006, 'Circum-Antarctic palaeobathymetry: illustrated examples from Cenozoic to recent times', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 231, pp. 158–68.
- Brown, CM, Pieters, PE & Robinson, GP 1975, 'Stratigraphic and structural development of the Aure Trough and adjacent shelf and slope areas', APEA Journal, vol. 15, pp. 61–71.
- Brown, CM, Pigrim, CJ, Skwarko, SK 1980, 'Mesozoic stratigraphy and geological history of Papua New Guinea', Palaeogeography, Palaeoclimatology Palaeoecology, vol. 29, pp. 301–22.
- Brown, DD, Carr, PA & Purdy, DJ 2012, Database of basement drill holes in the Thomson Orogen and Roma Shelf regions, Queensland, record no. 2012/06, Geological Survey of Queensland, Brisbane.
- Brown, G 1985, 'Aquamarine from Mt Surprise, Queensland, Australia', Journal of Gemmology and Proceedings of the Gemmological Association of Great Britain, vol. 19, pp. 707–22.
- Brown, GA 1963, 'A-P 94P, progress report on the geology of the Proserpine area (surface geology)', unpublished report to Ampol Exploration (Qld) Pty Ltd held by the Geological Survey of Queensland as CR1295.
- Brown, GA 1971, 'Offshore mineral exploration in Australia', Underwater Journal and Information Bulletin, vol. 3, pp. 166–76.

- Brown, GC 1982, 'Calc-alkaline intrusive rocks: their diversity, evolution, and relation to volcanic arcs', in RS Thorpe (ed.), Andesites, John Wiley & Sons, Chichester, pp. 437–61.
- Brown, PJ & Paine, AGL 1971, Proserpine (SF55-4), Queensland, 1:250 000 geological series map, Bureau of Mineral Resources, Australia, Canberra.
- Brown, RE, Henley, HF, & Stroud, WJ 2001, Exploration data package: Warwick – Tweed Heads 1:250 000 sheet area. Volume 1: geology, mineral occurrences, exploration and geochemistry', report no. GS2001/087, Geological Survey of New South Wales, Sydney.
- Brown, RS 1970, 'Stratigraphy and palaeontology of the Yarrol area', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Brownlow, J & Cross, A 2010, 'TIMS U-Pb and SHRIMP U-Pb zircon dating of the Dundee Rhyodacite, northern New England, NSW', in S Buckman & PL Blevin (eds), Proceedings of the New England Orogen 2010 conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 69-74.
- Bruce, MC 1999, 'Development of the eastern Australian margin from late Proterozoic through Palaeozoic: evidence from petrology, geochemistry and geochronology of ultramafic-mafic complexes within the Marlborough and South Island terranes of the northern New England Fold Belt', PhD thesis, University of Queensland, St Lucia, Qld.
- Bruce, MC & Niu, Y 2000a, 'Evidence for Palaeozoic magmatism recorded in the late Neoproterozoic Marlborough ophiolite, New England Fold Belt, central Queensland', Australian Journal of Earth Sciences, vol. 47, pp. 1065–76.
- Bruce, MC & Niu, Y 2000b, 'Early Permian supra-subduction assemblage of the South Island terrane, Percy Isles, New England Fold Belt, Queensland', Australian Journal of Earth Sciences, vol. 47, pp. 1077–85.
- Bruce, MC, Niu, Y, Harbort TA & Holcombe, RJ 2000, 'Petrological, geochemical and geochronological evidence for a Neoproterozoic ocean basin recorded in the Marlborough terrane of the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 47, pp. 1053–64.

- Brunskill, GJ, Woolfe, KJ & Zagorskis, I 1995, 'Distribution of riverine sediment chemistry on the shelf, slope and rise of the Gulf of Papua', Geo-Marine Letters, vol. 15, pp. 160-5.
- Bruvel, FJ 1993, 'A decade of successful gold exploration in Queensland— 1982–1992', Queensland Government Mining Journal, vol. 94, pp. 10–17.
- Bruvel, FJ 1994, 'Queensland mineral commodity report, gold', Queensland Government Mining Journal, vol. 95, pp. 10-23.
- Bruvel, FJ 1996a, 'Queensland mineral commodity report, gold', Queensland Government Mining Journal, vol. 97, pp. 8–12.
- Bruvel, FJ 1996b, 'Queensland mineral commodity report, alluvial gold', Queensland Government Mining Journal, vol. 97, pp. 6–16.
- Bruvel, FJ 1997, 'Queensland mineral commodity report, gold', Queensland Government Mining Journal, vol. 98, pp. 9–15.
- Bruvel, FJ 1998, 'Queensland mineral commodity outlook, gold', Queensland Government Mining Journal, vol. 99, pp. 10-13.
- Bruvel, FJ 2001a, 'Commodity outlook, dimension stone', Queensland Government Mining Journal, vol. 101, pp. 12–14.
- Bruvel, FJ 2001b, 'Commodity outlook, silica', Queensland Government Mining Journal, vol. 101, pp. 46-8.
- Bruvel, FJ 2001c, 'Commodity outlook, gold', Queensland Government Mining Journal, vol. 101, pp. 32-5.
- Bruvel, FJ, Bultitude, RJ, Culpeper, LG, Garrad, PD, Lam, JSF & Morwood, DA 1991, Mineral occurrences—Ravenshoe 1:100 000 sheet area, Queensland, record no. 1991/5, Geological Survey of Queensland, Brisbane.
- Bruvel, FJ, Ewington, DJ & Jones, MR 1995, 'Magnetite in Queensland', Queensland Government Mining Journal, vol. 96, pp. 23–31.
- Bryan, R 1956, 'The geology of the Eumundi-Cooroy area', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Bryan, SE 1991, 'Geology and geochemistry of the southern Molle Group, the Whitsundays, northeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.

- Bryan, SE 2007, 'Silicic large igneous provinces', Episodes, vol. 30, pp. 20-31.
- Bryan, SE, Allen, CM, Holcombe, RJ & Fielding, CR 2004b, 'U-Pb zircon geochronology of Late Devonian to early Carboniferous extension-related silicic volcanism in the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 51, pp. 645-64.
- Bryan, S, Constantine, AE, Stephens, CJ, Ewart, A, Schon, RW & Parianos, J 1996, 'The Whitsunday Volcanic Province (central Queensland) and the Gippsland/Otway basins (Victoria): a comparison of Early Cretaceous rift-related volcano-sedimentary successions', Geological Society of Australia Abstracts, vol. 43, pp. 124-33.
- Bryan, SE, Constantine, AE, Stephens, CJ, Ewart, A, Schön, RW & Parianos, J 1997, 'Early Cretaceous volcanosedimentary successions along the eastern Australian continental margin: implications for the break-up of eastern Gondwana', Earth Planetary Science Letters, vol. 153, pp. 85–102.
- Bryan, SE, Cook, AG, Allen, CM, Siegel, S, Purdy, DJ, Greentree, J & Uysal, IT 2012, 'Early-mid Cretaceous tectonic evolution of eastern Gondwana: from Silicic LIP magmatism to continental rupture', Episodes, vol. 35, pp. 141–52.
- Bryan, SE & Ernst, RE 2008, 'Revised definition of large igneous provinces (LIPs)', Earth Science Reviews, vol. 86, pp. 175-202.
- Bryan, SE, Ewart, A, Stephens, CJ,
 Parianos, J & Downes, PJ 2000, 'The
 Whitsunday Volcanic Province, central
 Queensland, Australia: lithological and
 stratigraphic investigations of a silicicdominated large igneous province',
 Journal of Volcanology and Geothermal
 Research, vol. 99, pp. 55–78.
- Bryan, SE, Fielding, CR, Holcombe, RJ & Cook, AG 2004a, 'Reply. Stratigraphy, facies architecture and tectonic implications of the Upper Devonian Campwyn Volcanics of the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 51, pp. 453–8.
- Bryan, SE, Fielding, CR, Holcombe, RJ, Cook, AG & Moffitt, CA 2003, 'Stratigraphy, facies architecture and tectonic implications of the Upper Devonian Campwyn Volcanics of the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 50, pp. 377–401.

- Bryan, SE, Holcombe, RJ & Fielding, CR 2001, 'Yarrol terrane of the northern New England Fold Belt: forearc or backarc?', Australian Journal of Earth Sciences, vol. 48, pp. 293–316.
- Bryan, SE, Holcombe, RJ & Fielding, CR 2003, 'Reply. Yarrol terrane of the northern New England Fold Belt: forearc or backarc?', Australian Journal of Earth Sciences, vol. 50, pp. 278–93.
- Bryan, SE & Jerram, DA 2011, VF02: The Whitsunday Silicic Large Igneous Province: An IAVCEI Large Igneous Provinces Commission Field Workshop, Field Guide, International Union of Geodesy and Geophysics General Assembly, Melbourne, pp. 1–67.
- Bryan, SE, Riley, TR, Jerram, DA, Stephens, CJ & Leat, PT 2002, "Silicic volcanism: an undervalued component of large igneous provinces and volcanic rifted margins", Special Paper of the Geological Society of America, vol. 362, pp. 99–120.
- Bryan, SE & Smith, RT 2003, Clastic dykes in ignimbrites: a feature of phreatomagmatic calderas?, miscellaneous publication no. 116A, Geological Society of New Zealand, p. 23.
- Bryan, WH 1914, 'Geology and petrology of the Enoggera Granite and allied intrusions. Part 1. General geology', Proceedings of the Royal Society of Queensland, vol. 26, pp. 141–62.
- Bryan, WH 1922, 'Geology and petrology of the Enoggera Granite and allied intrusions. Part 2. Petrology', Proceedings of the Royal Society of Queensland, vol. 34, pp. 123–60.
- Bryan WH 1925, 'Earth movements in Queensland (Presidential Address)', Proceedings of the Royal Society of Queensland, vol. 37, pp. 1–82.
- Bryan, WH 1939, 'The red earth residuals and their significance in south-eastern Queensland', Proceedings of the Royal Society of Queensland, vol. 50, pp. 21–32.
- Bryan, WH 1959, 'New names in Queensland stratigraphy. Silverwood area', Australian Oil and Gas Journal, vol. 5, no. 11, pp. 31–2.
- Bryan, WH 1960, 'The Wildash Group (Warwick area)', Journal of the Geological Society of Australia, vol. 7, pp. 228-9.
- Bryan, WH 1969a, 'Volcanic rocks from the Bunya Mountains, Queensland, Australia', Carnegie Institute of Washington Yearbook, vol. 67, pp. 244-7.

- Bryan, WH 1969b, 'An olivine gabbro-microsyenite intrusion from the Carnarvon Range, Queensland, Australia', Carnegie Institute of Washington Yearbook, vol. 67, pp. 247–50.
- Bryan, WH 1983, 'Petrogenetic relations of basalts and related lavas, Bunya Mountains and Carnarvon Range, Queensland', Proceedings of the Royal Society of Queensland, vol. 94, pp. 69–84.
- Bryan WH & Jones OA 1946, 'The geological history of Queensland—a stratigraphical outline', *University of Queensland Papers*, *Department of Geology*, vol. 2, no. 12, pp. 1–103.
- Bryan, WH & Jones, OA 1950,
 'Contributions to the geology of
 Brisbane, no. 1. Local applications of the
 standard stratigraphical nomenclature',
 Proceedings of the Royal Society of
 Queensland, vol. 61, pp. 13–18.
- Bryan, WH & Jones, OA 1954,
 'Contributions to the geology of
 Brisbane, no. 2. The structural history
 of the Brisbane Metamorphics',
 Proceedings of the Royal Society of
 Queensland, vol. 65, pp. 25–50.
- Bryan, WH & Massey, CH 1926, 'The geological range of the Tiaro series', Proceedings of the Royal Society of Queensland, vol. 37, pp. 108–20.
- Bryan, WH & Richards, HC 1933, 'The problem of the Brisbane Tuff', Proceedings of the Royal Society of Queensland, vol. 45, pp. 1–50.
- Bryan, WH & Whitehouse, FW 1935, The Gayndah earthquake of 1935', University of Queensland Papers, Department of Geology, vol. 1, no. 6, pp. 1–14.
- Bryant, CB, Arculus, RJ & Chappell, BS 1997, 'Clarence River Supersuite: 250 Ma Cordilleran tonalitic I-type intrusions in eastern Australia', Journal of Petrology, vol. 38, pp. 975–1001.
- Bryant, CJ & Chappell, BS 2010, 'New England Batholith: unravelling the compositional diversity', in S Buckman & PL Blevin (eds), Proceedings of the New England Orogen 2010 conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 75–80.
- Bryant, CB, Chappell, BS & Blevin, PL 2003, Granites of the southern New England Orogen, record no. 2003/14, Geoscience Australia, Canberra, pp. 9–11.

- Buchanan, LA 2009, 'Kambara taraina sp. nov. (Crocodylia, Crocodyloidea), a new Eocene mekosuchine from Queensland, Australia, and a revision of the genus', Journal of Vertebrate Paleontology, vol. 29, pp. 473–86.
- Buchester, KJ 1971, The Australian gemhunter's guide, Ure Smith, Sydney.
- Buck, A 2008, 'The Mount Marcella Volcanics: Middle Triassic convergent margin volcanism in southeast Queensland', MSc thesis, Queensland University of Technology, Brisbane.
- Budd, AR, Wyborn, LAI & Bastrakova, IV 2001, The metallogenic potential of Australian Proterozoic granites, record no. 2001/12, Geoscience Australia.
- Buick, IS, Miller, JA, Williams, IS & Cartwright, I 2001, 'Ordovician highgrade metamorphism of a newly recognised late Neoproterozoic terrane in the northern Harts Range, central Australia', Journal of Metamorphic Geology, vol. 19, pp. 373–94.
- Bultitude, RJ 1982, Ardmore, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Bultitude, RJ 1997, 'Kondaparinga Formation', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 259.
- Bultitude, RJ, Blake, DH, Mock, CM & Donchak, PJT 1982, Duchess region Queensland 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Bultitude, RJ & Champion, DC 1992, Granites of the eastern Hodgkinson Province—their field and petrographic characteristics, record no. 1992/6, Queensland Resource Industries, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Champion, DC &
 Mackenzie, DE 1993, New and revised
 intrusive units in the Chillagoe
 Region, north Queensland, record
 no. 1993/28, Geological Survey
 of Queensland, Brisbane.
- Bultitude, RJ & Domagala, J 1988, Geology of the Bellevue 1:100 000 sheet area, northeastern Queensland—preliminary data, record no. 1988/5, Geological Survey of Queensland, Brisbane.

- Bultitude, RJ & Donchak, PJT 1992, Pre-Mesozoic stratigraphy and structure of the Maytown region, record no. 1992/5, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Donchak, PJT, Domagala, J & Fordham, BG 1993, The Pre-Mesozoic stratigraphy and structure of the western Hodgkinson Province and environs, record no. 1993/29, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Donchak, PJT, Domagala, J, Fordham, BG & Champion, DC 1990, 'Geology and tectonics of the Hodgkinson Province, north Queensland', Proceedings of the Pacific Rim Congress 90, volume III, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 75–81.
- Bultitude, RJ, Donchak, PJT, Domagala, J, Knutson, J & Wellman, P 1997b, 'Barnard Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 462-4.
- Bultitude, RJ, Donchak, PJT, Domagala, J, Robertson, AD, Grimes, KG & Jorgensen, PJ 1991, Geology of the Cooktown 1:100 000 sheet area, north Queensland, record no. 1991/7, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Fanning, CM, Champion, DC & Rees, ID 1996b, 'Pre-Silurian rocks of the Barnard Metamorphics: a basement? block on the SE margin of the Hodgkinson Province, North Queensland', Geological Society of Australia, Abstracts, vol. 41, p. 69.
- Bultitude, RJ, Garrad, PD, Donchak, PJT, Domagala, J, Champion, DC, Rees, ID, Mackenzie, DE, Wellman, P, Knutson, J, Fanning, CM, Fordham, BG, Grimes, KG, Oversby, BS, Rienks, IP, Stephenson, PJ, Chappell, BS, Pain, CF, Wilford, JR, Rigby, JF & Woodbury, MJ 1997a, 'Cairns region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 225–325.
- Bultitude, RJ, Garrad, PD, Wegner, S, Donchak, PJT & Fanning, CM 1999, Innisfail (SE55-6) Queensland, 1:250 000 geological series explanatory notes', 2nd edn, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Garrad, PD, Young, D,
 Donchak, PJT & Fordham, BG 2002,
 Mungana (7763) Queensland; 1:100 000
 geological map commentary, Geological
 Survey of Queensland, Department of
 Natural Resources and Mines, Brisbane.

- Bultitude, RJ & Rees, IR 1994, 'Granulite facies rocks in Cape York Peninsula', Queensland Government Mining Journal, vol. 95, pp. 17–22.
- Bultitude, RJ & Rees, IR 1996, Walsh (SE54-4), Queensland 1:250 000 geological series explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ & Rees, IR 1997, 'Deformation and event history. Barnard Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 262.
- Bultitude, RJ, Rees, ID & Garrad, PD 1995, Bellevue region (7764, part 7774) 1:100 000 map commentary, Geological Survey of Queensland, Brisbane.
- Bultitude, RJ, Rees, ID, Garrad, PD, Champion, DC & Fanning, CM 1996a, Mossman (SE55-1), Queensland, 1:250 000 geological series explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Bunny, MR 1971, 'A to P 97C. Geology of the Calen Authority to Prospect (coal) held by Petrocarb Exploration NL', unpublished report held by the Geological Survey of Queensland as CR3551.
- Burch, GJ 1999, 'The geology and mineralisation of the Mount Mackenzie region, central south-eastern Queensland', BSc (hons) thesis, Australian National University, Canberra.
- Burger, D 1973, 'Spore zonation and sedimentary history of the Neocomian, Great Artesian Basin, Queensland', Special Publications of the Geological Society of Australia, vol. 4, pp. 87–118.
- Burger, D 1977, 'Palynomorphs from Eromanga Basin formations in QDM Aramac 1 well', Queensland Government Mining Journal, vol. 78, pp. 331–6.
- Burger, D 1980, 'Palynology of the Lower Cretaceous in the Surat Basin', Bulletin of the Bureau of Mineral Resources Australia, vol. 189, pp. 1–106.
- Burger D 1982, 'Palynological examination of Late Mesozoic sediments in GSQ Hughenden 7, and notes on geological events in the northern Eromanga Basin', Queensland Government Mining Journal, vol. 83, pp. 421–32.
- Burger, D 1986, 'Palynology, cyclic sedimentation, and palaeoenvironments in the late Mesozoic of the Eromanga Basin', Special Publication of the Geological Society of Australia, vol. 12, pp. 53–70.

- Burger, D 1989, Stratigraphy, palynology, and palaeoenvironments of the Hooray Sandstone, eastern Eromanga Basin, Queensland and New South Wales, report no. 3, Queensland Department of Mines, Brisbane.
- Burger, D, Foster, CB & McKellar, JL 1992, A review of Permian to Cretaceous palynostratigraphy in eastern Australia, record no. 1992/5, Bureau of Mineral Resources, Australia, Canberra.
- Burger, D & Senior, BR 1979, 'A revision of the sedimentary and palynological history of the northeastern Eromanga Basin, Queensland', Journal of the Geological Society of Australia, vol. 26, pp. 121–32.
- Burke, WC 1995, 'Cryptic variation and crystallisation conditions of the Eulogie Park Gabbro, central east Queensland', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Burns, RE & Andrews, JE 1973, 'Regional aspects of deep sea drilling in the Southwest Pacific', *Initial Reports of the Deep Sea Drilling Project*, vol. 21, pp. 897–906.
- Burns, RE, Andrews, JE, van der Lingen, GJ, Churkin, MJr, Galehouse, JS, Packham, GH, Davies, TA, Kennett, JP, Dumitrica, P, Edwards, AR, & vonHerzen, RP 1973a, 'Site 209', Initial Reports of the Deep Sea Drilling Project, vol. 21, pp. 333-67.
- Burns, RE, Andrews, JE, van der Lingen, GJ, Churkin, MJr, Galehouse, JS, Packham, GH, Davies, TA, Kennett, JP, Dumitrica, P, Edwards, AR, & vonHerzen, RP 1973b, 'Site 210', Initial Reports of the Deep Sea Drilling Project, vol. 21, pp. 369-440.
- Burns, WC 1961, 'Geology of the Mary Valley manganese belt', Queensland Government Mining Journal, vol. 62, pp. 234–8.
- Burrett, C & Berry, R 2000, 'Proterozoic Australia-Western United States (AUSWUS) fit between Laurentia and Australia', Geology, vol. 28, pp. 103-6.
- Burrow, CJ 2004, 'Acanthodians with dentigerous jaws: the Ischnacanthiformes and Acanthodopsis', Fossils and Strata, vol. 50, pp. 8–22.
- Burrow, CJ & Turner, S 2002, 'Unusual preservation of vertebrate remains from the Carboniferous of north Queensland', Geological Society of Australia Abstracts, vol. 68, p. 193.

- Burton, GR 2010, 'New structural model to explain geophysical features in northwestern New South Wales: implications for the tectonic framework of the Tasmanides', Australian Journal of Earth Sciences, vol. 57, pp. 23–49.
- Butler, HR 1974, 'The geology of the Stanthorpe-Leyburn mineral district, Queensland and New South Wales', BSc (hons) thesis, University of New England, Armidale.
- Callcott, TG, Callcott, R & Quinn,GS 1990, 'Review of coal characteristics of the Bowen Basin', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium 1990, Geological Society of Australia, Queensland Division, Brisbane, pp. 47–53.
- Callen, RA, Alley, NF & Greenwood, DR 1995, 'Lake Eyre Basin', Bulletin of the Geological Survey of South Australia, vol. 54, pp. 188–94.
- Calvert, FJ 1959, Water resources investigations—report on groundwater investigations—Herbert River Delta, Irrigation and Water Supply Commission, Brisbane.
- Camacho, A, Hensen, BJ & Armstrong, R 2002, 'Isotopic test of a thermally driven intraplate orogenic model, Australia', Geology, vol. 30, pp. 887–90.
- Camacho, A & McDougall, I 2000, 'Intracratonic, strike-slip partitioned transpression and the exhumation of eclogite facies shear zones, Musgrave block, central Australia', Tectonics, vol. 19, pp. 978–96.
- Cameron, JB 1970, The Rosewood-Walloon coalfield, publication no. 344, Geological Survey of Queensland, Brisbane.
- Cameron, WE 1901, Geological observations in north-western Queensland, annual report 1900, Geological Survey of Queensland, Brisbane, pp. 10–15.
- Cameron, WE 1902, The coal beds of Waterpark Creek near Rockhampton, publication no. 174, Geological Survey of Queensland, Brisbane.
- Cameron, WE 1903, 'Iron ores in Queensland', Queensland Government Mining Journal, vol. 4, p. 126.
- Cameron, WE 1904, 'Wolfram and molybdenite mining in Queensland', Queensland Government Mining Journal, vol. 5, pp. 62–5.

- Cameron, WE 1907, Second report on the West Moreton (Ipswich) Coalfield, with special reference to the Bundamba District, publication no. 204, Geological Survey of Queensland, Brisbane.
- Cameron, WE 1911, 'Olivines in the Toowoomba Ranges', Queensland Government Mining Journal, vol. 12, p. 118.
- Cameron, WE 1916, 'The Ipswich coalfield', Queensland Government Mining Journal, vol. 17, p. 371.
- Cameron, WE 1923, Geological map on the Ipswich and Bundamba coalfields, publication no. 271, 6 sheets, Geological Survey of Queensland, Brisbane.
- Campbell, IB & O'Driscoll, EST 1989,

 'Lineament-hydrocarbon associations in the Cooper and Eromanga Basin', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia, Petroleum Exploration Society of Australia, Society of Petroleum Engineers and Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 295–313.
- Campbell, KSW 1952, 'The geology of the Cressbrook-Buaraba area', University of Queensland Papers, Department of Geology, vol. 3, no. 15, pp. 1–44.
- Campbell, KSW 1960, 'The Brisbane Valley', Journal of the Geological Society of Australia, vol. 7, pp. 223-4.
- Campbell, KSW & McKellar, RG 1969, "Eastern Australian Carboniferous invertebrates: sequence and affinities', in KSW Campbell (ed.), Stratigraphy and palaeontology: essays in honour of Dorothy Hill, Australian National University Press, Canberra, pp. 77–119.
- Campbell, LM 2005, 'Basin analysis and tectonic evolution of the Esk Trough in southeast Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Campbell, LM, Holcombe, RJ & Fielding, CR 1999, 'The Esk Basin—a Triassic foreland basin within the northern New England Orogen', in PG Flood (ed.), New England Orogen: regional geology, tectonics and metallogenesis, Department of Earth Sciences, University of New England, Armidale, pp. 275–84.
- Campbell, MD & King, JD 2009, "AusPotash Corporation Project: Adavale Basin, Queensland, Australia", report no. NI 43–101 by MD Campbell & Associates, Houston, Texas.

- Cande, SC & Mutter, JC 1982, 'A revised identification of the oldest sea-floor spreading anomalies between Australia and Antarctica', Earth and Planetary Science Letters, vol. 58, pp. 151–60.
- Cande, SC & Stock, JM 2004, 'Pacific— Antarctic—Australia motion and the formation of the Macquarie Plate', Geophysical Journal International, vol. 157, pp. 399–414.
- Candela, PA & Blevin, PL 1995, 'Do some miarolitic granites preserve evidence of magmatic volatile phase permeability?', Economic Geology, vol. 90, pp. 2310–16.
- Caprarelli, G & Leitch, EC 1998, 'Magmatic changes during the stabilisation of a cordilleran fold belt: the late Carboniferous-Triassic igneous history of eastern New South Wales, Australia', Lithos, vol. 45, pp. 413-30.
- Carey, SW & Browne, WR 1938, 'Review of the Carboniferous stratigraphy, tectonics and palaeogeography of New South Wales and Queensland', Journal and Proceedings of the Royal Society of New South Wales, vol. 71, pp. 591–614.
- Carlson, CT & Wilson, TC 1968a,

 'Capricorn no. 1 well completion
 report', Bureau of Mineral Resources
 Petroleum Search Subsidy Act
 Publication, pp. 1–22, unpublished
 report held by the Geological Survey
 of Queensland as CR2408.
- Carlson, CT & Wilson, TC 1968b,
 'Aquarius no. 1 well completion
 report', Bureau of Mineral Resources
 Petroleum Search Subsidy Act
 Publication, pp. 1–25, unpublished
 report held by the Geological Survey
 of Queensland as CR2438.
- Carlson, OJ 1944, 'Exploitation of minerals in beach sands on the south coast', Queensland Government Mining Journal, vol. 45, pp. 144–5.
- Carlson, OJ 1948, 'Mining the beach sands of Queensland', Queensland Government Mining Journal, vol. 49, pp. 476–82.
- Carlson, OJ 1950, 'The beach sands mineral industry of south east Queensland', Queensland Government Mining Journal, vol. 51, pp. 493-8.
- Carmichael, DC 1997, 'Bentonites in Queensland', Geological Society of Australia, Abstracts, vol. 43, pp. 134-6.

- Carpentaria Exploration Co. Pty Ltd 1971, 'A-P 664M Carrier, NW Qld, annual report', unpublished report held by the Geological Survey of Queensland as CR3865.
- Carr, AF 1975a, 'Pascoe River district, Q', Monographs of the Australasian Institute of Mining and Metallurgy, no. 6, pp. 56–7.
- Carr, AF 1975b, 'Laura Basin, Q', Monographs of the Australasian Institute of Mining and Metallurgy, no. 6, pp. 309-10.
- Carr, GR, Denton, GJ, Korsch, MJ, Parr, JM, Andrew, AS, Whitford, D, Wyborn, LAI & Sun, SS 2001, User friendly isotope technologies in mineral exploration: northern Australian Proterozoic basins, final report, project no. P480, Australian Mineral Industry Research Association, Melbourne, 4 vols, pp. 1–328.
- Carr, GR, Sun, SS, Page, RW & Hinman, M 1996, 'Recent developments in the use of lead isotope model ages in Proterozoic terrains', James Cook University of North Queensland, Economic Geology Research Unit Contribution, vol. 55, pp. 33–5.
- Carrigg, JA 1982, 'A to P 2442M, Nagoorin oil shale deposit, six-monthly report for the period 29th May 1981 28th November 1981', unpublished report held by the Geological Survey of Queensland as CR10129.
- Carrigg, JA, Reeves, SJ & McIver, RG 1989, 'A preview of the geology and geochemistry of the Bucknalla Complex, Westwood, central Queensland', in WG Whitaker (ed.), 1989 Field conference, Rockhampton region, Geological Society of Australia, Queensland Division, Brisbane, pp. 28–38.
- Carson, CJ, Hutton, LJ, Withnall, IW, & Perkins, WG 2008, Summary of results: Joint GSQ-GA geochronology project Mount Isa region Urandangi, Cloncurry, Duchess and Dobbyn 1:250 000 sheet areas, record no. 2008/05, Geological Survey of Queensland, Brisbane.

- Carson, CJ, Hutton, LJ, Withnall, IW, Perkins, WG, Donchak, PJT, Parsons, A, Blake, PR, Sweet, IP, Neumann, NL & Lambeck, A 2011, Joint GSQ-GA NGA geochronology project—Mount Isa region, 2009–2010, record no. 2011/3, Geological Survey of Queensland, Brisbane.
- Carson, CJ, von Gnielinski, FE & Bultitude, RJ 2006, Results of the joint GSQ-GA geochronology project New England Orogen. Rosedale, Mount Perry and Gladstone 1:100 000 sheet areas March 2006 - October 2006, record no. 2006/1, Geological Survey of Queensland, Brisbane.
- Carter, EK, Brooks, JH & Walker, KR 1961, 'The Precambrian mineral belt of north-western Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 51, pp. 1–344.
- Carter, EK & Opik, AA 1963, Duchess (SF54-6), Qld 4-mile geological series, explanatory notes, Bureau of Mineral Resources, Canberra.
- Carter, RM & Johnson, DP 1986, 'Sea-level controls on the postglacial development of the Great Barrier Reef, Queensland', Marine Geology, vol. 71, pp. 137–64.
- Carter, SR 1948, 'Third report on coal exploration. First phase, diamond drilling, Oxley Creek Torrens Creek area. Second phase, shaft sinking and driving, Oxley Creek Dingo Creek area, Hughenden district, Queensland', unpublished report held by the Geological Survey of Queensland as CR127.
- Cas, RA 1989, 'Physical volcanology', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 55–87.
- Casey, DJ 1968, Review of the work of the Geological Survey of Queensland in the development of water resources in the Great Artesian Basin, report no. 23, Geological Survey of Queensland, Brisbane.
- Casey, DJ 1970, Northern Eromanga Basin, report no. 41, Geological Survey of Queensland, Brisbane.
- Casey, JN 1959, 'New names in Queensland stratigraphy (Part 5)', Australian Oil and Gas Journal, vol. 5, no. 12, pp. 31-6.
- Casey, JN, Reynolds, MA, Dow, DB, Pritchard, PS, Vine, RR & Paten, RJ 1960, The geology of the Boulia area, western Queensland, record no. 1960/12, Bureau of Mineral Resources Australia, Canberra.

- Casley, ZWD 1993, 'Geology and environmental geochemistry of the Agricola Gold Mine Southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Cawood, PA 1976, 'Cambro-Ordovician strata, northern New South Wales', Search, vol. 7, pp. 378-9.
- Cawood, PA 2005, 'Terra Australis Orogen: Rodinia breakup and development of the Pacific and lapetus margins of Gondwana during the Neoproterozoic and Palaeozoic', Earth Science Reviews, vol. 69, pp. 249–79.
- Cawood, PA & Korsch, RJ 2008, "Assembling Australia: Proterozoic building of a continent", Precambrian Research, vol. 166, pp. 1–38.
- Cawood, PA, Kröner, A, Collins WJ, Kusky, TM, Mooney, WD & Windley, BF 2009, 'Accretionary orogens through earth history', Geological Society of London, Special Publication, vol. 318, pp. 1–36.
- Cawood, PA, Pisarevsky, SA & Leitch, EC 2011, "Unraveling the New England orocline, east Gondwana accretionary margin', Tectonics, vol. 30, TC5002.
- CERA 2006, A review of earthquake services for the state of Queensland for both current and future activities. Report for the Queensland Department of Main Roads by the Centre for Earthquake Research in Australia, Brisbane, pp. 1–182.
- Chamberlin, RM 1994, 'Indications of a faulted and mineralised Late Triassic caldera margin near Eumundi, south-eastern Queensland', Queensland Government Mining Journal, vol. 95, pp. 20–37.
- Chamberlin, RM 1997, Geological maps, structural data, assay data and petrological descriptions for railroad cuttings in the Triassic North Arm Volcanics, Eumundi Deviation North Coast Railway, southeastern Queensland, record no. 1997/7, Geological Survey of Queensland, Brisbane.
- Champion, DC 1984, 'Geology and geochemistry of the Mount Jukes Intrusive Complex', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Champion, DC 1991, 'Petrogenesis of the felsic granitoids of far north Queensland', PhD thesis, Australian National University, Canberra.

- Champion, DC & Bultitude, RJ 1994,
 Granites of the eastern Hodgkinson
 Province. II. Their geochemical and
 Nd-Sr isotopic characteristics and
 implications for petrogenesis and
 crustal structure in North Queensland,
 record no. 1994/1, Geological
 Survey of Queensland, Brisbane.
- Champion, DC & Bultitude, RJ 2003, Granites of north Queensland, record no. 2003/14, Geoscience Australia, Canberra, pp. 19–23.
- Champion, DC & Bultitude, RJ in press, 'The geochemical and Sr-Nd isotopic characteristics of Palaeozoic S-type granites of north Queensland: implications for S-type granite petrogenesis. LIthos.
- Champion, DC, Bultitude, RJ & Blevin, PL 2010, 'Geochemistry and isotope systematics of Carboniferous to Triassic felsic magmatism in northeastern Australia—putting the New England Orogen in its place', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 112–18.
- Champion, DC & Chappell, BW 1992, 'Petrogenesis of felsic I-type granites: an example from northern Queensland', Transactions of the Royal Society of Edinburgh, Earth Sciences, vol. 83, pp. 115–26.
- Champion DC & Heinemann, MA 1994, Igneous rocks of northern Queensland: 1:500 000 map and explanatory notes, record no. 1994/11, Australian Geological Survey Organisation, Canberra.
- Champion, DC, Kositcin, N, Huston, DL, Mathews, E & Brown, C 2009, Geodynamic synthesis of the Phanerozoic of eastern Australia and implications for metallogeny, record no. 2009/18, Geoscience Australia, Canberra.
- Champion, DC & Mackenzie, DE 1994, Igneous rocks of north Queensland, Australian Geological Survey Organisation, Metallogenic Atlas Series, no. 2.
- Chaney, AJ, Cubitt, CJ & Williams, BPJ 1997, 'Reservoir potential of glacio-fluvial sandstones: Merrimelia Formation, Cooper Basin, South Australia', APPEA Journal, vol. 37, pp. 154–76.

- Channon, GJ & Wood, GR 1989, 'Stratigraphy and hydrocarbon prospectivity of Triassic sediments in the northern Cooper Basin, South Australia', South Australian Department of Mines and Energy, Confidential Envelope, no. 8126.
- Chapman, F 1935, 'Report on samples of subsurface Tertiary rocks and a bore sample containing ostracods from Queensland', *Proceedings of the Royal Society of Queensland*, vol. 46, pp. 66–71.
- Chapman, LC 2004, 'Geology and mineralisation styles of the George Fisher Zn-Pb-Ag deposit, Mount Isa, Australia', Economic Geology, vol. 99, pp. 233-55.
- Chappell, BW 1994, 'Lachlan and New England: fold belts of contrasting magmatic and tectonic development', Journal and Proceedings of the Royal Society of New South Wales, vol. 127, pp. 47–59.
- Chappell, BW 1999, 'Aluminium saturation in I- and S-type granites and the characterization of fractionated haplogranites', Lithos, vol. 46, pp. 535–51.
- Chappell, BW 2010, 'A chemical database for the New England Batholith', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 119–23.
- Chappell, BW, Blevin, PL & Bryant, CJ 1999, 'Moonbi Supersuite: evolution from partially melted juvenile crust to strongly fractionated leucogranites', in PG Flood (ed.), New England Orogen: regional geology, tectonics and metallogenesis, Department of Earth Sciences, University of New England, Armidale, pp. 295–6.
- Chappell, BW & Bryant, CJ 1994, 'New England Batholith granites: chemical data', Report for Project P147B, Australian Mineral Industry Research Organisation, Melbourne.
- Chappell, BW & White, AJR 1974, 'Two contrasting granite types', *Pacific Geology*, vol. 8, pp. 173–4.
- Chappell, BW & White, AJR 1984, 'I- and S-type granites in the Lachlan Fold Belt, southeastern Australia', in KQ Xu & GC Tu (eds), Geology of granites and their metallogenetic relations, Science Press, Beijing, pp. 87–101.

- Chappell, BW & White, AJR 2001, 'Two contrasting granite types: 25 years later, 'Australian Journal of Earth Sciences, vol. 48, pp. 489–99.
- Chappell, BW, White, AJR & Hine, R 1988, 'Granite provinces and basement terranes in the Lachlan Fold Belt, southeastern Australia', Australian Journal of Earth Sciences, vol. 35, pp. 505–21.
- Chaproniere, GCH, Pigram, CJ, Symonds, PA & Davies, PJ 1990, The northeast Australian margin and adjacent areas a biostratigraphic review and geohistory analysis, record no. 1990/7, Bureau of Mineral Resources, Australia, Canberra.
- Chen, D 2002, Seawater intrusion at North Stradbroke Island: preliminary modelling and interpretations, Department of Natural Resources and Mines, Brisbane.
- Chen, D 2003, North Stradbroke
 Island whole-of-island groundwater
 management model, final report,
 Department of Natural Resources
 and Mines, Brisbane.
- Chen, YS 1988, 'Early Holocene population expansion of some rainforest trees at Lake Barrine, Queensland', Australian Journal of Ecology, vol. 13, pp. 225–33.
- Chern, PKZN 2004, 'Patterns of coal sedimentation in the Ipswich Basin, Southeast Queensland', MSc thesis, Queensland University of Technology, Brisbane.
- Chillagoe Caving Club 1988, Chillagoe karst: a speleological field guide to the towers and caves of the Chillagoe–Mungana–Rookwood areas in far north Queensland, Australia, Chillagoe Caving Club, Cairns.
- Chivas, AR, de Deckker, P, Nind, M, Thiriet, D & Watson, G 1986, 'The Pleistocene palaeoenvironmental record of Lake Buchanan: an atypical Australian playa', *Palaeogeography*, *Palaeoclimatology*, *Palaeoecology*, vol. 54, pp. 131–52.
- Chivas, AR, Garcia, A, van der Kaars, S, Couapel, MJJ, Holt, S, Reeves, JM, Wheeler, DJ, Switzer, AD, Murray-Wallace, CV, Banerjee, D, Price, DM, Wang, SX, Pearson, G, Edgar, NT, Beaufort, L, de Deckker, P, Lawson, E & Cecil, CB 2001, 'Sea-level and environmental changes since the last interglacial in the Gulf of Carpentaria, Australia: an overview', Quaternary International, vol. 83–5, pp. 19–46.

- Chopping, R & Henson, PA (eds) 2009, 3D map and supporting geophysical studies in the north Queensland region, record no. 2009/29, Geoscience Australia, Canberra.
- Chui Chong, ES 1969, Baralaba–Moura– Kianga–Theodore coalfield, correlation of coal seams between Moura no. 1 area and the southern boundary of the Thiess Peabody Mitsui Coal Pty Ltd franchise area, report no. 28, Geological Survey of Queensland, Brisbane.
- Cihan, M, Evins, P, Lisowiec, N & Blake, K 2006, 'Time constraints on deformation and metamorphism from EPMA dating of monazite in the Proterozoic Robertson River Metamorphics, NE Australia', Precambrian Research, vol. 145, pp. 1–23.
- Clappison, RJS & Dickinson, SB 1937, The felsite auriferous area, Croydon Gold and Mineral Field, report no. 25, Aerial Geological and Geophysical Survey of Northern Australia, Canberra, pp. 1–21.
- Clare, AP 1993, 'Subaqueous basaltic volcanism in the Early Permian Grantleigh Trough, central eastern Australia', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 599–608.
- Clarke, DE & Paine, AGL 1970, Charters Towers (SF/55-2), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Clarke, DE, Paine, AGL & Jensen, AR 1971, Geology of the Proserpine 1:250 000 sheet area, Queensland, report no. 144, Bureau of Mineral Resources, Australia, Canberra.
- Clarke, GC 1990, 'The role of fluids in the evolution of granites and associated Mo, W and Sn deposits, Herberton District, North Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Clark, PU, Archer, D, Pollard, D, Blum, JD, Rial, JA, Brovkin, V, Mix, AC, Pisias, NG & Roy, M 2006, 'The middle Pleistocene transition: characteristics, mechanisms, and implications for long-term changes in atmospheric pCO₂', Quaternary Science Reviews, vol. 25, pp. 3150–84.
- Clausen, S, Jell, PA, Legrain, X & Smith AB 2009, 'Pelmatozoan arms from the Middle Cambrian of Australia: bridging the gap between brachioles and brachials?', Lethaia, vol. 42, pp. 283–96.

- Clayton, WF & Bichard, AN 1988, 'A-P 4857M, Mount Cavana, report for the period 11.02.88-10.08.88', unpublished report held by the Geological Survey of Queensland as CR18858.
- Clifford, HT, & Dettmann, ME 2002,
 'A winged fruit from the Tertiary of
 Queensland', Memoirs of the Queensland
 Museum, vol. 48, pp. 79–83.
- Clifford, HT & Dettmann, ME 2005,
 'First record from Australia of the
 Cretaceous fern genus Tempskya and
 the description of a new species,
 T. judithae', Review of Palaeobotany
 and Palynology, vol. 134, pp. 71–84.
- Clifford, MJ 1987, 'Geology of the Westwood Layered Gabbro and associated copper, palladium and platinum mineralisation', BSc (hons), James Cook University of North Queensland, Townsville.
- Clifford, N 2008, 'Linc Energy Ltd Exploration Permit for Coal EPC 909—Jambin Partial Relinquishment Report 2008', unpublished report held by the Geological Survey of Queensland as CR56756.
- Cloos, M, Sapiie, B, Quarles van
 Ufford, A, Weiland, RJ, Warren, PQ
 & McMahon, TP 2005, 'Collisional
 delamination in New Guinea: the
 geotectonics of subducting slab
 breakoff', Geological Society of America
 Special Paper, vol. 400, pp. 1–51.
- Clowes, 1997, 'Use of GIS in the assessment of local and regional changes in granitoids', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Cocherie, A & Albarede, F 2001, 'An improved U-Th-Pb age calculation for electron microprobe dating of monazite', Geochimica et Cosmochimica Acta, vol. 65, pp. 4509-22.
- Coffin, MF & Eldholm, O 1994, 'Large igneous province: crustal structure, dimensions and external consequences', Review of Geophysics, vol. 32, pp. 1–36.
- Cohen, BE 2002, 'Geochronology and geochemistry of southeast Queensland Tertiary volcanism', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Cohen, BE 2007, 'High-resolution *OAr/39Ar geochronology of intraplate volcanism in eastern Australia', PhD thesis, University of Queensland, St Lucia, Qld.

- Cohen, BE & Vasconcelos, PM 2007, 40Ar/39Ar geochronology of Bundaberg samples from DME Fairymead NS1, RUN 78, record no. 2008/02, Geological Survey of Queensland, Brisbane, pp. 43–57.
- Cohen, BE, Vasconcelos, PM & Knesel, KM 2007, '40Ar/39Ar constraints on the timing of Oligocene intraplate volcanism in southeast Queensland', Australian Journal of Earth Sciences, vol. 54, pp. 105–25.
- Cohen, KM & Gibbard, PL 2010, Global chronostratigraphical correlation table for the last 2.7 million years. V. 2010, International Commission on Stratigraphy.
- Cohen, TJ, Nanson, GC, Jansen, JD, Jones, BG, Jacobs, Z, Larsen, JR, May, JH, Treble, P, Price, DM & Smith, AM 2012, 'Late Quaternary mega-lakes fed by the northern and southern river systems of central Australia: varying moisture sources and increased continental aridity', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 356–7, pp. 89–108.
- Cohen, TJ, Nanson, GC, Jansen, JD, Jones, BG, Jacobs, Z, Treble, P, Price, DM, May, JH, Smith, AM, Ayliffe, LK & Hellstrom, JC 2011, 'Continental aridification and the vanishing of Australia's megalakes', Geology, vol. 39, pp. 167–70.
- Collerson, KD, MacDonald, G & Ewart, A 1994, 'Isotope, geochemical and structural controls on Tertiary to Recent basalt intraplate magmatism in north Queensland', Abstracts, American Geophysical Union, Fall Meeting, p. 723.
- Collins, WJ 1991, 'A reassessment of the 'Hunter-Bowen Orogeny': tectonic implications for the southern New England Fold Belt', Australian Journal of Earth Sciences, vol. 38, pp. 409-23.
- Collins, WJ 2002, 'Nature of extensional accretionary origins', Tectonics, vol. 21, pp. 1024–36.
- Collins, WJ & Hobbs, BE 2001, 'What caused the early Silurian change from mafic to silicic (S-type) magmatism in the eastern Lachlan Fold Belt?', Australian Journal of Earth Sciences, vol. 48, pp. 25–41.
- Collins, WJ & Richards, SS 2008, 'Geodynamic significance of S-type granites in circum-Pacific orogens', Geology, vol. 36, pp. 559–62.

- Collins, WJ, Williams, IS, Shaw, SE & McLaughlin, NA 1995, 'The age of the Ormiston Pound Granite implications for Mesoproterozoic evolution of the Arunta Inlier, Central Australia', Precambrian Research, vol. 71, pp. 91–105.
- Colwell, D 1982, 'Heavy mineral data from east Australian coastal sediments, Newcastle to Fraser Island', Geologisches Jahrbuch, vol. D56, pp. 49–53.
- Connah, TH 1938, 'Mica Creek collection of comparatively rare minerals', Queensland Government Mining Journal, vol. 39, p. 162.
- Connah, TH 1948, 'Reconnaissance survey of black sand deposits, south-east Queensland', Queensland Government Mining Journal, vol. 49, pp. 223-45.
- Connah, TH 1950, 'White clays: Goodger and Brooklands', Queensland Government Mining Journal, 51, pp. 260-2.
- Connah, TH 1958a, Summary report. Limestone resources of Queensland, publication no. 292, Geological Survey of Queensland, Brisbane.
- Connah, TH 1958b, 'Boyne River - Many Peaks limestone', Queensland Government Mining Journal, vol. 59, p. 649.
- Connah, TH 1961, Beach sand heavy mineral deposits of Queensland, publication no. 302, Geological Survey of Queensland, Brisbane.
- Connah, TH 1962, 'Magnesite and nickel, Pine Mountain', Queensland Government Mining Journal, vol. 63, pp. 29–30.
- Connah, TH 1966, 'A prospector's guide to opal in western Queensland', Queensland Government Mining Journal, vol. 67, pp. 23-39.
- Connah, TH 1971, 'Prospector's guide to opal in western Queensland', Queensland Government Mining Journal, vol. 72, pp. 313-31.
- Connah, TH 1976, 'Silica—Queensland', The Australasian Institute of Mining and Metallurgy Monograph, no. 8, vol. 4, pp. 359–60.
- Connah, TH & Hubble, GD 1960, 'Laterites', Journal of the Geological Society of Australia, vol. 7, pp. 373–86.

- Connors, KA & Page, RW 1995,

 'Relationships between magmatism,
 metamorphism and deformation
 in the western Mount Isa Inlier,
 Australia', Precambrian Research,
 vol. 71, pp. 131–53.
- Conolly, JR 1969, 'Western Tasman sea floor', New Zealand Journal of Geology & Geophysics, vol. 12, pp. 394–7.
- Conrad, CP, Bianco, TA, Smith, El & Wessel, P 2011, 'Patterns of intraplate volcanism controlled by asthenospheric shear', Nature Geoscience, vol. 4, pp. 317–21.
- Conroy MJ 1998, 'Weathering profile evolution, and the effects of weathering on the migration of Pb and Zn from the Dugald River deposit, NW Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Constable, CG & McElhinny, MW 1985,
 "Holocene geomagnetic secular
 variation records from north-eastern
 Australian lake sediments', Geophysical
 Journal of the Royal Astronomical
 Society, vol. 81, pp. 103–20.
- Constenius, KN, Johnson, RA,
 Dickinson, WR & Williams, TA 2000,
 'Tectonic evolution of the JurassicCretaceous Great Valley forearc,
 California: implications for the
 Franciscan thrust wedge hypothsis',
 Bulletin of the Geological Society of
 America, vol. 112, pp. 1703–23.
- Cook, AG 1993, 'Two bivalves from the Middle Devonian Burdekin Formation, Middle Devonian, north Queensland', Memoirs of the Queensland Museum, vol. 33, pp. 49–53.
- Cook, AG 1995, 'Sedimentology and depositional environments of the Middle Devonian Big Bend Arkose and Burdekin Formation, Fanning River Group, Burdekin Subprovince, north Queensland Australia', Memoirs of the Queensland Museum, vol. 38, pp. 53–91.
- Cook, AG 1997a, 'Gastropods of the Burdekin Formation, Middle Devonian, north Queensland', Memoirs of the Queensland Museum, vol. 42, pp. 37–49.
- Cook, AG 1997b, 'Review of the fossil gastropods Burdekinia Knight 1937 and Amphliss Etheridge 1921', Memoirs of the Queensland Museum, vol. 42, pp. 51–4.
- Cook, AG 1999, 'Stromatoporoid palaeoecology and systematics from the Middle Devonian Fanning River Group, north Queensland', Memoirs of the Queensland Museum, vol. 43, pp. 463–551.

- Cook, AG (ed.) 2007, Australian fossil sites for potential National Heritage listing, Report for the Department of Environment and Water Resources, Canberra.
- Cook, AG 2008, 'Asteriacites in the Lower Cretaceous of Queensland', Memoirs of the Queensland Museum, vol. 52, p. 88.
- Cook, AG & Camilleri, N 1997, 'Middle Devonian gastropods from the Broken River Province, north Queensland', Memoirs of the Queensland Museum, vol. 42, pp. 55–79.
- Cook, AG & Stilwell, JD 2005, 'Fossil limpet from the Cretaceous of north Queensland', Memoirs of the Queensland Museum, vol. 51, p. 398.
- Cook, AG & Wade, M 1997, 'Symbiotic stromatoporoid – nautiloid association, Middle Devonian, north Queensland', Memoirs of the Queensland Museum, vol. 42, pp. 81–9.
- Cook, FS & Taylor, CP 1979, 'Permian strata of the Wolfang Basin', Queensland Government Mining Journal, vol. 80, pp. 342-9.
- Cook, PG, Herczeg, AL & McEwan, KL 2001, Groundwater recharge and stream baseflow—Atherton Tablelands, Queensland, technical report no. 08/01, CSIRO Land & Water, Canberra.
- Cook, PJ 1976, 'Georgina Basin phosphatic province, Queensland and Northern Territory—regional geology', The Australasian Institute of Mining and Metallurgy Monograph, no. 8, vol. 4, pp. 245–50.
- Cook, PJ 1986, 'Appendix 2: phosphate deposits of the Georgina Basin', Geological Society of Australia and Australasian Sedimentologists Group Field Guide Series, vol. 2, pp. 66–74.
- Cookson, IC & Dettmann, ME 1958, 'Some trilete spores from the Upper Mesozoic deposits in the easten Australian region', Proceedings of the Royal Society of Victoria, vol. 70, pp. 95–123.
- Cookson, IC & Eisenack, A 1958, 'Microplankton from Australian and New Guinea Upper Mesozoic sediments', Proceedings of the Royal Society of Victoria, vol. 70, pp. 19–78.
- Coombs, WP & Molnar, RE 1981, 'Sauropoda (Reptilia, Saurischia) from the Cretaceous of Queensland', Memoirs of the Queensland Museum, vol. 20, pp. 351–72.

- Cooney, C 1987, Callide Valley groundwater storage analysis, Queensland Water Resources Commission, Brisbane.
- Cooney, PM & Mantaring, AM 2007, 'The petroleum potential of the Darling Basin', Northern Territory Geological Survey, Special Publication, vol. 2, pp. 216–35.
- Cooper, JA, Webb, AW & Whitaker, WG 1975, 'Isotopic measurements in the Cape York Peninsula area, north Queensland', Journal of the Geological Society of Australia, vol. 22, pp. 285–310.
- Cooper, W 1983, Interim report on brickmaking clays in the Nanango area, record no. 1983/39, Geological Survey of Queensland, Brisbane.
- Cooper, W 1990a, 'Queensland mineral commodity report, mineral sands', Queensland Government Mining Journal, vol. 91, pp. 61–6.
- Cooper, W 1990b, 'Queensland mineral commodity report, rare earths', Queensland Government Mining Journal, vol. 91, pp. 383-9.
- Cooper, W 1993, 'Queensland mineral commodity report—silica sand', Queensland Government Mining Journal, vol. 94, pp. 7–15.
- Cooper, W & Carmichael, DC 1992, 'Ceramic resources in Queensland', Ceramics, adding the value. Proceedings of the International Ceramic Conference, Melbourne, 1992, Australian Ceramic Society, Melbourne, pp. 77–82.
- Cooper, W & Krosch, NJ 1993, Queensland opal, Queensland Department of Mines and Energy, Brisbane.
- Cooper, W & Sawers, JD 1990, 'Cape Flattery and Shelburne Bay silica sand deposits', in FE Hughes (ed.), Geology of the mineral deposits of Australia and Papua New Guinea, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 1665-7.
- Cooper, W, Willmott, WF & Martin, JE 1979, Industrial rock and mineral resources of the Ipswich 1:100 000 sheet area, publication no. 373, Geological Survey of Queensland, Brisbane.
- Cornelius, KD 1968, 'The ore deposit and general geology of the Mount Morgan area, Queensland', PhD thesis, University of Queensland, St Lucia, Qld.

- Couapel, MJJ, Beaufort, L, Jones, BG & Chivas, AR 2007, 'Late Quaternary marginal marine palaeoenvironments of northern Australia as inferred from cluster analysis of coccolith assemblages', Marine Micropaleontology, vol. 65 pp. 213–31.
- Coulter, SE, Turney, CSM, Kershaw, P & Rule, S 2009, 'The characterization and significance of a MIS 5a distal tephra on mainland Australia', Quaternary Science Reviews, vol. 28, pp. 1825–30.
- Coventry, RJ, Hopley, JB, Campbell, JB, Douglas, I, Harvey, N, Kershaw, AP, Oliver, J, Phipps, CVG & Pye, K 1980, 'The Quaternary of northeastern Australia', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 375–417.
- Coventry, RJ, Stephenson, PJ & Webb, AW 1985, 'Chronology of landscape evolution and soil development in the upper Flinders River area, Queensland, based on isotopic dating of Cainozoic basalts', Australian Journal of Earth Sciences, vol. 32, pp. 433–47.
- Cowan, DS 1985, 'Structural styles of Mesozoic and Cenozoic mélanges in the western Cordillera of North America', Bulletin of the Geological Society of America, vol. 96, pp. 451–62.
- Cowan, DR & Cooper, GRJ 2005, 'Enhancement of magnetic signatures of impact structures', Special Papers of the Geological Society of America, no. 384, pp. 51–65.
- Cox, M & Specht, A 2011, Logan Basin water resource plan, southern Moreton Bay islands, Technical Advisory Panel Report, Queensland Department of Environment & Resource Management, Brisbane.
- Cox, RB 1979, 'Hydrogeology of the Herbert Delta, Ingham', MSc thesis, James Cook University of North Queensland, Townsville.
- Cox, RB 1984, Bluewater proclaimed area assessment, Queensland Water Resources Commission, Brisbane.
- Coxhead, BA 1997, Queensland coals physical and chemical properties colliery and company information, Queensland Coal Board, Brisbane.
- Coxhead, BA 1999, Queensland coals physical and chemical properties, colliery and company information, Department of Mines and Energy, Brisbane.

- Craig, MA, Robertson, IDM, Thomas, M, Chamberlain, T, Jones, MR & Pillans, BJ 2008, Atlas of regolith materials of Queensland—Companion to the 1:2 500 000 Queensland regolithlandform map and GIS, open file report no. 242, Cooperative Research Centre for Landscape Environments and Mineral Exploration, Perth.
- Cramb, J & Hocknull, SA 2010, 'New Quaternary records of *Conilurus* (Rodentia: Muridae) from eastern and northern Australia with the description of a new species', *Zootaxa*, vol. 2615, pp. 47–65.
- Cranfield, LC 1973, Ipswich Basin excursion notes. Third International Gondwana Symposium field trip, record no. 1973/30, Geological Survey of Queensland, Brisbane.
- Cranfield, LC 1979, 'Stratigraphic drilling report—GSQ Maryborough 1', Queensland Government Mining Journal, vol. 80, pp. 118–23.
- Cranfield, LC 1980a, 'Stratigraphic drilling report—GSQ Ipswich 23', Queensland Government Mining Journal, vol. 81, pp. 366–72.
- Cranfield, LC 1980b, 'Stratigraphic drilling report—GSQ Maryborough 2', Queensland Government Mining Journal, vol. 81, pp. 594–8.
- Cranfield, LC 1981, 'Stratigraphic drilling report—GSQ Ipswich 24 and 25', Queensland Government Mining Journal, vol. 82, pp. 468–77.
- Cranfield, LC 1984, Stratigraphic drilling data—Ipswich, Brisbane and Gympie 1:250 000 sheet areas 1972 to 1976, record no. 1984/3, Geological Survey of Queensland, Brisbane.
- Cranfield, LC 1986a, 'Geologic history of the region', in BG Fordham (ed.), A field guide to sediments and fossils of the Ipswich Basin, Geological Society of Australia, Queensland Division, Brisbane, pp. 5–11.
- Cranfield, LC 1989, 'New and revised Mesozoic stratigraphic units in the Maryborough 1:250 000 sheet area, southeast Queensland', Queensland Government Mining Journal, vol. 90, pp. 115–20.
- Cranfield, LC 1990a, 'The Gympie Group, and other Permian strata of the Gympie composite terrane', in *Proceedings of* the Pacific Rim Congress 90, Volume III, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 99–108.

- Cranfield, LC 1990b, Mossman 1 preliminary and detailed lithological logs, record no. 1990/11, Geological Survey of Queensland, Brisbane.
- Cranfield, LC 1992, Maryborough (SG 56-6), Queensland, 1:250 000 geological series, 1st edn, Geological Survey of Queensland, Brisbane.
- Cranfield, LC 1993, 'Stratigraphic units of the Maryborough Basin, southeastern Queensland', Queensland Geology, vol. 5, pp. 18–43.
- Cranfield, LC 1994, Maryborough (SG56-6), Queensland, 1:250 000 geological series, explanatory notes, Geological Survey of Queensland, Brisbane.
- Cranfield, LC 1999a, Gympie Special (9445, part 9545), Queensland, 1:100 000 geological map commentary', Queensland Department of Natural Resources and Mines, Brisbane.
- Cranfield, LC 1999b, Nambour Special (9444, part 9544), Queensland, 1:100 000 geological map, Geological Survey of Queensland, Brisbane.
- Cranfield, LC, Carmichael, DC & Wells, AT 1994, 'Ferruginous oolite and associated lithofacies from the Clarence-Moreton and related basins in southeast Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 241, pp. 144-63.
- Cranfield, LC & Diprose, G 2008,
 Diamonds, diamond indicator
 minerals and a review of exploration
 for diamonds in Queensland, record
 no. 2008/4, Geological Survey
 of Queensland, Brisbane.
- Cranfield, LC, Donchak, PJT, Green, PM, Grimes, KG & Hutton, LJ 1986, *Brisbane* (9543), 1:100 000 geological map series, 1st edn, Department of Mines, Brisbane.
- Cranfield, LC, Donchak, PJT, Randall, RE & Crosby, GC 2001, 'Geology and mineralisation of the Yarraman Subprovince, south-east Queensland', Queensland Geology, vol. 12, pp. 1–182.
- Cranfield, LC, Donchak, PJT, Randall, RE, Crosby, GC & Osborne, J 1998, 'Investigations in the Yarraman sub province, southeast Queensland—preliminary results of 1997 field work', Queensland Government Mining Journal, vol. 99, pp. 11–22.
- Cranfield, LC & Garrad, PD 1991, Mines and prospects in the Maryborough 1:250 000 sheet area, record no. 1991/03, Queensland Department of Resource Industries, Brisbane.

- Cranfield, LC & Green, PM 1983a,
 Compilation of formation intersections
 in departmental coal exploration bores
 (NS series) in the Ipswich coalfield,
 record no. 1983/42, Geological
 Survey of Queensland, Brisbane.
- Cranfield, LC & Green, PM 1983b, Annotated references on the geology of the Ipswich 1:100 000 sheet area, record no. 1983/65, Geological Survey of Queensland, Brisbane.
- Cranfield, LC, Green, PM, Hutton, LJ & Grimes, KG 1986, Brisbane (9543), Queensland, 1:100 000 Geological map, 1st edn, Queensland Department of Mines, Brisbane.
- Cranfield, LC & Hegarty, RA 1989, Geology of the Rumula 1:100 000 sheet area (7964), northeast Queensland—preliminary data, record no. 1989/20, Geological Survey of Queensland, Brisbane.
- Cranfield, LC, Hutton, LJ & Green, PM 1989, Ipswich (9442) Queensland 1:100 000 geological map commentary, Queensland Department of Mines, Brisbane, pp. 1–56.
- Cranfield, LC & Murphy, PR 1983, Type sections of the Bryden Formation and Neara Volcanics, Esk Trough, southeast Queensland, record no. 1983/68, Geological Survey of Queensland, Brisbane.
- Cranfield, LC & Murray, CG 1989a,

 'Geochemisty of basaltic rocks from the
 Gayndah region in the Maryborough
 1:250 000 sheet area, southeast
 Queensland', Queensland Government
 Mining Journal, vol. 90, pp. 469–80.
- Cranfield, LC & Murray, CG 1989b,

 'New and revised intrusive units
 in the Maryborough 1:250 000
 sheet area, southeast Queensland'
 Queensland Government Mining
 Journal, vol. 90, pp. 369–78.
- Cranfield, LC & Murray, CG 1989c, 'Geochemistry and tectonic setting of granitic rocks in the Maryborough 1:250 000 sheet area, southeast Queensland', Queensland Government Mining Journal, vol. 90, pp. 408–15.
- Cranfield, LC & Schwarzböck, H 1972, 'Nomenclature of some Mesozoic rocks in the Brisbane and Ipswich areas', Queensland Government Mining Journal, vol. 73, pp. 414–16.
- Cranfield, LC & Schwarzböck, H 1973, Ipswich (SG 56-14) 1:250 000 geological series, Geological Survey of Queensland, Brisbane.

- Cranfield, LC & Schwarzböck, H 1974a, Brisbane (SG 56-15), 1:250 000 geological series, Geological Survey of Queensland, Brisbane.
- Cranfield, LC & Schwarzböck, H 1974b, 'New and revised stratigraphic names in the Ipswich 1:250 000 sheet area', Queensland Government Mining Journal, vol. 75, pp. 322–3.
- Cranfield, LC & Schwarzböck, H 1976, 'Ipswich Basin', Australasian Institute of Mining and Metallurgy Monograph, vol. 7, pp. 452–54.
- Cranfield, LC, Schwarzböck, H & Day, RW 1976, Geology of the Ipswich and Brisbane 1: 250 000 sheet areas, report no. 95, Geological Survey of Queensland, Brisbane.
- Cranfield, LC & Scott, M 1993, Geology of the Gympie 1:100 000 special area (9445, 9545) southeast Queensland, record no. 1993/20, Geological Survey of Queensland, Brisbane.
- Cranfield, LC, Shorten, G, Scott, M & Barker, R 1997, 'Geology and mineralisation of the Gympie Province', Geological Society of Australia Special Publication, vol. 19, pp. 128–47.
- Crawford, AJ, Meffre, S, Squire, RJ, Barron, LM & Falloon, TJ 2007, 'Middle and Late Ordovician magmatic evolution of the Macquarie Arc, Lachlan Orogen, New South Wales', Australian Journal of Earth Sciences, vol. 54, pp. 181–214.
- Crawford, AJ, Meffre, S & Symonds PA 2003, '120 to 0 Ma tectonic evolution of the southwest Pacific and analogous geological evolution of the 600 to 220 Ma Tasman Fold Belt System', Geological Society of Australia Special Publication, vol. 22, pp. 377–97.
- Creaser, P 1997, 'Oligocene-Miocene sediments of Riversleigh: the potential significance of topography', Memoirs of the Queensland Museum, vol. 41, pp. 303-14.
- Crespin, I 1947, 'A study of Australian diatomites with special reference to their possible value as filter media', Bulletin of the Bureau of Mineral Resources, Australia, vol. 7, pp. 1–47.
- Cribb, HGS 1937, 'Monsildale (cinnabar)', Queensland Government Mining Journal, vol. 38, pp. 427–8.
- Cribb, HGS 1948, 'Opal deposits and the Hayricks opal mine, Quilpie', Queensland Government Mining Journal, vol. 49, pp. 48–51.

- Cribb, HGS 1953, 'Martin's wollastonite prospect, Marmor', Queensland Government Mining Journal, vol. 54, p. 818.
- Cribb, HGS, McTaggart, NR & Staines, HRE 1960, 'Sediments east of the Great Divide', Journal of the Geological Society of Australia, vol. 7, pp. 345-55.
- Croke, J., Jansen, JD, Amos, K & Pietsch, TJ 2011, 'A 100 ka record of fluvial activity in the Fitzroy River Basin, tropical northeastern Australia', Quaternary Science Reviews, vol. 30, pp. 1681–95.
- Crook, KAW 1974, 'Lithogenesis and geotectonics: the significance of compositional variation in flysch arenites (greywackes),' Special Publications of the Society of Economic Paleontologists and Mineralogists, vol. 19, pp. 230–39.
- Crook, LJ & Hoyling, NH 1968, 'Final report, AP-P.-S. Matjara 1, AP71P, Queensland. Amalgamated Petroleum N.L., Brisbane', unpublished report held by the Geological Survey of Queensland as CR2661.
- Cross, AJ & Blevin, PL 2010, Summary of results for the joint GSNSW-GA geochronology project: New England Orogen and Sydney-Gunnedah Basin, report no. GS2010/778, Geological Survey of New South Wales, Sydney.
- Cross, AJ, Bultitude, RJ & Purdy, DJ 2010, New SHRIMP geochronology for the Connors Arch, northern New England Orogen, record no. 2010/04, Geological Survey of Queensland, Brisbane, pp. 35–7.
- Cross, AJ, Bultitude, RJ & Purdy, DJ 2012, Summary of results for the joint GSQ-GA geochronology project: Ayr, Bowen, Eulo, Mount Coolon, Proserpine and Warwick 1:250 000 sheet areas, record no. 2012/19, Geological Survey of Queensland, Brisbane.
- Cross, AJ, Jaireth, S, Hore, S, Michaelsen, B & Schofield, A 2010, SHRIMP U-Pb detrital zircon results, Lake Frome region, South Australia, record no. 2009/46, Geoscience Australia, Canberra.
- Cross, AJ, Purdy, DJ & Bultitude, RJ 2012, Summary of results of the joint GSQ-GA geochronology project: Monto and Maryborough 1:250 000 sheet areas, record no. 2012/2, Geological Survey of Queensland, Brisbane.

- Cross, AJ, Purdy, DJ, Bultitude, RJ,
 Dhnaram, CR & von Gnielinski, FE 2009,
 Joint GSQ-GA NGA geochronology
 project, New England Orogen and
 Drummond Basin, 2008, record
 no. 2009/03, Geological Survey
 of Queensland, Brisbane.
- Crouch, S 1999a, 'Geology, tectonic setting and metallogenesis of the Berserker Subprovince, northern New England Orogen', Queensland Government Mining Journal, vol. 100, pp. 6–14.
- Crouch, S 1999b, 'Geology, tectonic setting and metallogenesis of the Berserker Subprovince, northern New England Orogen', in PG Flood (ed.), New England Orogen. Papers presented at a conference held at the University of New England, Armidale 1–3 February 1999, Department of Earth Sciences, University of New England, Armidale, pp. 233–49.
- Crouch, SBS, Blake, PR & Withnall, IW 1995, 'Geochemistry of the plutonic and volcanic rocks of the southern Anakie Inlier', Queensland Geology, vol. 7, pp. 116–29.
- Crouch, SBS, Donchak, PJT, Tenison Woods, K, Scott, M, Kwiecien, W & Grayson, R 1995, Plutonic rocks of the North D'Aguilar Block, record no. 1995/8, Geological Survey of Queensland, Brisbane.
- Crouch, SBS & Parfrey, SM 1998, 'Geology of the Berserker Subprovince, northern New England Orogen', Queensland Government Mining Journal, vol. 99, pp. 15–25.
- Crouch, SBS, Tang, J & Kwiecien, W 1997, 'Geochemistry of the plutonic rocks of the North D'Aguilar Block', Queensland Government Mining Journal, vol. 98, pp. 6–18.
- Crouch, SBS, Withnall, IW, Tenison Woods, K & Hayward, M 1995a, 'Plutonic rocks in the southern Anakie Inlier', Queensland Geology, 7, pp. 95–115.
- CSIRO 1963, 'Petrography of Ipswich Coals', Queensland Government Mining Journal, vol. 64, pp. 581–90.
- Cudeco Ltd 2010b, 'Rocklands Copper Project (CDU 100%)—Wilgar reverse circulation (RC) drill programme intersects high grade gold, silver and molybdenum', Announcement to the Australian Securities Exchange, 2 November 2010 by Cudeco Limited, Southport.

- Culpeper, LG, Burrows, PE & Denaro, TJ 1996, A summary of the geology, mineral occurrences and company exploration in the Forest Home and North Head 1:100 000 sheet areas, record no. 1996/10, Geological Survey of Queensland, Brisbane.
- Culpeper, LG, Denaro, TJ, Burrows, PE & Morwood, DA 1999, Mines and mineralisation of the Westmoreland 1:250 000 sheet area, north-west Queensland, record no. 1999/06, Geological Survey of Queensland, Brisbane.
- Culpeper, LG, Denaro, TJ, Burrows, PE & Morwood, DA 2000, Mines and mineralisation of the Dobbyn 1:250 000 sheet area, north-west Queensland, record no. 2000/03, Geological Survey of Queensland, Brisbane.
- Cumming, GL & Richards, JR 1975, 'Ore lead isotope ratios in a continuously changing Earth', Earth and Planetary Science Letters, vol. 28, pp. 155–71.
- Cummings, AM 1998, 'Geology of the Cania region, western Yarrol Province, southern central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Cuneen, R 1996, 'Recent developments in the Gympie Goldfield', Proceedings of the Mesozoic '96 Conference, Geological Society of Australia, Queensland Division, Brisbane, pp. 162–6.
- Cuneen, R & Sillitoe, RH 1989, 'Paleozoic hot springs sinter in the Drummond Basin, Australia', Economic Geology, vol. 84, pp. 135–42.
- Cuttler, LG 1981, 'Report on Authority to Prospect 2569M for the period 5th May to 5th November 1981.
 Eastmet Limited', unpublished report held by the Geological Survey of Queensland as CR10145.
- Czuppon, GY, Matsumoto, T, Handler, M & Matsuda, J 2009, 'Noble gas in spinel peridotite xenoliths from Mt Quincan, North Queensland, Australia: undisturbed MORB-type noble gases in the subcontinental lithospheric mantle', Chemical Geology, vol. 266, pp. 19–28.
- Daintree, R 1872, 'Notes on the geology of the colony of Queensland', Quarterly Journal of the Geological Society of London, vol. 28, pp. 271–317.
- Dalrymple, GB 1979, 'Critical tables for conversion of K-Ar ages from old to new constants', Geology, vol. 7, pp. 558-60.

- Daly, SJ, Fanning, CM & Fairclough, MC 1998, 'Tectonic evolution and exploration potential of the Gawler Craton, South Australia', AGSO Journal of Australian Geology & Geophysics, vol. 17, pp. 145-68.
- Dalziel, ISD 1991, 'Pacific margins of Laurentia and East Antarctica – Australia as a conjugate rift pair: evidence and implications for an Eocambrian supercontinent', Geology, vol. 19, pp. 598–601.
- Darby, F 1969a, North Bowen Basin gravity survey, Queensland 1963, report no. 138, Bureau of Mineral Resources, Australia, Canberra.
- Darby, F 1969b, Reconnaissance helicopter gravity surveys, northern NSW and southern Qld 1968, record no. 1969/109, Bureau of Mineral Resources, Australia, Canberra.
- D'Arcy, RK 1987a, Report on departmental drilling in the Airlie area, southwest Bowen Basin, record no. 1987/48, Geological Survey of Queensland, Brisbane.
- D'Arcy, RK 1987b, Departmental drilling in the Cullin-la-ringo area, southwest Bowen Basin, record no. 1987/49, Geological Survey of Queensland, Brisbane.
- D'Arcy, RK 1987c, Departmental coal reconnaissance drilling in the Taroborah area, southwest Bowen Basin, record no. 1987/50, Geological Survey of Queensland, Brisbane.
- D'Arcy, RK 1990, 'Coal resources of the Cullin-la-ringo, Gindie Creek and Minerva prospects, southwest Bowen Basin', Queensland Government Mining Journal, vol. 91, pp. 111–22.
- Dash, PH, Barker, RM, Morwood, DA, Culpeper, LG & Lam, JSF 1991, Mineral occurrences—Atherton 1:100 000 sheet area, record no. 1991/14, Geological Survey of Queensland, Brisbane.
- David, B, Roberts, RG, Magee, J, Mialanes, J, Turney, C, Bird, M, White, C, Fifield, LK & Tibby, J 2007, 'Sediment mixing at Nonda Rock: investigations of stratigraphic integrity at an early archaeological site in northern Australia and implications for the human colonisation of the continent', Journal of Quaternary Science, vol. 22, pp. 449–79.
- David, TWE 1932, Explanatory notes to accompany a new geological map of the Commonwealth of Australia, Commonwealth Council for Scientific and Industrial Research, Sydney.

- Davidson, J, Turner, S, Handley, H, Macpherson, C & Dosseto, A 2007, 'Amphibole "sponge" in arc crust?', Geology, vol. 35, pp. 787–90.
- Davies, HL 1990, 'Structure and evolution of the border region of New Guinea', in GJ Carman & Z Carman (eds), Petroleum exploration in Papua New Guinea, Proceedings of the First PNG Petroleum Convention, 12–14th February 1990, Port Moresby, pp. 245–69.
- Davies, HL 2012, 'The geology of New Guinea—the cordilleran margin of the Australian continent', Episodes, vol. 35, pp. 87–102.
- Davies, JG, Kennedy, WH, Macmillan, S & Till, VS 1982, 'A-P 2661M to 2665M, Callide Basin, exploration and relinquishment report (oil shale). Final relinquishment reports, BP Australia', unpublished report held by the Geological Survey of Queensland as CR10503.
- Davies, PJ 1975, 'Shallow seismic structure of the continental shelf, southeast Australia', Journal of the Geological Society of Australia, vol. 22, pp. 345–59.
- Davies, PJ 1991, 'Origins of the Great Barrier Reef', Search, vol. 23, pp. 193-6.
- Davies, PJ 2011, 'Great Barrier Reef: origin, evolution, and modern development', in D Hopley (ed.), Encyclopedia of modern coral reefs; structure, form and process, Springer, Dordrecht, pp. 504-34.
- Davies, PJ, Braga, JC, Lund, M & Webster, JM 2004, 'Holocene deep water algal buildups on the Eastern Australian Shelf', Palaios, vol. 19, pp. 598–609.
- Davies, PJ & Kinsey, DW 1977, 'Holocene reef growth: One Tree Island, Great Barrier Reef', Marine Geology, vol. 24, pp. 1–11.
- Davies, PJ & McKenzie, JA 1993, 'Controls on the Pliocene-Pleistocene evolution of the northeastern Australian continental margin', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, pp. 755-62.
- Davies, PJ, McKenzie, JA, Palmer-Johnson, A, et al. 1991, 'Covering Leg 133 of the cruises of the Drilling Vessel JOIDES Resolution, Apra Harbor, Guam, to Townsville, Australia, Sites 811–826, 4 August 1990 11 October 1990', Proceedings of the Ocean Drilling Program, Initial Reports, vol. 133, doi:10.2973/odp.proc.ir.133.1991.

- Davies, PJ & Marshall, JF 1985, 'Halimeda bioherms, low energy reefs, northern Great Barrier Reef', Proceedings of the 5th International Coral Reefs Symposium, Tahiti, vol. 5, pp. 1–7.
- Davies, PJ, Marshall, JF, Heckel, H & Searle, DE 1981, 'Shallow interreefal structure of the Capricorn group, southern Great Barrier Reef', BMR Journal of Australian Geology & Geophysics, vol. 6, pp. 101–5.
- Davies, PJ, Marshall, JF & Hopley, D 1985, 'Relationships between reef growth and sea level change in the Great Barrier Reef', Proceedings of the Fifth International Coral Reef Symposium, Tahiti, vol. 3, pp. 95–103.
- Davies, PJ & Montaggioni, L 1985, 'Reef growth and sea level change: the environmental signature', Proceedings of the Fifth International Coral Reef Symposium, Tahiti, pp. 477-515.
- Davies, PJ & Peerdemann, FM 1998, 'The origin of the Great Barrier Reef—the impact of Leg 133 drilling', International Association of Sedimentologists Special Publication, vol. 25, pp. 23–38.
- Davies, PJ, Symonds, PA, Feary, DA & Pigram, CJ 1987, 'Horizontal plate motion: a key allocyclic factor in the evolution of the Great Barrier Reef', Science, vol. 238, pp. 1697–700.
- Davies, PJ, Symonds, PA, Feary, DA & Pigram, CJ 1988, Rig Seismic Research Cruises 4 and 5: northeast Australia, report no. 281, Bureau of Mineral Resources, Australia, Canberra.
- Davies, PJ, Symonds, PA, Feary, DA & Pigram, CJ 1989, 'The evolution of the carbonate platforms in northeast Australia', SEPM Special Publication, vol. 44, pp. 234–58.
- Davis, AC & Archer, M 1997, 'Palorchestes azael (Mammalia, Palorchestidae) from the late Pleistocene Terrace Site Local Fauna, Riversleigh, northwestern Queensland', Memoirs of the Queensland Museum, vol. 41, pp. 315–20.
- Davis, BK 1994, 'Synchronous syntectonic granite emplacement in the South Palmer River region, Hodgkinson Province, Australia', Australian Journal of Earth Sciences, vol. 41, pp. 91–103.
- Davis BK 1997, 'Country-rock structural fabrics as a guide to pluton emplacement depth: an example from the Hodgkinson Province, northeastern Australia', Australian Journal of Earth Sciences, vol. 44, pp. 789–97.

- Davis, BK, Bell, CC, Lindsay, M & Henderson, RA 2002b, 'A single late orogenic Permian episode of gold mineralization in the Hodgkinson Province, north Queensland, Australia', Economic Geology, vol. 97, pp. 311–23.
- Davis, BK & Forde, A 1994, 'Regional slaty cleavage formation and fold axis rotation by the re-use and reactivation of pre-existing foliations: the Fiery Creek Slate Belt, North Queensland', Tectonophysics, vol. 230, pp. 161–79.
- Davis, BK & Henderson, RA 1994, 'Syn-rift magmatic assemblages of the Drummond Basin', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 103–4.
- Davis, BK & Henderson, RA 1996, 'Riftphase extensional fabrics of the back-arc Drummond basin, eastern Australia', Basin Research, vol. 8, pp. 371–81.
- Davis, BK & Henderson, RA 1999, 'Syn-orogenic extensional and contractional deformation related to granite emplacement in the northern Tasman Orogenic Zone, Australia', Tectonophysics, vol. 305, pp. 453–75.
- Davis, BK, Henderson RA & Bultitude RJ 1998, 'Evidence for a major crustal dislocation in the Hodgkinson Province, north Queensland', Australian Journal of Earth Sciences, vol. 45, pp. 937–42.
- Davis, BK, Henderson, RA, Lindsay, M & Wysoczanski, R 2002a, 'Deformation history and timing of granite emplacement in the Butchers Hill Helenvale region, northern Hodgkinson Province, Queensland', Australian Journal of Earth Sciences, vol. 49, pp. 775–85.
- Davis, BK, Henderson, RA & Wysoczanski, R 1998, 'Timing of granite emplacement under conditions of low strain in the northern Tasman Orogenic Zone, Australia', *Tectonophysics*, vol. 284, pp. 179–202.
- Davis, BK, Pollard, PJ, Lally, JH,
 McNaughton, NJ, Blake, K & Williams, PJ
 2001, 'Deformation history of the
 Naraku Batholith, Mount Isa Inlier,
 Australia: implications for puton
 ages and geometries from structural
 study of the Dipvale Granodiorite and
 Levian Granite', Australian Journal of
 Earth Sciences, vol. 48, pp. 113–29.
- Day, RW 1964, Stratigraphy of the Roma-Wallumbilla area, publication no. 318, Geological Survey of Queensland, Brisbane.

- Day, RW 1969, 'The Lower Cretaceous of the Great Artesian Basin', in KSW Campbell (ed.), Stratigraphy and palaeontology: essays in honour of Dorothy Hill, Australian National University Press, Canberra, pp. 140–73.
- Day, RW 1974, Aptian ammonites from the Eromanga and Surat Basins, Queensland, publication no. 360, Geological Survey of Queensland, Brisbane.
- Day, RW 1976, 'Laura Basin', Monographs of the Australasian Institute of Mining and Metallurgy, no. 7, pp. 443–6.
- Day, RW 1981, 'Oil shale in Queensland', Queensland Government Mining Journal, vol. 82, pp. 214-22.
- Day, RW 1983, 'Geology and potential development of Queensland oil shales', Queensland Government Mining Journal, vol. 84, pp. 463-70.
- Day, RW, Bubendorfer, PJ & Pinder, BJ 2008, 'Petroleum potential of the easternmost Surat Basin in Queensland', Proceedings of the Petroleum Exploration Society of Australia Eastern Australasian Basins Symposium III, Sydney, PESA, Melbourne, pp. 191-9.
- Day, RW, Cranfield, LC & Schwarzböck, H
 1974, 'Stratigraphy and structural setting
 of Mesozoic basins in southeastern
 Queensland and northeastern New South
 Wales', in AK Denmead, GS Tweedale
 & AF Wilson (eds), The Tasman
 Geosyncline—a symposium, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 319–63.
- Day, RW & McKellar, RG 1962,

 'Palaeontologic reports by the Geological
 Survey of Queensland', Appendix 2
 in 'Well completion report, Phillips—
 Sunray Etonvale no. 1', unpublished
 report held by the Geological
 Survey of Queensland as CR916.
- Day, RW, Murray, CG & Whitaker, WG 1978, 'The eastern part of the Tasman Orogenic Zone', Tectonophysics, vol. 48, pp. 327-64.
- Day, RW, Whitaker, WG, Murray, CG, Wilson, IH & Grimes, KG 1983, Queensland geology. A companion volume to the 1:2 500 000 scale geological map (1975), publication no. 383, Geological Survey of Queensland, Brisbane.
- Dear, JF 1962, 'Report on fossil plants from near Carter's Ridge school', unpublished report held by the Geological Survey of Queensland.

- Dear, JF 1963, 'Upper Palaeozoic biostratigraphy of the Yarrol Basin in the vicinity of Monto', PhD thesis, University of Queensland, St Lucia, Qld.
- Dear, JF 1968, The geology of the Cania district, publication no. 330, Geological Survey of Queensland, Brisbane.
- Dear, JF 1994a, 'Major cycles of volcanism in the southern Connors Arch', in RJ Holcombe, CJ Stephens & CR Fielding (eds), 1994 field conference, Capricorn region, central coastal Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 31–45.
- Dear, JF, McKellar, RG & Tucker, RM 1971, Geology of the Monto 1:250 000 sheet area, report no. 46, Geological Survey of Queensland, Brisbane.
- Debayle, E, Kennett, B & Priestley, K 2005, 'Global azimuthal seismic anisotropy and the unique plate-motion deformation of Australia', Nature, vol. 433, pp. 509–12.
- de Boer, RA 1996, 'The integrated development of Gilmore Field and an independent power plant', APEA Journal, vol. 36, pp. 399–420.
- de Bretizel, PB 1966, 'Le bassin de Drummond dans le Geosynclinal de Tasman (Australie Orientale), Etude sedimentologique et lithostratigraphie', 2 vols, PhD thesis, Paris [available in Geoscience Australia library, Canberra].
- de Caritat, P & Braun, J 1992, 'Cyclic development of sedimentary basins at convergent plate margins—1. Structural and tectonothermal evolution of some Gondwana basins of eastern Australia', Journal of Geodynamics, vol. 16, pp. 241–82.
- Decombeix, AL, Meyer-Berthaud, B, Galtier, J, Talent, JA & Mawson, R 2011, 'Arborescent ligonophytes in the Tournaisian vegetation of Queensland (Australia): palaeoecological and palaeogeographical significance', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 301, pp. 39–55.
- de Dekker, P, Chivas, AR, Shelley, JMG & Torgersen, T 1988, 'Ostracod shell chemistry: a new palaeoenvironmental indicator applied to a regressive/ transgressive record from the Gulf of Carpentaria, Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 66, pp. 231–41.
- DEEDI 2009, Queensland carbon dioxide geological storage atlas and GIS, Queensland Department of Employment, Economic Development and Innovation, Brisbane.

- DEEDI 2010, Queensland's petroleum exploration and development potential, Queensland Department of Employment, Economic Development and Innovation, Brisbane.
- Defant, MJ & Drummond, MS 1990, 'Derivation of some modern arc magmas by melting of young subducted lithosphere', *Nature*, vol. 347, pp. 662–5.
- deFranco, R, Govers, R & Wortel, R 2008, 'Nature of the plate contact and subduction zones diversity', Earth and Planetary Science Letters, vol. 271, pp. 245–53.
- deFreitas, TA, Brunton, F & Bernecker, T 1993, 'Silurian megalodont bivalves from the Canadian arctic and Australia. Paleoecology and evolutionary significance', *Palaios*, vol. 8, pp. 450–64.
- Deighton I, Draper JJ, Hill, AJ & Boreham, CJ 2003, 'A hydrocarbon generation model for the Cooper and Eromanga basins', APPEA Journal, vol. 43, pp. 433–51.
- de Jersey, NJ 1946, 'Microscopic study of the Ipswich coals', University of Queensland Papers, Department of Geology, vol. 3, no. 1, pp. 1-17.
- de Jersey, NJ 1951, 'Miospore correlation, Burrum coalfield', Queensland Government Mining Journal, vol. 52, pp. 780-9.
- de Jersey, NJ 1955, Appendix 1. Miospore correlation, Styx Coalfield, publication no. 281, Geological Survey of Queensland, Brisbane, pp. 8–10.
- de Jersey, NJ 1962, Triassic spores and pollen grains from the Ipswich Coalfield, publication no. 307, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ 1966, Devonian spores from the Adavale Basin, publication no. 334, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ 1970a, Triassic miospores from the Blackstone Formation, Aberdare Conglomerate and Raceview Formation, publication no. 348, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ 1970b, 'Palynology of samples from the Tarong Beds', Queensland Government Mining Journal, vol. 71, pp. 308–10.
- de Jersey, NJ 1971, Triassic miospores from the Tivoli Formation and Kholo Sub-Group, publication no. 353, Geological Survey of Queensland, Brisbane.

- de Jersey, NJ 1972a, 'Palynology of samples from the Triassic of the Pine Mountain area', Queensland Government Mining Journal, vol. 73, p. 412.
- de Jersey, NJ 1972b, Triassic miospores from the Esk beds, publication no. 357, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ 1972c, 'Palynology of samples from the Triassic of the Salisbury (Brisbane) area', Queensland Government Mining Journal, vol. 73, pp. 457-9.
- de Jersey, NJ 1972d, 'Triassic miospores from the Abercorn Trough', Queensland Government Mining Journal, vol. 73, pp. 383–5.
- de Jersey, NJ 1973, 'Triassic miospores from the Bryden Formation', Queensland Government Mining Journal, vol. 74, pp. 377–8.
- de Jersey, NJ 1974, 'Palynology and age of the Callide Coal Measures', Queensland Government Mining Journal, vol. 75, pp. 249-55.
- de Jersey, NJ 1975, 'Miospore zones in the lower Mesozoic of southeastern Queensland', in KSW Campbell (ed.), Gondwana Geology, papers presented at the Third Gondwana Symposium, Australian National University Press, Canberra, pp. 159–72.
- de Jersey, NJ 1976, 'Palynology and time relationships in the lower Bundamba Group (Moreton Basin)', Queensland Government Mining Journal, vol. 77, pp. 460-5.
- de Jersey, NJ 1979, 'Triassic miospores from the Gayndah Beds', Queensland Government Mining Journal, vol. 80, pp. 124-5.
- de Jersey, NJ 1980, 'Triassic miospores from GSQ Ipswich 23, Greenbank area', Queensland Government Mining Journal, vol. 81, pp. 373-6.
- de Jersey, NJ & Hamilton, M 1965a, 'Triassic microfloras of the Moorooka and Tinglapa formations', Queensland Government Mining Journal, vol. 66, pp. 315–23.
- de Jersey, NJ & Hamilton, M 1965b, 'Triassic microflora from the Mount Crosby Formation', Queensland Government Mining Journal, vol. 66, pp. 324–6.

- de Jersey, NJ & McKellar, JL 1979, Composition of palynofloras and taxonomic notes on selected species from GSQ Hughenden 1-2R, 5 and 6 (northern Galilee Basin), record no. 1979/28, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ & McKellar, JL 1981,
 'Triassic palynology of the Warang
 Sandstone (northern Galilee Basin)
 and its phytogeographic implications',
 in MM Cresswell & P Vella (eds),
 Gondwana Five—Proceedings of the Fifth
 International Gondwana Symposium,
 Wellington, New Zealand, 1980,
 AA Balkema, Rotterdam, pp. 31–7.
- de Jersey, NJ, Paten, RJ & Hamilton, M 1964, The palynology of samples from Phillips—Sunray Cecil Plains no. 1 well, record no. 1964/2, Geological Survey of Queensland, Brisbane.
- de Jersey, NJ & Raine, JI 1990, 'Triassic and earliest Jurassic miospores from the Murihiku Supergroup, New Zealand', Paleontological Bulletin of the New Zealand Geological Survey, vol. 62. pp. 1–164.
- de Jersey, NJ, Stevens, NC & Willmott, WF 1976, Geological elements of the National Estate in Queensland, Geological Society of Australia, Queensland Division, Brisbane.
- deKeyser, F 1963, 'The Palmerville Fault a "fundamental" structure in North Queensland', Journal of the Geological Society of Australia, vol. 10, pp. 273–8.
- deKeyser, F 1964, Innisfail (SE/55-6), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- deKeyser, F 1965, 'The Barnard
 Metamorphics and their relation to
 the Barron River Metamorphics and
 the Hodgkinson Formation, North
 Queensland', Journal of the Geological
 Society of Australia, vol. 12, pp. 91–103.
- deKeyser, F 1968, The Cambrian of the Burke River Outlier, record no. 1968/67, Bureau of Mineral Resources, Australia, Canberra.
- deKeyser, F 1969a, On the genesis of the Georgina Basin phosphorites, record no. 1969/79, Bureau of Mineral Resources, Australia, Canberra.

- deKeyser, F 1969b, The phosphatebearing Cambrian formations in the Lawn Hill and Lady Annie districts, north-western Queensland, record no. 1969/147, Bureau of Mineral Resources, Australia, Canberra.
- deKeyser, F 1973, 'A review of the Middle Cambrian stratigraphy in the Queensland portion of the Georgina Basin', Bulletin of the Bureau of Mineral Resources, Australia, vol. 139, pp. 13–27.
- deKeyser, F & Cook, PJ 1972, 'Geology of the Middle Cambrian phosphorites and associated sediments of northwestern Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 138, pp. 1–79.
- deKeyser, F, Fardon, RSH & Cutler, LG 1965, Ingham (SE/55-10), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- deKeyser, F & Lucas, KG 1968, 'Geology of the Hodgkinson and Laura basins, north Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 84, pp. 1–254.
- deKeyser, F & Wolff, KW 1964, 'The geology and mineral resources of the Chillagoe area', Bulletin of the Bureau of Mineral Resources, Australia, vol. 70, pp. 1–136.
- deLaeter, JR 2008, 'Geochronology in Australia: an overview', Australian Journal of Earth Sciences, vol. 55, pp. 723-4.
- deLapparent DeBroin, F & Molnar, RE 2001, 'Eocene chelid turtles from Redbank Plains, southeast Queensland, Australia', Geodiversitas, vol. 23, pp. 41–79.
- Demidjuk, ZS, Turner, S, Sandiford, M, George, R, Foden, J & Etheridge, MA 2007, 'U-series isotope and geodynamic constraints on mantle melting processes beneath the Newer Volcanic Province in South Australia', Earth and Planetary Science Letters, vol. 261, pp. 517–33.
- Denaro, TJ 1989, Mineral occurrences— Inglewood, Texas and Ashford 1:100 000 sheet areas, Queensland, record no. 1989/32, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, 1993, Mineral occurrences— Torres Strait 1:250 000 sheet area, Cape York Peninsula, Queensland, record no. 1993/18, Geological Survey of Queensland, Brisbane.

- Denaro, TJ 1997a, 'Known mineralisation and resources', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 138–41.
- Denaro, TJ 1997b, 'Mineralisation and known resources', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 163.
- Denaro, TJ & Burrows, PE 1992, Mineral occurrences—Stanthorpe and Drake 1:100 000 sheet areas, Queensland, record no. 1992/8, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Cranfield, LC, Fitzell, MJ, Burrows, PE & Morwood, DA 2007, Mines, mineralisation and mineral exploration in the Maryborough 1:250 000 sheet area, south-east Queensland, record no. 2007/1, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Culpeper, LG, Burrows, PE & Morwood, DA 1999a, Mines and mineralisation of the Camooweal 1:250 000 sheet area, north-west Queensland, record no. 1999/04, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Culpeper, LG, Burrows, PE & Morwood, DA 2004a, Mines, mineralisation and mineral exploration in the Cloncurry 1:250 000 sheet area, north-west Queensland, record no. 2004/1, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Culpeper, LG, Morwood, DA & Burrows, PE 1994, Mineral occurrences—Helenvale 1:100 000 sheet area, Cape York Peninsula, Queensland, record no. 1994/13, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Culpeper, LG, Morwood, DA & Burrows, PE 1999b, Mines and mineralisation of the Lawn Hill 1:250 000 sheet area, north-west Queensland, record no. 1999/05, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Culpeper, LG, Morwood, DA & Burrows, PE 2001, Mines and mineralisation of the Mount Isa 1:250 000 sheet area, north-west Queensland, record no. 2001/3, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Fitzell, MJ, Dhnaram, CR, Lam, JS & Burrows, PE 2009, Mines, mineralisation and mineral exploration in the Bowen, Proserpine and Ayr 1:250 000 sheet areas, north Queensland, record no. 2009/4, Geological Survey of Queensland, Brisbane.

- Denaro, TJ, Kyriazis, Z, Fitzell, MJ, Morwood, DA & Burrows, PE 2004b, Mines, mineralisation and mineral exploration in the northern Drummond Basin, central Queensland, record no. 2004/6, Geological Survey of Queensland, Brisbane.
- Denaro, TJ & Morwood, DA 1997, Geology, mineral occurrences and company exploration in the Croydon 1:250 000 and Gilbert River and Esmeralda 1:100 000 sheet areas, north Queensland, record no. 1997/1, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Withnall, IW, Culpeper, LG, Burrows, PE & Morwood, DA 2003b, Mines, mineralisation and mineral exploration in the Duchess and Boulia 1:250 000 sheet areas, north-west Queensland, record no. 2003/04, Geological Survey of Queensland, Brisbane.
- Denaro, TJ, Withnall, IW, Culpeper, LG, Morwood, DA & Burrows, PE 2003a, Mines, mineralisation and mineral exploration in the Urandangi 1:250 000 sheet area, north-west Queensland, record no. 2003/02, Geological Survey of Queensland, Brisbane.
- Denmead, AK 1928, 'A survey of the Brisbane schists', Proceedings of the Royal Society of Queensland, vol. 39, pp. 71–106.
- Denmead, AK 1929, 'Kaolin deposits suitable for pottery manufacture', Queensland Government Mining Journal, vol. 30, pp. 99–101.
- Denmead, AK 1932, 'Alluvial gold mining in Queensland', Queensland Government Mining Journal, vol. 33, pp. 142-3.
- Denmead, AK 1937, 'Tantalite at Mica Creek', Queensland Government Mining Journal, vol. 38, p. 355.
- Denmead, AK 1944, 'Magnesite at Kilkivan', Queensland Government Mining Journal, vol. 45, p. 98.
- Denmead, AK 1945a, 'Kilkivan mercury deposits', Queensland Government Mining Journal, vol. 46, pp. 13–22.
- Denmead, AK 1945b, 'Kilkivan mercury mining', Queensland Government Mining Journal, vol. 46, pp. 49-52.
- Denmead, AK 1955, The West Moreton (Ipswich) Coalfield, publication no. 279, Geological Survey of Queensland, Brisbane.

- Denmead, AK & Ridgway, JE 1956, 'Bauxite search—Atherton Tableland', Queensland Government Mining Journal, vol. 57, p. 383.
- Dennis, DM 1974a, 'Geology of the Silverwood area', BSc (hons) thesis, University of New England, Armidale.
- Dennis, DM 1974b, 'The stratigraphy, palaeontology and biostratigraphy of a Permian sequence, near Warwick, Queeensland', BSc (hons) thesis, Department of Geology, University of New England, Armidale.
- Denton, MG 1994, 'The metamorphic petrology and geochemistry of the Princhester area, Marlborough, centraleastern Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- DePaolo, DJ & Wasserburg, GJ 1976, 'Nd isotopic variations and petrogenetic models', Geophysical Research Letters, vol. 3, pp. 249–52.
- Department of Environment and
 Resource Management 2011, Tully
 Murray River basin hydrology—
 conceptualisation of groundwater
 system for alluvium of Tully Murray River
 Basin, Department of Environment and
 Resource Management, Brisbane.
- Department of Natural Resources and Mines 2002, Atherton Tableland and Cairns region: water supply planning study report, Department of Natural Resources and Mines, Brisbane.
- Department of Natural Resources and Mines 2005, Hydrogeological framework report for the Great Artesian Basin resource plan area, Department of Natural Resources and Mines, Brisbane.
- Department of Primary Industries 1993, Callide Valley groundwater recharge works, January 1993, Department of Primary Industries, Brisbane.
- DERM—see Department of Environment and Resource Management.
- Derrick, GM 1980, Marraba, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Derrick, GM 1982, 'A Proterozoic rift zone at Mount Isa, Queensland, and implications for mineralisation', BMR Journal of Australian Geology & Geophysics, vol. 7, pp. 81–92.
- Derrick, GM & Wilson, IH 1982, Geology of the Alsace 1:100 000 sheet area (6858), Queensland, record no. 1982/6, Bureau of Mineral Resources, Australia, Canberra.

- Derrick, GM, Wilson, IH & Hill, RM 1976, 'Revision of stratigraphic nomenclature in the Precambrian of northwestern Queensland. I: Tewinga Group', Queensland Government Mining Journal, vol. 77, pp. 97–102.
- Derrick, GM, Wilson, IH & Hill, RM 1977a, 'Revision of stratigraphic nomenclature in the Precambrian of northwestern Queensland. VII: Mount Albert Group', Queensland Government Mining Journal, vol. 78, pp. 13–16.
- Derrick, GM, Wilson, IH & Hill, RM 1978, 'Revision of stratigraphic nomenclature in the Precambrian of northwestern Queensland. VIII: igneous rocks', Queensland Government Mining Journal, vol. 79, pp. 151-6.
- Derrick, GM, Wilson, IH, Hill, RM, Glikson, AY & Mitchell, JE 1977b, 'Geology of the Mary Kathleen 1:100 000 sheet area, north-west Queensland', Bulletin of the Bureau of Mineral Resources, vol. 193, pp. 1–113.
- Derrick, GM, Wilson, IH & Sweet, IP 1980, 'The Quilalar and Surprise Creek formations—new Proterozoic units from the Mount Isa Inlier (Australia): their regional sedimentology and application to regional correlation', BMR Journal of Australian Geology & Geophysics, vol. 5, pp. 215–23.
- Derrington, EA 1989, GSQ Rutland Plains 1: lithologic log and composite log, record no. 1989/19, Geological Survey of Queensland, Brisbane.
- Derrington, SS 1954, 'The geology of the Murgon-Windera district', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Derrington, SS 1960, 'Completion report Humber Barrier Reef No. 1 Wreck Island', Bureau of Mineral Resources Petroleum Search Subsidy Act Publication, vol. 4, pp. 1–15.
- Derrington, SS 1961, 'Newly named stratigraphic units in Queensland', Australasian Oil and Gas Journal, vol. 7, p. 27.
- Derrington, SS 1981, 'Gregory River 2 well, Queensland, well completion report', unpublished report held by the Geological Survey of Queensland as CR10767.
- Derrington, SS, Glover, JJE & Morgan, KH 1959, 'New names in Queensland stratigraphy. Permian of the south-eastern part of the Bowen Syncline', Australasian Oil and Gas Journal, vol. 5, pp. 27–35.

- de Silva, SL 2008, 'Arc magmatism, calderas, and supervolcanoes', Geology, vol. 36, pp. 671-2.
- de Silva, SL, Zandt, G, Trumbull, R, Viramonte, J, Salas, G, & Jimenez, N 2006, 'Large-scale silicic volcanism in the Central Andes—a tectonomagmatic phenomenon', *Geological Society* of London, Special Publication, vol. 269, pp. 47–64.
- Dettmann, ME 1985, 'Appendix 5.

 Biostratigraphy, palaeoenvironments, and hydrocarbon source potential of Early Jurassic to Early Cretaceous sediments in Petworth no. 1, 890–1537 m. LEA Petworth 1 well completion report', unpublished report held by the Geological Survey of Queensland as CR15298.
- Dettmann, ME 1987a, 'Palynological analysis of Cretaceous sediments, Carpentaria Basin', unpublished report held by the Geological Survey of Queensland as CR17374.
- Dettmann, ME 1987b, 'Appendix 5.

 Biostratigraphy, palaeoenvironments, and hydrocarbon source potential of Colesmore no. 1, 1084 m 1895 m. LEA Colesmore 1 well completion report', unpublished report held by the Geological Survey of Queensland as CR16998.
- Dettmann, ME & Clifford, HT 2000a, 'Monocotyledon fruits and seeds, and an associated palynoflora from Eocene-Oligocene sediments of coastal central Queensland, Australia', Review of Palaeobotany and Palynology, vol. 110, pp. 141-73.
- Dettmann, ME & Clifford, HT 2000b,
 'Gemmae of the Marchantiales
 from the Winton Formation (midCretaceous), Eromanga Basin,
 Queensland', Memoirs of the Queensland
 Museum, vol. 45, pp. 285–92.
- Dettmann, ME & Clifford, HT 2000c, 'The fossil record of Elaeocarpus L. fruits', Memoirs of the Queensland Museum, vol. 46, pp. 461–97.
- Dettmann, ME & Clifford, HT 2003, 'Miocene palynofloras from subsurface sediments in the Bundaberg district', Memoirs of the Queensland Museum, vol. 49, pp. 261–7.
- Dettmann, ME, Clifford, HT & Peters, M 2009, 'Lovellea wintonensis gen. et sp. nov.—Early Cretaceous (late Albian), anatomically preserved, angiospermous flowers and fruits from the Winton Formation, western Queensland, Australia', Cretaceous Research, vol. 30, pp. 339–55.

- Dettmann, ME, Molnar, RE, Douglas, JG, Burger, D, Fielding, CR, Clifford, HT, Francis, J, Jell, PA, Rich, TH, Wade, M, Rich, PV, Pledge, N, Kemp, A & Rozefelds, A 1992, 'Australian Cretaceous terrestrial faunas and floras: biostratigraphic and biogeographic implications', Cretaceous Research, vol. 13, pp. 207–62.
- de Vis, CW 1895, 'A review of the fossil jaws of the Macropodidae in the Queensland Museum', Proceedings of the Linnean Society of New South Wales, vol. 10, pp. 75-134.
- de Vries, ST, Fry, N & Pryer, L 2006, 'OZ SEEBASE Proterozoic Basins Study', report to Geoscience Australia and consortium partners by FrOG Tech Pty Ltd, public domain GIS and report available from www.frogtech.com.au.
- DiCaprio, L, Gurnis, M, Müller, RD & Tan, E 2011, 'Mantle dynamics of continent-wide Cenozoic subsidence and tilting of Australia', Lithosphere, vol. 3, pp. 311–16.
- DiCaprio, L, Müller, RD & Gurnis, M 2010, 'A dynamic process for drowning carbonate reefs on the northeastern Australian margin', Geology, vol. 38, pp. 11–14.
- Dickins, JM 1960, Cretaceous marine macrofossils from the Great Artesian Basin in Queensland, record no. 1960/69, Bureau of Mineral Resources, Australia, Canberra.
- Dickins, JM 1964a, Subdivision and correlation of the Permian Middle Bowen beds, Queensland, report no. 70, Bureau of Mineral Resources, Australia, Canberra.
- Dickins, JM 1964b, Correlation of the Permian of the Hunter Valley, New South Wales, and the Bowen Basin, Queensland, record no. 1964/96, Bureau of Mineral Resources, Australia, Canberra.
- Dickins, JM 1969, Appendix 1—Permian marine macrofossils from the Duaringa and Saint Lawrence sheet areas, Queensland, report no. 121, Bureau of Mineral Resources, Australia, Canberra, pp. 96–117.

- Dickins, JM & Malone, EJ 1973, 'Geology of the Bowen Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 130, pp. 1–154.
- Dickinson, WR 1977, Tectonostratigraphic evolution of subduction controlled sedimentary assemblages, no. 1, Maurice Ewing Series, American Geophysical Union, pp. 33–40.
- Digby Matheson, J 1967, 'Notes on the formation and geological setting of chrysoprase in the Marlborough deposits', Queensland Government Mining Journal, vol. 68, pp. 495–7.
- Dimitriadis, S & Cranston, PS 2001, 'An Australian Holocene climate reconstruction using Chironomidae from a tropical volcanic maar lake', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 176, pp. 109-31.
- Direen, NG & Crawford AJ 2003a,

 'Fossil seaward-dipping reflector
 sequences preserved in southeastern
 Australia: a 600 Ma volcanic passive
 margin in eastern Gondwanaland',
 Journal of the Geological Society,
 London, vol. 160, pp. 985–90.
- Direen, NG & Crawford, AJ 2003b, 'The Tasman Line: where is it, what is it and is it Australia's Rodinian breakup boundary?', Australian Journal of Earth Sciences, vol. 50, pp. 491–502.
- Dixon, DA & Pope, GJ 1987, 'Oil shale of the Duaringa Basin, central Queensland', Fuel, vol. 66, pp. 305-8.
- Dixon, OA & Jell, JS 2012, 'Heliolitine tabulate corals from Late Ordovician and possibly early Silurian allochthonous limestones in the Broken River Province', Alcheringa, vol. 36, pp. 69–98.
- Dixon, TH, Ivins, ER & Franklin, BJ 1989, 'Topographic and volcanic asymmetry around the Red Sea: constraints on rift models', Tectonics, vol. 8, pp. 1193–216.
- DNRM—see Department of Natural Resources and Mines.
- Docds, B 1949, 'Mid-Triassic Blattoidea from the Mount Crosby insect bed', University of Queensland Papers, Department of Geology, vol. 3, no. 10, pp. 1–11.
- Dolby, JH & Balme, BE 1976, 'Triassic palynology of the Carnarvon Basin, Western Australia', *Review* of *Palaeobotany and Palynology*, vol. 22, pp. 105–68.

- Domagala, J 1991, Geology of the Chillagoe Formation in the Mitchell River area, north Queensland, record no. 1991/17, Geological Survey of Queensland, Brisbane.
- Domagala, J 1997, 'Mountain Creek Conglomerate, Hodgkinson Formation (Hodgkinson Province)', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 231–3.
- Domagala, J 1998, 'Sedimentology of the Hodgkinson Province, north Queensland', MSc thesis, University of Queensland, St Lucia, Qld.
- Domagala, J, Bultitude, RJ, Donchak, PJT, Fordham, BG, Jell, JS & Fanning, CM 1998, 'Tectonic setting implications from greywacke provenance data from the Hodgkinson Province', Geological Society of Australia Abstracts, vol. 49, p. 116.
- Domagala, J, Robertson, AD & Bultitude, RJ 1993, Geology of the Butchers Hill 1:100 000 sheet area, northern Queensland, record no. 1993/30, Geological Survey of Queensland, Brisbane.
- Domagala, J., Southgate, PN, McConachie, BA & Pidgeon, BA 2000, "Evolution of the Palaeoproterozoic Prize, Gun and lower Loretta supersequences of the Surprise Creek Formation and the Mount Isa Group', Australian Journal of Earth Sciences, vol. 47, pp. 485–508.
- Donchak, PJT 1997a, Structure, record no. 1997/2, Geological Survey of Queensland, Brisbane, pp. 144–58.
- Donchak, PJT 1997b, 'Hodgkinson Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 262-7.
- Donchak, PJT, Blake, DH & Jaques, AL 1983, Kuridala region, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Donchak, PJT & Bultitude, RJ 1994, Geology of the Atherton 1:250 000 geological sheet area, record no. 1994/5, Geological Survey of Queensland, Brisbane.
- Donchak, PJT & Bultitude, RJ 1998, Atherton (SE55-5), Queensland, 1:250 000 geological series explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Donchak, PJT, Bultitude, RJ, Purdy, DJ & Denaro, TJ 2007, 'Geology and mineralisation of the Texas region, south-eastern Queensland', Queensland Geology, vol. 11, pp. 1–95.

- Donchak, PJT, Bultitude, RJ, Robertson, AD, Hegarty, RA & Halfpenny, RS 1992, Geology of the Helenvale and Mossman 1:100 000 sheet areas, northern Queensland, record no. 1992/15, Geological Survey of Queensland, Brisbane.
- Donchak, PJT & Holmes, KH 1991, Gladstone (9150), Queensland, 1:100 000 geological map commentary, Geological Survey of Queensland, Brisbane.
- Donchak, PJT, Little, TA, Sliwa, R & Holcombe, RJ 1995, Geology of the metamorphic units of the North D'Aguilar Block—Goomeri, Nanango and Nambour 1:100 000 sheet areas, record no. 1995/7, Geological Survey of Queensland, Brisbane.
- Donders, TH, Wagner, F & Visscher, H 2006, 'Late Pleistocene and Holocene subtropical vegetation dynamics recorded in perched lake deposits on Fraser Island, Queensland, Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 241, pp. 417–39.
- Done, TJ 1982, 'Pattern in the distribution of coral communities across the central Great Barrier Reef', Coral Reefs, vol. 1, pp. 95–108.
- Doutch, HF 1976a, 'The Cainozoic Karumba Basin, northeastern Australia and southern New Guinea', BMR Journal of Australian Geology & Geophysics, vol. 1, pp. 131-40.
- Doutch, HF 1976b, 'Carpentaria Basin', Monograph of the Australasian Institute of Mining and Metallurgy, vol. 7, pp. 374-9.
- Downes, P 1991, 'Geology and geochemistry of Lindeman and Little Lindeman islands, northeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Downing, PB 2007, 'Candala Mine chrysoprase; seeing green in southern Queensland, Australia', Rock & Gem, vol. 37, pp. 12–14.
- Doyle, J 1992, 'The geology of the Condor Oil shale, Hillsborough Basin, central Queensland', BAppSc (hons) thesis, Queensland University of Technology, Brisbane.
- Doyle, MG 2001, 'Volcanic influences on hydrothermal and diagenetic alteration: evidence from Highway–Reward, Mount Windsor Subprovince, Australia', Economic Geology, vol. 96, pp. 1133–48.

- Doyle, MG & McPhie, J 2001, 'Shallowwater microbialite-volcaniclastic facies association in the Cambro-Ordovician Mt Windsor Subprovince, Australia', Australian Journal of Earth Sciences, vol. 48, pp. 815–31.
- DPI-see Department of Primary Industries.
- Draper, JJ 1971, 'The geology of the Urangan Syncline and the recent sediments of the Great Sandy Strait', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Draper, JJ 1977, 'Environment of deposition of the Carlo Sandstone', BMR Journal of Geology & Geophysics, vol. 2, pp. 97–110.
- Draper, JJ 1980a, 'Rusophycus (Early Ordovician ichnofossil) from the Mithaka Formation, Georgina Basin', BMR Journal of Geology & Geophysics, vol. 2, pp. 97–110.
- Draper, JJ 1980b, 'Ethabuka Sandstone, a new Ordovician unit in the Georgina Basin, and a redefinition of the Toko Group', Queensland Government Mining Journal, vol. 81, pp. 469–75.
- Draper, JJ 1982, Sedimentological aspects of Permian strata in GSQ Taroom 10, publication no. 377, Geological Survey of Queensland, Brisbane.
- Draper, JJ 1983, 'Origin of pebbles in mudstones in the Denison Trough', in Proceedings of the Symposium on the Permian Geology of Queensland', Geological Society of Australia, Queensland Division, Brisbane, pp. 305–16.
- Draper, JJ 1985a, 'Stratigraphy of the northern Bowen Basin', Geological Society of Australia Abstracts, vol. 17, pp. 39-43.
- Draper, || 1988, 'Permian limestone in the southeastern Bowen Basin, Queensland: an example of temperate carbonate deposition', Sedimentary Geology, vol. 60, pp. 155-62.
- Draper, JJ 1996, 'Queensland mineral commodity report: phosphate', Queensland Government Mining Journal, vol. 97, pp. 14-25.
- Draper, JJ 1997, 'Devonian early Carboniferous', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 180–1.

- Draper, IJ 1999, 'Hydrocarbon potential of the Drummond Basin, central Queensland: a preliminary reassessment based on seismic, aeromagnetic and geochemical data', Queensland Government Mining Journal, vol. 100, pp. 39–47.
- Draper, JJ (ed.) 2002a, Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane.
- Draper, IJ 2002b, 'Geological setting', in IJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 4–6.
- Draper, JJ 2002c, 'Eromanga Basin tectonics', in JJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 57–9.
- Draper, JJ 2002d, 'Cainozoic', in JJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 60–2.
- Draper, JJ 2006a, "The Thomson Fold Belt in Queensland revisited", Australian Society of Exploration Geophysicists Extended Abstracts, vol. 2006, no. 1, pp. 1–6.
- Draper, JJ 2006b, 'Georgina Basin', in Queensland opportunities for petroleum exploration 2007, geological assessment for potential tenderers, Department of Mines and Energy, Brisbane, pp. 27–39.
- Draper, JJ 2007a, 'Georgina Basin: potential for petroleum discovery', Queensland Government Mining Journal, vol. 107, pp. 76–88.
- Draper, JJ 2007b, 'Georgina Basin an early Palaeozoic carbonate petroleum system in Queensland', APEA Journal, vol. 47, pp. 105–24.
- Draper, JJ, Bain, JHC & Pain, CF 1997, 'Introduction', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 1–7.

- Draper, JJ & Balfe, PE 1985, 'Late Permian stratigraphy—western Bowen Basin, Queensland', Proceedings of the 19th Symposium on Advances in the Study of the Sydney Basin, Department of Geology, University of Newcastle, Newcastle, pp. 106-9.
- Draper, JJ & Beeston, JW 1985, 'Depositional aspects of the Reids Dome beds, Denison Trough', Queensland Government Mining Journal, vol. 86, pp. 200–10.
- Draper, JJ & Boreham, CJ 2006, 'Geological controls on exploitable coal seam gas distribution in Queensland', APPEA Journal, vol. 46, pp. 343-66.
- Draper, JJ, Boreham, CJ, Hoffmann, KL & McKellar, JL 2004, 'Devonian petroleum systems in Queensland', in PJ Boult, DR Johns & SC Lang (eds), Eastern Australasian Basins Symposium II, Adelaide 19–22 September, 2004, Petroleum Exploration Society of Australia, Special Publication, pp. 297–318.
- Draper, JJ, Boreham, CJ & Stockill, B 1999, 'Hydrocarbon potential of the Drummond Basin, central Queensland a reassessment based on seismic, aeromagnetic and geochemical data', APEA Journal, vol. 39, p. 728.
- Draper, JJ & Bultitude, RJ 1997, 'Ngarrabullgan Basin', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 516–17.
- Draper, JJ & D'Arcy, R 2006, 'Geothermal potential in Queensland',

 Australian Society of Exploration Geophysicists Extended Abstracts, vol. 2006, no. 1, pp. 1–3.
- Draper, JJ & Fielding, CR 1997,
 'Discussion: SHRIMP zircon dating
 of the Permian System of eastern
 Australia', Australian Journal of Earth
 Sciences, vol. 44, pp. 535-8.
- Draper, JJ & Green, PM 1983, 'Stratigraphic drilling report—GSQ Eddystone 4 and 5', Queensland Government Mining Journal, vol. 84, pp. 308–17.
- Draper, JJ & Green, PM 2000, 'Tookoonooka and Talundilly: hydrocarbon plays associated with possible carbonatites', APEA Journal, vol. 40, p. 776.
- Draper, JJ & Hutton, LJ 1997, 'Cainozoic (Charters Towers region)', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 186-8.

- Draper, JJ & Lang, SC (eds) 1994, Geology of the Devonian to Carboniferous Burdekin Basin, record no. 1994/9, Geological Survey of Queensland, Brisbane.
- Draper, JJ & Lang, SC 1997, 'Burdekin Basin', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 505–6.
- Draper, JJ & McConachie, BA 1997, 'Cainozoic. Kalpowar Basin', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 403–4.
- Draper, JJ, McKillop, MD & Hoffman, KL 2006, 'Adavale Basin', in Queensland opportunities for petroleum exploration 2007. Geological assessment for potential tenderers, Department of Mines and Energy, Brisbane, pp. 19–25.
- Draper, JJ, Palmieri, V, Price, PL, Briggs, DJC & Parfrey, SM 1990, 'A biostratigraphic framework for the Bowen Basin', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium, Geological Society of Australia, Queensland Division, Brisbane, pp. 26–35.
- Draper, JJ, Scott, M & Withnall, IW 1993, 'Clarke River Basin and associated rocks', Queensland Geology, vol. 4, pp. 203-19.
- Draper, JJ, Shergold, JH & Heighway, KA 1978, A review of petroleum exploration and prospects in the Georgina Basin, record no. 1978/10, Bureau of Mineral Resources, Australia, Canberra.
- Draper, JJ & Withnall, IW 1997, 'Late Carboniferous-Permian rocks', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 183-4.
- Draut, AE & Clift, PD 2006, 'Sedimentary processes in modern and ancient oceanic arc settings: evidence from the Jurassic Talkeetna Formation of Alaska and the Mariana and Tonga arcs, western Pacific', Journal of Sedimentary Research, vol. 76, pp. 493–514.
- Drew, EA & Abel, KM 1985, 'Biology, sedimentology and geography of the vast inter-reefal Halimeda meadows within the Great Barrier Reef Province', Proceedings of the 5th International Coral Reef Symposium, Tahiti, vol. 5, pp. 15–20.
- Drexel, JF & Priess, WV (eds) 1995, 'The geology of South Australia. Volume 2, The Phanerozoic', Bulletin of the South Australian Geological Survey, vol. 54, pp. 1–347.

- Drexel, JF, Priess, WV & Parker, AJ (eds) 1993, 'The geology of South Australia. Volume 1, The Precambrian', Bulletin of the South Australian Geological Survey, vol. 54, pp. 1–300.
- Driscoll, EG 1960, 'Geology of the Mundubbera district', University of Queensland Papers Department of Geology, vol. 5, no. 5, pp. 1–27.
- Druce, EC 1969a, 'Lower Devonian conodonts from the northern Yarrol Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 108, pp. 43–74.
- Druce, EC 1969b, 'Frasnian conodonts from Mount Morgan, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 108, pp. 75–90.
- Druce, EC 1969c, 'Lower Carboniferous conodonts from the northern Yarrol Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 108, pp. 91–114.
- Druce, EC 1974, 'Australian Devonian and Carboniferous conodont faunas', in J Bouckaert & M Streel (eds), NAMUR 1974. International Symposium on Belgian Micropaleontological Limits. Publication 5, Geological Survey of Belgium, Brussels, pp. 1–18.
- Druce, EC & Jones, PJ 1970, 'Cambro-Ordovician conodonts from the Burke River Structural Belt, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 110, pp. 1–158.
- Drummond, BJ, Goleby, BR, Goncharov, AG, Wyborn, LAI, Collins, CDN & Macready, T 1998, 'Crustal-scale structures in the Proterozoic Mount Isa Inlier of north Australia: their seismic response and influence on mineralisation', Tectonophysics, vol. 288, pp. 43–56.
- Duane, MJ & Reimold, WU 1989, 'The Simpson Desert depression—an ancient impact basin?', Abstracts and Papers, 20th Lunar and Planetary Science Conference, March 17–19, 1989, Houston (Texas), vol. 20, pp. 252–3.
- Duane, MJ & Reimold, WU 1990, 'The Simpson Desert depression—an ancient giant impact basin, part 2', Abstracts and Papers, 21st Lunar and Planetary Science Conference, March 12–16, 1990, Houston (Texas), vol. 21, pp. 301–2.

- Dubois, N, Kindler, P, Spezzaferri, S & Coric, S 2008, 'The initiation of the southern central Great Barrier Reef: new multiproxy data from Pleistocene distal sediments from the Marion Plateau (NE Australia)', Marine Geology, vol. 250, pp. 223-33.
- Dubow, A 1979, 'Authority to Prospect 1994M, half-yearly report February 1979 – August 1979', unpublished report held by the Geological Survey of Queensland as CR7440.
- Dudgeon, MJ 1983, 'Eocene pollen of probable proteaceous affinity from the Yaamba Basin, central Queensland', Memoir of the Association of Australasian Palaeontologists, vol. 1, pp. 339–62.
- Dudgeon, MJ 1985, 'Palynology of the Yaamba Basin (Eocene), central Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Duffy, M 1995, 'Subera mine, an alluvial sapphire deposit, central Queensland gemfields', 1995 field conference: Clermont-Anakie region, central Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 102-4.
- Duggan, MB, Knutson, J & Ewart, A 1993, IAVCEI Canberra 1993 excursion guide: Warrumbungle, Nandewar, and Tweed volcanic complexes, record no. 1993/70, Australian Geological Survey Organisation, Canberra.
- Duhig, NC, Davidson, GJ & Stolz, AJ 1992, 'Microbial involvement in the formation of Cambrian sea-floor silica-iron oxide deposits, Australia', Geology, vol. 20, pp. 511–14.
- Duhig, NC, Stolz, AJ, Davidson, GJ & Large, RR 1992, 'Cambrian microbial and silica gel textures preserved in silica iron exhalites of the Mount Windsor volcanic belt, Australia: their petrography, chemistry and origin', Economic Geology, vol. 87, pp. 764–84.
- Dunbar, GB, Dickens, GR & Carter, RM 2000, 'Sediment flux across the Great Barrier Reef shelf to the Queensland Trough over the last 300 ky', Sedimentary Geology, vol. 133, pp. 49–92.
- Duncan, AC 1983, 'Structure of the Juntala Metamorphics, northeast Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Duncan, RA & McDougall, I 1989, "Volcanic time-space relationships", in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 43-54.

- Dunn, JA & Morgan, JW 1955, 'Titanium and the Australian beach sand industry', Queensland Government Mining Journal, vol. 56, pp. 661–8.
- Dunstan, B 1898, The Mesozoic coal measures of Stanwell and associated formations, publication no. 131, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1901, Geology of the Dawson and Mackenzie rivers with special reference to the occurrence of anthracitic coal, publication no. 155, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1902a, The sapphire fields of Anakie, publication no. 172, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1902b, 'The sapphire fields of Anakie', Queensland Government Mining Journal, vol. 3, pp. 239-46.
- Dunstan, B 1902c, Geological sketch map of Queensland, publication no. 182, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1905, 'Wolfram in Queensland', Queensland Government Mining Journal, vol. 6, pp. 333-4.
- Dunstan, B 1906, Geological sketch map of Queensland, publication no. 206, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1908, Geological sketch map of Queensland showing mineral localities, publication no. 217, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1911a, Geological map of Gympie and environs, publication 221B, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1911b, 'Tripolite deposits at Nerang', Queensland Government Mining Journal, vol. 12, p. 367.
- Dunstan, B 1913, Queensland mineral index and guide, publication 241, Geological Survey of Queensland, Brisbane.
- Dunstan, B 1916, 'Appendix B.

 Queensland geological formations',
 in G Harrap, A school geography
 of Queensland, Department of
 Public Instruction, Brisbane.
- Dunstan, B 1917a, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects. 10. Arsenic', Queensland Government Mining Journal, vol. 18, pp. 176–80.

- Dunstan, B 1917b, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects. 11. Mercury', Queensland Government Mining Journal, vol. 18, pp. 232–8.
- Dunstan, B 1917c, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects.

 12. Manganese', *Queensland Government Mining Journal*, vol. 18, pp. 286–92.
- Dunstan, B 1917d, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects. 8. Bismuth', Queensland Government Mining Journal, vol. 18, pp. 18–22.
- Dunstan, B 1917e, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects. 13. Nickel', Queensland Government Mining Journal, vol. 18, pp. 396–403.
- Dunstan, B 1917f, 'Queensland mineral deposits. A review of occurrences, production, values, and prospects. 14. Platinum', Queensland Government Mining Journal, vol. 18, pp. 556-62.
- Dunstan, B 1920a, 'Cloncurry iron ores, Mount Leviathan and Mount Philp', Queensland Government Mining Journal, vol. 21, pp. 225–6.
- Dunstan, B 1920b, North-western
 Queensland. Geological notes
 on the Cloncurry-CamoowealBurketown-Boulia area, publication
 no. 265, Geological Survey of
 Queensland, Brisbane.
- Dunstan, B 1920c, 'Queensland industrial minerals. Review of occurrences, treatment, uses, values and production. IV. Molybdenite', Queensland Government Mining Journal, vol. 21, pp. 462-6, 504-8.
- Dunstan, B 1921a, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. VII. Graphite', Queensland Government Mining Journal, vol. 22, pp. 278–81, 327–31.
- Dunstan, B 1921b, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. VIII. Manganese', *Queensland Government Mining Journal*, vol. 22, pp. 363–8, 415–20.
- Dunstan, B 1921c, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. IX. Arsenic', Queensland Government Mining Journal, vol. 22, pp. 455–60.

- Dunstan, B 1921d, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. VI. Nickel', Queensland Government Mining Journal, vol. 22, pp. 190–95, 229–34.
- Dunstan, B 1921e, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. V. Platinum', Queensland Government Mining Journal, vol. 22, pp. 17–20, 51–5, 95–100.
- Dunstan, B 1922, 'Queensland industrial minerals, review of occurrences, treatment, uses values, and production. IX. Arsenic', Queensland Government Mining Journal, vol. 23, pp. 14-9, 58-63.
- Dunstan, B 1926, Queensland industrial minerals Part I: a review of occurrences, uses, values and production with special reference to Queensland resources in salt, asbestos, mica, molybdenite, platinum, nickel, graphite, manganese, and arsenic, publication no. 268, Geological Survey of Queensland, Brisbane.
- Dunstan, B & Ridgway, JE 1931, 'The mercury deposits near Kilkivan', Queensland Government Mining Journal, vol. 32, pp. 311–15.
- Dunster, JN 1990, 'The pre-Mesozoic geology of the Olive River Dulhunty River area, Cape York Peninsula', unpublished report held by the Geological Survey of Queensland as CR22352.
- Dunster, JN, McConachie, BA & Brown, MG 1989, 'PRC Beamesbrook-1 well completion report, Authority to Prospect 373P, Carpentaria Basin, Queensland. Comalco Aluminium Limited', unpublished report held by the Geological Survey of Queensland as CR20566.
- Durick, AM 2001, Atherton basalt groundwater model, Department of Natural Resources and Mines, Brisbane.
- Durkee, EF 1990, 'Pasca-Pandora reef exploration in the Gulf of Papua', in GJ Carman & Z Carman (eds), Petroleum exploration in Papua New Guinea. Proceedings of the First PNG Petroleum Convention, 12-14th February 1990, Port Moresby, pp. 567-79.
- Dyksterhuis, S, Müller, RD & Albert, RA 2005, 'Palaeostress field evolution of the Australian continent', Journal of Geophysical Research, vol. 110, B05102, doi:10.1029/2003JB002728, 13 pp.

- Edgar, NT, Cecil, CB, Mattick, RE, Chivas, AR, De Deckker, P & Djajadihardja, YS 2003, 'A modern analogue for tectonic, eustatic, and climatic processes in cratonic basins: Gulf of Carpentaria, northern Australia', SEPM Special Publication, vol. 77, pp. 193–205.
- Edwards, AB & Carlos, GC 1954, 'The selenium content of some Australian sulphide deposits', Proceedings of the Australasian Institute of Mining and Metallurgy, vol. 172, pp. 31–63.
- Edwards, IN 1974, 'Geology of the Yarrol area, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Edwards, PA 1977, 'Geology of the Blue Range area, North Queensland', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Eggleton, RA, Fitz Gerald, J & Foster, L 2011, 'Chrysoprase from Gumgil, Queensland', Australian Journal of Earth Sciences, vol. 58, pp. 767–76.
- Eggleton, RA, Taylor, G, le Gleuher, M, Foster, LD, Tilley, DB & Morgan, CM 2008, 'Regolith profile, mineralogy and geochemistry of the Weipa bauxite, northern Australia', Australian Journal of Earth Sciences, vol. 55, pp. S17–S43.
- EHA—see Environmental Hydrology Associates.
- EIA 2010, International energy outlook 2010, Energy Information Administration, Washington DC.
- Elburg, MA, Bons, PD, Dougherty-Page, J, Janka, CE, Neumann, N & Schaefer, B 2001, 'Age and metasomatic alteration of the Mt Neil Granite at Nooldoonooldoona waterhole, Mt Painter Inlier, South Australia', Australian Journal of Earth Sciences, vol. 48, pp. 721–30.
- Elkinton, HD, Abbott, DH, Martos, SN, Chivas, AR & Breger, D 2006, 'Impactor fragments from craters Kanmare and Tabban in the Gulf of Carpentaria', Abstracts with Programs, Geological Society of America 2006 Annual Meeting, vol. 38, p. 299.
- Elliott, LG 1989, 'The Surat and Bowen basins', APEA Journal, vol. 29, pp. 398–416.
- Elliott, LG 1973, 'The geology of the Springwood area, Denison Trough, east central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.

- Elliott, LG 1993, 'Post-Carboniferous tectonic evolution of eastern Australia', APEA Journal, vol. 33, pp. 215–36.
- Ellis, PL 1968, Geology of the Maryborough 1:250 000 sheet area, report no. 26, Geological Survey of Queensland, Brisbane.
- Ellis, PL & Whitaker, WG 1976, Geology of the Bundaberg 1:250 000 sheet area, report no. 90, Geological Survey of Queensland, Brisbane.
- Elloy R, Peniguel G & Cassou AM
 1977, 'Carbonate study, Adavale
 Basin, Queensland, Australia
 (a sedimentological approach)',
 SNEA (P), Direction Exploration,
 Dépt. Laboratoire Geologique Pau,
 unpublished report held by Geological
 Survey of Queensland as CR5916.
- England, R, Taube, A & Messenger, P 1998, 'Hurgledurgles as a guide to ore at Mount Morgan: a rational explanation', Geological Society of Australia Abstracts, vol. 49, p. 131.
- Environmental Hydrology Associates 2005, Groundwater review of south east Queensland on-shore sandmass systems & sand islands, report no. GW-05-18-REP-002 Rev A, Department of Natural Resources and Mines, Brisbane.
- Ericson, EK 1976, 'Capricorn Basin', Monographs of the Australasian Institute of Mining and Metallurgy, no. 7, pp. 464–73.
- Eriksson, KA, Simpson, EL & Jackson, MJ 1993, 'Stratigraphical evolution of a Proterozoic syn-rift to post-rift basin: constraints on the nature of lithospheric extension in the Mount Isa Inlier, Australia', Special Publications of the International Association of Sedimentologists, vol. 20, pp. 203–21.
- ESSO 1981, 'Six monthly report on ATP2462M, Mount Hedlow for period ending 2/3/1981', unpublished report held by the Geological Survey of Queensland as CR9127.
- Esterle, JS, Leblanc Smith, G & Yago, JVR 2000, 'Geometry and connectivity of distributary channel sandstones in the Late Permian Moranbah Coal Measures, Bowen Basin, Australia', APPEA Journal, vol. 40, pp. 381–92.
- Esterle, J & Sliwa, R 2002, Bowen Basin Supermodel 2000, report no. 976C, ACARP Project C9021, CSIRO Exploration and Mining, Kenmore.

- Etheridge, MA, Rutland, RWR & Wyborn, LAI 1987, 'Orogenesis and tectonic processes in the Early to Middle Proterozoic of northern Australia', American Geophysical Union, Geodynamic Series, vol. 17, pp. 131–47.
- Evans, HJ 1975, 'Weipa bauxite deposit, Queensland', Monographs of the Australasian Institute of Mining and Metallurgy, no. 8, pp. 959–64.
- Evans, JW 1956, 'Palaeozoic and Mesozoic Hemiptera (Insecta)', Australian Journal of Zoology, vol. 4, pp. 168–258.
- Evans, KG, Stephens, AW & Shorten, G 1992, 'Quaternary sequence stratigraphy of the Brisbane River delta, Moreton Bay, Australia', Marine Geology, vol. 107, pp. 61–79.
- Evans, PR 1964a, Some palynological observations on samples from the north-eastern Eromanga Basin, central Queensland, record no. 1964/76, Bureau of Mineral Resources, Australia, Brisbane.
- Evans, PR 1964b, A correlation of some deep wells in the northeastern Eromanga Basin, central Queensland, record no. 1964/197, Bureau of Mineral Resources, Australia, Canberra.
- Evans, PR 1966a, "Mesozoic stratigraphic palynology in Australia", Australasian Oil and Gas Journal, vol. 12, pp. 58–63.
- Evans, PR 1966b, Palynological studies in the Longreach, Jericho, Galilee, Tambo, Eddystone and Taroom 1:250 000 sheet areas, Queensland, record no. 1966/61, Bureau of Mineral Resources, Australia, Canberra.
- Evans, PR 1967, Upper Carboniferous and Permian palynological stages and their distribution in eastern Australia, record no. 1967/99, Bureau of Mineral Resources, Australia, Canberra.
- Evans, PR 1969, 'Upper Carboniferous and Permian palynological stages and their distribution in eastern Australia', in AJ Amos (ed.), Proceedings and papers 1st Gondwana Symposium, Argentina, Mar del Plata, Argentina, pp. 41–54.
- Evans, PR 1980, 'Geology of the Galilee Basin', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 299–305.
- Evans, PR 1982, 'The age and distribution of petroleum in Australia', APEA Journal, vol. 22, pp. 301–10.

- Evans, PR & Burger, D 1972, Palynology of shallow stratigraphic boreholes and oil exploration wells, report no. 143, Bureau of Mineral Resources, Australia, pp. 82–94.
- Evans, PR, Hoffmann, KL, Remus, DA & Passmore, V 1990, 'Geology of the Eromanga sector of the Eromanga Brisbane Geoscience Transect', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 83–104.
- Evans, PR & Roberts, J 1980, 'Evolution of central eastern Australia during the late Palaeozoic and early Mesozoic', Journal of the Geological Society of Australia, vol. 26, pp. 325–40.
- Evans, R 1976, 'A study of the basic volcanic rocks of the Maleny-Mapleton area, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Evans, WJ, Arculus, RJ & Ashley, PM 1993, 'Petrological variation within the Wateranga layered intrusion, southeast Queensland', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 629–36.
- Evernden, JF & Richards, JR 1962, 'Potassium-argon ages in eastern Australia', Journal of the Geological Society of Australia, vol. 9, pp. 1–49.
- Evins, PM, Wilde, AR, Foster, DRW, McKnight, SS & Blenkinsop, TG 2007, 'Significance of monazite EPMA ages from the Quamby Conglomerate, Queensland', Australian Journal of Earth Sciences, vol. 54, pp. 19–26.
- Ewart, A 1981, 'The mineralogy and chemistry of the anorogenic Tertiary silicic volcanics of SE Queensland and NE New South Wales, Australia', *Journal of Geophysical Research*, vol. 86, pp. 10 242–56.
- Ewart, A 1982, 'Petrogenesis of the Tertiary anorogenic volcanic series of southern Queensland, Australia, in the light of trace element geochemistry and O, Sr and Pb isotopes', Journal of Petrology, vol. 23, pp. 344–82.
- Ewart, A 1985, 'Aspects of the mineralogy and chemistry of the intermediate-silicic Cainozoic volcanic rocks of eastern Australia. Part 2: mineralogy and petrogenesis', Australian Journal of Earth Sciences, vol. 32, pp. 383–413.

- Ewart, A 1989, 'East Australian petrology and geochemistry' in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney.
- Ewart, A, Baxter, K & Ross, JA 1980, 'The petrology and petrogenesis of the Tertiary anorogenic mafic lavas of southern and central Queensland, Australia—possible implications for crustal thickening', Contributions to Mineralogy and Petrology, vol. 75, pp. 129–52.
- Ewart, A, Chappell, BW & LeMaitre, R 1985, 'Aspects of the mineralogy and chemistry of the intermediate-silicic Cainozoic volcanic rocks of eastern Australia. Part 1: introduction and geochemistry', Australian Journal of Earth Sciences, vol. 32, pp. 359–82.
- Ewart, A, Chappell, BW & Menzies, MA 1988, 'An overview of the geochemical and isotopic characteristics of the eastern Australian Cainozoic volcanic provinces', in MA Menzies & KG Cox (eds), Oceanic and continental lithosphere: similarities and differences, Journal of Petrology, Special Publication, pp. 225–74.
- Ewart, A & Grenfell, A 1985, 'Cainozoic volcanic centres in southeastern Queensland, with special reference to the Main Range, Bunya Mountains, and the volcanic centres of the northern Brisbane coastal region', University of Queensland Papers Department of Geology, vol. 11, pp. 1–57.
- Ewart, A, Mateen, A & Ross, JA 1976, 'Review of mineralogy and chemistry of Tertiary volcanic complexes in southeast Queensland and northeast New South Wales', in RW Johnson (ed.), Volcanism in Australasia, Elsevier, Amsterdam, pp. 21–39.
- Ewart, A, Oversby, VM & Mateen, A 1977, 'Petrology and isotope geochemistry of Tertiary lavas from the northern flank of the Tweed volcano, southeastern Queensland', Journal of Petrology, vol. 18, pp. 73-113.
- Ewart, A, Schon, RS & Chappell, BW 1992, 'The Cretaceous volcanic-plutonic province of the central Queensland (Australia) coast—a rift related "calcalkaline" province', Transactions of the Royal Society of Edinburgh: Earth Sciences, vol. 83, pp. 327–45.

- Ewart, AE, Schon, RW & Stephens, CJ 1990, 'Rift-related Cretaceous volcanism along the central Queensland coast', Proceedings of the PacRim 90 Congress, vol. II, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 123–8.
- Ewart, A, Stevens, NC & Ross, JA 1987, 'The Tweed and Focal Peak shield volcanoes, southeast Queensland and northeast New South Wales', *University* of Queensland Papers, Department of Geology, vol. 11, pp. 1–82.
- Ewers, GR 1997, 'Chapter 15—Mineral and energy deposit styles and potential resources', *Bulletin of* the Australian Geological Survey Organisation, vol. 240, pp. 529–45.
- Ewers, GR, Wood, DC, Tedder, DJ & Hoffman, CF 1992, Epithermal gold mineralisation in the northern Drummond Basin, Queensland, Australia, record no. 1992/72, Geoscience Australia, Canberra.
- Ewing, M, Hawkins, LV & Ludwig, WJ 1970, 'Crustal structure of the Coral Sea', *Journal of Geophysical* Research, vol. 75, pp. 1953–62.
- Exon, NF 1966, 'Revised Jurassic to Lower Cretaceous stratigraphy in the south-east Eromanga Basin, Queensland', *Queensland Government Mining Journal*, vol. 67, pp. 232–8.
- Exon, NF 1970, Tambo (SG/55-11), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Exon, NF 1971, 'Roma (SG 55/12), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Exon, NF 1976, 'Geology of the Surat Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 166, pp. 1–160.
- Exon, NF, Bernardel, G, Brown, J, Cortese, A, Findlay, C, Hoffmann, K, Howe, R & Quilty, PG 2006, The geology of the Mellish Rise region off northeast Australia: a key piece in a tectonic puzzle—Southern Surveyor Cruise SS02/2005—Geoscience Australia Survey 274, record no. 2006/08, Geoscience Australia, Canberra.
- Exon, NF & Burger, D 1981, 'Sedimentary cycles in the Surat Basin and global changes of sea level', *BMR Journal of Australian Geology* & *Geophysics*, vol. 6, pp. 153–60.

- Exon, NF, Galloway, MC, Casey, DJ & Kirkegaard, AG 1972, Geology of the Tambo/Augathella area, Queensland, report no. 143, Bureau of Mineral Resources, Australia, Canberra.
- Exon, NF, Hill, PJ, Lafoy, Y, Burch, G, Post, A, Heine, C, Quilty, P, Howe, R & Taylor, L 2005, The geology of the Kenn Plateau off northeast Australia: results of Southern Surveyor Cruise SS5/2004 (Geoscience Australia Cruise 270), record no. 2005/04, Geoscience Australia, Canberra.
- Exon, NF, Hill, PJ, Lafoy, Y, Heine, C & Bernardel, G 2006, 'Kenn Plateau off northeast Australia: a continental fragment in the southwest Pacific jigsaw', Australian Journal of Earth Sciences, vol. 53, pp. 541–64.
- Exon, NF, Langford-Smith, T & McDougall, I 1971, 'The age and geomorphic correlations of deep-weathering profiles, silcrete, and basalt in the Roma-Amby region, Queensland', Journal of the Geological Society of Australia, vol. 17, pp. 21-30.
- Exon, NF, Milligan, EN, Casey, DJ &
 Galloway, MC 1967, The geology of the
 Roma and Mitchell 1:250 000 sheet
 areas, record no. 1967/63, Bureau of
 Mineral Resources, Australia, Canberra.
- Exon, NF, Milligan, EN & Day, RW 1967, 'Discussion: age of the duricrust in southern Queensland, Australian Journal of Science, vol. 30, p. 110.
- Exon, NF & Morrissey, J 1974, Wireline logging of water-bores in the Surat Basin, 1960 to 1974, record no. 1974/113, Bureau of Mineral Resources, Australia, Canberra.
- Exon, NF & Senior, BR 1976, 'The Cretaceous geology of the Surat and Eromanga Basins', BMR Journal of Australian Geology & Geophysics, vol. 1, pp. 33-50.
- Exon, NF & Vine, RR 1970, 'Revised nomenclature of the 'Blythesdale' sequence', Queensland Government Mining Journal, vol. 71, pp. 48–52.
- Fairbridge, RW 1950, 'Recent and Pleistocene reefs of Australia', *Journal* of Geology, vol. 58, pp. 330–401.
- Fairburn, WA 1992, Geometry and reservoir trends in the Epsilon Formation sands, southern Cooper Basin, South Australia', APEA Journal, vol. 32, pp. 339-58.

- Falkner, AJ 1986, 'Sedimentology of the Blackstone Formation, Ipswich Coal Measures, southeast Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Falkner, AJ & Fielding, CR 1993,
 'Geometrical facies analysis of a
 mixed influence deltaic system: the
 late Permian German Creek Formation,
 Bowen Basin, Australia', International
 Association of Sedimentologists, Special
 Publication, vol. 17, pp. 195–209.
- Falvey, DA & Mutter, JC 1981, 'Regional plate tectonics and the evolution of Australia's passive continental margins', BMR Journal of Geology & Geophysics, vol. 6, pp. 1–29.
- Falvey, DA, Symonds, PA, Colwell, JB, Willcox, JB, Marshall, JF, Williamson, PE & Stagg, HMJ 1990, 'Australia's deepwater frontier petroleum basins and play types', APEA Journal, vol. 30, pp. 238–62.
- Falvey, DA & Taylor, LWH 1974, 'Queensland Plateau and Coral Sea Basin: structural and time stratigraphic patterns', Bulletin of the Australian Society of Exploration Geophysicists, vol. 5, pp. 123–6.
- Fanning, CM 1995, 'Report of ion-microprobe U-Pb zircon dating and Sm-Nd total rock analyses of samples from the Lolworth Batholith', unpublished report for the Geological Survey of Queensland, Brisbane.
- Fanning, CM 1996, SHRIMP U-Pb zircon dating for AMIRA Project P425, AMIRA report no. A95-640, Precise Radiogenic Isotope Services, Research School of Earth Sciences, Australian National University, Canberra.
- Fanning, CM 2012, 'U-Pb zircon dating (SHRIMP)', Queensland Geology, vol. 13, pp. 525-65.
- Fanning, CM, Ashley, PM, Cook, MDJ, Teale, G & Conor, CHH 1998, A geochronological perspective of crustal evolution in the Curnamona Province, record no. 1998/25, Australian Geological Survey Organisation, Canberra, pp. 30–5.
- Fanning, CM, Withnall, IW, Hutton, LJ, Bultitude, RJ, von Gnielinski, F & Rienks, IP 2009, 'Appendix— SHRIMP U-Pb zircon ages from central Queensland', Queensland Geology, vol. 12, pp. 463-573.

- Faulkner, J & McKenzie, P 1965, 'The Mirani Kuttabul Coal Prospecting Area, Mackay, A to P 4C. BHP Company Ltd', unpublished report held by the Geological Survey of Queensland as CR1525.
- Faure, G & Mensing, TM 2004, Isotopes: principles and applications, John Wiley & Sons, New York.
- Fawckner, JF 1981, 'Structural and stratigraphic relations and a tectonic interpretation of the western Hodgkinson Province, northeastern Australia', PhD thesis, James Cook University of North Queensland, Townsville.
- Feary, DA, Champion, DC, Bultitude, RJ & Davies, PJ 1993b, 'Igneous and metasedimentary basement lithofacies of the Queensland Plateau', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, pp. 535-40.
- Feary, DA, Davies, PJ, Pigram, CJ & Symonds, PA 1991, 'Climatic evolution and control on carbonate deposition in northeast Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 89, pp. 341-61.
- Feary, DA, Symonds, PA, Davies JP,
 Pigram, CJ & Jarrard, RD 1993a,
 'Geometry of Pleistocene facies on
 the Great Barrier Reef outer shelf and
 upper slope—seismic stratigraphy of
 Sites 819, 820, and 821', Proceedings
 of the Ocean Drilling Program, Scientific
 Results, vol. 133, pp. 327–51.
- Feist, R & Talent, JA 2000a, 'A new Early Ordovician trilobite from the Broken River region, northeastern Australia: taxonomy and palaeogeographic implications', Records of the Western Australian Museum Supplement, no. 58, pp. 59–63.
- Feist, R & Talent, JA 2000b, 'Devonian trilobites from the Broken River region of northeastern Australia', Records of the Western Australian Museum Supplement, no. 58, pp. 65–80.
- Fell-Smith, S 1987, 'The geology and geochemistry of the Mt Tinbeerwah escarpment area, near Tewantin, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Feng, YX 2006, '40Ar/39Ar dating of young supergene Mn-oxides: implication for late Cainozoic weathering history and landscape evolution, Mary Valley, southeast Queensland, Australia' BSc (hons) thesis, University of Queensland, St Lucia, Qld.

859

- Feng, YX & Vasconcelos, PM 2001, 'Quaternary continental weathering geochronology by laser-heating 40Ar/39Ar analysis of supergene cryptomelane', Geology, vol. 29, pp. 635–8.
- Feng, YX & Vasconcelos, PM 2007, "Chronology of Pleistocene weathering processes, southeast Queensland, Australia", Earth and Planetary Science Letters, vol. 263, pp. 275–87.
- Fenton, MS & Jackson, KS 1989, 'The Drummond Basin: low cost exploration in a high risk area', APEA Journal, vol. 29, pp. 220–34.
- Ferguson, JA 1948, 'Geology of the area south-east of the Gympie Goldfield', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Ferguson, JA 1969, 'Cainozoic erosion and sedimentation between Gympie and Brisbane' in KSW Campbell (ed.), Stratigraphy and palaeontology: essays in honour of Dorothy Hill, Australian National University Press, Canberra, pp. 323–36.
- Fergusson, CL 1982, 'An ancient accretionary terrain in eastern New England—evidence from the Coffs Harbour Block', in PG Flood & BN Runnegar (eds), New England geology, University of New England, Armidale, pp. 63–70.
- Fergusson, CL 1984, 'The Gungahl Complex of the New England Fold Belt, eastern Australia: a tectonic mélange formed in the Paleozoic subduction complex', Journal of Structural Geology, vol. 6, pp. 257–71.
- Fergusson, CL 1990, 'Thin-skinned thrusting in the Bowen Basin and northern New England Orogen, central Queensland', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium, Geological Society of Australia, Queensland Division, Brisbane, pp. 42–4.
- Fergusson, CL 1991, 'Thin-skinned thrusting in the northern New England Orogen, central Queensland, Australia', Tectonics, vol. 10, pp. 797–806.
- Fergusson, CL 2010, 'Plate-driven extension and convergence along the East Gondwana active margin: late Silurian – Middle Devonian tectonics of the Lachlan Fold Belt, southeastern Australia', Australian Journal of Earth Sciences, vol. 57, pp. 627–49.

- Fergusson, CL, Carr, PF, Fanning, CM & Green, TJ 2001, 'Proterozoic-Cambrian detrital zircon and monazite ages from the Anakie Inlier, central Queensland: Grenville and Pacific-Gondwana signatures', Australian Journal of Earth Sciences, vol. 48, pp. 857-66.
- Fergusson, CL & Flood, PG 1984,
 'A late Palaeozoic subduction
 complex in the Border Rivers
 area of south-east Queensland',
 Proceedings of the Royal Society of
 Queensland, vol. 95, pp. 47-55.
- Fergusson, CL, Henderson, RA, Fanning, CM & Withnall, IW 2007b, 'Detrital zircon ages in Neoproterozoic to Ordovician siliciclastic rocks, northeastern Australia: implications for the tectonic history of the East Gondwana continental margin', Journal of the Geological Society of London, vol. 164, pp. 215–25.
- Fergusson, CL, Henderson, RA & Leitch, EC 1988, 'Tectonostratigraphic terranes and subduction complex melange, northern New England Orogen, central Queensland', in JD Kleeman (ed.), New England Orogen—tectonics and metallogenesis, Department of Geology and Geophysics, University of New England, Armidale, pp. 32–41.
- Fergusson, CL, Henderson, RA & Leitch, EC 1990a, 'Structural history and tectonics of the Palaeozoic Shoalwater and Wandilla terranes, northern New England Orogen, Queensland', Australian Journal of Earth Sciences, vol. 37, pp. 387–400.
- Fergusson, CL, Henderson, RA & Leitch, EC 1990b, 'Subduction complex melange of the Wandilla terrane, Palaeozoic New England Orogen, central Queensland, Australia', Journal of Structural Geology, vol. 12, pp. 591–9.
- Fergusson, CL, Henderson, RA & Leitch, EC 1994, 'Tectonics of the New England Fold Belt in the Rockhampton—Gladstone region, central Queensland', in RJ Holcombe, CJ Stephens & CR Fielding (eds), Field conference 1994, Capricorn region, central coastal Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–16.
- Fergusson, CL, Henderson, RA, Leitch, EC & Ishiga, H 1993, 'Lithology and structure of the Wandilla terrane, Gladstone—Yeppoon district, central Queensland, and an overview of the Palaeozoic subduction complex of the New England Fold Belt', Australian Journal of Earth Sciences, vol. 40, pp. 403–14.

- Fergusson, CL, Henderson, RA,
 Lewthwaite, KJ, Phillips, D & Withnall, IW
 2005, 'Structure of the early Palaeozoic
 Cape River Metamorphics, Tasmanides
 of north Queensland: evaluation of the
 roles of convergent and extensional
 tectonics', Australian Journal of Earth
 Sciences, vol. 52, pp. 261–77.
- Fergusson, CL, Henderson, RA, Withnall, IW & Fanning, CM 2007c, 'Structural history of the Greenvale Province, north Queensland: early Palaeozoic extension and convergence on the Pacific margin of Gondwana', Australian Journal of Earth Sciences, vol. 54, pp. 573-95.
- Fergusson, CL, Henderson, RA,
 Withnall, IW, Fanning, CM, Phillips, D
 & Lewthwaite, KJ 2007a, 'Structural,
 metamorphic and geochronological
 constraints on alternating compression
 and extension in the early Paleozoic
 Gondwanan Pacific margin, northeastern
 Australia', Tectonics, vol. 26, TC3008,
 doi:10.1029/2006TC001979.
- Fergusson, CL, Henderson, RA & Wright, JV 1994, 'Facies in a Devonian-Carboniferous volcanic fore-arc succession, Campwyn Volcanics, Mackay district, central Queensland', Australian Journal of Earth Sciences, vol. 41, pp. 287-300.
- Fergusson, CL, Offler, R & Green, TJ 2009, 'Late Neoproterozoic passive margin of East Gondwana: geochemical constraints from the Anakie Inlier, central Queensland, Australia', Precambrian Research, vol. 168, pp. 301–12, doi:10.1016/Jprecamres.2008.10.007.
- Ferrari, L, López-Martínez, M & Rosas-Elguera, J 2002, 'Ignimbrite flare-up and deformation in the southern Sierra Madre Occidental, western Mexico: implications for the late subduction history of the Farallon plate', *Tectonics*, vol. 21, p. 1035, doi:10.1029/2001TC001302.
- Fielding, CR 1989a, 'A tide- and wavemoulded shelf sequence from the Permian of the southwest Bowen Basin, Queensland, Australia', Australian Journal of Earth Sciences, vol. 36, pp. 29-40.
- Fielding, CR 1989b, 'Hummocky crossstratification from the Boxvale Sandstone Member in the northern Surat Basin, Queensland', Australian Journal of Earth Sciences, vol. 36, pp. 469–71.
- Fielding, CR 1992, 'A review of Cretaceous coalbearing sequences in Australia', Geological Society of America Special Paper, vol. 267, pp. 303–24.

- Fielding, CR 1996, 'Mesozoic sedimentary basins and resources in eastern Australia—a review of current understanding', Geological Society of Australia, Abstracts, vol. 43, pp. 180–5.
- Fielding, CR, Falkner, AJ, Kassan, J & Draper, JJ 1990, 'Permian and Triassic depositional systems in the Bowen Basin', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium, Geological Society of Australia, Queensland Division, Brisbane, pp. 21–5.
- Fielding, CR, Falkner, AJ & Scott, SC 1993, 'Fluvial response to foreland basin overfilling: the Late Permian Rangal Coal Measures in the Bowen Basin, Queensland, Australia', Sedimentary Geology, vol. 85, pp. 475–97.
- Fielding, CR, Holcombe, RJ & Stephens, CJ 1994, 'A critical evaluation of the Grantleigh Trough, east-central Queensland', in RJ Holcombe, CJ Stephens & CR Fielding (eds), Field conference, Capricorn region, central coastal Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 17–30.
- Fielding, CR, Kassan, J & Draper, JJ 1996, 'Geology of the Bowen and Surat basins, eastern Queensland', Australasian Sedimentologists Group Field Guide Series, vol. 8, pp. 1–126.
- Fielding, CR & McLoughlin, S 1992,

 'Sedimentology and palynostratigraphy
 of Permian rocks exposed at
 Fairbairn Dam, central Queensland',
 Australian Journal of Earth
 Sciences, vol. 39, pp. 631–49.
- Fielding, CR, Sliwa, R, Holcombe, RJ & Jones, AT 2001, 'A new palaeogeographic synthesis for the Bowen, Gunnedah and Sydney basins of eastern Australia', in KC Hill & T Bernecker (eds), Eastern Australasian Basins Symposium, a refocused energy perspective for the future, Petroleum Exploration Society of Australia, Special Publication, pp. 269–79.
- Fielding, CR, Sliwa, R, Holcombe, RJ & Kassan, J 2000, 'A new palaeogeographic synthesis of the Bowen Basin of central Queensland', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium, Geological Society of Australia, Coal Geology Group and Bowen Basin Geologists Group, Rockhampton, pp. 287–302.

- Fielding, CR, Stephens, CJ & Holcombe, RJ 1997a, 'Permian stratigraphy and palaeogeography of the eastern Bowen Basin, Gogango Overfolded Zone and Strathmuir Synclinorium in the Rockhampton—Mackay region, central Queensland', Geological Society of Australia, Special Publication, vol. 19, pp. 80–95.
- Fielding, CR, Stephens, CJ & Holcombe, RJ 1997b, 'Submarine mass wasting as an indicator of the onset of foreland thrust loading—late Permian Bowen Basin, Queensland, Australia', Terra Nova, vol. 9, pp. 14–18.
- Fielding, CR, Stephens, CJ, Kassan, J & Holcombe, RJ 1995, 'Revised palaeogeographic maps for the Bowen Basin, central Queensland', in IL Follington, JW Beeston & LH Hamilton (eds), Proceedings of the Bowen Basin Symposium 1995, The Bowen Basin Geologists Group and the Geological Society of Australia Coal Geology Group, Mackay, October 1995, pp. 7–15.
- Fielding, CR, Trueman, JD & Alexander, J 2006, 'Holocene depositional history of the Burdekin River delta of northeastern Australia: a model for a low-accommodation, high stand delta', Journal of Sedimentary Research, vol. 76, pp. 411–28.
- Filatoff, J 1985, 'Appendix 6. Palynology report—Jackson 6. Delhi-Petroleum Pty Ltd Palynological Laboratory report no. 13/183. DIO Jackson 6 well completion report', unpublished report held by the Geological Survey of Queensland as CR12466.
- Filatoff, J 1986a, 'Appendix 4.

 Palynology report—Doonmulla
 no. 1. Delhi Petroleum Pty Ltd
 Palynological Laboratory report
 no. 13/380. DIO Doonmulla 1 well
 completion report', unpublished
 report held by the Geological Survey
 of Queensland as CR15084.
- Filatoff, J 1986b, 'Appendix 7. Palynology— Mount Howitt no. 2, Early Cretaceous section. Delhi Petroleum Pty Ltd Palynological Laboratory report no. 13/386, DIO Mount Howitt 2 well completion report', unpublished report held by the Geological Survey of Queensland as CR15141.
- Filatoff, J 1987, 'Appendix 9. Palynology— Toby no. 1. CSR Oil & Gas Division, Palynology Facility, Palynological Laboratory report no. 522/1, DIO Toby 1 well completion report', unpublished report held by the Geological Survey of Queensland as CR16690.

- Filatoff, J & Price, PL 1988, 'A pteridacean spore lineage in the Australian Mesozoic', Memoir of the Association of Australasian Palaeontologists, vol. 5, pp. 89–124.
- Filatoff, J & Price, PL 1989a, 'GSQ Rutland Plains no. 1, APG consultants report no. 571/7', unpublished report held by the Geological Survey of Queensland as CR20012.
- Filatoff, J & Price, PL 1989b, 'GSQ Dobbyn no. 1, APG consultants report no. 571/8', unpublished report held by the Geological Survey of Queensland as CR20011.
- Filatoff, J & Price, PL 1989c, 'GSQ Ebagoola no. 1 palynological report, APG consultants report no. 571/9', unpublished report held by the Geological Survey of Queensland as CR20533.
- Filatoff, J & Price, PL 1990, 'Appendix 10.
 Ipundu North 1 palynostratigraphy,
 source potential and maturation,
 APG consultants report no. 398/5,
 AMP lpundu North 1, well completion
 report', unpublished report
 held by the Geological Survey
 of Queensland as CR21165.
- Fillmore, DT 1992, 'Groundwater model of the lower Johnstone River system', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Finlayson, DM (ed.) 1990, 'The Eromanga— Brisbane geoscience transect: a guide to basin development across Phanerozoic Australia in southern Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 1–261.
- Finlayson, DM, Leven, JH & Etheridge, MA 1988, 'Structural styles and basin evolution in the Eromanga region, eastern Australia', Bulletin of the Association of American Petroleum Geologists, vol. 72, pp. 33–48.
- Finlayson, DM, Leven, JH, Wake-Dyster, KD & Johnstone, DS 1990a, 'A crustal image under the basins of southern Queensland along the Eromanga—Brisbane Geoscience Transect', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 153–75.
- Finlayson, DM, Wake-Dyster, KD, Leven, JH, Johnstone, DS, Murray, CG, Harrington, HJ, Korsch, RJ & Wellman, P 1990b, 'Seismic imaging of major tectonic features in the crust of Phanerozoic eastern Australia', Tectonophysics, vol. 173, pp. 211–30.

- Finnis, KK 1999, 'Geology of southeast Whitsunday Island, northeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Fishwick, S, Heintz, M, Kennett, BLN, Reading, AM & Yoshizawa, K 2008, 'Steps in lithospheric thickness within eastern Australia, evidence from surface wave tomography', *Tectonics*, vol. 27, pp. 1–17.
- Fishwick, S, Kennett, BLN & Reading, AM 2005, 'Contrasts in lithospheric structure within the Australian craton—insights from surface wave tomography', Earth and Planetary Science Letters, vol. 231, pp. 163–76.
- Fiske, RS, Naka, J, Iizasa, K, Yuasa, M & Klaus, A 2001, 'Submarine silicic caldera at the front of the Izu-Bonin arc, Japan: voluminous seafloor eruptions of rhyolite pumice', Bulletin of the Geological Society of America, vol. 113, pp. 813-24.
- Fitzell, MJ, Withnall, IW & Pascoe, GS 2006, Scartwater (8255), Queensland, 1:100 000 geological series, 1st edn, Geological Survey of Queensland, Brisbane.
- Flannery, TF & Archer, M 1987, 'Stigocuscus reidi and Trichosurus discksoni, two new fossil phalangerids (Marsupialia: Phalangeridae) from the Miocene of northwestern Queensland', in M Archer (ed.), Possums and opossums: studies in evolution, Surrey Beatty & Sons and Royal Zoological Society of New South Wales, Sydney, pp. 527–36.
- Fleming, ELC 1997, 'Weathering in the Selwyn Ranges, northwest Queensland: regolith and geochronology', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Fleming, PJG 1960, 'Stratigraphical and faunal studies in the upper Palaeozoic at Neerkol, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Fleming, PJG 1966a, 'Notes on Triassic fossils from the Mount Crosby Formation in the parish of Chuwar', Queensland Government Mining Journal, vol. 67, pp. 119–20.
- Fleming, PJG 1966b, Cretaceous

 Palaeotaxodontida of the Maryborough
 Formation, southeast Queensland,
 publication no. 333, Geological Survey
 of Queensland, Brisbane, pp. 5–11.
- Fleming, PJG 1966c, *The bivalve*Grammatodon (Indogrammatodon) *Cox in the Lower Cretaceous of Queensland*,
 publication no. 333, Geological Survey
 of Queensland, Brisbane, pp. 13–16.

- Fleming, PJG 1967, 'Names for Carboniferous and Permian formations of the Yarrol Basin in the Stanwell area, central Queensland', Queensland Government Mining Journal, vol. 68, pp. 113–16.
- Fleming, PJG 1969, 'Fossils from the Neerkol Formation of central Queensland', in KSW Campbell (ed.), Stratigraphy and palaeontology: essays in honour of Dorothy Hill, ANU Press, Canberra, pp. 264–75.
- Fleming, PJG 1970, The fauna of the Maryborough Formation, southeast Queensland, publication no. 346, Geological Survey of Queensland, Brisbane.
- Fleming, PJG 1972, Redescription of fenestellid species from the upper Carboniferous of eastern Australia, publication no. 354, Geological Survey of Queensland, Brisbane.
- Fleming, PJG 1976, 'Records of Mesozoic fossils in the Maryborough 1:250 000 sheet area', Report of the Geological Survey of Queensland, held by the Queensland Department of Mines and Energy, Brisbane.
- Fleming, PJG 1978, 'Middle Cambrian trilobites south of Kajabbi', Queensland Government Mining Journal, vol. 79, pp. 582–3.
- Fleming, PJG, Day, RW, Murray, CG & Whitaker, WG 1974, 'Late Palaeozoic invertebrate macrofossils in the Neranleigh-Fernvale beds', *Queensland Government Mining Journal*, vol. 75, pp. 104-7.
- Fleming, PJG, Murray, CG & Whitaker, WG 1975, 'Late Palaeozoic invertebrate fossils in the Wandilla Formation, and the deposition of the Curtis Island Group', Queensland Government Mining Journal, vol. 76, pp. 416–22.
- Flint, JCE & Gould, RE 1975, 'A note on the fossil megafloras of the Nymboida and Red Cliff Coal Measures, southern Clarence–Moreton Basin, NSW', Journal and Proceedings of the Royal Society of New South Wales, vol. 108, pp. 70–4.
- Flood, PG 1974, 'Sand movements on Heron Island—a vegetated sand cay, Great Barrier Reef Province, Australia', Proceedings of the 2nd International Coral Reef Symposium, vol. 2, pp. 387–94.
- Flood, PG 1977, 'Coral cays of the Capricorn and Bunker groups, Great Barrier Reef Province, Australia', Atoll Research Bulletin, vol. 195, pp. 1–7.

- Flood, PG 1983, 'Tectonic setting and development of the Bowen Basin', in JB Waterhouse (ed.), 1983 field conference, Permian of the Biloela-Moura-Cracow area, Geological Society of Australia, Queensland Division, Brisbane, pp. 7–21.
- Flood, PG 1985, 'Facies study of the Callide Seam, central Queensland: implications for mine planning and design', Journal of the Geological Society of Australia, Coal Geology Group, vol. 5, pp. 13–24.
- Flood, PG 1993, 'Geological history of the reef', in P Mather & I Bennett (eds), A coral reef handbook: a guide to the geology, flora and fauna of the Great Barrier Reef, 3rd edn, Great Barrier Reef Committee, Brisbane, pp. 3-6.
- Flood, PG & Aitchison, JC 1992, 'Late Devonian accretion of the Gamilaroi Terrane to eastern Gondwana: provenance linkage suggested by the first appearance of Lachlan Fold Beltderived quartzarenite', Australian Journal of Earth Sciences, vol. 39, pp. 539–44.
- Flood, PG & Fergusson, CL 1984, 'The geological development of the northern New England Province of the New England Fold Belt', in HK Herbert & JMW Rynn (eds), Volcanics, granites and mineralisation of the Stanthorpe–Emmaville–Drake region, 1984 field conference, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–19.
- Flood, PG & Garces, BJr 1986, 'The Tarong Basin, Queensland: a Late Triassic strike-slip (pull-apart) basin containing alluvial fan and coal-rich sediments', in WF Willmott (ed.), 1986 field conference, the South Burnett district, Geological Society of Australia, Queensland Division, Brisbane, pp. 77–81.
- Flood, PG, Grant, BP & Frankel, E 1986, 'The origin of Eighteen Mile Swamp: a modern back-barrier peat forming environment, North Stradbroke Island, southeast Queensland', in E Frankel, JB Keene & AE Waltho (eds), Recent sediments in eastern Australia, marine through terrestrial, publication no. 2, Geological Society of Australia, NSW Division, pp. 131–40.

- Flood, PG & Jell, JS 1977, 'The effect of cyclone "David" (January, 1976) on the sediment distribution patterns on Heron Reef, Great Barrier Reef, Australia', Proceedings of the Third International Coral Reef Symposium, Miami, vol. 2, pp. 119–26.
- Flood, PG, Jell, JS & Waterhouse, JB 1981, 'Two new early Permian stratigraphic units in the southeastern Bowen Basin, central Queensland', Queensland Government Mining Journal, vol. 82, pp. 179–84.
- Flood, PG & Orme, GR 1977, 'A sedimentation model for platform reefs of the Great Barrier Reef, Australia', Proceedings of the 3rd International Coral Reef Symposium, vol. 2, pp. 111–17.
- Flood, PG & Orme, GR 1988, 'Mixed siliciclastic/carbonate sediments of the northern Great Barrier Reef Province, Australia', *Developments in Sedimentology*, vol. 42, pp. 175–205.
- Flood, PG, Orme, GR & Scoffin, TP 1978, 'An analysis of the textural variability displayed by inter-reef sediments of the impure carbonate facies in the vicinity of the Horwick Group', *Philosophical Transactions of the Royal Society, London*, series A, vol. 291, pp. 73–83.
- Flood, PG & Scoffin, TP 1978, 'Reefal sediments of the northern Great Barrier Reef', Philosophical Transactions of the Royal Society, London, series A, vol. 291, pp. 55–71.
- Flöttmann, T, Haines, PW, James, P, Jago, JB, Belperio, A & Gum, J 1998, 'Formation and reactivation of the Cambrian Kanmantoo Trough, southeast Australia—implications for early Palaeozoic tectonics at eastern Gondwana's plate margin', Journal of the Geological Society of London, vol. 155, pp. 525–39.
- Foden, J, Elburg, MA, Dougherty-Page, J & Burtt, A 2006, 'The timing and duration of the Delamerian Orogeny: correlation with the Ross Orogen and implications for Gondwana assembly', Journal of Geology, vol. 114, pp. 189–210.
- Foden, J, Sandiford, M, Dougherty-Page, J & Williams, I 1999, 'Geochemistry and geochronology of the Rathjen Gneiss: implications for the early tectonic evolution of the Delamerian Orogen', Australian Journal of Earth Sciences, vol. 46, pp. 377–89.

- Forbes, CJ, Betts, PG, Giles, D & Weinberg, R 2008, 'Reinterpretation of the tectonic context of high-temperature metamorphism in the Broken Hill Block, NSW, and implications on the Palaeo- to Meso-Proterozoic evolution', *Precambrian Research*, vol. 166, pp. 338–49.
- Forbes, CJ, Betts, PG & Lister GS 2004, 'Synchronous development of Type 2 and Type 3 fold interference patterns: evidence for recumbent sheath folds in the Allendale area, Broken Hill, NSW, Australia', Journal of Structural Geology, vol. 26, pp. 113–26.
- Forbes, CJ, Giles, D, Betts, PG, Weinberg, R & Kinny, PD 2007, 'Dating prograde amphibolite and granulite facies metamorphism using *in situ* monazite U/Pb SHRIMP analysis', *Journal of Geology*, vol. 115, pp. 691–705.
- Ford, JH, Wood, DG & Green, DC 1976, 'Geochronology of porphyry coppertype mineralization near Rockhampton, eastern Queensland, Australia', Economic Geology, vol. 71, pp. 526–39.
- Ford, RJ 1988, 'An empirical model for the Australasian tektite field', *Australian Journal of Earth Sciences*, vol. 35, pp. 483–90.
- Fordham, BG 1976, 'Geology and Lower-Middle Devonian coral conodont biostratigraphy of the Nogoa Anticline, Springsure district, central Queensland', Proceedings of the Royal Society of Queensland, vol. 87, pp. 63–76.
- Fordham, BG 1990, 'Microfossils and gross structure and stratigraphy of the Silurian-Devonian Chillagoe Formation, western Hodgkinson Province, northeast Australia', Geological Society of Australia, Abstracts, vol. 25, pp. 48-9.
- Fordham, BG 2012, 'Appendix 2— Ordovician – lower Carboniferous conodont dating', *Queensland Geology*, vol. 13, pp. 567–85.
- Fordham, BG, Robertson, A & Bultitude, RJ 2003, *Belgravia Creek Transect,* 1:10 000 geological map, Geological Survey of Queensland, Brisbane.
- Forster, P 1991, 'Geology of a transect through the Pikedale area, Border Rivers area, Queensland', BSc (hons) thesis, University of New South Wales, Sydney.
- Foster, CB 1979a, 'Early Tertiary (Eocene) miospores from Fairymead NS 1. Appendix 2', Queensland Government Mining Journal, vol. 80, p. 363.

- Foster, CB 1979b, 'Tertiary miospores from the Rundle oil shale deposit', Queensland Government Mining Journal, vol. 80, pp. 442–3.
- Foster, CB 1980, Report on Tertiary spores and pollens from core samples from the Hillsborough and Duaringa basins, submitted by Southern Pacific Petroleum N.L., record no. 1980/2, Geological Survey of Queensland, Brisbane.
- Foster, CB 1981, Report on Tertiary spore-pollen assemblages from GSQ Sandy Cape 1–3R, Geological Survey of Queensland, Brisbane.
- Foster, CB 1982, Illustrations of early Tertiary (Eocene) plant microfossils from the Yaamba Basin, Queensland, publication no. 381, Geological Survey of Queensland, Brisbane.
- Foster, CB & Harris, WK 1981, 'Azolla capricornica sp. nov., first Tertiary record of Azolla Lamarck (Salviniacaeae) in Australia', Transactions of the Royal Society of South Australia, vol. 105, pp. 195–204.
- Foster, DA & Gray, DR 2000, 'The structure and evolution of the Lachlan Fold Belt (Orogen) of eastern Australia', Annual Review of Earth and Planetary Sciences, vol. 28, pp. 47–80.
- Foster, DRW & Austin, JR 2008, 'The 1800–1610 Ma stratigraphic and magmatic history of the Eastern Succession, Mount Isa Inlier, and correlations with adjacent Paleoproterozoic terranes', *Precambrian Research*, vol. 163, pp. 7–30.
- Foster, DRW & Rubenach, MJ 2006, 'Isograd pattern and regional low-pressure, high-temperature metamorphism of pelitic, mafic and calc-silicate rocks along an east-west section through the Mount Isa Inlier', Australian Journal of Earth Sciences, vol. 53, pp. 167–86.
- Foster LM 1993, Progress report on the Great Artesian Basin recharge investigation, Queensland Department of Primary Industries, Brisbane.
- Fox, RC, Campbell, KSW, Barwick, RE & Long, JA 1995, 'A new osteolepiform fish from the Lower Carboniferous Raymond Formation, Drummond Basin, Queensland', Memoirs of the Queensland Museum, vol. 38, pp. 97–221.

- Francis, JM, Dunbar, GB, Dickens, GR, Sutherland, IA & Droxler, AW 2007, 'Siliciclastic sediment across the north Queensland margin: a Holocene perspective on reciprocal versus coeval deposition in tropical mixed siliciclastic-carbonate systems', Journal of Sedimentary Research, vol. 77, pp. 572–86.
- Franks, DM 2000, 'Weathering and landscape evolution, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Freeman, MJ, Shergold, JH, Morris, DG & Walter, MR 1990, 'Late Proterozoic and Palaeozoic basins of central and northern Australia—regional geology and mineralisation', Monograph of the Australasian Institute of Mining and Metallurgy, vol. 14, pp. 1125–33.
- Frew, L 1999, 'Palynology and organic petrology of the Water Park Creek Basin, Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- FrOG Tech. 2006, OZ SEEBASEtm Proterozoic basins study', Report to Geoscience Australia by FrOG Tech Pty Ltd.
- Fruehn, J, White, RS & Minshull, TA 1997, 'Internal deformation and compaction of the Makran accretionary wedge', Terra Nova, vol. 9, pp. 101–4.
- GABCC—see Great Artesian Basin Consultative Council.
- Gaffney, ES 1992, 'Ninjemys, a new name for "Meiolania" oweni (Woodward), a horned turtle from the Pleistocene of Queensland', American Museum Novitates, no. 3049, pp. 1–10.
- Gaffney, ES & Bartholomai, A 1979, 'Fossil trionychids of Australia', Journal of Paleontology, vol. 53, pp. 1354–60.
- Gaffney, ES & McNamara, G 1990,
 'A meiolaniid turtle from the
 Pleistocene of northern Queensland',
 Memoirs of the Queensland
 Museum, vol. 28, pp. 107–13.
- Gaina, C, Müller, RD, Royer, JY, Stock, JM, Hardebeck J & Symonds, PA 1998a, 'The tectonic history of the Tasman Sea: a puzzle with thirteen pieces', Journal of Geophysical Research, vol. 103, pp. 12 413-33.
- Gaina, C, Müller, RD, Royer, JY & Symonds, PA 1999, 'Evolution of the Louisiade triple junction', Journal of Geophysical Research, vol. 104, pp. 12 927-39.

- Gaina, C, Roest, W, Müller, RD & Symonds, PA 1998b, 'The opening of the Tasman Sea: a gravity anomaly grid animation', Earth Interactions, vol. 2, pp. 1–23.
- Gallagher, K 1990, 'Permian-Cretaceous subsidence history along the Eromanga-Brisbane geoscience transect', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 133-51.
- Gallagher, K, Dumitru, TA & Gleadow, JW 1994, 'Constraints on the vertical motion of eastern Australia during the Mesozoic', Basin Research, vol. 6, pp. 77–94.
- Gallagher, K & Lambeck, K 1989, 'Subsidence, sedimentation and sea-level changes in the Eromanga Basin, Australia', Basin Research, vol. 2, pp. 115–31.
- Gallagher, MR & Leach, LM 2011, North Stradbroke Island groundwater model revision, Queensland Department of Environment and Natural Resources, Brisbane.
- Galligan, AG & Mengel, DC 1986, 'Code for reporting of identified coal resources and reserves', Queensland Government Mining Journal, vol. 87, pp. 201–3.
- Galloway, MC 1970, Adavale (SG 55-05), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Galtier, J, Feist, R, Talent, JA & Meyer-Berthaud, B 2007, 'New permineralized flora and trilobites from the mid Tournaisian (early Carboniferous) Ruxton Formation, Clarke River Basin, north-east Australia', Palaeontology, vol. 50, pp. 223–43.
- Gapais, D 1989, 'Shear structures within deformed granites: mechanical and thermal indicators', Geology, vol. 17, pp. 1144–7.
- Gardiner, VJ 1970, 'Submarine geology of the western Coral Sea', Bulletin of the Geological Society of America, vol. 70, pp. 1399–424.
- Gardner, DE 1955, 'Beach sand heavy mineral deposits of eastern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 28, pp. 1–103.
- Garrad, PD & Bultitude, RJ 1999, Geology, mining history and mineralisation of the Hodgkinson and Kennedy provinces, Cairns region, north Queensland, Queensland Minerals and Energy Review Series, Department of Mines and Energy, Brisbane, pp. 1–306.

- Garrad, PD, Osborne, J, Rees, ID &
 Sullivan, TD 2000, Queensland
 minerals—a summary of major mineral
 resources, mines and projects, 1st
 edn, Queensland Department of
 Mines and Energy, Brisbane.
- Garrad, PD & Withnall, IW 2004, Mineral occurrences—St Lawrence and Port Clinton 1:250 000 sheet areas, central Queensland, record no. 2004/7, Geological Survey of Queensland, Brisbane.
- Garvey, JM & Turner, S 2006, "Vertebrate microremains from the presumed earliest Carboniferous of the Mansfield Basin, Australia", Alcheringa, vol. 30, pp. 43–62.
- Gatehouse, CG 1972, 'Formations of the Gidgealpa Group in the Cooper Basin', Australasian Oil and Gas Review, vol. 18, no. 2, pp. 10-15.
- Gatehouse, CG 1986, 'The geology of the Warburton Basin in South Australia', Australian Journal of Earth Sciences, vol. 33, pp. 161–80.
- Gatehouse, CG, Fanning, CM & Flint, RB 1995, 'Geochronology of the Big Lake Suite, Warburton Basin, northeastern South Australia', Geological Survey of South Australia, Quarterly Geological Notes, vol. 128, pp. 8–16.
- Genever, M, Grindrod, J & Barker, B 2003, 'Holocene palynology of Whitehaven Swamp, Whitsunday Island, Queensland, and implications for the regional archaeological record', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 201, pp. 141–56.
- Geo-Eng Australia Pty Ltd 1999, 'Bundaberg groundwater investigation project 1998/99, phase 1 & 2 draft final report', Report to the Queensland Department of Natural Resources, Bundaberg.
- Geological Society of Australia 1971, Tectonic map of Australia and New Guinea, Geological Society of Australia, Sydney.
- Geological Survey of Queensland 1961, Occurrence of petroleum and natural gas in Queensland, publication no. 299, Geological Survey of Queensland, Brisbane.
- Geological Survey of Queensland 1978, 'Mineral resources of the Bowen region', Queensland Government Mining Journal, vol. 79, pp. 187–208.

- Geological Survey of Queensland 1983, Annual report of the Geological Survey of Queensland for the year 1982, record no. 1983/1, Geological Survey of Queensland, Brisbane.
- Geological Survey of Queensland 1985, 'Eromanga Basin lithostratigraphic nomenclature', Queensland Government Mining Journal, vol. 86, p. 446.
- Geological Survey of Queensland 2005, Geological site data, Department of Natural Resources and Mines, Brisbane (digital data on CD-ROM, updated annually).
- Geological Survey of Queensland 2011, North-west Queensland Mineral and Energy Province report, Queensland Department of Employment, Economic Development and Innovation, Brisbane.
- Geoscience Australia 2010, Australia's identified mineral resources, Geoscience Australia, Canberra, 114 pp.
- Geoscience Australia & ABARE 2010, Australian Energy Resource Assessment, Canberra, 345 pp.
- Geyh MA & Schleicher, H 1990, Absolute age determination. Physical and chemical dating methods and their application, Springer, Berlin.
- GHD 1986, Port Douglas Four Mile Beach resort, groundwater/irrigation statement for Quintex Limited, Gutteridge, Haskins & Davey, Brisbane.
- GHD 1999, Mulgrave River aquifer study—report on abstraction to supply Cairns, Gutteridge, Haskins & Davey for Department of Natural Resources, Brisbane.
- GHD 2010a, Report for Mulgrave River groundwater study. Desktop assessment of Fishery Falls district, Gutteridge, Haskins & Davey for Cairns Regional Council.
- GHD 2010b, Draft report for Mulgrave River aquifer scheme stage 1 numerical modelling and ecological investigations, Gutteridge, Haskins & Davey for Cairns Regional Council.
- Gibbard, PL, Head, MJ, Walker, MJC & The Subcommission on Quaternary Stratigraphy 2010, 'Formal ratification of the Quaternary system/period and the Pleistocene series/epoch with a base at 2.58 Ma', Journal of Quaternary Science, vol. 25, pp. 96–102.
- Gibbons, GS 1977, 'Index of Australian meteorites', Journal of the Geological Society of Australia, vol. 24, pp. 263–8.

- Gibling, MR, Nanson, GC & Maroulis, JC 1998, 'Anastomosing river sedimentation in the Channel Country of central Australia', Sedimentology, vol. 45, pp. 595–619.
- Gibson, DL 1981, 'Part 2—Quarterly statistics', Australian Mineral Industry Quarterly, vol. 33, pp. 105–13.
- Gibson, DL 2007, Potassium—argon ages of late Mesozoic and Cainozoic igneous rocks of eastern Australia, open file report no. 193, Cooperative Research Centre for Landscape Environments and Mineral Exploration, Bentley, WA.
- Gibson, DL & Boreham, CJ 1984, 'The Cambrian Camooweal Oil Shale, northeast Georgina Basin: nature and geochemistry', Proceedings of the second Australian workshop on oil shale, Brisbane, CSIRO Division of Energy Chemistry, Sutherland, NSW, pp. 44–9.
- Gibson, GM, Debenham, S, Henson, PA, Hutton, LJ, Lambeck, A, Neumann, NL & Southgate, PN 2005, 'Geodynamic setting and structural evolution of the Western Succession', in GM Gibson & AP Hitchman (eds), Final report Project I—3D basin architecture and mineral systems in the Mt Isa Western Succession, Predictive Mineral Discovery, Cooperative Research Centre, Melbourne, pp. 61–82.
- Gibson, GM & Hitchman, AP (eds) 2005, Final report Project I1—3D basin architecture and mineral systems in the Mt Isa Western Succession, Predictive Mineral Discovery, Cooperative Research Centre, Melbourne.
- Gibson, GM, Rubenach, MJ, Neumann, NL, Southgate, PN & Hutton, LJ 2008, 'Syn- and post-extensional tectonic activity in the Paleoproterozoic sequences of Broken Hill and Mount Isa and its bearing on reconstructions of Rodinia', Precambrian Research, vol. 166, pp. 350–69.
- Gibson, RL 1991, 'Hercynian lowpressure-high-temperature regional metamorphism and subhorizontal foliation development in the Canigou massif, Pyrenees, France evidence for crustal extension', Geology, vol. 19, pp. 380-3.
- Gilbert, DJ 1971, 'Westwood Grid A-P 532M geological, petrological map (part interpretative), in BHP, annual report, A-P 532M, Westwood, QLD, for the year ended 31/12/71', unpublished report held by Geological Survey of Queensland as CR3940.

- Gilbert-Tomlinson, J 1968, 'A new record of Bothriolepis in the Northern Territory of Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 80, pp. 191–226.
- Gilbert-Tomlinson, J 1973, 'The Lower Ordovician gastropod Teiichispira in northern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 126, pp. 63–88.
- Giles, D, Betts, PG, Aillères, L, Hulscher, B, Hough, M & Lister, GS 2006, 'Evolution of the Isan Orogeny at the southeastern margin of the Mount Isa Inlier', Australian Journal of Earth Sciences, vol. 53, pp. 91–108.
- Giles, D, Betts, PG & Lister, GS 2002, 'Far-field continental backarc setting for 1.80–1.67 Ga basins of northern Australia', Geology, vol. 30, pp. 823–6.
- Giles, D, Betts, PG & Lister, GS 2004, '1.8–1.5 Ga links between the North and South Australian cratons and the Paleo- to Mesoproterozoic configuration of Australia', Tectonophysics, vol. 380, pp. 27–41.
- Giles, D & Nutman, AP 2002, 'SHRIMP U-Pb monazite dating of a ca 1600-1580 Ma amphibolite facies metamorphism in the southeastern Mt Isa Block, Australia', Australian Journal of Earth Sciences, vol. 49, pp. 455-65.
- Giles, D & Nutman, AP 2003, 'SHRIMP U-Pb zircon dating of the host rocks of the Cannington Ag-Pb-Zn deposit, south-eastern Mount Isa Block, Australia', Australian Journal of Earth Sciences, vol. 50, pp. 295-309.
- Gill, ED 1978, 'Geology of the late Pleistocene Talgai cranium from SE Queensland, Australia', Archaeology and Physical Anthropology in Oceania, vol. 13, pp. 177–97.
- Gillespie, R, Brook, BW & Baynes, A 2006, 'Short overlap of humans and megafauna in Pleistocene Australia', Alcheringa Special Issue, vol. 1, pp. 163–85.
- Gillies, KA 1983, 'Canso Resources
 Ltd, exploration report for A-P239P,
 Drummond Basin, Qld, the Carmichael
 Survey, Phase 2', unpublished
 report held by the Geological Survey
 of Queensland as CR14399.
- Glass, LM & Phillips, D 2006, 'The Kalkarindji continental flood basalt province: a new Cambrian large igneous province in Australia with possible links to faunal extinctions', Geology, vol. 34, pp. 461–4.

References 865

- Glen, RA 2005, 'The Tasmanides of eastern Australia', Geological Society of London, Special Publication, vol. 246, pp. 23–96.
- Glen, RA, Clare, A & Spencer, R 1996, 'Extrapolation the Cobar Basin model to the regional scale: Devonian basin formation and inversion in western NSW', Australian Institute of Mining and Metallurgy, Spectrum Series, vol. 3, pp. 43–83.
- Glen, RA, Crawford, AJ, Percival, IG & Barron, LM 2007, 'Early Ordovician development of the Macquarie Arc, Lachlan Orogen, New South Wales', Australian Journal of Earth Sciences, vol. 54, pp. 167–79.
- Glen, RA, Meffre, S & Scott, RJ 2007, 'Benambran Orogeny in the eastern Lachlan Orogen, Australia', Australian Journal of Earth Sciences, vol. 54, pp. 385–415.
- Glen, RA, Saeed, A, Hegarty, R, Percival, IG, Bodorkos, S & Griffin, WL 2010, Preliminary zircon data and tectonic framework of the Thomson Orogen, northwestern New South Wales, report no. GS2010/0379, Geological Survey of New South Wales, Sydney.
- Glikson, AY 1996, 'A compendium of Australian impact structures, possible impact structures, and ejecta occurrences', AGSO Journal of Australian Geology & Geophysics, vol. 16, pp. 373–5.
- Glikson, AY & Haines, PS 2005, 'Shoemaker Memorial Issue on the Australian impact record: 1997–2005 update', Australian Journal of Earth Sciences, vol. 52, pp. 475–6.
- Godden, NL 1982, 'The volcanic-plutonic association, Tenterfield region, NSW', in PG Flood & BN Runnegar (eds), New England geology', Department of Geology, University of New England and AHV Club, Armidale, pp. 211–19.
- Godthelp, H 1988, 'Pseudomys vandycki, a Tertiary murid from Australia', Memoirs of the Queensland Museum, vol. 28, pp. 171–3.
- Godthelp, H 1997, 'Zyzomys rackhami sp. nov. (Rodentia, Muridae), a rockrat from Pliocene Rackham's Roost Site, Riversleigh, northwestern Queensland', Memoirs of the Queensland Museum, vol. 41, pp. 329–33.

- Godthelp, H 1999, 'The Australian rodent fauna, flotilla's, flotsam or just fleet footed?', in I Metcalfe (ed.), Where worlds collide: faunal and floral migrations and evolution in SE Asia-Australasia, University of New England, Armidale, pp. 319–21.
- Godthelp, H, Archer, M, Cifelli, RL, Hand, SJ & Gilkeson, CF 1992, 'Earliest known Australian Tertiary mammal fauna', Nature, vol. 356, pp. 514–16.
- Godthelp, H, Wroe, S & Archer, M
 1999, 'A new marsupial from the
 early Eocene Tingamarra Local
 Fauna of Murgon, southeastern
 Queensland: a prototypical Australian
 marsupial?', Journal of Mammalian
 Evolution, vol. 6, pp. 289-313.
- Goldberg, AS 2010, 'Dyke swarms as indicators of major extensional events in the 1.9–1.2 Ga Columbia supercontinent', *Journal of Geodynamics*, vol. 50, pp. 176–90.
- Golding, SD 2008, 'History of geochronology in Queensland', Australian Journal of Earth Sciences, vol. 55, pp. 741-4.
- Golding, SD, Huston, DL, Dean, JA,
 Messenger, PR, Jones, IWO, Taube, A
 & White, AH 1994a, 'Mount Morgan
 gold-copper deposit: the 1992
 perspective', in Proceedings of the
 Australasian Institute of Mining and
 Metallurgy Centenary Conference, The
 Australasian Institute of Mining and
 Metallurgy, Melbourne, pp. 95–111.
- Golding, SD, Messenger, PR, Dean, JA, Perkins, C, Huston, DA & White, AH 1994b, 'Mount Morgan gold-copper deposit: geochemical constraints on the source of volatiles and lead and the age of mineralization', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 89-95.
- Gordon, R 2004, 'Isan deformation, magmatism and extensional kinematics in the Western Fold Belt of the Mount Isa Inlier', MSc thesis, University of Queensland, St Lucia, Qld.
- Gordon, RG & Jurdy, DM 1986, 'Cenozoic global plate motions', Journal of Geophysical Research, vol. 91, pp. 12 389–406.
- Gorter, JD 1998, 'The petroleum potential of Australian Phanerozoic impact structures', APEA Journal, vol. 38, pp. 159–87.

- Gorter, JD & Glikson, AY 2012, 'Talundilly, western Queensland, Australia: geophysical and petrological evidence for an 84 km-large impact structure and an Early Cretaceous impact cluster', Australian Journal of Earth Sciences, vol. 59, pp. 51–73.
- Gorter, JD, Gostin, VA & Plummer, P
 1989, 'The Tookoonooka Structure:
 an enigmatic sub-surface feature
 in the Eromanga Basin, its impact
 origin and implications for petroleum
 exploration', in BJ O'Neil (ed.),
 The Cooper and Eromanga Basins,
 Australia. Proceedings of a conference
 at Adelaide, 26–27 June, Petroleum
 Exploration Society of Australia, Society
 of Petroleum Engineers, Australian
 Society of Exploration Geophysicists
 (SA Branches), pp. 441–56.
- Goscombe, PS & Coxhead, BA 1995, 'Clarence-Moreton, Surat, Eromanga, Nambour, and Mulgildie basins', Geological Society of Australia, Coal Geology Group, Special Publication, vol. 1, pp. 489-511.
- Gostin VA & Therriault AM 1997,

 'Tookoonooka, a large buried Early
 Cretaceous impact structure in the
 Eromanga Basin of southwestern
 Queensland, Australia', Meteoritics and
 Planetary Science, vol. 32, pp. 593–9.
- Gould, RE 1965, 'The geology of the Slacks Creek area, south-east Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Gould, RE 1975, 'The succession of Australian pre-Tertiary megafossil floras', Botanical Review, vol. 41, pp. 453–83.
- Gradstein, FM, Ogg, JG & Smith, AG 2004, A geological time scale 2004, Cambridge University Press, Cambridge, 589 pp.
- Graham, AL 1983, 'The Meteoritical Bulletin, 61', Meteoritics and Planetary Science, vol. 18, p. 77.
- Graham, IT, Archer, M, Hand, SJ,
 Godthelp, H, Price, E, Arena, L,
 Creaser, P, Black, KH & Zhao, L 2011,
 Riversleigh: documenting 25 million
 years of geological evolution, record
 no. 2011/9, Geological Survey of
 Western Australia, Perth, p. 38.
- Gravestock, DI, Callen, RA, Alexander, EM & Hill, AJ 1995, Strzelecki, South Australia, 1:250 000 geological series, explanatory notes, Mines and Energy, South Australia.

- Gravestock, DI & Shergold, JH 2001,

 'Australian Early and Middle Cambrian biostratigraphy with implications for species diversity and correlation', in AYu Zhuravlev & R Riding (eds), The ecology of the Cambrian radiation, Columbia University Press, New York, pp. 105–36.
- Gray, ARG 1972a, 'Deep stratigraphic drilling in the Mulgildie Basin and proposal of a new name—Abercorn Trough', Queensland Government Mining Journal, vol. 73, pp. 378–82.
- Gray, ARG 1972b, Stratigraphic drilling in the Surat and Bowen basins, 1967–70, report no. 71, Geological Survey of Queensland, Brisbane.
- Gray, ARG 1973, 'Deep stratigraphic drilling in the Mulgildie Basin', Queensland Government Mining Journal, vol. 73, pp. 378–82.
- Gray, ARG 1975, 'Eromanga Basin,
 Queensland', in DM Traves, D King &
 CL Knight (eds), Economic geology of
 Australia and Papua New Guinea, Volume
 2—Coal, Australian Institute of Mining
 and Metallurgy, Melbourne, pp. 310–12.
- Gray, ARG 1976a, 'Hillsborough Basin', in RB Leslie, HJ Evans, & CL Knight (eds), Economic geology of Australia and Papua New Guinea, Volume 3—Petroleum, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 460–4.
- Gray, ARG 1976b, 'Stratigraphic relationships of late Palaeozoic sediments between Springsure and Jericho', Queensland Government Mining Journal, vol. 77, pp. 146–63.
- Gray, ARG 1977, 'Stratigraphic drilling in the Hughenden 1:250 000 sheet area, 1974–1975', Queensland Government Mining Journal, vol. 78, pp. 382–92.
- Gray, ARG 1980, 'Stratigraphic relationships of Permian strata in the southern Denison Trough', Queensland Government Mining Journal, vol. 81, pp. 110–30.
- Gray, ARG 2000, 'Amendments to the stratigraphy of the Early Triassic Arrabury Formation in the Cooper Basin', Queensland Government Mining Journal, vol. 101, pp. 32–8.
- Gray, ARG & Draper, JJ 2002, 'Petroleum geology, Cooper and Eromanga basins', in JJ Draper (ed.), Geology of the Cooper and Eromanga Basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 63–85.

- Gray, ARG & McKellar, JL 2002, 'Cooper Basin stratigraphy', in JJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 9–26.
- Gray, ARG, McKillop, M & McKellar, JL 2002, 'Eromanga Basin stratigraphy', in JJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Natural Resources and Mines, Brisbane, pp. 30–56.
- Gray, ARG & Swarbrick, CFJ 1975,

 'Nomenclature of late Palaeozoic
 strata in the northeastern Galilee
 Basin', Queensland Government
 Mining Journal, vol. 76, pp. 344-52.
- Gray, DR & Foster, DA 1997, 'Orogenic concepts—application and definition: Lachlan Fold Belt, eastern Australia', American Journal of Science, vol. 297, pp. 859–91.
- Gray, DR & Foster, DA 2004, 'Tectonic evolution of the Lachlan Orogen, southeast Australia: historical review, data synthesis and modern perspectives', Australian Journal of Earth Sciences, vol. 51, pp. 773–817.
- Grayson, R 1995, 'Avoca Creek Granodiorite, north of Linville, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Great Artesian Basin Consultative Council 2000, Great Artesian Basin Strategic Management Plan, September, 2000, Australian Department of Agriculture, Fisheries and Forestry, Canberra, p. 61.
- Greaves, GJG, Steveson, BG & Taylor, RG 1971, 'Magnetic cassiterites from Herberton, north Queensland, Australia', Economic Geology, vol. 66, pp. 480–7.
- Green, DA & Bateman, RJ 1981, 'The geology of the Condor Oil Shale deposit—onshore Hillsborough Basin', APEA Journal, vol. 21, pp. 24–32.
- Green, DA, McIver, RG & O'Dea, TR 1984, 'Revised geology of the Condor oil shale deposit', Proceedings of the second Australian workshop on oil shale, pp. 33–7.
- Green, DC 1970, Isotope Geology
 Laboratory: Report no. 1 for 1968-1970,
 Department of Geology and Mineralogy,
 University of Queensland, St Lucia, Qld.

- Green, DC 1973, 'Radiometric evidence of the Kanimblan Orogeny in southeastern Queensland and the age of the Neranleigh-Fernvale Group', Journal of the Geological Society of Australia, vol. 20, pp. 153-60.
- Green, DC 1975, Isotope Geology

 Laboratory: Report no. 2 for 1971–1974,

 Department of Earth Sciences, University
 of Queensland, St Lucia, Qld.
- Green, DC & Stevens, NC 1975, 'Age and stratigraphy of Tertiary volcanic and associated sedimentary rocks of the Ipswich district, southeast Queensland', Queensland Government Mining Journal, vol. 76, pp. 148–50.
- Green, DC & Webb, AW 1974,

 'Geochronology of the northern
 part of the Tasman Orogenic Zone',
 in AK Denmead, GW Tweedale
 & AF Wilson (eds), The Tasman
 Geosyncline—a symposium, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 275–93.
- Green, DH 1958, The geology and petrology of the Gray Creek area, north Queensland, record no. 1958/110, Bureau of Mineral Resources, Australia, Canberra.
- Green, PM 1990, 'Evidence for allochthonous blocks, Chillagoe Formation, Queensland', Queensland Government Mining Journal, vol. 91, pp. 357–66.
- Green, PM 1997, 'Cooper-Eromanga basins project progress report', Queensland Government Mining Journal, vol. 98, pp. 39-44.
- Green, PM & Balfe, PE 1980, 'Stratigraphic drilling report—GSQ Mt Whelan 1 and 2', Queensland Government Mining Journal, vol. 81, pp. 162–78.
- Green, PM, Brain, TJ, John, BH & Almond, CS 1989, Subsurface correlation of the Jurassic rocks of the southern Eromanga Basin, Queensland, record no. 1989/1, Queensland Department of Mines, Brisbane.
- Green, PM, Carmichael, DC & Brain, TJ 1991, Stratigraphic evolution of the northern Eromanga Basin, Queensland, record no. 1991/26, Geological Survey of Queensland, Brisbane.

- Green, PM, Carmichael, DC, Brain, TJ,
 Murray, CG, McKellar, JL, Beeston, JW
 & Gray, ARG 1997b, 'Lithostratigraphic
 units in the Bowen and Surat basins',
 in PM Green (ed.), The Surat and
 Bowen basins, south-east Queensland,
 Queensland Minerals and Energy Review
 Series, Queensland Department of Mines
 and Energy, Brisbane, pp. 41–136.
- Green, PM, Hawkins, PJ, Carmichael, DC, Brain, TJ, Smith, RJ, Quarantoto, P, Genn, DLP, Hoffmann, KL, McKellar, JL, John, BJ & Shield, CJ 1992, 'An assessment of the hydrocarbon potential of the northern Eromanga basin', Queensland Government Mining Journal, vol. 93, pp. 25–41.
- Green, PM, Hoffmann, KL, Brain, TJ & Gray, ARG 1997a, 'Project aims and activities, exploration history and geological investigations in the Bowen and overlying Surat basins, Queensland', in PM Green (ed.), The Surat and Bowen basins, south-east Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Mines and Energy, Brisbane, pp. 1–11.
- Green, TJ, Fergusson, CL & Withnall, IW 1998, 'Refolding and strain in the Neoproterozoic – early Palaeozoic Anakie Metamorphic Group, central Queensland', Australian Journal of Earth Sciences, vol. 45, pp. 915–24.
- Greene, DC 2010, 'Neoproterozoic rifting in the southern Georgina Basin, central Australia: implications for reconstructing Australia in Rodinia', *Tectonics*, vol. 29, TC5010, pp. 1–20, doi:10.1029/2009TC002543.
- Greenfield, JE, Gilmore, PJ & Mills, KJ 2010, 'Explanatory notes for the Koonenberry Belt geological maps', Bulletin of the Geological Survey of New South Wales, vol. 35, pp. 1–528.
- Greenfield, JE, Musgrave, RJ, Bruce, MC, Gilmore, PJ & Mills, KJ 2011, 'The Mount Wright Arc: a Cambrian subduction system developed on the continental margin of East Gondwana, Koonenberry Belt, eastern Australia', Gondwana Research, vol. 19, pp. 650-69.
- Greentree, J 2011, 'Palaeoenvironmental setting of dinosaur trackways in the context of the closing stages of Eromanga Basin evolution', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Greenvale Mining NL 2008, Greenvale Mining NL ABN 54 000 743 555, annual report for 2008, Greenvale Mining NL, Sydney.

- Gregory, AC 1857, Journal of the North Australian Exploring Expedition, Royal Geographical Society, London.
- Gregory, AC & Gregory, FT 1884, Journals of Australian explorations, Government Printer, Brisbane.
- Gregory, PW 1977, 'Geology of the Mt Molloy and Dianne massive sulphide deposits, Hodgkinson Province, North Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Grenfell, A 1984, 'The stratigraphy, geochronology and petrology of the volcanic rocks of the Main Range, southeastern Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Griffin, TJ 1977, 'The geology, mineralogy and geochemistry of the McBride basaltic province, northeastern Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Griffin, TJ & McDougall, I 1975,

 'Geochronology of the Cainozoic

 McBride volcanic province, northern

 Queensland', Journal of the Geological

 Society of Australia, vol. 22, pp. 387–97.
- Griffin, WL, Belousova, EA, Walters, SG & O'Reilly, SY 2006, 'Archean and Proterozoic crustal evolution in the Eastern Succession of the Mt Isa district, Australia: U-Pb and Hf-isotope studies of detrital zircons', Australian Journal of Earth Sciences, vol. 53, pp. 125-51.
- Griffin, WL, Sutherland, FL & Hollis, JD 1987, 'Geothermal profile and crustmantle transition beneath east-central Queensland: volcanology, xenolith petrology and seismic data', Journal of Volcanology and Geothermal Research, vol. 31, pp. 177–203.
- Grim, MS & Edgar, NT 1998, "Bathymetric map of the Gulf of Carpentaria and the Arafura Sea", US Geological Survey, Geological Investigations Series, map I-2550.
- Grimes, KG 1972, 'A shallow artesian aquifer in the Tertiary deposits of southern Cape York Peninsula', Queensland Government Mining Journal, vol. 73, pp. 247–9.
- Grimes, KG 1974, Mesozoic and Cainozoic geology of the Lawn Hill, Westmoreland, Mornington and Cape Van Diemen 1:250 000 sheet areas, Queensland, record no. 1974/106, Bureau of Mineral Resources, Australia, Canberra.

- Grimes, KG 1977, 'The volcanic rocks of the Waddy Point – Indian Head area', 1977 Field conference, Lady Elliot Island – Fraser Island – Gayndah–Biggenden, Geological Society of Australia, Queensland Division, Brisbane, pp. 54–59.
- Grimes, KG 1978, 'The geology and geomorphology of the Texas Caves, southeastern Queensland', Memoirs of the Queensland Museum, vol. 19, pp. 17–59.
- Grimes, KG 1979, 'The stratigraphic sequence of old land surfaces in northern Queensland', BMR Journal of Australian Geology & Geophysics, vol. 4, pp. 33–46.
- Grimes, KG 1980, 'The Tertiary geology of North Queensland', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 329–47.
- Grimes, KG 1981, Stratigraphic drilling report: GSQ Sandy Cape 1-3R, record no. 1981/45, Geological Survey of Queensland, Brisbane.
- Grimes, KG 1982, 'Stratigraphic drilling report—GSQ Sandy Cape 1-3R', Queensland Government Mining Journal, vol. 83, pp. 224–33.
- Grimes, KG 1984, Cainozoic studies in Queensland, record no. 1984/6, Geological Survey of Queensland, Brisbane.
- Grimes, KG 1985, 'Mineral deposits in the regolith in Queensland', Queensland Government Mining Journal, vol. 86, pp. 253-61.
- Grimes, KG 1988, 'Cainozoic geology, south-east Queensland', in LH Hamilton (ed.), Field excursions handbook for the Ninth Australian Geological Convention, Geological Society of Australia, Queensland Division, Brisbane, pp. 53–81.
- Grimes, KG & Doutch, HF 1978 'The late Cainozoic evolution of the Carpentaria Plains, north Queensland', BMR Journal of Australian Geology & Geophysics, vol. 3, pp. 101–12.
- Grimes, KG, Hutton, LJ, Law, SR, McLennan, TPT & Belcher, R 1986, Geological mapping in the Mount Coolon 1:250 000 sheet area, 1985, record no. 1986/59, Geological Survey of Queensland, Brisbane.

- Grimes, KG, Hutton, LJ, McLennan, TPT & Belcher, RL 1987, Preliminary stratigraphic drilling report— GSQ Mount Coolon 1-6, record no. 1987/69, Geological Survey of Queensland, Brisbane.
- Grimes, KG, Robertson, AD &
 Anderson, JC 1980, Rubyvale
 (8451), 1:100 000 geological series,
 preliminary edition, Geological
 Survey of Queensland, Brisbane.
- Grimes, KG & Withnall, IW 1995, 'Cainozoic geology of the southern Anakie Inlier', Queensland Geology, vol. 7, pp. 160-6.
- Groen, SG 1993, 'Petrogenesis, petrochemistry, petrology and field relations of the Goondicum Gabbro', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Gromet, LP & Silver, LT 1987, 'REE variations across the Peninsular Ranges Batholith: implications for batholithic petrogenesis and crustal growth in magmatic arcs', Journal of Petrology, vol. 28, pp. 75–125.
- Grove, M & Harrison, TM 1996, '40Ar* diffusion in Fe-rich biotite', American Mineralogist, vol. 81, pp. 940-51.
- GSA-see Geological Society of Australia.
- GSQ—see Geological Survey of Queensland.
- Gunn, PJ, Milligan, P, Mackey, T, Liu, S, Murray, A, Maidment, D & Haren, R 1997, 'Geophysical mapping using the national airborne and gravity datasets; an example focusing on Broken Hill', AGSO Journal of Australian Geology & Geophysics , vol. 17, pp. 127–36.
- Gunn, RH & Galloway, RW 1978, 'Silcretes in south-central Queensland', in T Langford-Smith (ed.), Silcretes in Australia, Department of Geography, University of New England, Armidale, pp. 51–72.
- Gunther, LM, Lang, SC & Draper, JJ 1990, 'The Devonian-Carboniferous intracratonic Burdekin Basin, north Queensland: III. Siliciclastic-carbonate facies of the Keelbottom Group', Proceedings, Pacific Rim Congress 90, Volume III, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 601-10.
- Gunther, MC, Morwood, DA, Denaro, TJ & Dash, PH 1994, Mineral occurrences of the Kangaroo Hills Mineral Field, North Queensland, record no. 1994/3, Geological Survey of Queensland, Brisbane.

- Gunther, MC & Withnall, IW 1992, Late Palaeozoic rocks of the Rollingstone and Ewan 1:100 000 sheet areas, record no. 1992/17, Geological Survey of Queensland, Brisbane.
- Gunther, MC & Withnall, IW 1995, 'New and revised igneous rock units of the Rollingstone and Ewan 1:100 000 sheet areas', Queensland Government Mining Journal, vol. 96, pp. 16–25.
- Gurnis, M, Moresi, L & Müller, RD 2000, 'Models of mantle convection incorporating plate tectonics: the Australian region since the Cretaceous', Geophysical Monographs of the American Geophysical Union, no. 106, pp. 211–38.
- Gurnis, M, Müller, RD & Moresi, L 1998, 'Cretaceous vertical motion of Australia and the Australian— Antarctic discordance', *Science*, vol. 279, pp. 1499–504.
- Gusiakov, V, Abbott, D, Bryant, E & Masse, B 2008, 'Mega tsunami of the world ocean as the evidence of recent oceanic bolide impacts, chevron dune formation and rapid climate change', Abstracts 33rd International Geological Congress Oslo, 2008, PEH-01.
- Gust, D, Blevin, P, Chappell, B & Stephens, C 1996, 'Early Mesozoic magmatism of the New England Orogen: space, time and compositional relationships', Geological Society of Australia, Abstracts, vol. 43, pp. 224–7.
- Gust, DA, Stephens, CJ & Grenfell, AT 1993, 'Granitoids of the northern NEO: their distribution in time and space and their tectonic implications', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Proceedings of the NEO '93 conference, Department of Geology & Geophysics, University of New England, Armidale, pp. 565-72.
- Haberle, SG 2005, 'A 23 000-yr pollen record from Lake Euramoo, wet tropics of NE Queensland, Australia', *Quaternary Research*, vol. 64, pp. 342–56.
- Habermehl, MA 1980, 'The Great Artesian Basin, Australia', BMR Journal of Australian Geology & Geophysics, vol. 5, pp. 9–38.
- Habermehl, MA 1995, 'Hydrogeology of the Great Artesian Basin', in Yearbook of the Australian Geological Survey Organisation, Australian Government Publishing Service, Canberra, pp. 134-5.

- Habermehl, MA 2001, 'Hydrogeology of the Great Artesian Basin', Proceedings of the international conference on regional aquifer systems in arid zones—managing non-renewable resources, Tripoli Libya 20–24 November 1999, UNESCO International Hydrological Programme, Paris and Libyan Arab Jamahiriya, Tripoli.
- Habermehl, MA & Lau JE 1997, Hydrogeology of the Great Artesian Basin, Australia, 1:2 500 000 scale map, Australian Geological Survey Organisation, Canberra.
- Hackman, DH 1995, 'Geology and volcanogenic province analysis of the Middle and Upper Devonian rocks in the Belgamba area, Mount Morgan, Queensland', MSc thesis, James Cook University of North Queensland, Townsville.
- Haig, DS 1979, 'Cretaceous foraminiferal biostratigraphy of Queensland', Alcheringa, vol. 3, pp. 171–87.
- Haines, PS 2005, 'Impact cratering and distal ejecta: the Australian record', Australian Journal of Earth Sciences, vol. 52, pp. 481–507.
- Haines, PS, Hand, M & Sandiford, M 2001, 'Palaeozoic synorogenic sedimentation in central and northern Australia: a review of distribution and timing with implications for the evolution of intracontinental orogens', Australian Journal of Earth Sciences, vol. 48, pp. 911–28.
- Haines, PS & Rawlings, DJ 2002, 'The Foelsche structure, Northern Territory, Australia: an impact crater of probable Neoproterozoic age', Meteoritics and Planetary Science, vol. 37, pp. 269–80.
- Hair, ID 1990, Hydrogeology of the Russell and Johnstone Rivers alluvial valleys, north Queensland, record no. 1990/12, Geological Survey of Queensland, Brisbane.
- Hair, ID & Alford, RG 2003, 'The operation and management of Braeside Borefield, central Queensland', Proceedings of the Water in Mining Conference, Brisbane, pp. 107–11.
- Halfpenny, RS, Donchak, PJT &
 Hegarty, RA 1987, Geology of the
 Hodgkinson Formation in the Mount
 Mulligan 1:100 000 sheet area,
 record no. 1987/2, Geological
 Survey of Queensland, Brisbane.
- Hall, R 2002, 'Cenozoic geological and plate tectonic evolution of SE Asia and the SW Pacific: computer-based reconstructions, model and animations', Journal of Asian Earth Sciences, vol. 20, pp. 353–431.

- Hallan, A & Willan, RC 2010, "Two new species of Lentidium (Myida: Corbulidae) from tropical northern Australia: remarkable fresh/fluviatile to brackish-water bivalves", Molluscan Research, vol. 30, pp. 143-53.
- Hammer, PTC, Clowes, RM, Cook, FA, van der Velden, AJ & Vasudevan, K 2010, 'The Lithoprobe trans-continental lithospheric cross-sections: imaging the internal structure of the North American continent', Canadian Journal of Earth Sciences, vol. 47, pp. 821–57.
- Hammond, RL 1986, 'Large scale structural relationships in the Palaeozoic of northeastern Queensland: melange and mylonite development, and the regional distribution of strain', PhD thesis, James Cook University of North Queensland, Townsville.
- Hammond, RL 1987, The Bowen Basin, Queensland, Australia: an upper crustal extensional model for its early history, record no. 1987/51, Bureau of Mineral Resources, Australia, Canberra, pp. 131–9.
- Hammond, RL, Bell, TH, Black, LP, Jones, PA & Rubenach, MJ 1986, 'The Barnard Metamorphics: an early Palaeozoic terrane in far northeastern Queensland', in RL Hammond, 'Large-scale structural relationships in the Palaeozoic of northeastern Queensland, and the regional distribution of strain', PhD thesis, James Cook University of North Queensland, Townsville, pp. 111–36.
- Hand, M, Mawby, J, Kinny, P & Foden, J 1999, 'U-Pb ages from the Harts Range, central Australia: evidence for early Ordovician extension and constraints on Carboniferous metamorphism', Journal of the Geological Society of London, vol. 156, pp. 715-30.
- Hand, M, Reid, A & Jagodzinski, L 2007, 'Tectonic framework and evolution of the Gawler Craton, Southern Australia', Economic Geology, vol. 102, pp. 1377–95.
- Hand, SJ 2006, 'Bat beginnings and biogeography: the Australasian record', in J Merrick, M Archer, GM Hickey & MSY Lee (eds), Evolution and biogeography of Australasian vertebrates, Auscipub, Sydney, pp. 673–705.
- Hand, SJ & Archer, M 2005,

 'A new hipposiderid genus
 (Microchiroptera) from an early
 Miocene bat community in Australia,

 'Palaeontology, vol. 48, pp. 1–13.

- Hand, SJ & Kirsch, JAW 2003, 'Archerops, a new annectent hipposiderid genus (Mammalia: Microchiroptera) from the Australian Miocene', Journal of Paleontology, vol. 77, pp. 943–55.
- Hand, SJ, Novacek, M, Godthelp, H & Archer, M 1994, 'First Eocene bat from Australia', Journal of Vertebrate Paleontology, vol. 14, pp. 375–81.
- Handler, MR, Bennett, VC & Carlson, R 2005, 'Nd. Sr and Os isotope systematics in a young, fertile spinel peridotite xenoliths from northern Queensland, Australia: A unique view of depleted MORB mantle?', Geochimica et Cosmochimica Acta, vol. 69, pp. 5747-63.
- Hanley, LM & Wingate, MTD 2000, "SHRIMP zircon age for an Early Cambrian dolerite dyke: an intrusive phase of the Antrim Plateau Volcanics of northern Australia", Australian Journal of Earth Sciences, vol. 47, pp. 1029–40.
- Hansen, JW 1997, 'The petrology, geochemistry and petrogenesis of the Goomboorian Intrusive Complex, southeast Queensland', MSc thesis, Queensland University of Technology, Brisbane.
- Hansen, JW, McIntyre, DJ, White, TT & Pearce, BR 2010b, Kilkivan and Goomeri drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Environment and Resource Management, Brisbane.
- Hansen, JWL, White, TT & Pearce, BR 2010, Connors Range and Upper Isaac region drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Environment and Resource Management, Brisbane.
- Hansen, JWL, Zirilli, JP, White, TT & Pearce, BR 2008, Southern Downs and Granite Belt region drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Natural Resources and Water, Brisbane.
- Hansen, JWL, Zirilli, JP, White, TT & Pearce, BR 2009a, Southern Burnett region drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Natural Resources and Water, Brisbane.
- Hansen, JWL, Zirilli, JP, White, TT & Pearce, BR 2009b, Northern Burnett region drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Natural Resources and Water, Brisbane.

- Hansen, JWL, Zirilli, JP, White, TT & Pearce, BR 2010, Callide Valley and Mount Morgan drilling programme report: sedimentary and fractured rock aquifer investigations, Department of Environment and Resource Management, Brisbane.
- Haraguchi, S, Ishii, T & Kimara, I 2008, 'Early tholeiitic and calc-alkaline magmatism of middle to late Eocene age in the southern Ogasawa-Bonin fore-arc', Contributions to Mineralogy and Petrology, vol. 115, pp. 593–618.
- Harbort, TA 2001, 'Structure and tectonic synthesis of the Marlborough Block, northern New England Fold belt, Australia', PhD thesis, University of Queensland, St Lucia, Qld.
- Harbort, TA, Holcombe, RJ, Vasconcelos, P. & Fielding, CR2001, 'Latest Permian emplacement of the Marlborough Block duplex: the major mountain-building phase of the Hunter–Bowen Orogeny in the northern NEFB', Geological Society of Australia, Abstracts, vol. 64, p. 58.
- Hardy, JJW 1970, Well completion report, Breeza Plains No. 1 and Lakefield No. 1, report no. 1970/650, Petroleum Search Subsidy Act, Bureau of Mineral Resources, Australia, Canberra.
- Harrington, HJ 1974, 'The Tasman Geosyncline', in AK Denmead, GS Tweedale & AF Wilson (eds), The Tasman Geosyncline—a symposium, Geological Society of Australia, Queensland Division, Brisbane, pp. 383–407.
- Harrington, HJ 1981, 'Big Bend Megafold or Broken River Triple Junction?', Journal of the Geological Society of Australia, vol. 28, pp. 501-4.
- Harrington, HJ 1982, 'Tectonics and the Sydney Basin', in Programme and abstracts for the Sixteenth Symposium on Advances in the Study of the Sydney Basin, Department of Geology, University of Newcastle, Newcastle, pp. 15–19.
- Harrington, HJ 1983, 'Correlation of the Permian and Triassic Gympie Terrane of Queensland with the Brook Street and Maitai terranes of New Zealand', in Permian Geology of Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 431–6.
- Harrington, HJ 1987, 'Geological units common to eastern Australia and New Zealand', Proceedings of the Pacific Rim Congress 87, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 801–4.

- Harrington, HJ, Brakel, AT, Hunt, JW, Wells, AT, Middleton, MF, O'Brien, PE, Hamilton, DS, Beckett, J, Weber, CR, Radke, S, Totterdell, JM, Swaine, DJ & Schmidt, PS 1989, 'Permian coals of eastern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 231, pp. 1–412.
- Harrington, HJ & Korsch, RJ 1985a, 'Deformation associated with the accretion of the Gympie Terrane in eastern Australia', Geological Society of Australia Abstracts, vol. 14, p. 104.
- Harrington, HJ & Korsch, RJ 1985b, 'Late Permian to Cainozoic tectonics of the New England Orogen', Australian Journal of Earth Sciences, vol. 32, pp. 181–203.
- Harrington, HJ & Korsch, RJ 1985c, 'Tectonic model for the Devonian to middle Permian of the New England Orogen', Australian Journal of Earth Sciences, vol. 32, pp. 163–79.
- Harrington, HJ & Korsch, RJ 1987, 'Oroclinal bending in the evolution of the New England Orogen and the Moreton Basin', Proceedings of the Pacific Rim Congress 87, Australian Institute of Mining and Metallurgy, Melbourne, pp. 797–800.
- Harris, PT & Baker, EK 1988, A review of seabed sediments, morphology and acoustic properties of the outer continental shelf and upper slope, northern Australia (Gladstone to Dampier), report no. 33, Ocean Sciences Institute, University of Sydney.
- Harris, PT & Davies, PJ 1989, 'Submerged reefs and terraces on the shelf edge of the Great Barrier Reef, Australia', Coral Reefs, vol. 8, pp. 87–98.
- Harris, PT, Heap, AD, Marshall, JF & McCulloch, M 2008, 'A new coral reef province in the Gulf of Carpentaria, Australia: colonisation, growth and submergence during the Holocene', Marine Geology, vol. 251, pp. 85–97.
- Harris, PT, Heap, A, Passlow, V, Hughes, H, Daniell, J, Hemer, M & Anderson, O 2005, 'Tidally incised valleys on tropical carbonate shelves: an example from the northern Great Barrier Reef, Australia', Marine Geology, vol. 220, pp. 181–204.
- Harris, PT, Heap, AD, Wassenberg, T & Passlow, V 2004a, 'Submerged coral reefs in the Gulf of Carpentaria, Australia', Marine Geology, vol. 207, pp. 185–91.

- Harris, PT, Hughes, MG, Baker, EK,
 Dalrymple, RW & Keene, JB 2004b,
 'Sediment transport in distributory
 channels and its export to the pro-deltaic
 environment in a tidally dominated delta:
 Fly River, Papua New Guinea', Continental
 Shelf Research, vol. 24, pp. 2431–54.
- Harris, PT, Pattiaratchi, CB, Keene, JB, Dalrymple, RW, Gardner, JV, Baker, EK, Cole, AR, Mitchel, D, Gibbs, P & Schroeder, WW 1996, 'Late Quaternary deltaic and carbonate sedimentation in the Gulf of Papua foreland basin: response to sealevel change', Journal of Sedimentary Research, vol. 66, pp. 801–19.
- Harrison, TM, Duncan, I & McDougall, I 1985, 'Diffusion of 40Ar in biotite: temperature, pressure and compositional effects', Geochimica et Cosmochimica Acta, vol. 49, pp. 2461–8.
- Hartung, J & Koeberl, C 1994, 'In search of the Australasian tektite source crater: the Tonle Sap hypothesis', Meteoritics and Planetary Science, vol. 29, pp. 411–16.
- Harvey, KJ 1984, 'The geology of the Balcooma massive sulphide deposit, north-east Queensland', MSc thesis, James Cook University of North Queensland, Townsville.
- Harvey, N 1977a, 'The identification of subsurface solution disconformities on the Great Barrier Reef, between 14°S and 17°S using shallow seismic refraction techniques', Proceedings of the 3rd International Coral Reef Symposium, Miami, vol. 2, pp. 45–51.
- Harvey, N 1977b, 'Application of shallow seismic refraction techniques to coastal geomorphology: a coral reef example', Catena, vol. 4, pp. 333-9.
- Harvey, N, Davies, PJ & Marshall, JF 1979, 'Seismic refraction a tool for studying coral reef growth', BMR Journal of Australian Geology & Geophysics, vol. 4, pp. 141-7.
- Hashemi, H 1997, 'Palynological studies of Iranian and Australian Devonian strata', PhD thesis, University of Queensland, St Lucia, Qld.
- Hashemi, H & Playford, G 2005, 'Devonian spore assemblages of the Adavale Basin, Queensland (Australia): descriptive systematics and stratigraphic significance', Revista Espanola de Micropaleontologia, vol. 37, pp. 317–417.
- Hawkins, BW 1956, 'Ipswich borehole NS 93, Cooneana Estate', Queensland Government Mining Journal, vol. 57, pp. 214–18.

- Hawkins, BW & Whitcher, IG 1962, 'Mount Morgan investigation. Report to Department of Mines, Qld, May 1962', unpublished report held by the Geological Survey of Queensland as CR803.
- Hawkins, PJ 1978, 'Galilee Basinreview of petroleum prospects', Queensland Government Mining Journal, vol. 79, pp. 96-112.
- Hawkins, PJ 1984, Review of source-rock sampling in the Moreton, Nambour and Maryborough Basins, Queensland, publication no. 299, Geological Survey of Queensland, Brisbane.
- Hawkins, PJ 1985a, 'Review of core and log analyses, and assessment of porosity evolution, northern Eromanga Basin', Queensland Government Mining Journal, vol. 86, pp. 465–88.
- Hawkins, PJ 1985b, Review of source-rock sampling and geochemical analyses— Papuan, Laura and Styx basins, Stanwell area, Mulgildie and Capricorn Basins, record no. 1985/2, Geological Survey of Queensland, Brisbane.
- Hawkins, PJ, Almond, CS, Carmichael, DC, Smith, RJ & Williams, LJ 1989, 'Kerogen characterisation, and organic and mineral diagenesis of the potential source rocks in Jurassic units, southern Eromanga Basin, Queensland', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia. Proceedings of a conference, Adelaide, 26–27 June, Petroleum Exploration Society of Australia, Society of Petroleum Engineers, Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 583–99.
- Hawkins, PJ & Green, PM 1993, 'Exploration results, hydrocarbon potential and future strategies for the northern Galilee Basin', APEA Journal, vol. 33, pp. 280–96.
- Hawkins, PJ & Williams, LJ 1990, Review of the geology and economic potential of the Laura Basin, record no. 1990/2, Geological Survey of Queensland, Brisbane.
- Hawlader, HM 1989, 'Petrology, diagenesis, and reservoir potential of the of the Surat Basin sandstones with special reference to hydrocarbon exploration', PhD thesis, Macquarie University, Sydney.

- Hawlader, HM 1990, 'Diagenesis and reservoir potential of volcanogenic sandstones—Cretaceous of the Surat Basin, Australia', Sedimentary Geology, vol. 66, pp. 181–95.
- Hawthorne, WL 1960, The Burrum Coalfield, publication no. 296, Geological Survey of Queensland, Brisbane.
- Hawthorne, WL 1975, 'Mount Mulligan Coalfield, Q', in DM Traves, D King & CL Knight (eds), Economic geology of Australia and Papua New Guinea, Volume 2—Coal, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 252–4.
- Hayden, P 1971, 'Metamorphism and geologic evolution of the Stony Creek area near Kilkivan, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Hayes, MO 1975, 'Morphology of sand accumulations in estuaries; an introduction to the symposium', in CE Cronin (ed.), Estuarine Research II, Academic Press, New York, pp. 3–22.
- Hays, JD, Imbrie, J & Shackleton, NJ 1976, 'Variations in the Earth's orbit: pacemaker of the Ice Ages', Science, vol. 194, pp. 1121–32.
- Hayward, MA 1993, 'A study of the petrology, stratigraphy and geochemistry in the Fletchers Awl Dome, Peak Range, central Queensland', BAppSc (hons) thesis, Queensland University of Technology, Brisbane.
- Hayward, MA, Blake, PR, Messenger, PR & Taube, A 1999, 'Significance of Middle Devonian granitoid-bearing conglomerates in the Mt Morgan region, central Queensland', Australian Journal of Earth Sciences, vol. 46, pp. 487–92.
- Hayward, SB 1985, 'Structural and metamorphic geology of the Mount Sevastopol Perkins Knob area, South-East Queensland', undergraduate report, Darling Downs Institute of Advanced Education, Toowoomba.
- Head, MJ, Taylor, LJ & Walker, D 1994, 'ANU radiocarbon date list XI: radiocarbon dates from Lakes Barrine and Eacham, Atherton Tableland, north Queensland', Radiocarbon, vol. 36, pp. 73-94.
- Healy, B, Prendergast, L, Guo, B, McCaughan, G, Demidzuk, Z, Kyan, D, Barclay, S, Woodfull, C & Hillsdon, P 2008, Bowen and Surat basins regional structural framework study, Geological Survey of Queensland, Brisbane (2DVDs; report by SRK Consulting).

- Heap, AD & Harris, PD 2008, "Geomorphology of the Australian margin and adjacent seafloor", Australian Journal of Earth Sciences, vol. 55, pp. 555–85.
- Heath, R 1989, 'Exploration in the Cooper Basin', APEA Journal, vol. 29, pp. 366-78.
- Hegarty, R 1981, 'Geology of the Buaraba district, southeast Queensland', undergraduate thesis, Queensland University of Technology, Brisbane.
- Heidecker, EJ 1959, 'Middle Devonian molluscs from the Burdekin Basin of north Queensland', *University of Queensland Papers*, *Department of Geology*, vol. 5, no. 2, pp. 1–11.
- Heine, C & Müller, RD 2005, 'Late Jurassic rifting along the Australian Northwest Shelf: margin geometry and spreading ridge configuration', Australian Journal of Earth Sciences, vol. 52, pp. 27–39.
- Heine, C, Müller, RD, DiCaprio, L & Steinberger, B 2010, 'Integrating deep Earth dynamics in paleogeographic reconstructions of Australia', Tectonophysics, vol. 483, pp. 135–50.
- Hekel, H 1972, Pollen and spore assemblages from Queensland Tertiary sediments, publication no. 355, Geological Survey of Queensland, Brisbane.
- Hekel, H 1973, Late Oligocene to Recent nannoplankton from the Capricorn basin (Great Barrier Reef) palaeontological paper no. 33, Geological Survey of Queensland, Brisbane.
- Helby, R, Morgan, R & Partridge, AD 1987, 'A palynological zonation of the Australian Mesozoic', Memoirs of the Association of Australasian Palaeontologists, vol. 4, pp. 1–94.
- Helby, RJ & Partridge, AD 1977, Palynology of samples from the Stanwell area, the Styx Basin and the Maryborough Basin, palaeontological report 1977/27, Esso Australia Ltd, Sydney, unpublished report held by the Geological Survey of Queensland as CR6234.
- Hellyer, B 1971, 'The mass distribution of an aerolite shower (Tenham, Queensland, 1879)', *The* Observatory, vol. 91, pp. 64–6.
- Henderson, GAM 1989, Notes on Croydon, north Queensland, fieldwork July/ August 1988 and results of K/Ar dating of sericitic alteration, record no. 1989/46, Bureau of Mineral Resources, Australia, Canberra.

- Henderson, RA 1976, 'Idamean (early Upper Cambrian) trilobites from northwestern Queensland, Australia', Palaeontology, vol. 19, pp. 325–64.
- Henderson, RA 1977, 'Stratigraphy of the Georgina Limestone and a revised zonation for the Early Upper Cambrian Idamean Stage', Journal of the Geological Society of Australia, vol. 23, pp. 423–33.
- Henderson, RA 1980, 'Structural outline and summary geological history for northeastern Australia', in RA Henderson & PJ Stephenson (eds), *The geology and geophysics of northeastern Australia*, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–26.
- Henderson, RA 1983, 'Early Ordovician faunas from the Mount Windsor Subprovince, northeastern Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 1, pp. 145–75.
- Henderson, RA 1986, 'Geology of the Mt Windsor Subprovince—a lower Palaeozoic volcano-sedimentary terrane in the northern Tasman Orogenic Zone', Australian Journal of Earth Sciences, vol. 33, pp. 343–64.
- Henderson, RA 1987, 'An oblique subduction and transform faulting model for the evolution of the Broken River Province, northern Tasman Orogenic Zone', Australian Journal of Earth Sciences, vol. 34, pp. 237–49.
- Henderson, RA 1996, 'Tertiary units and landscape development in the Townsville-Mackay hinterland, north Queensland', Geological Society of Australia, Abstracts, vol. 41, p. 190.
- Henderson, RA 2004, 'A Mid-Cretaceous association of shell beds and organic rich shale: bivalve exploitation of a nutrient rich, anoxic sea floor environment', Palaios, vol. 19, pp. 156–69.
- Henderson, RA & Dann, AL 2010, 'Substrate control of benthos in a Middle Cambrian nearshore, epeiric palaeoenvironmental setting', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 292, pp. 474–87.
- Henderson, RA & Davis, BK 1993,

 'The Drummond and Bowen basins:
 sequential back-arc extensional
 elements of the northern New England
 Orogen', in PG Flood & JC Aitchison
 (eds), New England Orogen, eastern
 Australia, Department of Geology
 and Geophysics, University of New
 England, Armidale, pp. 609–16.

- Henderson, RA, Davis, BK & Cook, AG 1995, 'Sedgeford Formation, a new Middle Devonian cratonic sequence from central Queensland and its regional significance', Australian Journal of Earth Sciences, vol. 42, pp. 437–44.
- Henderson, RA, Davis, BK & Fanning, M 1998, 'Stratigraphy, age relationships and tectonic setting of rift-phase infill in the Drummond Basin, central Queensland', Australian Journal of Earth Sciences, vol. 45, pp. 579–95.
- Henderson, RA & Fergusson, CL 2004, 'Discussion. Stratigraphy, facies architecture and tectonic implications of the Upper Devonian to Lower Carboniferous Campwyn Volcanics of the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 51, pp. 451–2.
- Henderson, RA, Fergusson, CL, Collins, WJ, Henson, PA, Korsch, RJ, Blewett, RS, Withnall, IW, Hutton, LJ, Costelloe, RD, Champion, DC, Blenkinsop, TG, Wormald, R & Nicoll, MG 2009, Geological interpretation of deep seismic reflection line 07GA-A1: the AuScope Mt Surprise to Mareeba transect', Bulletin of the Australian Institute of Geoscientists, vol. 49, pp. 169-73.
- Henderson, RA, Fergusson, CL, Leitch, EC, Morand, VJ, Rheinhardt, JJ & Carr, PF 1993, 'Tectonics of the northern New England Fold Belt', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 505–15.
- Henderson, RA, Innes, BM, Fergusson, CL, Crawford, AJ & Withnall, IW 2011, 'Collisional accretion of a Late Ordovician oceanic island arc, northern Tasman Orogenic Zone, Australia', Australian Journal of Earth Sciences, vol. 58, pp. 1–19.
- Henderson, RA & Kennedy, WJ 2002, 'Occurrence of Goodhallites goodhalli J Sowerby (Ammonoidea) in the Eromanga Basin: an index species for the late Albian (Cretaceous)', Alcheringa, vol. 26, pp. 223–37.
- Henderson, RA & Mackinnon, DI 1981, 'New Cambrian inarticulate Brachiopoda from Australasia and the age of the Tasman Formation', Alcheringa, vol. 5, pp. 289-309.

- Henderson, RA & Nind, MAP 1994,
 'Tertiary units, landscape and regolith
 of the Charters Towers Region', James
 Cook University of North Queensland,
 Department of Earth Sciences,
 Economic Geology Research Unit,
 Contribution, vol. 50, pp. 17–21.
- Henderson, RA & Southgate, PN 1978, 'Middle Cambrian stratigraphy and sedimentology of the eastern Georgina Basin', in MJ Rubenach (ed.), Third Australian geological convention, excursions handbook, volume 1', Geological Society of Australia, Queensland Division, Brisbane, pp. 85–110.
- Henderson, RA & Stephenson, PJ (eds) 1980, The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane.
- Henderson, RA & Withnall, IW 2009, 'Phanerozoic geology of north Queensland', Bulletin of the Australian Institute of Geoscientists, vol. 49, pp. 135–6.
- Henry, JL 1971, Notes on analysis of Callide Dam Release 1971, Queensland Irrigation and Water Supply Commission, Brisbane.
- Henry, JL 1983, *Callide Valley reappraisal*, report no. 83-4997, Queensland Water Resources Commission, Brisbane.
- Henry, RL & Benade, DR 1982, 'Annual report of exploration activities in Authority to Prospect 226C, north Queensland. 1st January, 1981 31st December, 1981, report no. 363', Utah Development Company, Exploration Department, Brisbane, unpublished report held by the Geological Survey of Queensland as CR9813C.
- Hensel, HD, McCulloch, MT & Chappell, BW 1985, 'The New England Batholith: constraints on its derivation from Nd and Sr isotopic studies of granitoids and country rocks', Geochimica et Cosmochimica Acta, vol. 49, pp. 369–84.
- Henson, P, Korsch, R, Withnall, IW,
 Hutton, LJ, Henderson, RA & North
 Queensland Project Team 2009,
 'Expanding our knowledge of north
 Queensland. Insights into the energy
 and resource potential from new
 seismic and complementary data',
 Ausgeo News, vol. 96, pp. 1–8.
- Henstridge, DA & Coshell, L 1984, 'Definitions of the eight members of the Rundle Formation, the Narrows Graben, central Queensland', Queensland Government Mining Journal, vol. 85, pp. 94-9.

- Henstridge, DA & Missen, DD 1982, 'Geology of oil shale deposits within the Narrows Graben, Queensland', Bulletin of the American Association of Petroleum Geologists, vol. 66, pp. 719–31.
- Herbert, GC 1994, Coastal groundwater hydrology—Herbert Delta, Queensland Department of Natural Resources, Brisbane.
- Herbert, GC 1997, An assessment of groundwater conditions in the vicinity of South Johnstone Sugar Mill, Queensland Department of Natural Resources, Brisbane.
- Herbert, GC 1998a, Occurrence of groundwater under canelands in Far North Queensland, Queensland Department of Natural Resources, Brisbane.
- Herbert, GC 1998b, An assessment of groundwater conditions at the Johnstone Shire Council Goondi Bend landfill site, Queensland Department of Natural Resources, Brisbane.
- Herbert, GC & Lait, R 1995, A review of the groundwater hydrology of the Ingham area, Queensland Department of Primary Industries, Brisbane.
- Herczeg, AL, Torgersen, T, Chivas, AR & Habermehl, MA 1991, 'Geochemistry of groundwaters from the Great Artesian Basin, Australia', *Journal of Hydrology*, vol. 126, pp. 225–45.
- Herrmann, W 1995, 'Geochemical aspects of the Thalanga massive sulphide deposit, Mount Windsor Subprovince', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 52, pp. 155–70.
- Hesse, PP, Magee, JW & van der Kaars, S 2004, 'Late Quaternary climates of the Australian arid zone: a review', *Quaternary International*, vol. 118–119, pp. 87–102.
- Hibburt, JE & Gravestock, DI 1995, 'Geology of South Australia, volume 2—Phanerozoic', Bulletin of the Geological Survey of South Australia, no. 54, vol. 2, pp. 88–90.
- Hildreth, W & Moorbath, S 1988, 'Crustal contributions to arc magmatism in the Andes of central Chile', Contributions to Mineralogy and Petrology, vol. 98, pp. 455–89.
- Hill, AJ & Gravestock, DI 1995, 'Cooper Basin', Bulletin of the Geological Survey of South Australia, no. 54, vol. 2, pp. 78–87.

- Hill, D 1930, 'The development of the Esk Series between Esk and Linville', Proceedings of the Royal Society of Queensland, vol. 42, pp. 28–48.
- Hill, D 1934, 'The lower Carboniferous corals of Australia', *Proceedings of the Royal Society of Queensland*, vol. 45, pp. 63–115.
- Hill, D 1940, 'The middle Devonian rugose corals of Queensland, II. The Silverwood – Lucky Valley area', Proceedings of the Royal Society of Queensland, vol. 51, pp. 150–68.
- Hill, D 1942a, 'The Middle Devonian corals of Queensland (3): Burdekin Downs, Fanning River and Reid Gap', Proceedings of the Royal Society of Queensland, vol. 53, pp. 229-68.
- Hill, D 1942b, 'The Lower Devonian rugose corals from the Mt Etna Limestone, Qld', Proceedings of the Royal Society of Queensland, vol. 54, pp. 13–22.
- Hill, D 1951, 'Geology', in G Mack (ed.), Handbook of Queensland, Australian Association for the Advancement of Science, Brisbane, pp. 13-24.
- Hill, D (ed.) 1953, Geological map of Queensland, Queensland Department of Mines, Brisbane.
- Hill, D 1957, Explanatory notes on the Springsure 4-mile geological sheet G55-3, Bureau of Mineral Resources, Australia, Canberra.
- Hill, D 1960a, 'Geological structure', Journal of the Geological Society of Australia, vol. 7, pp. 1–19.
- Hill, D 1960b, 'The Upper Brisbane Valley Fault Trough', Journal of the Geological Society of Australia, vol. 7, pp. 269–74.
- Hill, D & Denmead, AK (eds) 1960, 'The geology of Queensland', Journal of the Geological Society of Australia, vol. 7, pp. 1–474.
- Hill, D & Maxwell, WGH 1967, 'Elements of the stratigraphy of Queensland, 2nd edn, University of Queensland Press, Brisbane, pp. 1–78.
- Hill, D, Playford, G & Woods, JT 1965, Triassic fossils of Queensland, Queensland Palaeontographical Society, Brisbane, pp. 1–32.
- Hill, D, Playford, G & Woods, JT 1969, Ordovician and Silurian fossils of Queensland, Queensland Palaeontographical Society, Brisbane, pp. 1–32.

- Hill, D, Playford, G & Woods, JT 1970, Cainozoic fossils of Queensland, Queensland Palaeontographical Society, Brisbane, pp. 1–36.
- Hill, D, Playford, G & Woods, JT 1971, Cambrian fossils of Queensland, Queensland Palaeontographical Society, Brisbane, pp. 1–32.
- Hill, D & Tweedale, GW 1955, Geological map of the Moreton district with parts of the Darling Downs, Burnett and Wide Bay districts, Queensland, at a scale of 6 miles to an inch, Government Printing Office, Brisbane.
- Hill, EJ, Loosveld, RJH & Page, RS 1992, 'Structure and geochronology of the Tommy Creek Block, Mount Isa Inlier', Bulletin of the Bureau of Mineral Resources, Australia, vol. 243, pp. 329–48.
- Hill, KC & Gleadow, AJW 1989, 'Uplift and thermal history of the Papuan Fold Belt, Papua New Guinea: apatite fission track analysis', Australian Journal of Earth Sciences, vol. 36, pp. 515–39.
- Hill, KC & Hall, R 2003, 'Mesozoic-Cenozoic evolution of Australia's New Guinea margin in a west Pacific context', Geological Society of Australia Special Publication, vol. 22 and Geological Society of America Special Paper, vol. 372, pp. 265–89.
- Hill, KC & Raza, A 1999, 'Arc-continent collision in Papua New Guinea: constraints from fission track thermochronology', *Tectonics*, vol. 18, pp. 950–66.
- Hill, PJ 1992, 'Capricorn and northern Tasman basins: structure and depositional systems', *Exploration Geophysics*, vol. 23, pp. 153–62.
- Hill, PJ 1994, Geology and geophysics of the offshore Maryborough, Capricorn and northern Tasman Basins: results of AGSO Survey 91, record no. 1994/1, Australian Geological Survey Organisation, Canberra.
- Hill, PJ & Pigram, CJ 1990, RV Rig Seismic investigation of offshore Maryborough Basin, southern Queensland continental margin and northern Tasman Basin—structure, stratigraphy and petroleum resource potential, record no. 1990/69, Bureau of Mineral Resources, Australia, Canberra.
- Hill, RM, Wilson, IH & Derrick, GM 1975, Geology of the Mount Isa 1:100 000 sheet area, north-west Queensland, record no. 1975/175, Bureau of Mineral Resources, Australia, Canberra.

- Hillier, JR 1992, 'The Great Artesian Basin', Water Journal, vol. 19, pp. 42-3.
- Hillier, JR & Foster, L 2002, 'The Great Artesian Basin is there a sustainable yield?', Proceedings of the International Conference on Balancing the Groundwater Budget, International Association of Hydrologists, Darwin,
- Hillis, RR, Morton, JGG, Warner, DS & Penney, RK 2001, 'Deep basin gas: a new exploration paradigm in the Nappamerri Trough, Cooper Basin, South Australia', APPEA Journal, vol. 41, pp. 185–200.
- Hills, ES 1934, 'Tertiary fresh water fishes from southern Queensland', Memoirs of the Queensland Museum, vol. 10, pp. 157–74.
- Hills, ES 1935, 'Records and descriptions of some Australian Devonian fishes', Proceedings of the Royal Society of Victoria, vol. 48, pp. 161–71.
- Hills, ES 1943, 'Tertiary fresh water fishes and crocodilian remains from Gladstone and Duaringa, Queensland', Memoirs of the Queensland Museum, vol. 12, pp. 96–100.
- Hills, QG 2004, 'The tectonic evolution of the Georgetown Inlier', PhD thesis, Monash University, Melbourne.
- Hocknull, SA 2000, 'Remains of an Eocene skink from Queensland', Alcheringa, vol. 24, pp. 63–4.
- Hocknull, SA 2005, 'Ecological succession during the late Cainozoic of central eastern Queensland: extinction of a diverse rainforest community', Memoirs of the Queensland Museum, vol. 51, pp. 39–122.
- Hocknull, SA, White, MA, Tischler, TR, Cook, AG, Calleja, ND, Sloan, T, & Elliott, DA 2009, 'New mid-Cretaceous (latest Albian) dinosaurs from Winton, Queensland, Australia', PLOSONE, vol. 4, no. 7, pp. 3-51.
- Hocknull, SA, Zhao, JX, Feng, YX & Webb, GE 2007, 'Responses of Quaternary rainforest vertebrates to climate change in Australia', Earth and Planetary Science Letters, vol. 264, pp. 317–31.
- Hodge-Smith, T 1939, 'Australian meteorites', *Memoirs of the Australian Museum*, vol. 7, pp. 1–84.
- Hodgkinson, J 2008, 'Queensland coal inventory, Department of Mines and Energy', *Queensland Government Mining Journal*, vol. 109, pp. 50–62.

- Hoffmann, KL 1988, Revision of the limits of the Adavale Basin and Warrabin Trough, southwest Queensland, record no. 1988/18, Geological Survey of Queensland, Brisbane.
- Hoffmann, KL 1989a, 'The influence of pre-Jurassic tectonic regimes on the structural development of the southern Eromanga Basin, Queensland', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia. Proceedings of a conference, Adelaide, 26–27 June, Petroleum Exploration Society of Australia, Society of Petroleum Engineers, Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 315–28.
- Hoffmann, KL 1989b, Tectonic setting and structural analysis of the southern Eromanga Basin, Queensland, record no. 1989/15, Geological Survey of Queensland, Brisbane.
- Hoffmann, KL & Williams, LJ 1987, Structural elements maps of the southern Eromanga Basin, Queensland, record no. 1987/35, Geological Survey of Queensland, Brisbane.
- Hoffman, PF 1991, 'Did the breakout of Laurentia turn Gondwanaland inside out?', Science, vol. 252, pp. 1409-12.
- Hofmann, GW 1980, 'Landsliding as a contributing factor to the degradation of agricultural land in the Lockyer Valley, southeast Queensland', Geological Society of Australia, Engineering Geology Specialist Group Papers, no. 1, pp. 14–21.
- Hofmann, GW 1985, Slope stability and its constraints on closer settlement in the Cairns area, record no. 1984/76, Geological Survey of Queensland, Brisbane.
- Hofmann, GW & Willmott, WF 1984, Landslide susceptibility of natural slopes in the City of Brisbane, record no. 1984/10, Geological Survey of Queensland, Brisbane.
- Holcombe, RJ 1977, 'Structure and tectonic history of the Brisbane Metamorphics in the Brisbane area', Journal of the Geological Society of Australia, vol. 24, pp. 475–90.
- Holcombe, RJ & Little, TA 1994,

 'Blueschists of the North D'Aguilar

 Block: structural development of the
 Rocksberg Greenstone and associated
 units near Mt Mee, southeast
 Queensland', Australian Journal of
 Earth Sciences, vol. 41, pp. 115–30.

- Holcombe, RJ, Little, TA, Sliwa, R & Fielding, CR1993, 'Tectonic elements and evolution of SE Queensland during the late Palaeozoic to early Mesozoic', in PG Flood & JC Aitchison (eds) New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 517–27.
- Holcombe, RJ, Pearson, PJ & Oliver, NHS 1991, 'Geometry of a Middle Proterozoic extensional décollement in northeastern Australia', Tectonophysics, vol. 191, pp. 255–74.
- Holcombe, RJ, Stephens, CJ, Fielding, CR, Gust, DA, Little, TA, Sliwa, R, Kassan, J, McPhie, J & Ewart, A 1997a, 'Tectonic evolution of the northern New England Fold Belt: the Permian— Triassic Hunter—Bowen event'. Geological Society of Australia, Special Publication, vol. 19, pp. 52–65.
- Holcombe, RJ, Stephens, CJ, Fielding, CR, Gust, DA, Little, TA, Sliwa, R, McPhie, J & Ewart, A 1997b, 'Tectonic evolution of the northern New England Fold Belt: Carboniferous to early Permian transition from active accretion to extension', Geological Society of Australia Special Publication, vol. 19, pp. 66–79.
- Holden, A 1991, 'A study of the northern part of the Crow's Nest Granite Batholith', undergraduate report, University of Southern Queensland, Toowoomba.
- Holland, CL 1994, 'Physical and chemical processes involved in the bleaching of basalt at the Red Dome gold scarn deposit', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Holland, JR & Applegate, JK 2008, 'Recent coalbed methane exploration in the Galilee Basin, Queensland, Australia', International Coalbed & Shale Gas Symposium, 2008, Abstracts, paper no. 807, pp. 1–14.
- Hollis, JD & Sutherland, FL 1985, 'Occurrences and origins of gem zircons in eastern Australia', Records of the Australian Museum, vol. 36, pp. 299–311.
- Hollis, JD, Sutherland, FL & Pogson, RE 1983, 'High pressure minerals and the origin of the Tertiary breccia pipe, Ballogie gem mine, near Proston, Queensland', Records of the Australian Museum, vol. 35, pp. 181–94.
- Holloway, DJ 1994, 'Early Silurian trilobites from the Broken River area, North Queensland', Memoirs of the Museum of Victoria, vol. 54, pp. 243–69.

- Holmes, KH 1981, Land stability of the eastern slopes of Toowoomba, record no. 1981/2, Geological Survey of Queensland, Brisbane.
- Holmes, PR 1983, 'A late Permian nearshore sequence in the northern Bowen Basin', *Queensland Government Mining Journal*, vol. 84, pp. 58–69.
- Holt, TR, Salisbury, SS & Willis, PMA 2005, 'A new species of mekosuchine crocodilian from the Middle Palaeogene Rundle Formation, central Queensland', Memoirs of the Queensland Museum, vol. 50, pp. 207–18.
- Home, PC, Dalton, DG & Brannan, J 1990, 'Geological evolution of the western Papuan Basin', in GJ Carman & Z Carman (eds), Petroleum exploration in Papua New Guinea. Proceedings of the First PNG Petroleum Convention, 12–14th February 1990, Port Moresby, pp. 107–17.
- Hopley, D 1970, The geomorphology of the Burdekin Delta, North Queensland, monograph no. 1, Department of Geography, James Cook University of North Queensland, Townsville.
- Hopley, D 1982, Geomorphology of the Great Barrier Reef: Quaternary development of coral reefs, Wiley, New York.
- Hopley, D 2006, 'Coral reef growth on the shelf margin of the Great Barrier Reef with special reference to the Pompey Complex', Journal of Coastal Research, vol. 22, pp. 150–8.
- Hopley, D, Smithers, SG & Parnell, K 2007, The Great Barrier Reef: development, diversity and change, Cambridge University Press, Sydney.
- Hopwood, T & Fardon, R 2003, 'Kendall River kaolin and the Sigma Kaolin Province, Cape York, Australia', Bulletin of the Australian Institute of Geoscientists, vol. 38, pp. 17–19.
- Horton, DJ 1976, Inspection of the Binbee amethyst deposit, Bowen-Collinsville Road, commodity file 4-28-0, Geological Survey of Queensland, Brisbane.
- Horton, DJ 1978, 'Porphyry-type copper-molybdenum mineralisation belts in eastern Queensland', Queensland Government Mining Journal, vol. 79, pp. 474-89.
- Horton, DJ 1982, Porphyry-type copper and molybdenum mineralisation in eastern Queensland, publication no. 378, Geological Survey of Queensland, Brisbane.

References 875

- Horton, DJ 2002, 'Australian sedimentary opal—why is Australia unique?', Australian Gemmologist, vol. 21, pp. 287–94.
- Houston, BR 1964, Petrology of intrusives of the Roma Shelf, report no. 7, Geological Survey of Queensland, Brisbane.
- Houston, BR, 1965a, 'New and re-defined names in Queensland stratigraphy', Queensland Government Mining Journal, vol. 66, pp. 221–7.
- Houston, BR 1965b, A geological map of the City of Brisbane, publication no. 323, Geological Survey of Queensland, Brisbane.
- Houston, BR 1965c, Tertiary basalts of the City of Brisbane and environs, South-East Queensland, publication no. 326, Geological Survey of Queensland, Brisbane.
- Houston, BR 1965d, Triassic volcanics of the base of the Ipswich Coal Measures south-east Queensland, publication no. 327, Geological Survey of Queensland, Brisbane.
- Houston, BR 1965e, 'Drilling at Ormiston', Queensland Government Mining Journal, vol. 66, pp. 413–16.
- Houston, BR, 1967a, Geology of the city of Brisbane. Part II. The post-Palaeozoic sediments and volcanics, publication no. 324, Geological Survey of Queensland, Brisbane.
- Houston, BR 1967b, An unusual suite of volcanics from the base of the Ipswich Coal Measures in Queensland American, The Overflow No. 1 well, report no. 17, Geological Survey of Queensland, Brisbane.
- Houston, BR 1967c, Resources of ceramic clay materials in Queensland, report no. 20, Geological Survey of Queensland, Brisbane.
- Houston, BR 1967d, Economic geology of the City of Brisbane, publication no. 325, Geological Survey of Queensland, Brisbane.
- Houston, BR, 1971, 'Two meteorites from northwest Queensland', Queensland Government Mining Journal, vol. 72, pp. 482-6.
- Howard, P 1996, 'Agate Creek agate', The Australian Gemmologist, vol. 19, pp. 215–20.

- Hoyling, NHV & Stewart, HSJ 1964, 'AP Abercorn No. 1, Queensland—well completion report', Amalgamated Petroleum Exploration, Brisbane, unpublished report held by the Geological Survey of Queensland as CR1282.
- Hubberten, HW, Andreev, A, Astakhov, VI, Demidov, I, Dowdeswell, JA, Henriksen, M, Hjort, C, Houmark-Nielsen, M, Jaksobsson, M, Kuzmina, S, Larsen, E, Lunkka, JP, Lysa, A, Mangerud, J, Moller, P, Saarnisto, M, Schirrmeister, L, Sher, AV, Siegert, C, Siegert, MJ & Svendsen, JI 2004, 'The periglacial climate and environment in northern Eurasia during the Last Glaciation', Quaternary Science Reviews, vol. 23, pp. 1333–57.
- Huber, RD 1976, Mulgrave River groundwater investigation—geophysical review, record no. 1976/9, Geological Survey of Queensland, Brisbane.
- Huber, RD 1981, Casuarina gravity survey, record no. 1981/39, Geological Survey of Queensland, Brisbane.
- Huf, S 1991, Irrigation strategies with limited water: Callide Valley irrigation survey, report no. Q091024, Queensland Department of Primary Industries, Brisbane.
- Humphries, D 2003, 'An analysis of post-Triassic faulting in southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Hunns, SR 1994, 'Geology of the Mount Chalmers volcanic-hosted massive sulfide, and implications for its formation', in RJ Holcombe, CJ Stephens & CR Fielding (eds), 1994 Field Conference Capricorn Coast region central coastal Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 80–92.
- Hunt, JW 1989, 'Permian coals of eastern Australia: geological control of petrographic variation', International Journal of Coal Geology, vol. 12, pp. 589-634.
- Hunter, HM, Sologinkin, SJ, Choy, SC, Hooper, AR, Allen, WS, Raymond, MAA & Peeters, J 2001, Water management in the Johnstone Basin, Queensland, Department of Natural Resources and Mines, Brisbane.
- Huston, DL 1990, 'The stratigraphic and structural setting of the Balcooma volcanogenic massive sulphide lenses, northern Queensland', Australian Journal of Earth Sciences, vol. 37, pp. 423–40.

- Huston, DL (ed.) 2010, An assessment of the uranium and geothermal potential of north Queensland, record no. 2010/14, Geoscience Australia, Canberra.
- Huston, DL, Pehrsson, S, Eglington, BM & Zaw, K 2010, 'The geology and metallogeny of volcanic-hosted massive sulfide deposits: variations through geologic time and with tectonic setting', Economic Geology, vol. 105, pp. 571–91.
- Hutchinson, GH 1965, 'A prospector's guide to agates at Agate Creek', Queensland Government Mining Journal, vol. 66, pp. 517–19.
- Hutchison, NA 1992, 'The Triassic Yandina Creek Caldera of the North Arm Volcanics, south-east Queensland', BSc (hons) thesis, University of Southern Queensland, Toowoomba.
- Hutton, AC 2009, 'Geological setting of Australasian coal deposits', The Australasian Institute of Mining and Metallurgy Monograph, vol. 12, pp. 40–84.
- Hutton, JT, Twidale, CR & Milnes, AR 1978, 'Chapter three: characteristics and origin of some Australian silcretes', in T Langford-Smith (ed.), Silcretes in Australia, Department of Geography, University of New England, Armidale, pp. 19–40.
- Hutton, LJ 1973, 'The geology of the northern part of the Lawn Hill Mineral Field', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Hutton, LJ 1983, 'Stratigraphic drilling report—GSQ Lawn Hill 1-4', Queensland Government Mining Journal, vol. 84, pp. 228–40.
- Hutton, LJ 2004, 'Petrogenesis of I- and S-type granites in the Cape River Lolworth area, northeastern Queensland—their contribution to an understanding of early Palaeozoic geological history of northeastern Queensland', PhD thesis, Queensland University of Technology, Brisbane.
- Hutton, LJ 2011, Petrogenesis Palaeozoic granites—northeastern Australia, VDM Verlag Dr Müller, Saarbrücken, 228 pp.
- Hutton, LJ, Beams, SD & Rapkins, RJ 1996, Charters Towers (8157), Queensland, 1:100 000 geological series, 1st edn, Geological Survey of Queensland, Brisbane.

- Hutton, LJ, Blewett, RS, Henson, PA, Withnall, IW, Korsch, RJ, Nakamura, A, Collins, WJ, Henderson, RA, Fergusson, CL, Huston, DL, Champion, DC, Nicoll, MG, Blenkinsop, TG & Wormald, R 2009b, 'Geological interpretation of deep seismic reflection line 07GAIG2: the Croydon to Mt Surprise transect', Australian Institute of Geoscientists Bulletin, vol. 49, pp. 159–62.
- Hutton, LJ, Bultitude, RJ & Withnall, IW 1997, 'Inter-regional igneous provinces— Macrossan Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 479–82.
- Hutton, LJ, Cavaney, RJ & Sweet, IP 1981, 'New and revised stratigraphic units, Lawn Hill Platform, northwest Queensland', Queensland Government Mining Journal, vol. 82, pp. 423-34.
- Hutton, LJ & Crouch, SBS 1993a, 'New and revised igneous units in the Charters Towers and Dotswood 1:100 000 sheet areas', Queensland Government Mining Journal, vol. 94, pp. 32-47.
- Hutton, LJ & Crouch, SBS 1993b, Geochemistry and petrology of the western Ravenswood Batholith, record no. 1993/22, Geological Survey of Queensland, Brisbane.
- Hutton, LJ, Draper, JJ, Gunther, MC, Withnall, IW & Lockhart, DA 1994c, Glenrock Group, record no. 1994/9, Geological Survey of Queensland, Brisbane, pp. 92–126.
- Hutton, LJ, Draper, JJ, Rienks, IP, Withnall, IW & Knutson, J 1997, 'Chapter 6. Charters Towers region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 165–224.
- Hutton, LJ, Garrad, PD & Withnall, IW 1995, 'New intrusive units in the Lolworth Batholith and its surrounds', Queensland Government Mining Journal, vol. 96, no. 1127, pp. 17-31.
- Hutton, LJ, Gibson, GM, Korsch, RJ,
 Withnall, IW, Henson, PA, Costelloe, RD,
 Holzschuh, J, Huston, DL, Jones, LEA,
 Maher, JL, Nakamura, A, Nicoll, MG,
 Roy, I, Saygin, E, Murphy, FB & Jupp, B
 2009a, 'Geological interpretation of
 the 2006 Mount Isa seismic survey',
 Bulletin of the Australian Institute of
 Geoscientists, vol. 49, pp. 137–42.
- Hutton, LJ, Grimes, KG, Law, SR & McLennan, TPT 1991, Geology of the Mount Coolon 1:250 000 sheet area, record no. 1991/19, Geological Survey of Queensland, Brisbane.

- Hutton, LJ, Grimes, KG, Law, SR & McLennan, TPT 1998, Mount Coolon (SF55-7), Queensland, 1:250 000 geological series explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Hutton, LJ, Lockhart, DA, Lang, SC & Gleeson, P 1990, 'The early Carboniferous Glenrock Group, Burdekin Basin, north Queensland: basic to acid continental volcanism and epiclastic facies of a continental margin magmatic arc', in *Proceedings of the Pacific Rim Congress 90, Volume III*, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 611–19.
- Hutton, LJ & Rienks, IP 1997, 'Geology of the Ravenswood Batholith', Queensland Geology, vol. 8, pp. 1–60.
- Hutton, LJ, Rienks, IP, Tenison Woods, KL, Hartley, JS & Crouch, SBS 1994a, Geology of the Ravenswood Batholith, north Queensland, record no. 1994/4, Geological Survey of Queensland, Brisbane.
- Hutton, LJ, Rienks, IP, Tenison Woods, KL, Hartley, JS & Crouch, SBS 1994b, 'A geochemically and structurally based interpretation of the Ravenswood Batholith, north Queensland', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 3–6.
- Hutton, LJ, Rienks, IP & Wyborn, D 1990, 'A reinterpretation of the Ravenswood Batholith, north Queensland', in *Proceedings of the Pacific Rim Congress 90, Volume III*, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 179–85.
- Hutton, LJ & Wilson, IH 1984, Mount
 Oxide region, Queensland, 1:100 000
 geological map commentary, Bureau of
 Mineral Resources, Australia, Canberra.
- Hutton, LJ & Wilson, IH 1985, Mammoth Mines region, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Hutton, LJ, Withnall, IW, Lang, SC, Draper, JJ & Rienks, IP 2003, North Queensland Gold and Base Metal Study Stage 2—explanatory notes to accompany the Charters Towers region GIS, Geological Survey of Queensland, Brisbane (CD-ROM).

- Huxley, W 1982, 'Condamine River Valley groundwater investigation. The hydrogeology, hydrology & hydrochemistry of the Condamine River Valley alluvium', MAppSc thesis, Queensland Institute of Technology, Brisbane.
- Huxley, W 1991, Balonne River 323 km Barrackdale Dam site: report on pumping test results, Queensland Water Resources Commission, Brisbane.
- Huxley, W 1994, Report on Monto to Mulgildie salinity study feasibility of artificially recharging alluvial aquifers, Queensland Department of Primary Industries, Brisbane.
- Huxley, W & Bedford, K 1984, Three Moon Creek groundwater investigation: an assessment of groundwater availability in the Three Moon Creek alluvium, Queensland Water Resources Commission, Brisbane.
- Huxley, W & Bjornsson, B 1998, A review of groundwater conditions and opportunities for further development—Mulgrave River alluvium, Queensland Department of Natural Resources, Brisbane.
- Hyder 1999, A scoping study of water development options in the Atherton Tableland – Cairns region, Hyder Consulting for the Department of Natural Resources, Brisbane.
- Hyndman, RD, Currie, CA & Mazzotti, SP 2005, 'Subduction zone backarcs, mobile belts, and orogenic heat', GSA Today, vol. 15, pp. 4-10.
- lasky, R & Glikson, A 2004, 'New possible buried impact structures in the Carnarvon and Officer basins, Western Australia', Geological Society of Australia Abstracts, vol. 73, p. 235.
- Idnurm, M 2000, 'Towards a high resolution late Paleoproterozoic – earliest Mesoproterozoic apparent polar wander path for northern Australia', Australian Journal of Earth Sciences, vol. 47, pp. 405–29.
- Idnurm, M & Senior, BR 1978,

 'Palaeomagnetic ages of Late Cretaceous and Tertiary weathered profiles in the Eromanga Basin, Queensland',
 Palaeogeography, Paleoclimatology,
 Palaeoecology, vol. 24, pp. 263–77.
- Idnurm, M & Wyborn, LAI 1998,

 'A Mesoproterozoic palaeomagnetic age for the gold-bearing Quamby Conglomerate, Queensland', AGSO Research Newsletter, vol. 28, pp. 6–7.

- Ikesawa, E, Kimura, G, Sato, K, Ikehara-Ohmori, K, Kitamura, Y, Yamaguchi, A, Ujiie, K & Hashimoto, Y 2005, 'Tectonic incorporation of the upper part of oceanic crust to overriding plate of a convergent margin; an example from the Cretaceous – early Tertiary Mugi Melange, the Shimanto Belt, Japan', Tectonophysics, vol. 401, pp. 217–30.
- Imbrie, J, Hays, JD, Martinson, DG, McIntyre, A, Mix, AC, Morley, JJ, Pisias, NG, Prell, WL & Shackleton, NJ 1984, 'The orbital theory of Pleistocene climate: support from a revised chronology of the marine \(\delta^{18}\)O record', in A Berger, J Imbrie, H Hays, G Kukla & B Saltzman (eds), Milankovitch and climate: understanding the response to astronomical forcing, Proceedings of the NATO Advanced Research Workshop, 30 November 4 December, 1982, Palisades, NY, D Reidel Publishing, Dordrecht, pp. 269–305.
- Ingram, JA 1968, Notes on opalization in south-western Queensland, record no. 1968/47, Bureau of Mineral Resources, Australia, Canberra.
- Innes, BM 2004, 'Early Palaeozoic history of the Broken River Province, northern Tasmanides', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- International Commission on Stratigraphy 2012, International stratigraphic chart, http://www.stratigraphy.org/upload/ISChart2012.pdf.
- International Consortium for Great
 Barrier Reef Drilling 2001, 'New
 constraints on the origin of the
 Australian Great Barrier Reef: results
 from an international project of deep
 coring', Geology, vol. 29, pp. 483–6.
- Ireland, TR, Flöttmann, T, Fanning, CM, Gibson, GM & Preiss, WV 1998, 'Development of the early Paleozoic Pacific margin of Gondwana from detritalzircon ages across the Delamerian orogen', Geology, vol. 26, pp. 243-6.
- Irrigation and Water Supply Commission 1957, Progress report on hydrogeology of the Bundaberg area February, 1957, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1958, Report on underground water investigations Bundaberg Region, Irrigation and Water Supply Commission, Brisbane.

- Irrigation and Water Supply Commission 1965a, Progress report on groundwater investigations, Callide Valley, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1965b, Report on works for replenishment of water supplies Burdekin Delta south side, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1969a, Lockyer Valley deep groundwater Gatton area, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1969b, South Burdekin Water Board report on of underground water recharge system, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1970a, Interim report on Condamine under-investigation, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1970b, Progress report on Oakey Creek (Condamine investigation), Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1970c, Report on trial weirs for groundwater Lockyer Valley, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1970d, Preliminary report on groundwater of Dawson River alluvium at Theodore, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1971a: Report on improvement to water supplies (Giru area), Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1971b, Report on deep drilling Callide Valley investigation, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1971c, North Burdekin water area report on provision of increased recharge capacity in Sheep Station Creek, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1971d, Progress report on groundwater investigations related to the proposal to supply water to Morton Vale (Lockyer Valley) for irrigation purposes, Irrigation and Water Supply Commission, Brisbane.
- Irrigation and Water Supply Commission 1972a, Callide Valley Groundwater Augmentation, Irrigation and Water Supply Commission, Brisbane.

- Irrigation and Water Supply Commission 1972b, Progress report on groundwater investigations Callide Valley, Irrigation and Water Supply Commission, Brisbane,
- Irrigation and Water Supply Commission 1972c, Callide Valley groundwater augmentation, Irrigation and Water Supply Commission, Brisbane.
- Irvine, TN & Baragar, WRA 1971,

 'A guide to the chemical classification of the common volcanic rocks',

 Canadian Journal of Earth

 Sciences, vol. 8, pp. 523-48.
- Irwin, MJ 1973, 'The igneous and sedimentary geology of the Kinbombi area, south-east Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Isbell, RF 1957, 'The soils of the Inglewood-Talwood-Tara-Glenmorgan region, Queensland', Bureau of Investigation Technical Bulletin, vol. 5, pp. 1–116.
- Isern, AR, Anselmetti, FS, Blum, P, et al. 2002, 'Leg 194 of the cruises of the Drilling Vessel JOIDES Resolution Townsville, Australia, to Apra Harbor, Guam, Sites 1192–1199, 3 January 2 March 2001', Proceedings of the Ocean Drilling Program, Initial Reports, vol. 194, doi:10.2973/odp.proc.sr.194.2002.
- Isern, AR, McKenzie, JA & Feary, DA 1996, 'The role of sea-surface temperature as a control on carbonate platform development in the western Coral Sea', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 124, pp. 247–72.
- Isern, AR, McKenzie, JA, & Müller, DW 1993, 'Paleoceanographic changes and reef growth off the northeast Australian margin: stable isotopic data from ODP Leg 133 Sites 811 and 817, and DSDP Site 209', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, pp. 263–79.
- Isern, I, Pigram, CJ, Swart, PK &
 Anselmetti 1997b, ODP Drilling in
 the Coral Sea: sealevel variation,
 fluid flow, and paleoceanography:
 Proposal 510-Rev 1, record
 no. 1997/52, Australian Geological
 Survey Organisation, Canberra.
- Isern, I, Pigram, CJ, Swart, PK &
 Kroon, D 1997a, 'ODP drilling in
 the Coral Sea: sealevel variation,
 paleoceanography, and fluid flow',
 record no. 1997/3, Australian Geological
 Survey Organisation, Canberra.
- Ishaq, S 1977, 'Limestone resources of the Chillagoe area, north Queensland', Queensland Government Mining Journal, vol. 78, pp. 617–19.

- Ishaq, S 1985, 'Gold in Queensland, a review of production, exploration and potential', Queensland Government Mining Journal, vol. 86, pp. 72–7.
- Ishiga, H 1990, 'Radiolarians from the Gympie Province, eastern Australia', Proceedings of the Australasian Institute of Mining and Metallurgy 1990 Pacific Rim Congress, Volume III, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 187–9.
- Isozaki, Y & Blake, MC 1994,

 'Biostratigraphic constraints on formation and timing of accretion in a subduction complex. An example from the Franciscan complex in northern California', Journal of Geology, vol. 102, pp. 283–96.
- Ivanac, JF 1983, 'Stuart, Nagoorin Nagoorin South, Lowmead and Duaringa oil shale deposits: a review', *Proceedings* of the First Australian Workshop on Oil Shale, CSIRO Division of Energy Chemistry, Sutherland, pp. 315–28.
- IWSC—see Irrigation and Water Supply Commission.
- Jablonski, D, Pono, S & Larsen, OA 2006, 'Prospectivity of the deepwater Gulf of Papua and surrounds in Papua New Guinea (PNG)—a new look at a frontier region', APEA Journal, vol. 46, pp. 179–200.
- Jack, RL 1879a, Report on the geology and mineral resources of the district between the Charters Towers Goldfield and the coast, publication no. 1, Geological Survey of Queensland, Brisbane.
- Jack, RL 1879b, On the progress of the search for coal in the Cook district, publication no. 6, Geological Survey of Queensland, Brisbane.
- Jack, RL 1896, Map of the Palmer River district, publication no. 110, Geological Survey of Queensland, Brisbane.
- Jack, RL & Etheridge, RJr 1892, Geology and palaeontology of Queensland and New Guinea, publication no. 92, Geological Survey of Queensland, Brisbane, pp. 1–768.
- Jackson, CFV 1902a, 'The opal-mining industry and the distribution of opal deposits in Queensland', Queensland Government Mining Journal, vol. 3, pp. 502–10, 552–62.
- Jackson, CFV 1902b, The opal-mining industry and the distribution of opal deposits in Queensland, publication no. 177, Geological Survey of Queensland, Brisbane.

- Jackson, CFV 1903, 'The Queensland opal-mining industry', Queensland Government Mining Journal, vol. 4, pp. 242-4.
- Jackson, JA 1997, Glossary of geology, American Geological Institute, Alexandria, Virginia.
- Jackson, JS 1982, 'Geochemical evaluation of the petroleum potential of the Toko Syncline, Georgina Basin, Queensland', BMR Journal of Australian Geology & Geophysics, vol. 7, pp. 1–10.
- Jackson, KS, Hawkins, PJ & Bennett, AJR 1980, 'Regional facies and geochemical evolution of the southern Denison Trough, Queensland', APEA Journal, vol. 20, pp. 143–58.
- Jackson, KS, Horvath, Z & Hawkins, PJ 1981, 'An assessment of the petroleum prospects for the Galilee Basin, Queensland', APEA Journal, vol. 21, pp. 172-86.
- Jackson, MJ, Scott, DL & Rawlings, DJ 2000, 'Stratigraphic framework for the Leichhardt and Calvert superbasins: review and correlations of the pre-1700 Ma successions between Mt Isa and McArthur River', Australian Journal of Earth Sciences, vol. 47, pp. 381-403.
- Jackson, MJ & Southgate, PN 2000, 'Evolution of three unconformitybounded sandy carbonate successions in the McArthur River region of northern Australia: the Lawn, Wide and Doom supersequences in a proximal part of the Isa Superbasin', Australian Journal of Earth Sciences, vol. 47, pp. 625–35.
- Jackson, MJ, Southgate, PN, Black, LP, Blake, PR & Domagala, J 2005, 'Overcoming Proterozoic quartzite sand-body miscorrelations: integrated sequence stratigraphy and SHRIMP U-Pb dating of the Surprise Creek Formation, Torpedo Creek and Warrina Park quartzites, Mt Isa Inlier', Australian Journal of Earth Sciences, vol. 52, pp. 1–25.
- Jackson, MJ, Sweet, IP, Page, RS & Bradshaw, BE 1999, The South Nicholson and Roper groups: evidence for the early Mesoproterozoic Roper Superbasin, record no. 1999/19, Australian Geological Survey Organisation, Canberra.
- Jackson, MJ, Sweet, IP & Powell, TG 1988, 'Studies on petroleum geology and geochemistry, middle Proterozoic, McArthur Basin, northern Australia 1: petroleum potential', APEA Journal, vol. 24, pp. 283–302.

- Jackson, SE, Pearson, NJ, Griffin, WL, & Belousova, EA 2004, 'The application of laser ablation-inductively coupled plasma-mass spectrometry (LA-ICP-MS) to in situ U-Pb zircon geochronology', Chemical Geology, vol. 211, pp. 47-69.
- Jago, JB, Sun, XW & Zang, WL 2002, Correlation within early Palaeozoic basins of eastern South Australia, report book no. 2002/033, Primary Industry and Resources, South Australia, Adelaide.
- James, A 1999, 'BNG Operations Pty Ltd Glamorgan 1—well completion report. BNG Operations Pty Ltd, Brisbane', unpublished report held by the Geological Survey of Queensland as CR31520A.
- James, NP, Frank, TD & Fielding, CR 2009, 'Carbonate sedimentation in a Permian high-latitude, subpolar depositional realm, Queensland, Australia', Journal of Sedimentary Research, vol. 79, pp. 125–43.
- Jell, JS 1961, 'Stratigraphy, structure and palaeontology of the Mt Larcom district, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Jell, JS 1967, 'Geology and Devonian rugose corals of Pandanus Creek, north Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Jell, JS 1968, New Devonian rock units of the Broken River Embayment, north Queensland', Queensland Government Mining Journal, vol. 69, pp. 6–8.
- Jell, JS 1988, 'Lower and Middle Devonian of Queensland, Australia', Memoirs of the Canadian Society of Petroleum Geologists, vol. 14, pp. 755-72.
- Jell, JS & Flood, PG 1978, 'Guide to the geology of reefs of the Capricorn and Bunker Groups, Great Barrier Reef Province, with special reference to Heron Reef', University of Queensland Papers, Department of Geology, vol. 8, pp. 1–85.
- Jell, JS & Hill, D 1969, Devonian corals from the Ukalunda district, north Queensland, publication no. 340, Geological Survey of Queensland, Brisbane.
- Jell, JS & Hill, D 1970, 'Revision of the coral fauna from the Devonian Douglas Creek Limestone, Clermont, central Queensland', Proceedings of the Royal Society of Queensland, vol. 81, pp. 93–120.

- Jell, JS & Neil, D 1998, 'Geomorphic characteristics of northeast Herald Cay and Reef, Coral Sea Plateau', Proceedings of the Australian Coral Reef Society 75th Anniversary Conference, Heron Island October 1977, School of Marine Science, University of Queensland, Brisbane, pp. 99–104.
- Jell, JS & Playford, G 1985, 'Broken River Embayment and Burdekin-Star Shelf', in RH Wagner, CF Winkler Prins & LF Granados (eds), The Carboniferous of the World, II, IUGS Publications, vol. 20, pp. 62-9.
- Jell, JS, Simpson, A, Mawson, R & Talent, JA 1993, 'Biostratigraphic summary', Queensland Geology, vol. 4, pp. 239–45.
- Jell, JS & Webb, GE 2012, 'Geology of Heron Island and adjacent reefs, Great Barrier Reef, Australia', Episodes, vol. 35, pp. 110-19.
- Jell, PA 1969, 'The geology of the Linville district', Queensland Government Mining Journal, vol. 70, pp. 97–101.
- Jell, PA 1970, 'Pagetia ocellata, a new Cambrian trilobite from northwestern Queensland', Memoirs of the Queensland Museum, vol. 15, pp. 303-13.
- Jell, PA 1975, 'Australian Middle Cambrian eodiscoids with a review of the superfamily', Palaeontographica A, vol. 150, pp. 1–97.
- Jell, PA 1977, 'Penarosa netenta, a new Middle Cambrian trilobite from northwestern Queensland', Memoirs of the Queensland Museum, vol. 18, pp. 119–23.
- Jell, PA 1978, 'Asthenopsis Whitehouse, 1939 (Trilobita, Middle Cambrian) in northern Australia', Memoirs of the Queensland Museum, vol. 18, pp. 219-31.
- Jell, PA 1999, 'The crinoid Melocrinites tempestus in the Devonian Campwyn Beds on the shore of Repulse Bay, south of Proserpine', Memoirs of the Queensland Museum, vol. 43, p. 352.
- Jell, PA 2004, 'The fossil insects of Australia', Memoirs of the Queensland Museum, vol. 50, pp. 1–124.
- Jell, PA, Burrett, CF & Banks, MR 1985, 'Cambrian and Ordovician echinoderms from eastern Australia', Alcheringa, vol. 9, pp. 183–208.
- Jell, PA, Jell, JS, Johnson, BD, Mawson, R & Talent, JA 1988, 'Crinoids from Devonian limestones of eastern Australia', Memoirs of the Queensland Museum, vol. 25, pp. 355-402.

- Jenkins, DR, Laurie, JP & Beams, SD 1998, 'Grevillea zinc-lead-silver deposit', in DA Berkham & DH McKenzie (eds), Geology of Australian and Papua New Guinea mineral deposits, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 753–8.
- Jenkins, RB, Landenberger, B & Collins, WJ 2002, 'Late Paleozoic retreating and advancing subduction boundary in the New England Fold Belt, New South Wales', Australian Journal of Earth Sciences, vol. 49, pp. 467–89.
- Jenkins, TBH 1959, 'New names in Queensland stratigraphy—Surat (Thallon) Basin', Australian Oil and Gas Journal, vol. 5, no. 2, pp. 29–30.
- Jenkins, TBH 1960, 'The Surat Sub-Basin', Journal of the Geological Society of Australia, vol. 7, pp. 315–17.
- Jenkins, TBH, Crane, DT & Mory, AJ 1993, 'Conodont biostratigraphy of the Visean Series in eastern Australia', Alcheringa, vol. 17, pp. 211–83.
- Jensen, AR 1975, 'Permo-Triassic stratigraphy and sedimentation in the Bowen Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 154, pp. 1–187.
- Jensen, AR, Gregory, CM & Forbes, VR 1964, The geology of the Taroom 1:250 000 sheet area and of the western part of the Mundubbera 1:250 000 sheet area, Queensland, record no. 1964/61, Bureau of Mineral Resources, Australia, Canberra.
- Jensen, AR, Gregory, CM & Forbes, VR 1966, Geology of the Mackay 1:250 000 sheet area Queensland, report no. 104, Bureau of Mineral Resources, Australia, Canberra.
- Jensen, HI 1906, 'Geology of the volcanic area of the East Moreton and Wide Bay Districts, Queensland', Proceedings of the Linnean Society of New South Wales, vol. 31, pp. 73-173.
- Jensen, HI 1918a, 'Notes on the geology of Jibbenbar and the state arsenic mine', Queensland Government Mining Journal, vol. 19, pp. 120-3.
- Jensen, HI 1918b, 'Arsenic and its occurrences in south Queensland', Queensland Government Mining Journal, vol. 19, pp. 455-8, 503-8.
- Jensen, HI 1923, The geology of the Cairns hinterland and other parts of north Queensland, publication no. 274, Geological Survey of Queensland, Brisbane.

- Jensen, HI 1926, Geological reconnaissance between Roma, Springsure, Tambo and Taroom (The Carnarvon Ranges and Buckland Tablelands), publication no. 277, Geological Survey of Queensland, Brisbane.
- Jensen, HI 1964, 'Sketch of the geology and physiography of Cape York Queensland', Geographical Journal, vol. 62, pp. 12-60.
- Jeon, H, Williams, IS & Chappell, BW 2010, 'Zircon U-Pb and O evidence for the age and source of the S-type Bundarra Supersuite granites, southern NEO', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, Department of Geosciences, University of New England, Armidale, pp. 190-4.
- Jeppson, L, Talent, JA, Mawson, R, Simpson, AJ, Andrew, AW, Calner, M, Whitford, DJ, Trotter, JA, Sandstrom, O & Caldon, HJ 2007, 'High-resolution Late Silurian correlations between Gotland, Sweden, and the Broken River region, NE Australia: lithologies, conodonts and isotopes', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 245, pp. 115–37.
- Johansen, SH 1986, 'The geology of the Neara Volcanics, near Elgin Vale, Esk Trough, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Johanson, Z, Turner, S & Warren, A 2000, 'First East Gondwanan record of *Strepsodus* (Sarcopterygii, Rhizodontida) from the Lower Carboniferous Ducabrook Formation, central Queensland, Australia', *Geodiversitas*, vol. 22, pp. 162–269.
- John, BH & Almond, CS 1987, 'Lithostratigraphy of the lower Eromanga Basin sequence in south-west Queensland', APEA Journal, vol. 27, pp. 196–214.
- John, BH & Fielding, CR 1993, 'Reservoir potential of the Catherine Sandstone, Denison Trough, east-central Queensland', APEA Journal, vol. 33, pp. 176–87.
- Johnson, DP, Robertson, BM & Martini, IP 1985, 'Permian paralic coal measures and associated intrusions, Collinsville', in Field guide to the Permian to Quaternary geology of the Mackay— Collinsville—Townsville area, Geological Society of Australia, Queensland Division, Brisbane, pp. 29–45.

- Johnson, JA & Grunder, AL 2000, 'The making of intermediate composition magma in a bimodal suite: Duck Butte Eruptive Center, Oregon, USA', Journal of Volcanology and Geothermal Research, vol. 95, pp. 175–95.
- Johnson, RW (ed.) 1989, Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney.
- Johnson, SE & Henderson, RA 1991,
 'Tectonic development of the Drummond
 Basin, eastern Australia: backarc
 extension and inversion in a late
 Palaeozoic active margin setting',
 Basin Research, vol. 3, pp. 197–213.
- Johnston, BK 1977, 'Petrological study of coal seams in GSQ Taroom 11/11A', Queensland Government Mining Journal, vol. 78, pp. 630-3.
- Johnston, C 1984, 'Granitoids of the Coolgarra Batholith, Mount Garnet, North Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Johnston, C & Black, LP 1986, 'Rb/Sr systematics of the Coolgarra Batholith, north Queensland', Australian Journal of Earth Sciences, vol. 33, pp. 309-24.
- Johnston, C & Chappell, BW 1992, 'Topazbearing rocks from Mount Gibson, north Queensland, Australia', American Mineralogist, vol. 77, pp. 303–13.
- Joint Ore Reserves Committee of the Australasian Institute of Mining and Metallurgy, Australian Institute of Geoscientists and Minerals Council of Australia 2004, Australasian code for reporting of exploration results, mineral resources and ore reserves 'The JORC Code', The Joint Ore Reserves Committee of the Australasian Institute of Mining and Metallurgy, Australian Institute of Geoscientists and Minerals Council of Australia, Melbourne.
- Jones, AT & Fielding, CR 2004, 'Sedimentological record of the late Paleozoic glaciation in Queensland Australia', Geology, vol. 32, pp. 153-6.
- Jones, D 1986, 'Stratabound zinclead mineralization in the Middle Proterozoic McNamara Group, NW Queensland', PhD thesis, University of New England, Armidale.
- Jones, GD & Patrick, RB 1981, 'Stratigraphy and coal exploration geology of the northeastern Surat Basin', Coal Geology, vol. 1, pp. 153–63

- Jones, GD & Xiao, Y 2005, 'Dolomitization, anhydrite cementation, and porosity evolution in a reflux system: insights from reactive transport models', AAPG Bulletin, vol. 89, pp. 577–601.
- Jones, GJ 1974, 'The geology and genesis of the Calgoa copper deposits southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Jones, HA 1973a, Submerged shorelines and channels on the east Australian continental shelf between Cape Moreton and Tweed Heads in relation to offshore heavy-mineral prospects, record no. 1973/46, Bureau of Mineral Resources, Australia, Canberra.
- Jones, HA 1973b, Morphology of the east Australian continental shelf between Cape Moreton and Tweed Heads in relation to offshore heavy-mineral prospects, record no. 1973/123, Bureau of Mineral Resources, Australia, Canberra.
- Jones, JA, Stephens, CJ & Ewart, A 1996, 'Constraints on the early Permian and late Carboniferous of the northern New England Fold belt from the Camboon Volcanics and the Torsdale beds', Geological Society of Australia Abstracts, vol. 41, p. 222.
- Jones, JG, Conaghan, PJ, McDonnell, KL, Flood, RH & Shaw, SE 1984, 'Papuan Basin analogue and a foreland basin model for the Bowen-Sydney Basin', in JJ Veevers (ed.), Phanerozoic earth history of Australia, Clarendon Press, Oxford, pp. 243-63.
- Jones, JG & Veevers, JJ 1983, 'Mesozoic origins and antecedents of Australia's Eastern Highlands', Journal of the Geological Society of Australia, vol. 30, pp. 305–22.
- Jones, JG & Veevers, JJ 1984, 'Eastern highlands', in JJ Veevers (ed.), Phanerozoic earth history of Australia, Clarendon Press, Oxford, pp. 115–43.
- Jones, MJ & Truswell, EM 1992, "Late Carboniferous and early Permian palynostratigraphy of the Joe Joe Group, southern Galilee Basin, Queensland, and implications for Gondwanan stratigraphy", BMR Journal of Australian Geology & Geophysics, vol. 13, pp. 143–85.
- Jones, MR 1992, 'Moreton Bay and the sand islands', in W Willmott & NC Stevens (eds), Rocks and landscapes of Brisbane and Ipswich, Geological Society of Australia, Queensland Division, Brisbane, pp. 27–31.

- Jones, MR 2002, Alluvial landscapes of the northern Kennedy Gap area, Mt Isa district, Queensland, open file report no. 130, Centre for Cooperative Research on Landscape Environments and Mineral Exploration, Perth.
- Jones, MR & Holmes, KH 1993, 'Offshore sand resources of south-east Queensland', Queensland Government Mining Journal, vol. 94, pp. 11-24.
- Jones, MR & Torgersen, T 1988, 'Late Quaternary evolution of Lake Carpentaria on the Australia – New Guinea continental shelf', Australian Journal of Earth Sciences, vol. 35, pp. 313–24.
- Jones, OA 1926, 'The Tertiary deposits of the Moreton District, southeastern Queensland', Proceedings of the Royal Society of Queensland, vol. 38, pp. 23–46.
- Jones, OA & de Jersey, NJ 1947a, 'The flora of the Ipswich Coal Measures. Morphology and floral succession', University of Queensland Papers, Department of Geology, vol. 3, no. 3, pp. 1–88.
- Jones, OA & de Jersey, NJ 1947b, 'Fertile Equisetales and other plants from the Brighton Beds', University of Queensland papers, Department of Geology, vol. 3, no. 4, pp. 1–11.
- Jones, OA & Jones, JB 1956, 'Notes on the geology of some north Queensland islands. Part 2. Cairncross Island to Hudson Island', Reports of the Great Barrier Reef Committee, vol. 6, pp. 45–54.
- Jones, PA 1978, 'The structural analysis and metamorphism of the Barnard and Barron River metamorphics in the Tully-Innisfail (NQ) area', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Jones, PJ 1961, 'Discovery of conodonts in the Upper Cambrian of Queensland', Australian Journal of Science, vol. 24, p. 143.
- Jones, PJ & MacKenzie, KG 1980, 'Queensland Middle Cambrian Bradoriida (Crustacea): new taxa, paleobiogeography and biological affinities', Alcheringa, vol. 4, pp. 203–55.
- Jones, PJ, Shergold, JH & Druce, EC 1971, 'Late Cambrian and Early Ordovician stages in western Queensland', Journal of the Geological Society of Australia, vol. 18, pp. 1–32.

- Jongsma, D & Marshall, JF 1971, BMR marine geology cruise in the southern Barrier Reef and northern Tasman sea 12/9/1970 to 14/12/1970, record no. 1971/17, Bureau of Mineral Resources, Australia, Canberra.
- JORC—see Joint Ore Reserves Committee of the Australasian Institute of Mining and Metallurgy, Australian Institute of Geoscientists and Minerals Council of Australia.
- Jordan, TP 2006, 'Geochemical variation of Palaeozoic basalts in northeast Queensland: tectonic implications', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Jorgensen, PJ 1997, 'An integrated analysis of the Callide Basin, east-central Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Jorgensen, PJ & Fielding, CR 1996, 'Facies architecture of alluvial flood basin deposits: three-dimensional data from the Upper Triassic Callide Coal Measures of east-central Queensland, Australia', Sedimentology, vol. 43, pp. 479–95.
- Joyce, EB 2010, 'Australia's geological heritage—a national inventory for future geoparks and geotourism', in D Newsome & R Dowling (eds), Geotourism: the tourism of geology and landscape, Goodfellow Publishers, Oxford.
- Jull, RK 1965, 'The Carboniferous (Visean) corals of Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Jull, RK 1968, 'The Lower Carboniferous limestones in the Monto Old Cannindah district: a brief description and a proposed name', Queensland Government Mining Journal, vol. 69, pp. 199–201.
- Jull, RK 1969, 'The Lower Carboniferous corals of eastern Australia: a review', in KSW Campbell (ed.), Stratigraphy and palaeontology: essays in honour of Dorothy Hill, ANU Press, Canberra, pp. 120–39.
- Kaiser, WR, Scott, AR & Tyler, R 1995,
 'Geology and hydrogeology of coalbed
 methane producibility in the United
 States; analogs for the World', Intergas
 Unconventional Gas Symposium, May 15–
 16, Tuscaloosa, Alabama, Short Course.
- Kantsler, AJ, Prudence, TJC, Cook, AC & Zwigulis, M 1983, 'Hydrocarbon habit of the Cooper/Eromanga Basin, Australia', APEA Journal, vol. 23, pp. 75-92.
- Kapel, AJ 1966, 'The Cooper's Creek Basin', APEA Journal, vol. 6, pp. 71-5.

- Kapel, AJ 1972, 'The geology of the Patchawarra area, Cooper Basin', APEA Journal, vol. 12, pp. 53-6.
- Karig, DE & Sharman, GF 1975,

 'Subduction and accretion in trenches',
 Bulletin of the Geological Society
 of America, vol. 86, pp. 377–89.
- Karlstrom, KE, Ahall, KI, Harlan, SS, Williams, ML, McLelland, J & Geissman, JW 2001, 'Long-lived (1.8–1.0 Ga) convergent orogen in the southern Laurentia, its extensions to Australia and Baltica, and implications for Rodinia', *Precambrian Research*, vol. 111, pp. 5–30.
- Karner, G, Anselmetti, F, Isern, A, Eberli, G & John, C 2002, Style and distribution of rifting responsible for the formation and development of the Marion Plateau, northeast Australia: constraints from sequence stratigraphy, ODP Leg 194 drilling and Ar/Ar dating of volcanic basement, PowerPointTM presentation at ODP Leg 194 2nd Post Cruise Meeting, University of Granada, Spain.
- Kassan, J & Fielding, CR 1991, 'Triassic depositional environments in the southwest Bowen Basin', in CFK Diessel (ed.), Proceedings of the 25th Symposium on Advances in the Study of the Sydney Basin, University of Newcastle, Department of Geology, University of Newcastle, Newcastle, pp. 154-61.
- Kassan, J & Fielding, CR 1996, 'Aspects of Triassic sedimentation in the Bowen Basin, Queensland', *Geological Society of Australia Abstracts*, vol. 43, pp. 292–301.
- Katz, ME & Miller, KG 1993, 'Neogene subsidence along the northeastern Australian margin: benthic foraminiferal evidence', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, pp. 75–86.
- Kay, JR 1981, 'Thunder egg deposits of the Wycarbah district, central Queensland', Queensland Government Mining Journal, vol. 82, pp. 566-79.
- Kay, JR 1985, 'The exploration potential for copper, lead-zinc and silver in Queensland', Queensland Government Mining Journal, vol. 86, pp. 211–20.
- Kay, JR 1991, Limestone resources of the Mount Flagstone area, north Queensland, record no. 1991/11, Geological Survey of Queensland, Brisbane.
- KBR—see Kellogg Brown & Root. KCB—see Klohn Crippen Berger.

- Kean, DVW 1993, 'The geology and geochemistry of the Mount Alford intrusive complex, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Keid, HGS 1938, 'Tantalite near Forsayth', Queensland Government Mining Journal, vol. 39, pp. 124–8.
- Kellogg Brown & Root 2002, Lockyer Valley hydrological consultancy—final report, report no. BEW216-W-DO-004 Rev 0, to Brisbane City Council.
- Kellogg Brown & Root 2004a, Callide hydrogeology conceptualisation review – groundwater metered use audit, report no. BEW409-W-REP-001 Rev B, to Department of Natural Resources Mines & Energy, Brisbane.
- Kellogg Brown & Root 2004b, Callide Valley aquifer hydrogeological conceptualisation—preliminary assessment of groundwater use by native vegetation, report no. BEW409-W-REP-003 Rev A, to Department of Natural Resources Mines & Energy, Brisbane.
- Kellet, JR, Coram, J, Barclay, DF, McMahon, GA, Foster, LM & Hillier, JR 2003, Groundwater recharge in the Great Artesian Basin intake beds, Queensland, Department of Natural Resources and Mines, Brisbane.
- Kelley, RA & Baker, J 1984, 'Geological development of North Stradbroke Island and surrounds', in RJ Coleman, J Covacevich & P Davie (eds), Focus on Stradbroke: new information on North Stradbroke Island and surrounding areas 1974–1985, Royal Society of Queensland Symposium, North Stradbroke Island, 11–12 August 1984, Boolarong Publications and Stradbroke Island Management Organisation, Brisbane, pp. 156–66.
- Kemp, J 1906, Report on Stradbroke Island as a source of water supply for Brisbane, Board of Waterworks, Brisbane.
- Kemp, A 1997, 'A revision of Australian Mesozoic and Cenozoic lungfish of the family Neoceratodontidae (Osteichthyes: Dipnoi), with a description of four new species', Journal of Paleontology, vol. 71, pp. 713–33.
- Kemp, AIS, Hawkesworth, CJ, Collins, WJ, Gray, CM, Blevin, PL & Edinburgh Ion Microprobe Facility 2009, 'Isotopic evidence for rapid continental growth in an extensional accretionary orogen: the Tasmanides, eastern Australia', Earth and Planetary Science Letters, vol. 284, pp. 455–66.

- Kemp, EM, Balme, BE, Helby, RJ, Kyle, RA, Playford, G & Price, PL 1977, 'Carboniferous and Permian palynostratigraphy in Australia and Antarctica: a review', BMR Journal of Australian Geology & Geophysics, vol. 2, pp. 177–208.
- Kendall, BM 1992, 'Geology and geochemistry of the Mt Bauple and Mt Kanigan areas, Maryborough Basin, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Kennedy, DM & Woodroffe, CD 2002, 'Fringing reef growth and morphology: a review', Earth-Science Reviews, vol. 57, pp. 255–77.
- Kennett, BLN & Abdullah, A 2011, 'Seismic wave attenuation beneath the Australasian region', Australian Journal of Earth Sciences, vol. 58, pp. 285–95.
- Kernich, AL, Pain, CF, Clarke, JDA & Fitzpatrick, D 2009, 'Geomorphology of a dryland fluvial system: the lower Balonne River, southern Queensland', Australian Journal of Earth Sciences, vol. 56, supplement 1, pp. s139–53.
- Kerr, I 1976, 'Aspects of the geology and geochemistry of the Neara Volcanics and the Kilkivan mercury deposits, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Kershaw, AP 1970, 'A pollen diagram from Lake Euramoo crater, northeast Queensland, Australia', New Phytologist, vol. 69, pp. 785–805.
- Kershaw, AP 1971, 'A pollen diagram from Quincan Crater, north-east Queensland, Australia', New Phytologist, vol. 70, pp. 669–81.
- Kershaw, AP 1974, 'A long continuous pollen sequence from north-eastern Australia', Nature, vol. 251, pp. 222–3.
- Kershaw, AP 1975, 'Stratigraphy and pollen analysis of Bromfield Swamp, northeastern Queensland, Australia', New Phytologist, vol. 75, pp. 173–91.
- Kershaw, AP 1976, 'A late Pleistocene and Holocene pollen diagram from Lynch's Crater, northeastern Queensland, Australia', New Phytologist, vol. 77, pp. 469–98.
- Kershaw, AP 1983, 'A Holocene pollen diagram from Lynch's Crater, northeastern Queensland, Australia', New Phytologist, vol. 94, pp. 669–82.

- Kershaw, AP 1994, 'Pleistocene vegetation of the humid tropics of northeastern Queensland, Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 109, pp. 399–412.
- Kershaw, AP, Baird, JG, D'Costa, DM, Edney, PA, Peterson, JA & Strickland, KM 1991, 'A comparison of long Quaternary records from the Atherton Tableland and Western Plains volcanic provinces', Geological Society of Australia, Special Publication, vol. 18, pp. 288–301.
- Kershaw, AP Bretherton, SC & van der Kaars, S 2007, 'A complete pollen record of the last 230 ka from Lynch's Crater, north-eastern Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 251, pp. 23–45.
- Kershaw, AP & Sluiter, IR 1982, 'Late Cainozoic pollen spectra from the Atherton Tableland, northeastern Australia', Australian Journal of Botany, vol. 30, pp. 279–95.
- Kershaw, AP, van der Kaars, S, Moss, P & Wang, X 2002, 'Quaternary records of vegetation, biomass burning, climate and possible human impacts in the Indonesian northern Australian region', in AP Kershaw, B David, N Tapper, D Penny & J Brown (eds), Bridging Wallace's Line: the environmental and cultural history and dynamics of the SE-Asian-Australian region, Catena Verlag, Reiskirchen, pp. 97–118.
- Khalifa, M 2010, 'Correlation of the Devonian formations in the Blantyre Sub-basin, New South Wales with the Adavale Basin, Queensland', Journal and Proceedings of the Royal Society of New South Wales, vol. 143, pp. 19–33.
- Kidane, TB, Fuller, M & Otofuji, YI 2010, 'Shipboard paleomagnetic age estimates for an acoustic basement emplacement in Marion Plateau, off northeast Australia', Australian Journal of Earth Sciences, vol. 57, pp. 231–41.
- Kiernan, P, Macmillan, S & Till, VS 1982, 'Exploration and relinquishment report of As to P 3021M-3030M, Woorabinda Basin', unpublished report held by the Geological Survey of Queensland as CR10745.
- King, D 1969, 'A history of coal at Blackwater', Queensland Government Mining Journal, vol. 70, pp. 185-94.
- King, KW 1999, 'The petrogenetic relationship between the Cadarga Creek Granodiorite and Delubra Quartz Gabbro', BSc (hons) thesis, Queensland University of Technology, Brisbane.

- King, PL, White, AJR, Chappell, BW & Allen, CM 1997, 'Characterization and origin of aluminous A-type granites from the Lachlan Fold Belt, southeastern Australia', Journal of Petrology, vol. 38, pp. 371–91.
- King, RJ 2009, 'Olivine group', Geology Today, vol. 25, pp. 193-7.
- Kinnane, NR 1982, 'Authority to prospect 3104M, Hartley's Creek, N Qld, final report and relinquishment report including six monthly report to 23.07.82', Normin Consultants Pty Ltd, unpublished report held by the Geological Survey of Queensland as CR11374.
- Kirk, BI 1973, 'The geology of the Kholo Creek area, Mt Crosby district, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Kirkegaard, AG 1974, 'Structural elements of the northern part of the Tasman Geosyncline', in AK Denmead, GS Tweedale & AF Wilson (eds), The Tasman Geosyncline—a symposium, Geological Society of Australia, Queensland Division, Brisbane, pp. 47–63.
- Kirkegaard, AG, Shaw, RD & Murray, CG 1966, Geology of the Rockhampton and Port Clinton 1: 250 000 sheet areas, Queensland, record no. 1966/1, Geological Survey of Queensland, Brisbane.
- Kirkegaard, AG, Shaw, RD & Murray, CG 1970, Geology of the Rockhampton and Port Clinton 1:250 000 sheet areas, report no. 38, Geological Survey of Queensland, Brisbane.
- Klohn Crippen Berger 2010a, Central Condamine alluvium data availability report, report no. M09631A01, for the Queensland Department of Environment and Resource Management, Brisbane.
- Klohn Crippen Berger 2010b, Central
 Condamine alluvium stage II—conceptual
 hydrogeological summary, report
 no. M09631A01, for the Queensland
 Department of Environment and
 Resource Management, Brisbane.
- Klohn Crippen Berger 2011a, Central
 Condamine alluvium stage III—
 detailed water balance, report
 no. M09631A02, for the Queensland
 Department of Environment and
 Resource Management, Brisbane.

- Klohn Crippen Berger 2011b, Central
 Condamine alluvium stage IV—
 numerical modelling, final report, report
 no. M09631A02, for the Queensland
 Department of Environment and
 Resource Management, Brisbane.
- Knesel, KM, Cohen, BE, Vasconcelos, PM & Thiede, DS 2008, 'Rapid change in drift of the Australian plate records collision with Ontong Java plateau', Nature, vol. 454, pp. 754–7.
- Knighton, AD & Nanson, GC 1994, 'Flow transmission along an arid zone anastomosing river, Cooper Creek, Australia', Hydrological Processes, vol. 8, pp. 137–54.
- Knighton, AD & Nanson, GC 2002, 'Inbank and overbank velocity conditions in an arid zone anastomosing river', Hydrological Processes, vol. 16, pp. 1771–91.
- Knutson, J 1989, 'Peak Range', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 100-1.
- Knutson, J 1997a, 'Devonian', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 126.
- Knutson, J 1997b, 'Kintore Supersuite (Cape York Peninsula Batholith)', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 128–9.
- Knutson, J 1997c, 'Flyspeck Supersuite (Cape York Peninsula Batholith)', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 127–8.
- Knutson, J 1997d, 'Provenance of Proterozoic metamorphic rocks', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 464–9.
- Knutson, J 1997e, 'Blue Mountains Supersuite (Cape York Peninsula Batholith)', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 128.
- Knutson, J 1997f, 'Late Carboniferous early Permian', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 129–30.
- Knutson, J, Bultitude, RJ & Sun, SS 1994, Granitic rocks of the Coen and Cape Weymouth 1:250 000 sheet areas, Cape York Peninsula, north Queensland: reconnaissance field, petrographic, and geochemical data, record no. 1994/9, Australian Geological Survey Organisation, Canberra.

- Knutson, J & Sun, SS 1997, 'Sm-Nd isotope geochemistry', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 126.
- Koppe, WH 1974a, 'The Exmoor Formation—an addition to stratigraphic nomenclature in the northern Bowen Basin', Queensland Government Mining Journal, vol. 75, pp. 280–5.
- Koppe, WH 1974b, Departmental drilling in the Calen Coal Measures, record no. 1974/36, Geological Survey of Queensland, Brisbane.
- Koppe, WH 1975, 'Calen coal measures, Q', in DM Traves, D King & CL Knight (eds), Economic geology of Australia and Papua New Guinea, Volume 2—Coal, The Australian Institute of Mining and Metallurgy, Melbourne, pp. 250—1.
- Koppe, WH 1978, 'Review of the stratigraphy of the upper part of the Permian succession in the northern Bowen Basin', Queensland Government Mining Journal, vol. 79, pp. 35–45.
- Koppe, WH & Tuttle, JS 1975, Reconnaissance coal exploration—Winton area, record no. 1975/39, Geological Survey of Queensland, Brisbane.
- Korsch, RJ, Adams, CJ, Black, LP, Foster, DA, Fraser, GL, Murray, CG, Foudoulis, C & Griffin, WL 2009c, 'Geochronology and provenance of the late Paleozoic accretionary wedge and Gympie terrane, New England Orogen, eastern Australia', Australian Journal of Earth Sciences, vol. 56, pp. 655–85.
- Korsch, RJ, Boreham, CJ, Totterdell, JM, Shaw, RD & Nicoll, MG 1998, 'Development and petroleum resource evaluation of the Bowen, Gunnedah and Surat basins, eastern Australia', APPEA Journal, vol. 38, pp. 199–237.
- Korsch, RJ & Harrington, HJ 1981, 'Stratigraphic and structural synthesis of the New England Orogen', Journal of the Geological Society of Australia, vol. 28, pp. 205–26.
- Korsch, RJ & Harrington, HJ 1985, "Fragmentation and deformation of terranes in the New England Orogen, eastern Australia', Geological Society of Australia Abstracts, vol. 14, pp. 131–5.
- Korsch, RJ & Harrington, HJ 1987, 'Oroclinal bending, fragmentation and deformation of terranes in the New England Orogen, eastern Australia', American Geophysical Union Geodynamics Series, no. 19, pp. 129–39.

- Korsch, RJ, Henson, PA, Champion, DC, Blewett, RS, Huston, DL, Withnall, IW, Hutton, LJ, Henderson, RA, Fergusson, CL & Collins, WJ 2009e, 'Geodynamic implications of the deep seismic reflection profiles in North Queensland', Bulletin of the Australian Institute of Geoscientists, vol. 49, pp. 181-4.
- Korsch, RJ, Huston, DL, Henderson, RA, Blewett, RS, Withnall, IW, Fergusson, CL, Collins, WJ, Saygin, E, Kositcin, N, Meixner, AJ, Chopping, R, Henson, PA, Champion, DC, Hutton, LJ, Wormald, R, Holzschuh, J & Costelloe, RD 2012, 'Crustal architecture and geodynamics of north Queensland, Australia: insights from deep seismic reflection profiling', Tectonophysics, vol. 572–3, pp. 76–99.
- Korsch, RJ, Johnstone, DS & Wake-Dyster, KD 1997, 'Crustal architecture of the New England Orogen based on deep seismic reflection profiling', Geological Society of Australia, Special Publication, vol. 19, pp. 29–51.
- Korsch, RJ, Lindsay, JF, O'Brien, PE, Sexton, MJ & Wake-Dyster, KD 1986, 'Deep crustal seismic reflection profiling, New England orogen, eastern Australia: telescoping of the crust and a hidden, deep, layered sedimentary sequence', Geology, vol. 14, pp. 982–5.
- Korsch, RJ, O'Brien, PE, Sexton, MJ, Wake-Dyster, KD & Wells, AT 1989, 'Development of Mesozoic transtensional basins in easternmost Australia', Australian Journal of Earth Sciences, vol. 36, pp. 13–28.
- Korsch, RJ & Perkin, DJ 1993, 'Besshitype stratiform copper deposit at Mount Browne, southern Coffs Harbour Block: implications for tectonic setting', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, University of New England, Armidale, pp. 453–65.
- Korsch, RJ, Struckmeyer, HIM, Kirkby, A, Hutton, LJ, Carr, LK, Hoffmann, KL, Chopping, R, Roy, IG, Fitzell, M, Totterdell, JM, Nicoll, MG & Talebi, B 2011, 'Energy potential of the Millungera Basin: a newly discovered basin in north Queensland', APPEA Journal, vol. 51, pp. 295–332.
- Korsch, RJ & Totterdell, JM 2009a, 'Evolution of the Bowen, Gunnedah and Surat basins, eastern Australia', Australian Journal of Earth Sciences, vol. 56, pp. 271–2.
- Korsch, RJ & Totterdell, JM 2009b, 'Subsidence history and basin phases of the Bowen, Gunnedah and Surat basins, eastern Australia', Australian Journal of Earth Sciences, vol. 56, pp. 335-53.

- Korsch, RJ, Totterdell, JM, Cathro, DL & Nicoll, MG 2009a, 'Early Permian East Australian Rift System', Australian Journal of Earth Sciences, vol. 56, pp. 381–400.
- Korsch, RJ, Totterdell, JM, Fomin, T & Nicoll, MG 2009b, 'Contractional structures and deformational events in the Bowen, Gunnedah and Surat basins, eastern Australia', Australian Journal of Earth Sciences, vol. 56, pp. 477–99.
- Korsch, RJ, Wake-Dyster, KD & Johnstone, DS 1990, 'Deep seismic profiling across the Bowen Basin', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium 1990, Geological Society of Australia, Queensland Division, Brisbane, pp. 10–14.
- Korsch, RJ, Withnall, IW, Hutton, LJ, Henson, PA, Blewett, RS, Huston, DL, Champion, DC, Meixner, AJ, Nicoll, MG & Nakamura, A 2009d, 'Geological interpretation of the deep seismic reflection line 07GA-IG1: the Cloncurry to Croydon transect', Bulletin of the Australian Institute of Geoscientists, vol. 49, pp. 153–8.
- Kositcin, N, Champion, DC & Huston, DL 2009, Geodynamic synthesis of the north Queensland region and implications for metallogeny, record no. 2009/30, Geoscience Australia, Canberra.
- Krassay, AA 1994a, 'The Cretaceous stratigraphy and palaeogeography of the western and southwestern margins of the Gulf of Carpentaria, Northern Territory', PhD thesis, University of Adelaide.
- Krassay, AA 1994b, The Cretaceous geology of northeastern Arnhem Land, Northern Territory, record no. 1994/40, Australian Geological Survey Organisation, Canberra.
- Krassay, AA, Bradshaw, BE, Domagala, J & Jackson, MJ 2000a, 'Siliciclastic shoreline to growth-faulted, turbiditic sub-basins: the Proterozoic River Supersequence of the upper McNamara Group on the Lawn Hill Platform, northern Australia', Australian Journal of Earth Sciences, vol. 47, pp. 533–62.
- Krassay, AA, Domagala, J, Bradshaw, BE & Southgate, PN 2000b, 'Lowstand ramps, fans and deep-water Palaeoproterozoic and Mesoproterozoic facies of the Lawn Hill Platform: the Term, Lawn, Wide and Doom supersequences of the Isa Superbasin, northern Australia', Australian Journal of Earth Sciences, vol. 47, pp. 563–97.

- Krassay, AA, Korsch, RJ & Drummond, BJ 2009, 'Meandarra Gravity Ridge: symmetry elements of the gravity anomaly and its relationship to the Bowen-Gunnedah-Sydney basin system', Australian Journal of Earth Sciences, vol. 56, pp. 355-79.
- Kreuzer, OP 2004, 'How to resolve the controls on mesothermal vein systems in a goldfield characterized by sparse kinematic information and fault reactivation—a structural and graphical approach', Journal of Structural Geology, vol. 26, pp. 1043–65.
- Kreuzer, OP, Blenkinsop, TG, Morrison, RJ & Peters, SG 2007, 'Ore controls in the Charters Towers goldfield, NE Australia: constraints from geological, geophysical and numerical analysis', Ore Geology Reviews, vol. 32, pp. 37–80.
- Krosch, NJ 1979, Review of the limestone industry in Queensland, with particular regard to resources surveys and the future of the industry, record no. 1979/29, Geological Survey of Queensland, Brisbane.
- Krosch, NJ 1981a, Limestone resources of the Gladstone region, report no. 101, Geological Survey of Queensland, Brisbane.
- Krosch, NJ 1981b, 'Small-scale mining activity, Mount Isa – Cloncurry region—1979', Queensland Government Mining Journal, vol. 82, pp. 62–74.
- Krosch, NJ 1981c, Tin occurrences in southeast Queensland, record no. 1981/24, Geological Survey of Queensland, Brisbane.
- Krosch, NJ 1983, 'A summary of opal mining activity, western Queensland, 1970–1983', Queensland Government Mining Journal, vol. 84, pp. 273–82.
- Krosch, NJ 1985a, Opal mining in the Longreach-Winton region, June 1985, record no. 1985/44, Geological Survey of Queensland, Brisbane.
- Krosch, NJ 1985b, 'Limestone and marble in Queensland', Queensland Government Mining Journal, vol. 86, pp. 65–70.
- Krosch, NJ 1985c, 'Tin and tungsten potential in Queensland', Queensland Government Mining Journal, vol. 86, pp. 16–25.
- Krosch, NJ 1990a, 'Queensland mineral commodity report, limestone', Queensland Government Mining Journal, vol. 91, pp. 93-102.

- Krosch, NJ 1990b, 'Queensland mineral commodity report, chrysoprase', Queensland Government Mining Journal, vol. 91, pp. 165-9.
- Krosch, NJ 1990c, 'Queensland mineral commodity report, chromium', Queensland Government Mining Journal, vol. 91, pp. 229–32.
- Krosch, NJ & Cooper, W 1990, 'Queensland mineral commodity report, sapphire', Queensland Government Mining Journal, vol. 91, pp. 299–306.
- Krosch, NJ & Martin, JE 1977, Part A: Limestone deposits of the Gympie area. Part B: Barambah limestone deposits, Murgon, report no. 97, Geological Survey of Queensland, Brisbane.
- Krucible Metals Ltd 2011, Maiden yttrium rare earth inferred resource at Krucible's Korella phosphate deposit, Mt Isa district, Queensland, Announcement to the Australian Securities Exchange, 5 April 2011, Krucible Metals Ltd, Townsville.
- Kruse, PD 2002, 'Biostratigraphic potential of Middle Cambrian hyoliths from the eastern Georgina Basin', Alcheringa, vol. 26, pp. 353–98.
- Kruse, PD 2008, Georgina Basin stratigraphic drilling 2002–2006 and petrography 2000–2007, record no. 2008–001, Northern Territory Geological Survey, Darwin.
- Kruse, PD, Brakel, AT, Dunster, JN. & Duffett, ML 2002, Tobermory (SF53-12), Northern Territory 1:250 000 geological map series, explanatory notes, Northern Territory Geological Survey, Darwin.
- Kruse, PD & Mohammed, LC 2005, Geology of the southern Georgina Basin, Northern Territory 1:500 000 geological special, 1st edn, Northern Territory Geological Survey, Darwin.
- Kuang, KS 1985, 'History and style of the Cooper-Eromanga Basin structures', Bulletin of the Australian Society of Exploration Geophysicists, vol. 16, pp. 245-8.
- Kudrass, HR 1982, 'Holocene and Pleistocene sediments from the east Australian continental shelf (SO-15 cruise 1980)', Geologisches Jahrbuch, vol. D56, pp. 137–63.

- Kuhanesan, S & Leach, LM 2008,

 'Recharge estimates using soil moisture
 model SPLASH, for the Pioneer

 Valley groundwater model, Mackay,
 Queensland', in M Lambert, TM Daniell
 & M Leonard (eds), Proceedings of
 Water Down Under 2008, Modbury,
 South Australia, Engineers Australia
 Causal Productions, pp. 863–74.
- Kuhanesan, S, Murphy, SF & Sorensen, R 2002, Groundwater model conceptualisation report for the Pioneer Valley Groundwater Evaluation and Management Project, Department of Natural Resources and Mines, Brisbane.
- Kuhanesan, S & Scriven, DC 1997, Bundaberg nitrate modelling: final report on a groundwater flow and solute transport model for the Gooburrum area, Bundaberg, Department of Natural Resources and Mines, Brisbane.
- Kuhn, TS & Barnes, CR 2005, 'Ordovician conodonts from the Mithaka Formation (Georgina Basin, Australia): regional and paleobiogeographical implications', Geologica Acta, vol. 3, pp. 317–37.
- Kwiecien, W 1996, 'The geology, geochemistry and petrogenesis of the Monsildale Granodiorite', MSc thesis, Queensland University of Technology, Brisbane.
- Labaume, P, Berty, C & Laurent, PH 1991, "Syn-diagenetic evolution of shear structures in superficial nappes: an example from the northern Appenines (NW Italy)", Journal of Structural Geology, vol. 13, pp. 385–98.
- Lafferty, S & Golding, SD 1985, Report of the Isotope Geology Laboratory, University of Queensland, no. 3, for 1975–1984, Department of Geology & Mineralogy University of Queensland, Brisbane.
- Laing, ACM 2003, 'Proposed production of sodium bicarbonate from the Grafton Range area, Roma, Queensland', Australian Institute of Geoscientists Bulletin, vol. 38, p. 21.
- Laing, ACM & Hill, D 1960, 'The Yarrol Basin (northern part)', Journal of the Geological Society of Australia, vol. 7, pp. 221–2.
- Laing, ACM & Power, PE 1959, 'New names in Queensland stratigraphy', Australian Oil and Gas Journal, vol. 7, pp. 324–8.
- Laing, WP 1996a, 'Metallogeny of the east Mount Isa Block base-metal-gold province', James Cook University of North Queensland Economic Geology Research Unit Contribution, vol. 55, pp. 64–8.

- Laing, WP 1996b, 'The Diamantina orogen linking the Willyama and Cloncurry Terranes, eastern Australia', CODES Special Publication, vol. 1, pp. 67–72.
- Laing, WP 1998, 'Structuralmesosomatic environment of the east Mt Isa Block base-metal-gold province', Australian Journal of Earth Sciences, vol. 45, pp. 413–28.
- Lait, RW 1997, An assessment of groundwater conditions in the vicinity of Babinda Sugar Mill, Queensland, Department of Natural Resources, Brisbane.
- Lait, RW 2005, Draft feasibility report on development of the Mulgrave aquifer, report by MWH Australia, for Department of Natural Resources Mines & Energy, Brisbane.
- Lait, RW & Evans, DS 1997, An assessment of groundwater conditions in the vicinity of Mourilyan Sugar Mill, Queensland Department of Natural Resources, Brisbane.
- Lait, RW & Herbert, GC 1995, Tully Murray Valley water management scheme impact assessment study (phase 2), technical brief no. 2, Queensland Department of Natural Resources, Brisbane.
- Lam, JS 1994a, A summary of mineral occurrences and company exploration of the Chudleigh Park 1:100 000 sheet area, north Queensland, record no. 1994/15, Geological Survey of Queensland, Brisbane.
- Lam, JS 1994b, A summary of mineral occurrences and company exploration of the Maryvale 1:100 000 sheet area, north Queensland, record no. 1994/19, Geological Survey of Queensland, Brisbane.
- Lam, JS 1995, A summary of mineral occurrences and company exploration of the Burges 1:100 000 sheet area, north Queensland, record no. 1995/6, Geological Survey of Queensland, Brisbane.
- Lam, JS 2005, A review of mines and metalliferous mineralisation in the Mundubbera 1:250 000 sheet area, Queensland, record no. 2005/1, Geological Survey of Queensland, Brisbane.
- Lam, JS 2008, A review of the geology and production of diatomite in Queensland, record no. 2008/01, Geological Survey of Queensland, Brisbane.

- Lam, JS, Denaro, T, Garrad, P, Holmes, P & Kay, J 1989, Mineral occurrence data—Lyndbrook 1:100 000 sheet area, record no. 1989/6, Geological Survey of Queensland, Brisbane.
- Lam, JS, Garrad, P & Mitchell, G 1988, Mineral occurrence data sheets— Bullock Creek 1:100 000 sheet area, record no. 1988/12, Geological Survey of Queensland, Brisbane.
- Lambeck, L 2011, 'Basin analysis and the geochemical and isotopic signature of Paleoproterozoic sedimentary successions in northern Australia', PhD thesis, University of Adelaide.
- Lambeck, A, Barovich, K, Gibson, G, Huston, D & Pisarevsky, S 2012, 'An abrupt change in Nd isotopic composition in Australian basins at 1655 Ma: implications for the tectonic evolution of Australia and its place in NUNA', Precambrian Research, vol. 208–211, pp. 213–21.
- Lambeck, K & Chappell, J 2001, 'Sea level change through the last glacial cycle', Science, vol. 292, pp. 679–86.
- Landenberger, B, McKibbin, S & Collins, B 2010, 'Genesis and age of the Hillgrove Batholith, southern New England Orogen', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 200-6.
- Lane, PD & Thomas, AT 1978,

 "Silurian trilobites from NE
 Queensland and the classification
 of effaced trilobites", Geological
 Magazine, vol. 115, pp. 351-8.
- Lane, WB 1970, Investigations of underground water supplies and recharge in the Condamine River alluvium, report no. 34, Water Research Foundation of Australia Ltd.
- Lane, WB 1974, Progress report on groundwater recharge investigations of Condamine River area, Queensland Irrigation and Water Supply Commission, Brisbane.
- Lane, WB 1978, Modelling and management of groundwater systems with particular reference to the Condamine River area, Queensland Irrigation and Water Supply Commission, Brisbane.
- Lane, WB 1979, Progress report on the Condamine underground investigation to December 1978, Queensland Irrigation and Water Supply Commission, Brisbane.

- Lang, SC 1993a, 'Evolution of Devonian alluvial systems in an oblique-slip mobile zone—an example from the Broken River Province, northeastern Australia', Sedimentary Geology, vol. 85, pp. 501–35.
- Lang, SC 1993b, 'Stratigraphy and sedimentology of the Bundock Creek Group', Queensland Geology, vol. 4, pp. 129-74.
- Lang, SC 1993c, 'Detailed sedimentology of the Bulgeri Formation', Queensland Geology, vol. 4, pp. 175–94.
- Lang, SC & Draper, JJ 1995, 'Revision of Late Devonian stratigraphy of the Burdekin Basin, north Queensland—formal definition of the Dotswood Group', Queensland Government Mining Journal, vol. 96, pp. 20-8.
- Lang, SC & Fielding, CR 1991, 'Facies architecture of a pervasively soft-sediment deformed Devonian alluvial sequence, Broken River Province, northeastern Australia', Society of Economic Paleontologists and Mineralogists, Concepts in Sedimentology and Paleontology, vol. 3, pp. 122–32.
- Lang, SC & Fielding, CR 1993, 'A sequence stratigraphic framework for the Graveyard Creek Subprovince', Queensland Geology, vol. 4, pp. 246-60.
- Lang, SC, Fleming, PJG, Jell, JS, Zhen, YY & Cook, A 1990, 'The Devonian—Carboniferous intracratonic Burdekin Basin, north Queensland: I. Carbonate-siliciclastic facies of the Fanning River Group', Proceedings of the Pacific Rim Congress 90, Volume III, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 621–30.
- Lang, SC, Grimes, KG, Warnick, JV, Scott, M & Withnall, IW 1989a, Chudleigh Park (7758), Queensland, 1:100 000 geological series, preliminary edition, Queensland Department of Mines and Energy, Brisbane.
- Lang, SC, Gunther, LM & Rich, N 1990, 'The Devonian-Carboniferous intracratonic Burdekin Basin, north Queensland: II. Volcaniclastic continental facies of the Dotswood Group', Proceedings of the Pacific Rim Congress 90, Volume III, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 631-40.
- Lang, SC, Jell, JS & Draper, JJ 1990,
 'Depositional evolution of the Devonian-Carboniferous intracratonic Burdekin
 Basin, north Queensland', Proceedings of
 the Pacific Rim Congress 90, Volume III,
 The Australasian Institute of Mining
 and Metallurgy, Melbourne, p. 791.

- Lang, SC, Jorgensen, P, Blake, PR, Humphries, M, Fielding, CR, Jell, JS, Withnall, IW & Draper, JJ 1993, 'Stratigraphy and sedimentology of the Broken River Group', Queensland Geology, vol. 4, pp. 79–128.
- Lang, SC, McClure, ST, Grosser, M & Herdy, T 1998, 'Sedimentation and coastal evolution, northern Moreton Bay', in IR Tibbetts, NJ Hall & WC Dennison (eds), Moreton Bay and catchment, School of Marine Science, University of Queensland, St Lucia, Qld.
- Lang, SC, Withnall, IW & Draper, JJ 1997, 'Devonian-Early Carboniferous', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 335-8.
- Lang, SC, Withnall, IW & Jell, JS 1989, 'Revision of the stratigraphy of the Broken River area, north Queensland—Bundock Creek Group and Montgomery Range Igneous Complex', Queensland Government Mining Journal, vol. 90, pp. 299–306.
- Lang, SC, Withnall, IW, Jell, JS, Talent, JA & Mawson, R 1989b, 'Revision of the stratigraphy of the Broken River area, north Queensland—Shield Creek Formation and Broken River Group', Queensland Government Mining Journal, vol. 90, pp. 251-61.
- Langbein, C 2010, 'The tectonics and geochronology of the Mission Beach Granite Complex and comparisons with the Barnard Metamorphics at Etty Bay', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Langford-Smith, T 1978, Silcrete in Australia, Department of Geography, University of New England, Armidale.
- Langford-Smith, T, Dury, GH & McDougall, I 1966, 'Dating the duricrust in southern Queensland', Australian Journal of Science, vol. 29, pp. 79–80.
- Langford-Smith, T, Dury, GH & McDougall, I 1967, 'Reply: Dating the duricrust in southern Queensland', Australian Journal of Science, vol. 30, p. 111.
- Lanzilli, E & Boult, PJ 1996, 'The Hutton Sandstone to Birkhead Formation transition, Gidgealpa southern dome: showing an associated unconformity and provenance change from craton derived to volcanic-arc-derived sediment', Geological Society of Australia, Abstracts, vol. 43, p. 337.
- Lapparent de Broin, Fde & Molnar, R 2001, 'Eocene chelid turtles from Redbank Plains, southeast Queensland, Australia', Geodiversitas, vol. 23, pp. 41–79.

- Large, RR, Bull, SW, McGoldric, PJ, Walters, S, Derrick, GM & Carr, GR 2005, 'Stratiform and strata-bound Zn-Pb-Ag deposits in Proterozoic sedimentary basins, northern Australia', Economic Geology, vol. 100, pp. 931-63.
- Larue, DK & Speed RC 1984, 'Structure of the accretionary complex of Barbados, II, Bissex Hill', Bulletin of the Geological Society of America, vol. 95, pp. 1360-72.
- Lau, JE, Commander, DP & Jacobson, G 1987, 'Hydrology of Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 227, pp. 1–21.
- Law, SR 1986, Sedimentology of the Dip Creek Limestone Member, Broken River Formation, north Queensland, record no. 1986/18, Geological Survey of Queensland, Brisbane.
- Lawrie, KC, Jaireth, S, A-Izzeddin, D & Grace, J 1998, 'Gold localisation in a lateral ramp within a reactivated mylonite: the Golden Butterfly deposit, Croydon Goldfield, NQ', Geological Society of Australia, Abstracts, vol. 49, p. 261.
- Laycock, JW 1967, Brisbane Valley groundwater investigations, hydrogeological report on the area between Moore and Coominya, Geological Survey of Queensland, Brisbane.
- Laycock, JW 1972, North Stradbroke Island hydrogeological report, record no. 1972/28, Geological Survey of Queensland, Brisbane.
- Laycock, JW 1975a, 'Hydrogeology of North Stradbroke Island', Proceedings of the Royal Society of Queensland, vol. 86, pp. 15–19.
- Laycock, JW 1975b, North Stradbroke Island hydrogeological report, report no. 88, Geological Survey of Queensland, Brisbane.
- Laycock, JW 1978, 'North Stradbroke Island', University of Queensland Papers, Department of Geology, vol. 8, no. 2, pp. 89–96.
- Laycock, JW & Wecker, HRB 1971, Groundwater resources of Queensland, 1:2 500 000 scale map, Geological Survey of Queensland, and Irrigation and Water Supply Commission, Brisbane.
- Layton & Associates 1981, "Report on drilling programme Authority to Prospect 1993M, Mount Larcom', unpublished report held by the Geological Survey of Queensland as CR9482.

References 887

- Leach, LM 1976, Mossman groundwater investigation—progress report, Irrigation and Water Supply Commission, Brisbane.
- Leach, LM 1980. 'Natural recharge in the Mossman and Mulgrave areas and its relationship to rainfall', Proceedings of the Australian Water Resources Council Groundwater Recharge Conference, Townsville, AWRC, Canberra.
- Leach, LM 1984, Report on drilling of bores at Hopevale, Queensland Water Resources Commission, Brisbane.
- Leach, LM 1987, The groundwater resources of the Atherton Basalts, Queensland Water Resources Commission, Brisbane.
- Leach, LM 1992, Progress report on Sandy Creek – Bakers Creek, Pioneer Valley, Department of Primary Industries, Brisbane.
- Leach, LM 1993, Reappraisal of the Horseshoe Lagoon Area, Burdekin River Irrigation Area, Department of Primary Industries, Brisbane.
- Leach, LM & Rose, UE 1979, Groundwater storage behaviour Mulgrave River area, Queensland Water Resources Commission, Brisbane.
- Leadbeatter, DE 1992, 'Geology of the Eidsvold Goldmine, Eidsvold, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Leaman, DE 1990, 'The Sydney Basin: composition of basement', Australian Journal of Earth Sciences, vol. 37, pp. 107–8.
- Leaman, DE 1994, 'Criteria for evaluation of potential field interpretations', First Break, vol. 12, pp. 181–91.
- Leichhardt, L 1847, Journal of an overland expedition in Australia from Moreton Bay to Port Essington, a distance of upwards of 3000 miles, during the years 1844– 1845, T & W Boone, London, 544 pp.
- Leichhardt, L 1855, Beitrage zur Geologie von Australien, herausgegeben von H. Girard, Schmidt, Halle, 62 pp. (trans. GHF Ulrich, ed. WB Clarke, Australian Almanac, 1867–1868).
- Leitch, EC, Fergusson, CL & Henderson, RA 1992, 'Geological note: the intra-Devonian unconformity at Mt Gelobera, south of Rockhampton, central Queensland', Australian Journal of Earth Sciences, vol. 39, pp. 121-2.

- Leitch, EC, Fergusson, CL & Henderson, RA 2003, 'Arc to craton provenance switching in a late Palaeozoic subduction complex, Wandilla and Shoalwater terranes, New England Fold Belt, eastern Australia', Australian Journal of Earth Sciences, vol. 50, pp. 919–29.
- Leitch, EC, Fergusson, CL, Henderson, RA & Morand, VJ 1994a, 'Late Palaeozoic arc flank and fore-arc basin sequence of the New England Fold Belt in the Stanage Bay region, central Queensland', Australian Journal of Earth Sciences, vol. 41, pp. 301–10.
- Leitch, EC, Fergusson, CL, Henderson, RA & Morand, VJ 1994b, 'Ophiolitic and metamorphic rocks of the Percy Isles and the Shoalwater Bay region, New England Fold Belt, central Queensland', Australian Journal of Earth Sciences, vol. 41, pp. 571–9.
- Leitch, EC, Morand, VJ, Fergusson, CL, Henderson, RA & Carr, PF 1993, 'Accretion and post-accretion metamorphism in subduction complex terranes of the New England Fold Belt, eastern Australia', Journal of Metamorphic Petrology, vol. 11, pp. 309–18.
- Lennox, PG & Flood, PG 1997, 'Age and structural characterisation of the Texas megafold, southern New England Orogen, eastern Australia', Special Publications of the Geological Society of Australia, vol. 19, pp. 161–77.
- Le Page, AJ & Crisafulli, P 1986, Walloon coal study. NERDDP project no. 82/2109, Queensland Coal Association, Brisbane, 121 pp.
- Leven, JH 1977, 'A gravity survey of the southern Esk Trough, southeast Queensland', *University* of Queensland Papers, Department of Geology, vol. 8, pp. 25–36.
- Leven, JH & Finlayson, DM 1986, 'Basement thrust in the southern Adavale Basin', Geological Society of Australia, Abstracts, vol. 15, pp. 123-4.
- Levingston, KR 1958, 'Limestone deposits, Mareeba', Queensland Government Mining Journal, vol. 59, pp. 371–2.
- Levingston, KR 1979, 'Gem diggings— Chudleigh Park', *Queensland Government Mining Journal*, vol. 80, pp. 35–8.
- Li, GQ 1994, 'Systematic position of the Australian fossil osteoglossid fish Phareodus (= Phareoides) queenslandicus Hills', Memoirs of the Queensland Museum, vol. 37, pp. 287–300.

- Li, JW & Vasconcelos, PM 2002, 'Cenozoic continental weathering and its implications for the palaeoclimate: evidence from 40Ar/39Ar geochronology of supergene K–Mn oxides in Mt Tabor, central Queensland, Australia', Earth and Planetary Science Letters, vol. 200, pp. 223–39.
- Li, PF, Rosenbaum, G & Donchak, PJT 2012, 'Structural evolution of the Texas Orocline, eastern Australia', *Gondwana Research*, vol. 22, pp. 279–89.
- Li, ZX, Bogdanova, SV, Collins, AS, Davidson, A, De Waele, B, Ernst, RE, Fitzsimons, ICS, Fuck, RA, Gladkochub, DP, Jacobs, J, Karlstrom, KE, Lul, S, Natapovm, LM, Pease, V, Pisarevsky, SA, Thrane, K & Vernikovsky, V 2008, 'Assembly, configuration, and break-up history of Rodinia: a synthesis', *Precambrian Research*, vol. 160, pp. 179–210.
- Li, ZX & Powell, CMcA 2001, 'An outline of the plaeogeographic evolution of the Australasian region since the beginning of the Neoproterozoic', Earth Science Reviews, vol. 53, pp. 237–77.
- Li, ZX, Zhang, L & Powell, CMcA 1995, 'South China in Rodinia: part of the missing link between Australia – East Antarctica and Laurentia?', Geology, vol. 23, pp. 407–10.
- Lilley, G 1997, 'Regolith distribution and genesis, Tick Hill region, northwest Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Lindsay, J & Brasier, M 2006, 'Impact craters as biospheric microenvironments, Lawn Hill Structure, northern Australia', Astrobiology, vol. 6, pp. 348–63.
- Lindsay, JF, Korsch, RJ & Wilford, JR 1987, 'Timing the breakup of a Proterozoic supercontinent: evidence from Australian intracratonic basins', Geology, vol. 15, pp. 1061–4.
- Lindsay, JM, Schmitt, AK, Trumbull, RB, de Silva, SL, Siebel, W & Emmermann, R 2001, 'Magmatic evolution of the La Pacana Caldera system, central Andes, Chile: compositional variation of two cogenetic, large-volume felsic ignimbrites', Journal of Petrology, vol. 42, pp. 459–86.
- Lindsay, MJ 1997, 'A structural investigation of gold mineralization in the Maddens Flat area, northern Hodgkinson province, north Queensland', BSc (hons) thesis, James Cook University of North Queensland, Townsville.

- Lippolt, HJ, Brander, T & Mankopf, NR 1998, 'An attempt to determine formation age of goethites and limonites by (U+Th)-4He dating', Neues Jahrbuch Fur Mineralogie-Monatshefte, vol. 200, pp. 505-28.
- Lister, GS 1986, 'Transpressional strike-slip faulting in the Mount Isa Inlier', Bureau of Mineral Resources Research Newsletter, vol. 4, pp. 1–2.
- Lister, GS, Etheridge, MA & Symonds, PA 1986, 'Detachment faulting and the evolution of passive continental margins', *Geology*, vol. 14, pp. 246–50.
- Lister, GS, O'Dea, MG & Somaia, I 1999,
 'A tale of two synclines: rifting, inversion and transpressional popouts at Lake Julius, northwestern Mt Isa terrane, Queensland', Australian Journal of Earth Sciences, vol. 46, pp. 233–50.
- Little, M 1992, 'Sedimentology and stratigraphy of the Cainozoic Upper Hillsborough Basin succession, central Queensland', BAppSc (hons) thesis, Queensland University of Technology, Brisbane.
- Little, SV 1976, 'Palynology of some core samples from the Galilee Basin, central Queensland', *Queensland Government Mining Journal*, vol. 77, pp. 277–82.
- Little, TA 1993, Geology of the northern part of the North D'Aguilar Block, southeast Queensland, record no. 1993/3, Geological Survey of Queensland, Brisbane.
- Little, TA, Holcombe, RJ, Gibson, GM, Offler, R, Gans, PB & McWilliams, MO 1992, 'Exhumation of late Paleozoic blueschists in Queensland, Australia, by extensional faulting', *Geology*, vol. 20, pp. 231–4.
- Little, TA, Holcombe, RJ & McWilliams, M 1993, '40Ar/39Ar thermochronology of epidote-blueschists and granitoids from the North D'Aguilar block, Queensland: implications for the timing of metamorphism and unroofing in the New England Orogen', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 549–56.
- Little, TA, Holcombe, RJ & Sliwa, R 1993, 'Structural evidence for extensional exhumation of blueschist-bearing serpentinite matrix melange, New England Orogen, southeast Queensland, Australia', Tectonics, vol. 12, pp. 536–49.

- Lloyd, AR 1967, 'Neogene foraminifera from HBR Wreck Island No. 1 bore and Heron Island bore, Queensland; their taxonomy and stratigraphic significance, Part 1, Lituolacea and Miliolacea', Bulletin of the Bureau of Mineral Resources, Australia, vol. 92, pp. 69–112.
- Lloyd, AR 1968, 'Possible Miocene marine transgression in northern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 80, pp. 85–100.
- Lloyd, AR 1970, 'Neogene foraminifera from HBR Wreck Island No. 1 bore and Heron Island bore, Queensland; their taxonomy and stratigraphic significance, Part 2, Nodosariacea and Buliminacea', Bulletin of the Bureau of Mineral Resources, Australia, vol. 80, pp. 145–203.
- Lloyd, AR 1973, 'Foraminifera of the Great Barrier Reef bores', in OA Jones & R Endean (eds), *Biology and geology* of coral reefs, vol. 1, geology 1, Academic Press, London, pp. 347–66.
- Lockhart, DA 1988, 'The geology of the north-west Cooyar project area', undergraduate report, Queensland University of Technology, Brisbane.
- Lockhart, DA 2001, 'Sequence stratigraphy, sedimentology and coastal evolution of the Logan River estuary and adjacent continental shelf, southern Moreton Bay, Queensland', PhD thesis, Queensland University of Technology, Brisbane.
- Lockhart, DA, Lang, SC & Allen, GP 1998, 'Sedimentation and coastal evolution, southern Moreton Bay' in IR Tibbetts, NJ Hall & WC Dennison (eds), Moreton Bay and catchment, School of Marine Science, The University of Queensland, St Lucia, Qld, pp. 93–106.
- Locsey, KL 2004, 'Hydrogeochemistry and hydrology of a basalt aquifer system, the Atherton Tableland, north Queensland', PhD thesis, Queensland University of Technology, Brisbane.
- Lo Grasso, G 1992, 'Geology of the Calen Coal Measures, north Queensland', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Lohe, EM 1980, 'The Neranleigh-Fernvale beds of south-eastern Queensland: petrology, sedimentology, structure, metamorphism and tectonic evolution', PhD thesis, University of Queensland, St Lucia, Qld.

- Logan, BW 1977, 'Cores from Bonnie
 No. 1 and Carlow No. 1 wells, Adavale
 Basin, Queensland', Endeavour Oil
 Company NL, unpublished report
 held by the Geological Survey
 of Queensland as CR6024.
- Long, JA, Archer, M, Flannery, TF & Hand, SJ 2002, Prehistoric mammals of Australia and New Guinea: one hundred million years of evolution, UNSW Press, Sydney.
- Longley, IM 1989, 'The Talundilly anomaly and its implications for hydrocarbon exploration of Eromanga astroblemes', in BJ O'Neil (ed.), The Cooper and Eromanga Basins, Australia. Proceedings of a conference, Adelaide, 26–27 June, Petroleum Exploration Society of Australia, Society of Petroleum Engineers, Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 473–90.
- Longmore, ME 1997, 'Quaternary palynological records from perched lake sediments, Fraser Island, Queensland, Australia: rainforest, forest history and climatic control', Australian Journal of Botany, vol. 45, pp. 507–26.
- Lonsdale, GF 1965, Southern

 Queensland contract reconnaissance
 survey using helicopters, record
 no. 1965/251, Bureau of Mineral
 Resources, Australia, Canberra.
- Loosveld, RJH & Etheridge, MA 1990, 'A model for low-pressure facies metamorphism during crustal thickening', Journal of Metamorphic Geology, vol. 8, pp. 257–67.
- Lottermoser, BG, Whitehead, PS, Nelson, PN & Beaman, RJ 2008, Rocks, landscapes & resources of the Wet Tropics, Geological Society of Australia, Queensland Division, Brisbane.
- Love, AJ, Herczeg, AL, Sampson, L, Cresswell, RG & Fifield, LK 2000, 'Sources of chloride and implications for ³⁶Cl dating of old groundwater, south-western Great Artesian Basin, Australia', Water Resources Research, vol. 36, pp. 1561–74.

- Lowe-Young, BS, Mackie, SI & Heath, RS 1996, 'Geological controls on hydrocarbon accumulations in the Eromanga Basin, south west Queensland—a petroleum systems perspective', Geological Society of Australia, Abstracts, vol. 43, pp. 356-65.
- Lowien, T 1997, 'A petrological study of the Woroon Plutonic Complex, SE QLD', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Lowien, T 2000, Callide Valley groundwater management model, Department of Natural Resources, Brisbane.
- Lowien, T & Arunakumaren, J 2000a, Callide Valley groundwater management model, progress report phase II, Department of Natural Resources, Brisbane.
- Lowien, T & Arunakumaren, J 2000b, Callide Valley groundwater management model, soil water process modelling, Department of Natural Resources, Brisbane.
- Lucas, KG 1958, 'The sedimentary petrology of the Palaeozoic rocks of the Border Rivers area', MSc thesis, University of Queensland, St Lucia Qld.
- Lucas, KG 1959, 'New names in Queensland stratigraphy, Queensland – New South Wales Border Rivers area', Australasian Oil and Gas Journal, vol. 5, no. 12, pp. 27–36.
- Lucas, KG 1960a, 'Border Rivers', Journal of the Geological Society of Australia, vol. 7, pp. 139–40.
- Lucas, KG 1960b, 'The Border Rivers Area', Journal of the Geological Society of Australia, vol. 7, pp. 165-6.
- Lucas, KG 1960c, 'The Texas area', Journal of the Geological Society of Australia, vol. 7, pp. 229-35.
- Lucas, KG & deKeyser, F 1965, Cooktown (SD/55-13), Queensland 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Ludwig, KR 2001, 'SQUID, version 1.02. A user's manual', special publication 2, Geochronology Center, Berkeley.
- Luly, JG, Grindrod, JF & Penny, D 2006, 'Holocene palaeoenvironments and change at Three-Quarter Mile Lake, Silver Plains station, Cape York Peninsula, Australia', *The* Holocene, vol. 16, pp. 1085–94.

- Lumsden, AC 1966, Condamine
 Valley groundwater investigations.
 Hydrogeological report on eight
 1:50 000 map sheets, record
 no. 1966/10, Geological Survey
 of Queensland, Brisbane.
- Ma, P, Aggrey, K, Tonzola, C, Schnabel, C, de Nicola, P, Herzog, GF, Wasson, JT, Glass, BP, Brown, L, Tera, F, Middleton, R & Klein, J 2004, 'Beryllium-10 in Australasian tektites: constraints on the location of the source crater', Geochimica et Cosmochimica Acta, vol. 68, pp. 3883-96.
- MacCready, T, Goleby, BR, Goncharov, A, Drummond, BJ & Lister, GS 1998, 'A framework of overprinting orogens based on interpretation of the Mount Isa Deep Seismic Transect', Economic Geology, vol. 93, pp. 1422–34.
- Macintosh, NWG 1967, 'Fossil man in Australia', Australian Journal of Science, vol. 30, pp. 86–98.
- Mack, S 1972, 'A. to P. 1120M, Waterpark Creek, Queensland, final report', unpublished report held by the Geological Survey of Queensland as CR4429.
- Mackenzie, DE 1980, 'New and redefined igneous rock units in the Forest Home North Head region, Georgetown Inlier, north Queensland', Queensland Government Mining Journal, vol. 81, pp. 208–14.
- Mackenzie, DE 1983, 'Croydon region (western Georgetown Inlier)', in BMR 83, Yearbook of the Bureau of Mineral Resources, Geology and Geophysics, Australia, Australian Government Publishing Service, Canberra.
- Mackenzie, DE 1993, Geology of the Featherbed Cauldron Complex, north Queensland: Part 1—eruptive rocks and post-volcanic sediments, record no. 1993/82, Australian Geological Survey Organisation, Canberra.
- Mackenzie, DE 1997a, 'Table 4.6. Granites of the Cape York Peninsula Batholith', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 147.
- Mackenzie, DE 1997b, 'Table 4.7. Constituents of the Flyspeck Supersuite', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 148.
- Mackenzie, DE 1997c, 'Table 3.8.
 Constituents of the Kintore
 Supersuite', Bulletin of the Australian
 Geological Survey Organisation,
 vol. 240, pp. 149–53.

- Mackenzie, DE 1997d, 'Table 3.8.
 Early Paleozoic granites of the
 Georgetown region', Bulletin of
 the Australian Geological Survey
 Organisation, vol. 240, pp. 89–90.
- Mackenzie, DE 1997e, 'Table 3.9.
 Carboniferous—Permian volcanic rocks
 of the Georgetown Region', Bulletin
 of the Australian Geological Survey
 Organisation, vol. 240, pp. 91–4.
- Mackenzie, DE 1997f, 'Croydon Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 455–8.
- Mackenzie, DE 1997g, 'Unassigned granites—Cumberland Range Area; Unassigned intrusive rocks—western Georgetown region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 48–9.
- Mackenzie, DE 1997h, 'Reamba Volcanics; Sundown Volcanic Group; Scardons Volcanic Group', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 38–40.
- Mackenzie, DE 1997i, 'Galloway Volcanic Group; Maureen Volcanic group; Silent Creek Volcanic Group; Cumberland Range Volcanic Group', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 41–2.
- Mackenzie, DE 1997j, 'Mount Little Volcanic Group', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 43-4.
- Mackenzie, DE 1997k, 'Brodies Camp Supersuite; Kangaroo Creek Supersuite', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 46–7.
- Mackenzie, DE & Bultitude, RJ 1997, 'Pratt Volcanics', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 37-8.
- Mackenzie, DE, Bultitude, RJ & Rienks, IP 1993, Geology of the Featherbed Cauldron Complex, Queensland, 1:100 000 scale map, Australian Geological Survey Organisation, Canberra.
- Mackenzie, DE, Henderson, GAM, Warnick, JV & Bain, JHC 1985, 'Geology of the Croydon region, Queensland, 1:250 000 map, Bureau of Mineral Resources, Australia, Canberra.

- Mackenzie, DE & Knutson, J 1992, Igneous rocks of the Ebagoola 1:250 000 sheet area, Cape York Peninsula, north Queensland: field, petrographic and geochemical data, record no. 1992/75, Australian Geological Survey Organisation, Canberra.
- Mackenzie, DE & Oversby, BS 1997a, 'Glenmore Supersuite (Glenmore Batholith)', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 46.
- Mackenzie, DE & Oversby, BS 1997b, 'Unassigned granites— Glenmore Batholith', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 50.
- Mackenzie, DE & Oversby, BS 1997c, 'Agate Creek Volcanic Group', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 43.
- Mackenzie, DE & Oversby, BS 1997d, 'Unassigned A-type granites northern and eastern Newcastle Range; unassigned I-type intrusive rocks—Newcastle Range', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 47–8.
- Mackenzie, DE, Oversby, BS & Champion, DC 1997, 'Unassigned granites—Purkin Batholith', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 50–1.
- Mackenzie, DE, Warnick, JV & Henderson, GAM 1986, 'New stratigraphic units in the Croydon region, westernmost Georgetown inlier, north Queensland', Queensland Government Mining Journal, vol. 87, pp. 248–54.
- Mackenzie, DE & Wellman, P 1997, 'Kennedy Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 488–500.
- Mackness, BS & Godthelp, H 2001, 'The use of Diprotodon as a biostratigraphic marker of the Pleistocene', Transactions of the Royal Society of South Australia, vol. 125, pp. 155-6.
- Mackness, BS, Whitehead, PS &
 McNamara, GC 2000, 'New potassiumargon basalt date in relation to the
 Pliocene Bluff Downs local fauna,
 northern Australia', Australian Journal
 of Earth Sciences, vol. 47, pp. 807-11.
- Macmillan, S 1981, 'The Tertiary geology of the Woorabinda region of the Mimosa syncline, central Queensland and its potential for oil shale development', BSc (hons) thesis, New South Wales Institute of Technology, Sydney.

- Macmillan, S & Till, VS 1982, 'BP Australia, exploration and relinquishment report of A to P 2959M Rookwood', unpublished report held by the Geological Survey of Queensland as CR10576.
- Macpherson, CG, Dreher, ST & Thirlwall, MF 2006, 'Adakites without slab melting: high pressure differentiation of island arc magma, Mindanao, the Philippines', Earth and Planetary Science Letters, vol. 243, pp. 581–93.
- Madre, D 1986, 'The Alpha Oil Shale deposit', Proceedings of the 3rd Australian Workshop on Oil Shale, Lucas Heights, CSIRO Division of Energy Chemistry, Sutherland, NSW, pp. 52–7.
- Magee, C, Withnall, IW, Hutton, LJ,
 Perkins, WG, Donchak, PJT, Parsons, A,
 Blake, PR, Sweet, IP & Carson, CJ in
 press, Joint GSQ-GA NGA geochronology
 project Mount Isa region, 2008–2009,
 record no. 2012/07, Geological
 Survey of Queensland, Brisbane.
- Magee, JW, Miller, GH, Spooner, NA & Questiaux, D 2004, 'Continuous 150 ky monsoon record from Lake Eyre, Australia: insolation-forcing implications and unexpected Holocene failure', Geology, vol. 32, pp. 885–8.
- Magoon, LB & Dow, WG 1994, 'The petroleum system—from source to trap', Memoir of the American Association of Petroleum Geologists, vol. 60, pp. 3–24.
- Maidment, DS, Williams, IS &Hand, M 2007, 'Testing long-term patterns of basin sedimentation by detrital zircon geochronology, Centralian Superbasin, Australia', Basin Research, vol. 19, pp. 335-60.
- Maiklem, WR 1968, 'The Capricorn reef complex, Great Barrier Reef, Australia', Journal of Sedimentary Petrology, vol. 38, pp. 785–98.
- Maitland, AG 1889, Geological features and mineral resources of the Mackay district, publication no. 53, Geological Survey of Queensland, Brisbane.
- Mallett, CS, Flood, PG & Ledger, P 1983, 'Sedimentation models for the Baralaba Coal Measures', in JB Waterhouse (ed.), 1983 Field Conference, Permian of the Biloela-Moura-Cracow area, Geological Society of Australia, Queensland Division, Brisbane, pp. 51-68.
- Mallett, CS, Pattison, C, McLennan, TPT, Balfe, P & Sullivan, D 1995, 'Bowen Basin', Special Publication of the Geological Society of Australia, Coal Geology Group, vol. 1, pp. 299–339.

- Malone, EJ 1964, 'Depositional evolution of the Bowen Basin', Journal of the Geological Society of Australia, vol. 11, pp. 263-82.
- Malone, EJ 1967, 'Devonian of the Anakie High area, Queensland, Australia', in DH Oswald (ed.), Proceedings of the International Symposium on the Devonian System, volume II, Alberta Society of Petroleum Geologists, Calgary, pp. 93–7.
- Malone, EJ, Corbett, DWP & Jensen, AR 1964, Geology of the Mount Coolon 1:250 000 sheet area, report no. 64, Bureau of Mineral Resources, Australia, Canberra.
- Malone, EJ, Jensen, AR, Gregory, CM & Forbes, VR 1966, Geology of the southern half of the Bowen 1:250 000 sheet area, Queensland, report no. 100, Bureau of Mineral Resources, Australia, Canberra.
- Malone, EJ, Olgers, F & Kirkegaard, AG 1969, Geology of the Duaringa and St Lawrence 1:250 000 sheet areas, Queensland, report no. 121, Bureau of Mineral Resources, Australia, Canberra.
- Malone, EJ, Olgers, F & Kirkegaard, AG 1970, Saint Lawrence (SF55-12), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Malone, EJ & Paine, AGL 1971, Bowen (SF55-3), Queensland, 1:250 000 geological series map, Bureau of Mineral Resources, Australia, Canberra.
- Mancktelow, NS 1982, 'The geology of the Tinaroo area, North Queensland', Proceedings of the Australasian Institute of Mining and Metallurgy, vol. 281, pp. 1–13.
- Manning, JM 2009, 'EPC1029 Styx, partial relinquishment report April 2009', Waratah Coal Pty Ltd, Brisbane, unpublished report held by the Geological Survey of Queensland as CR56754.
- Mark, G 2001, 'Nd isotope and petrogenetic constraints for the origin of the Mount Angelay Igneous Complex: implications for the origin of intrusions in the Cloncurry district, NE Australia', Precambrian Research, vol. 105, pp. 17–35.
- Mark, G, Wilde, A, Oliver, NHS, Williams, PJ, Ryan, CG 2005, 'Modeling outflow from the Ernest Henry Fe oxide Cu–Au deposit; implications for ore genesis and exploration', Journal of Geochemical Exploration, vol. 85, pp. 31–46.

- Marks, EO 1909, 'Coal near Hughenden', Queensland Government Mining Journal, vol. 10, p. 638.
- Marks, EO 1910, The coal measures of southeast Moreton, publication no. 225, Geological Survey of Queensland, Brisbane.
- Marks, EO 1911, Coal with Glossopteris Flora, near Hughenden, publication no. 235, Geological Survey of Queensland, Brisbane, pp. 18–20.
- Maroulis, JC, Nanson, GC, Price, DM & Pietsch, T 2007, 'Aeolian-fluvial interaction and climate change: source-bordering dune development over the past 100 ka on Cooper Creek, central Australia', Quaternary Science Reviews, vol. 26, pp. 386–404.
- Marsden, MAH 1972, 'The Devonian history of northeastern Australia', Journal of the Geological Society of Australia, vol. 19, pp. 125-62.
- Marshall, JF 1972, Morphology of the east Australian continental margin between 21°S and 33°S, record no. 1972/70, Bureau of Mineral Resources, Australia, Canberra.
- Marshall, JF 1977, 'Marine geology of the Capricorn Channel area', Bulletin of the Bureau of Mineral Resources, Australia, vol. 163, pp. 1–81.
- Marshall, JF 1980, 'Continental shelf sediments: southern Queensland and northern New South Wales', Bulletin of the Bureau of Mineral Resources, Australia, vol. 207, pp. 1–39.
- Marshall, JF 1983, 'Submarine cementation in a high-energy platform reef: One Tree Reef, southern Great Barrier Reef', Journal of Sedimentary Petrology, vol. 53, pp. 1133–49.
- Marshall, JF & Davies, PJ 1978, 'Skeletal carbonate variation on the continental shelf of eastern Australia', BMR Journal of Australian Geology & Geophysics, vol. 3, pp. 85–92.
- Marshall, JF & Davies, PJ 1982, 'Internal structure and Holocene evolution of One Tree Reef, southern Great Barrier Reef, Coral Reefs, vol. 1, pp. 21–8.
- Marshall, JF & Davies, PJ 1988, 'Halimeda bioherms of the northern Great Barrier Reef', Coral Reefs, vol. 6, pp. 139–48.

- Marshall, JF, Tsuji, Y, Matsuda, H, Davies, PJ, Iryu, Y, Honda, N & Satoh, Y 1998, 'Quaternary and Tertiary subtropical carbonate platform development on the continental margin of southern Queensland, Australia', Special Publications of the International Association of Sedimentologists, no. 25, pp. 163–95.
- Marshallsea, SJ, Green, PF & Webb, JA 2000, 'Thermal history of the Hodgkinson Province and Laura Basin, Queensland: multiple cooling episodes identified from apatite fission track analysis and vitrinite reflectance data', Australian Journal of Earth Sciences, vol. 47, pp. 779–97.
- Martin, CA 1967, 'The Gidgealpa and Merrimelia formations in the Cooper's Creek Basin', Australasian Oil and Gas Journal, vol. 14, pp. 29–35.
- Martin, H, Smithies, RH, Rapp, R, Moyen, JF & Champion, DC 2005, 'An overview of adakite, tonalite trondhjemite—granodiorite (TTG), and sanukitoid: relationships and some implications for crustal evolution', Lithos, vol. 79, pp. 1–24.
- Martin, JE 1975, Geological information for planning purposes, Beaudesert Shire, industrial rock and mineral resources, record no. 1975/27, Geological Survey of Queensland, Brisbane.
- Martin, JE 1977, Barambah limestone deposits, Murgon, report no. 20B, Geological Survey of Queensland, Brisbane.
- Martini, IP & Johnson, DP 1987, 'Coldclimate, fluvial to paralic coalforming environments in the Permian Collinsville Coal Measures, Bowen Basin, Australia', International Journal of Coal Geology, vol. 7, pp. 365–88.
- Martos, SN, Abbott, DH, Elkinton, HD, Chivas, AR & Breger, D 2006, 'Impact spherules from the craters Kanmare and Tabban in the Gulf of Carpentaria', Abstracts with Program, Geological Society of America Annual Meeting 2006, vol. 38, p. 299.
- Marx, SK, Kamber, BS & McGowan, HA 2005, 'Provenance of long-travelled dust determined with ultra-traceelement composition: a pilot study with samples from New Zealand glaciers', Earth Surface Processes and Landforms, vol. 30, pp. 699–716.
- Mason, B 1973, 'Hammond Downs, a new chondrite from the Tenham area, Queensland, Australia', Meteoritics, vol. 8, pp. 1–7.

- Matheson, SG 1990, 'Coal seam geology and exploration in the Rangal Coal Measures, north Bowen Basin', Queensland Geology, vol. 1, pp. 1–68.
- Matheson, SG 1993, Coal geology of the Rugby area, record no. 1993/7, Geological Survey of Queensland, Brisbane.
- Matheson, SG 1995, 'Mount Mulligan Coalfield, Queensland', Special Publications of the Geological Society of Australia, Coal Geology Group, vol. 1, pp. 431–4.
- Matheson, SG, D'Arcy, RK & Sorby, LA 1993, Coal geology and resources of the Moreton Basin, Queensland, Queensland Minerals and Energy Review Series, Department of Minerals and Energy, Brisbane, 129 pp.
- Mathews, EJ, Heap, AD & Woods, M 2007, Inter-reefal seabed sediments and geomorphology of the Great Barrier Reef, a spatial analysis, record no. 2007/09, Geosciences Australia, Canberra.
- Mathews, RT 1955, 'The geology of the Woodford-Kilcoy area, Queensland', University of Queensland Papers, Department of Geology, vol. 4, no. 8, pp. 1–21.
- Matthews, KJ, Hale, AJ, Gurnis, M, Müller, RD & DiCaprio, L 2011, 'Dynamic subsidence of eastern Australia during the Cretaceous', Gondwana Research, vol. 19, pp. 372–82.
- Mathison, CI 1967, 'The Somerset Dam layered basic intrusion, southeastern Queensland', *Journal of the Geological* Society of Australia, vol. 14, pp. 57–86.
- Mathison, CI 1987, 'Cyclic units in the Somerset Dam layered gabbro intrusion, southeastern Queensland, Australia', Lithos, vol. 20, pp. 187–205.
- Mattison, JM 2005, 'Zircon U-Pb chemical abrasion (CA-TIMS) method: Combined annealing and multi-step partial dissolution analysis for improved precision and accuracy of zircon ages', Chemical Geology, vol. 220, pp. 47-66.
- Matzke-Karasz, R, Neil, JV, Smith, RJ, Godthelp, H, Archer, M & Hand, SJ in press, 'Exceptional modes of soft part preservation in fossil ostracods; examples from the Riversleigh World Heritage Area, NW Queensland, Australia', Journal of Systematic Paleontology.

892

- Mawby, J, Hand, M & Foden, J 1999, 'Sm-Nd evidence for high-grade Ordovician metamorphism in the Arunta Block, central Australia', Journal of Metamorphic Geology, vol. 17, pp. 653-68.
- Mawson, R, Jell, JS & Talent, JA 1985, 'Stage boundaries within the Devonian: implications for application to Australian sequences', Courier Forschungsinstitut Senckenberg, vol. 75, pp. 1–16.
- Mawson, R & Talent, JA 1989, 'Late Emsian Givetian stratigraphy and conodont biofacies—carbonate slope and offshore shoal to sheltered lagoon and nearshore carbonate ramp—Broken River, north Queensland', Courier Forschungsinstitut Senckenberg, vol. 117, pp. 205–59.
- Mawson, R & Talent, JA 1997, 'Famennian-Tournaisian conodonts and Devonian – Early Carboniferous transgressions and regressions in north-eastern Australia', Special Papers of the Geological Society of America, no. 321, pp. 189–233.
- Mawson, R & Talent, JA 1999, 'Early Carboniferous (mid-Tournaisian) conodonts from north-eastern Queensland (Ruxton and Teddy Mount formations): age implications and stratigraphic alignment', *Paleontologia Italiana*, vol. 37, pp. 407–25.
- Mawson, R & Talent, JA 2000, 'The Devonian of eastern Australia: stratigraphic alignments, stage and series boundaries and the transgression –regression pattern re-considered', Courier Forschungsinstitut Senckenberg, vol. 225, pp. 343–70.
- Mawson, R & Talent, JA 2003, 'Conodont faunas from sequences on or marginal to the Anakie Inlier (Central Queensland, Australia) in relation to Devonian transgressions', Bulletin of Geosciences, vol. 78, pp. 335–58.
- Mawson, R, Talent, JA, Bear, VC, Benson, DS, Brock, GA, Farrell, JR, Hyland, KA, Pyemont, BD, Sloan, TR, Sorentino, L, Stewart, MI, Trotter, JA, Wilson, GA & Simpson, AG 1988, 'Conodont data in relation to resolution of stage and zonal boundaries for the Devonian of Australia', Canadian Society of Petroleum Geologists, Memoir, vol. 14, pp. 485–527.
- Mawson, R, Talent, JA & Furey-Greig, TM 1995, 'Coincident conodont faunas (late Emsian) from the Yarrol and Tamworth belts of northern New South Wales and central Queensland', Courier Forschungsinstitut Senckenberg, vol. 182, pp. 421–45.

- Maxwell, WGH 1951, Upper Devonian and Middle Carboniferous brachiopods of Queensland', University of Queensland Papers, Department of Geology, vol. 3, no. 14, pp. 1–27.
- Maxwell, WGH 1952, 'The genus Strophalosia in the Permian of Queensland and the palaeontology, stratigraphy and structure of the upper Palaeozoic formations in the Mt Morgan district', PhD thesis, University of Queensland, St Lucia, Qld.
- Maxwell, WGH 1953, 'Upper Palaeozoic formations in the Mt Morgan district—stratigraphy and structure', *University of Queensland Papers*, *Department of Geology*, vol. 4, no. 4, pp. 1–14.
- Maxwell, WGH 1954, 'Upper Palaeozoic formations in the Mount Morgan district—faunas', *University of Queensland Papers*, *Department of Geology*, vol. 4, no. 5, pp. 1–69.
- Maxwell, WGH 1959, 'New names in Queensland stratigraphy, Yarrol Basin', Australasian Oil and Gas Journal, vol. 5, no. 9, pp. 29–31.
- Maxwell, WGH 1960a, 'Carboniferous. The Yarrol Basin', Journal of the Geological Society of Australia, vol. 7, pp. 168–75.
- Maxwell, WGH 1960b, 'Permian. The Yarrol Basin (southern part)', Journal of the Geological Society of Australia, vol. 7, pp. 217–21.
- Maxwell, WGH 1961, 'Lower Carboniferous brachiopod faunas from Old Cannindah, Queensland', *Journal of Paleontology*, vol. 35, pp. 82–103.
- Maxwell, WGH 1964, 'The geology of the Yarrol Region, Part 1. Biostratigraphy', *University of* Queensland Papers, Department of Geology, vol. 5, no. 9, pp. 1–65.
- Maxwell, WGH 1968, Atlas of the Great Barrier Reef, Elsevier, Amsterdam.
- Maxwell, WGH 1969, 'Physical geology & oceanography', Special Publications of the Australian Conservation Foundation, no. 3, pp. 5–24.
- Maxwell, WGH 1970, 'Deltaic patterns in reefs', *Deep-Sea Research*, vol. 17, pp. 1005–18.
- Maxwell, WGH 1973a, 'Geomorphology of eastern Queensland in relation to the Great Barrier Reef', in OA Jones & R Endean (eds), *Biology and geology of* coral reefs, vol. 1, geology 1, pp. 233–72.

- Maxwell, WGH 1973b, 'Sediments on the Great Barrier Reef Province', in OA Jones & R Endean (eds), Biology and geology of coral reefs, vol. 1, geology 1, pp. 299–345.
- Maxwell, WGH, Day, RW & Fleming, PJG 1961, 'Carbonate sedimentation on Heron Island Reef, Great Barrier Reef', Journal of Sedimentary Petrology, vol. 31, pp. 215–230.
- Maxwell, WGH, Jell, JS & McKellar, RG 1964, 'Differentiation of carbonate sediments on the Heron Island Reef', Journal of Sedimentary Petrology, vol. 34, pp. 294–308.
- Maxwell, WGH & Maiklem, WR 1964, 'Lithofacies analysis, southern part of the Great Barrier Reef', University of Queensland Papers, Department of Geology, vol. 5, no. 11, pp. 1–21.
- Maxwell, WGH & Swinchatt, JP 1970, 'Great Barrier Reef: regional variation in a terrigenous—carbonate province', Bulletin of the Geological Society of America, vol. 81, pp. 691–724.
- McAlister, DJ 2002, 'The hydrogeology of the Cenozoic sedimentary deposits in the St George region of southern Queensland', MAppSc thesis, Queensland University of Technology, Brisbane.
- McBryde, I 1997, 'The cultural landscapes of Aboriginal long distance exchange systems: can they be confined within our heritage registers?', *Historic Environment*, vol. 13, pp. 7–14.
- McCabe, S 1982, 'Geology of the South Buaraba Creek district southeast Queensland', undergraduate report, Queensland University of Technology, Brisbane.
- McCall, GJH 2000, 'Tektites; the age paradox controversy revisited', Journal of the Royal Society of Western Australia, vol. 83, pp. 83–92.
- McCarthy, B, Runnegar, BN & Kleeman, JD 1974, 'Late Carboniferous early Permian sequence north of Drake, NSW dates deposition and deformation of the Beenleigh Block', Queensland Government Mining Journal, vol. 75, pp. 324–9.
- McCarthy, FD 1939a, 'Trade in Aboriginal Australia and trade relationships with Torres Strait, New Guinea, and Malaya', *Oceania*, vol. 9, pp. 405–38.

- McCarthy, FD 1939b, 'Trade in Aboriginal Australia and trade relationships with Torres Strait, New Guinea, and Malaya', *Oceania*, vol. 10, pp. 80–104.
- McClung, G 1978, Morphology,
 palaeoecology and biostratigraphy of
 Ingellara (Brachiopoda: Spiriferida) in
 the Bowen and Sydney Basins of eastern
 Australia, publication no. 365, Geological
 Survey of Queensland, Brisbane.
- McClung, G 1981, Review of the stratigraphy of the Permian Back Creek Group, Bowen Basin, Queensland, publication no. 371, Geological Survey of Queensland, Brisbane.
- McColl, DH & Williams, GE 1970, 'Australite distribution pattern in southern central Australia', Nature, vol. 226, pp. 154–5.
- McConachie, BA, Barlow, MG, Dunster, JN, Meaney, RA & Schaap, AD 1993, 'The Mount Isa Basin—definition, structure and petroleum geology', APEA Journal, vol. 33, pp. 237–57.
- McConachie, BA & Dunster, JN 1997a, 'Concealed Palaeozoic? or Proterozoic?', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 383-4.
- McConachie, BA & Dunster, JN 1997b, 'Cainozoic. Karumba Basin', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 383-4.
- McConachie, BA, Dunster, JN, Wellman, P, Denaro, TJ, Pain, CF, Habermehl, MA & Draper, JJ 1997a, 'Carpentaria Lowlands and Gulf of Carpentaria regions', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 365–97.
- McConachie, BA, Filatoff, J & Senapati, N 1990, 'Stratigraphy and petroleum potential of the onshore Carpentaria Basin, Queensland', APEA Journal, vol. 30, pp. 149–64.
- McConachie, BA, Wellman, P, Dunster, JN, Wilford, JR, Denaro, TJ & Draper, JJ 1997b, 'Quinkan Region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 399–408.
- McConnochie, MJ & Henstridge, DA 1985, 'The Lowmead Graben—geology, Tertiary oil shale genesis and regional tectonic implications', Australian Journal of Earth Sciences, vol. 32, pp. 205–18.

- McCulloch, MT, de Dekker, P & Chivas, AR 1989, 'Strontium isotope variations in single ostracod valves from the Gulf of Carpentaria, Australia: a new palaeoenvironmental indicator', Geochimica et Cosmochimica Acta, vol. 53, pp. 1703–10.
- McCulloch, MT & Wasserburg, GJ 1978, 'Sm-Nd and Rb-Sr chronology of continental crust formation', Science, vol. 200, pp. 1003-11.
- McDonald, GD, Collerson, KD & Kinny, PD 1997, 'Late Archean and early Proterozoic crustal evolution of the Mount Isa Block, Northwest Queensland, Australia', Geology, vol. 25, pp. 1095-8.
- McDonnell, KL 1956, The geology of the Esk Rift Valley between Harlin and Linvelle with particular reference to the structure', *University of Queensland Papers*, *Department of Geology*, vol. 4, no. 12, pp. 1–32.
- McDougall, 1 2008, 'Brief history of isotope geology at the Australian National University', Australian Journal of Earth Sciences, vol. 55, pp. 727–36.
- McDougall, I & Duncan, RA 1988, 'Age progressive volcanism in the Tasmantid Seamounts', Earth and Planetary Science Letters, vol. 89, pp. 207–20.
- McDougall, I & Harrison, TM 1999, Geochronology and thermochronology by the 40Ar/39Ar method, 2nd edn, Oxford University Press, pp. 1–269.
- McDougall, I & Roksandic, Z 1974, 'Total fusion 40Ar/39Ar ages using HIFAR reactor', Journal of the Geological Society of Australia, vol. 21, pp. 81–9.
- McDougall, I & Slessar, GC 1972, 'Tertiary volcanism in the Cape Hillsborough area, North Queensland', Journal of the Geological Society of Australia, vol. 18, pp. 401–8.
- McElhinny, MW, Embleton, BJJ & Wellman, P 1974, 'A synthesis of Australian Cenozoic palaeomagnetic results', *Geophysical Journal of the Royal Astronomical Society*, vol. 36, pp. 141–51.
- McElroy, CJ & Bryan, JH 1981, 'Results of drilling programme at Mt Mulligan, A to P 272C, north Queensland', International Mining Corporation NL', unpublished report held by the Geological Survey of Queensland as CR8372.
- McElroy, CT 1962, The geology of the Clarence-Moreton Basin, memoir no. 9, Geological Survey of New South Wales, Sydney, pp. 1-172.

- McElroy, CT 1969, 'The Clarence— Moreton Basin in New South Wales', Journal of the Geological Society of Australia, vol. 16, pp. 457–79.
- McEniery, MB 1980, 'Groundwater resources—North Queensland', in RA Henderson & PJ Stephenson (eds) The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 435–45.
- McGillivray, HI 1919, 'Naumannite in the Cloncurry district', Queensland Government Mining Journal, vol. 20, p. 505.
- McGoldrick PJ & Large, RR 1998, 'Proterozoic stratiform sedimenthosted Zn-Pb-Ag deposits', AGSO Journal of Australian Geology & Geophysics, vol. 17, pp. 189-96.
- McGowan, HA, Petherick, LM & Kamber, BS 2008, 'Aeolian sedimentation and climate variability during the late Quaternary in southeast Queensland, Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 265, pp. 171–81.
- McGowran, B 1979, 'The Tertiary of Australia: foraminiferal overview', Marine Micropaleontology, vol. 4, pp. 235-64.
- McGregor, DC & Playford, G 1992, Canadian and Australian Devonian spores: zonation and correlation', Bulletin of the Geological Survey of Canada, vol. 438, pp. 1–83.
- McKay, AD & Miezitis, Y 2001, Australia's uranium resources, geology and development of deposits, mineral resource report no. 1, Geoscience Australia, Canberra.
- McKellar, JL 1976, Palynology of samples from QDM Aramac 1 and Hexham 1, report no. 92, Geological Survey of Queensland, Brisbane, pp. 31–42.
- McKellar, JL 1977a, 'Palynostratigraphy of core samples from the Hughenden 1:250 000 sheet area, northern Galilee and Eromanga basins', Queensland Government Mining Journal, vol. 78, pp. 393-9.
- McKellar, JL 1977b, Miospore assemblages from GSQ Hughenden 2R, 3-4R, 5 and 6, record no. 1977/15, Geological Survey of Queensland, Brisbane.
- McKellar, JL 1978a, Palynoflaral assemblages from GSQ Hughenden 7, record no. 1978/40, Geological Survey of Queensland, Brisbane.

- McKellar, JL 1978b, 'Palynostratigraphy of samples from GSQ Eddystone 1', Queensland Government Mining Journal, vol. 79, pp. 424-34.
- McKellar, JL 1979, 'Palynostratigraphy of core samples from GSQ Hughenden 7', Queensland Government Mining Journal, vol. 80, pp. 295–302.
- McKellar, JL 1981, 'Palynostratigraphy of samples from GSQ Ipswich 24 and 25', Queensland Government Mining Journal, vol. 82, pp. 479–87.
- McKellar, JL 1982, 'Palynostratigraphy of samples from GSQ Ipswich 26', Queensland Government Mining Journal, vol. 83, pp. 509-13.
- McKellar, JL 1993, 'Stratigraphic relationships in the Nambour Basin, southeastern Queensland', Queensland Geology, vol. 5, pp. 1–17.
- McKellar, JL 1996, 'Palynofloral and megafloral indications of palaeoclimate in the Late Triassic, Jurassic and Early Cretaceous of southeastern Queensland', Geological Society of Australia Abstracts, vol. 43, pp. 366–73.
- McKellar, JL 1998, 'Late Early to Late Jurassic palynology, biostratigraphy and palaeogeography of the Roma Shelf area, north-western Surat Basin, Queensland, Australia (including phytogeographic palaeoclimatic implications of the Callialasporites dampieri and Microcachryidites microfloras in the Jurassic Early Cretaceous of Australia, based on an overview assessed against a background of floral change and apparent true polar wander in the preceding late Palaeozoic early Mesozoic)', PhD thesis, University of Queensland, St Lucia, Qld.
- McKellar, JL 2002, 'Palynological biostratigraphy and age of the Cooper and Eromanga basins', in JJ Draper (ed.), Geology of the Cooper and Eromanga basins, Queensland Minerals and Energy Review Series, Geological Survey of Queensland, Brisbane, pp. 7–8.
- McKellar, JL 2004, 'Geophysical controls on late Palaeozoic early Mesozoic geological history and floral succession: eastern Australia in perspective', Memoirs of the Association of Australasian Palaeontologists, vol. 29, pp. 47–83.
- McKellar, JL in press, 'Late Early to Late Jurassic palynology, biostratigraphy and palaeogeography of the Roma Shelf area, northwestern Surat Basin, Queensland', Memoirs of the Association of Australasian Palaeontologists.

- McKellar, RG 1963, 'Appendix 1:
 palaeontological report in A-P 94P,
 progress report on the geology of the
 Proserpine area (surface geology)',
 unpublished report to Ampol Exploration
 (Qld) Pty Ltd, held by the Geological
 Survey of Queensland as CR1295.
- McKellar, RG 1965, An Upper Carboniferous brachiopod fauna from the Monto district, Queensland, publication no. 328, Geological Survey of Queensland, Brisbane.
- McKellar, RG 1967, The geology of the Cannindah Creek area, Monto district, Queensland, publication no. 331, Geological Survey of Queensland, Brisbane.
- McKellar, RG 1969, Brachiopods and trilobites from Siluro-Devonian Strata in the Rockhampton District, Queensland, publication no. 337, Geological Survey of Queensland, Brisbane.
- McKellar, RG 1970, The Devonian productoid brachiopod faunas of Queensland, publication no. 342, Geological Survey of Queensland, Brisbane.
- McKellar, RG, Dear, JF & Fleming, PJG 1970, Devonian, Carboniferous and Permian fossils from the Rockhampton 1:250 000 sheet area, report no. 38, Geological Survey of Queensland, Brisbane, pp. 138–55.
- McKenzie, ED 1999 'A new early to middle Albian (Cretaceous) ammonite fauna from the Great Artesian Basin, Australia', Proceedings of the Royal Society of Queensland, vol. 108, pp. 57–88.
- McKenzie, JA, Davies, PJ, Palmer-Johnson, A, et al. 1993, 'Covering Leg 133 of the cruises of the Drilling Vessel JOIDES Resolution, Apra Harbor, Guam, to Townsville, Australia, Sites 811–826, 4 August 1990 11 October 1990', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, doi:10.2973/odp.proc.ir.133.1993.
- McKillop, MD, McKellar, JL, Draper, JJ
 & Hoffmann, KL 2007, The Adavale
 Basin: stratigraphy and depositional
 environments, special publication no. 2,
 Northern Territory Geological Survey,
 Darwin, pp. 82–107, http://conferences.minerals.nt.gov.au/cabsproceedings/misc.htm, accessed 26/07/2010.
- McLaren, S, Sandiford, M & Hand, M 1999, 'High radiogenic heat-producing granites and metamorphism—an example from the western Mount Isa Inlier, Australia', Geology, vol. 27, pp. 679–82.

- McLean, DM 1976, 'The geology of the Wallangarra area and the tinmolybdenum bearing leucogranites about Stanthorpe', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- McLean-Hodgson, J & Kempton, NH 1981, 'The Oakey-Dalby region, Darling Downs Coalfield: stratigraphy and depositional environments', Coal Geology, vol. 1, pp. 165-77.
- McLellan, JG. & Oliver, NHS 2008, 'Discrete element modelling applied to mineral prospectivity analysis in the eastern Mount Isa Inlier', Precambrian Research, vol. 163, pp. 174–88.
- McLoughlin, S 2001, 'The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism', Australian Journal of Botany, vol. 49, pp. 271–300.
- McLoughlin, S, Drinnan, AN & Rozefelds, AC 1995, 'A Cenomanian flora from the Winton Formation, Eromanga Basin, Queensland, Australia', Memoirs of the Queensland Museum, vol. 38, pp. 273–313.
- McLoughlin, S, Pott, C & Elliott, D 2010, 'The Winton Formation flora (Albian-Cenomanian, Eromanga Basin): implications for vascular plant diversification and decline in the Australian Cretaceous', Alcheringa, vol. 35, pp. 1-21.
- McMahon, GA 2004, 'An integrated hydrogeological/hydrogeochemical approach to characterising groundwater zonations within a Quaternary coastal deltaic aquifer: the Burdekin River Delta, North Queensland', PhD thesis, Queensland University of Technology, Brisbane.
- McMahon, GA, Arunakumaren, NJ & Bajracharya, K 2002, 'Estimation of the groundwater budget of the Burdekin River Delta Aquifer, North Queensland', Proceedings of the international conference on balancing the groundwater budget, International Association of Hydrologists, Darwin.
- McMahon, GA, Hillier, JR & Arunakumaren, NJ 2001, 'Delineation of seawater intrusion in the Burdekin Delta aquifer', Abstract of paper presented at the GeoTrop Conference, Townsville, 8–11 May 2001.
- McMinn, A & Burger, D 1986, 'Palynology and palaeoenvironments of the Toolebuc Formation (sensu lato) in the Eromanga Basin', Special Publications of the Geological Society of Australia, vol. 12, pp. 139–54.

- McNamara, GC 1990, 'The Wyandotte Local Fauna: a new, dated, Pleistocene vertebrate fauna from Queensland', Memoirs of the Queensland Museum, vol. 28, pp. 285–97.
- McNamara, GC 1994, 'Cape Hillsborough: an Eocene-Oligocene vertebrate fossil site from northeastern Queensland', Records of the South Australian Museum, vol. 27, pp. 187-96.
- McNaughton, NJ 1973, 'Aspects of the geology of the Gallangowan-Jimna area with particular reference to the upper Kandanga Creek area, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- McNeich, J 2006, 'Tectonic and geochemical evolution of the Palaeozoic Hodgkinson Province: implications for Mt Molloy Cu–Zn deposit', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- McNeil, VH 1980, Report on groundwater investigations of Dawson River alluvium at Theodore, Queensland Irrigation and Water Supply Commission, Brisbane.
- McNeil, VH 1998, Water quality of the Callide irrigation scheme and proposed monitoring network, Department of Natural Resources, Brisbane.
- McNeil, VH & Horn, AM 1997, 'Groundwater salinity trends in the northern Murray— Darling Basin', in L Foster (ed.), Groundwater in the balance, Department of Natural Resources, Brisbane.
- McPhie, J 1986, 'Evolution of a non-resurgent cauldron: the late Permian Coombadjha Volcanic Complex, north-eastern New South Wales, Australia', Geological Magazine, vol. 123, pp. 257–77.
- McPhie, J 1988, 'Source(s) of the Dundee Rhyodacite ignimbrite: implications for the existence of late Permian cauldrons in the southern New England Orogen', in JD Kleeman (ed.), New England Orogen—tectonics and metallogenesis, Department of Geology and Geophysics, University of New England, Armidale, pp. 145–9.
- McTaggart, NR 1960, 'The Darra— Sunnybank area', Journal of the Geological Society of Australia, vol. 7, pp. 348–9.
- McTaggart, NR 1961, 'The sequence of Tertiary volcanic and sedimentary rocks of the Mt Warning volcanic shield', Journal and Proceedings of the Royal Society of New South Wales, vol. 95, pp. 135–44.

- McTainsh, G & Strong, C 2007, 'The role of aeolian dust in ecosystems', Geomorphology, vol. 89, pp. 39–54.
- Meffre, S, Direen, NG, Crawford, AJ & Kamenetsky, V 2004, 'Mafic volcanic rocks on King Island, Tasmania: evidence for 579 Ma break-up in east Gondwana', Precambrian Research, vol. 135, pp. 177–91.
- Megirian, D 1992, 'Interpretation of the Miocene Carl Creek Limestone, northwestern Queensland', The Beagle, vol. 9, pp. 219–48.
- Mehl, D 1998, 'Porifera and Chancelloriidae from the Middle Cambrian of the Georgina Basin, Australia', Palaeontology, vol. 41, pp. 1153–82.
- Meixner, AJ, Gunn, PJ, Boucher, RK, Yeates, AN, Richardson, LM & Frears, RA 2000, 'The nature of the basement to the Cooper Basin region, South Australia', Exploration Geophysics, vol. 31, pp. 24–32.
- Mengel, DC, Balfe PE & Coffey, D 1990, 'A history of coal exploration and mining in Queensland', Monograph of the Australasian Institute of Mining and Metallurgy, no. 17, pp. 317–45.
- Mengel, DC & Carr, AF 1976, Ipswich Coal-field, report no. 94, Geological Survey of Queensland, Brisbane.
- Mernagh, TO & Miezitis, Y 2008,

 A review of the geochemical processes controlling the distribution of thorium in the Earth's crust and Australia's thorium resources, record no. 2008/05, Geoscience Australia, Canberra.
- Messenger, PR 1986, 'Geology and geochemistry of the central Glass House Mountains, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Messenger, PR 1994, 'Appendix 9. Geology, volcanology and petrology of the Develin Creek VHMS deposits' in EPM 7585 8076 8388 9328 9329 9332 9376 9377 9417 9418 9419 9478 9589 9590 9591 9615 9668 9669 9803 9898 9968 10009 10032 10103 10143 10144 10243 10244, Fitzroy Project, annual report for period ended 31/12/94', Queensland Metals Corporation Limited, unpublished report held by the Geological Survey of Queensland as CR26354.
- Messenger, PR 1996, 'Relationships between Devonian magmatism and Au-Cu mineralisation at Mt Morgan, central Queensland', PhD thesis, University of Queensland, St Lucia, Qld.

- Messenger, PR, Golding, SD & Taube, A 1997, 'Volcanic setting of the Mt Morgan Au-Cu deposit central Queensland: implications for ore genesis', Geological Society of Australia, Special Publication, vol. 19, pp. 109-27.
- Messenger, PR & Taube, A 1994
 'The northern part of the Calliope
 Volcanic Assemblage, Mt Morgan –
 Dee Range area', in RJ Holcombe,
 CJ Stephens & CR Fielding (eds), Field
 conference Capricorn region central
 coastal Queensland, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 46–63.
- Metallica Minerals Limited 2011, Major resource upgrade as Queensland trimetal project celebrates milestone, Announcement to the Australian Securities Exchange, 19 January 2011, Metallica Minerals Limited, Brisbane.
- Metcalfe, I, Nicoll, RS, Mundill, R,
 Denyszyn, S, Crowley, J, Mantle, D,
 Willink, R & Foster, CB 2011, Late
 Permian U-Pb CA-IDTIMS isotope
 geochronology of the Bowen
 Basin, eastern Australia, record
 no. 2011/20, Geological Survey of
 Western Australia, Perth, p. 92.
- Meyers, NA 1969, Carpentaria Basin, report no. 34, Geological Survey of Queensland, Brisbane.
- Meyers, NA, Abbott, D, Tester, ES & Breger, D 2007, 'Impact-affected marine microfossils from the Gulf of Carpentaria, Australia', Geological Society of America Annual Meeting, Abstracts with Programs, vol. 39, p. 373.
- Michael, G & Müller, RD 2003, 'Origin of the Australian–Antarctic Discordance from an ancient slab and mantle wedge', Geological Society of Australia Special Publication, vol. 22, and Geological Society of America Special Paper, vol. 372, pp. 417–29.
- Michaelson, P, Henderson, RA, Crosdale, PJ & Fanning, CM 2001, 'Age and significance of the Platypus Tuff Bed, a regional reference horizon in the upper Permian Moranbah Coal Measures, north Bowen Basin', Australian Journal of Earth Sciences, vol. 48, pp. 183–92.
- Middlemost, EAK 1985, Magmas and magmatic rocks: an introduction to igneous petrology, Longman, London.
- Middlemost, EAK 1994, 'Naming materials in the magma/igneous rock system', Earth Science Reviews, vol. 37, pp. 215–24.

- Middleton, MF & Hunt, JW 1989, 'Influence of tectonics on Permian coal rank patterns in Australia', International Journal of Coal Geology, vol. 13, pp. 391–411.
- Milburn, D 1998, 'Kunwarara magnesite deposit', Monograph of the Australasian Institute of Mining and Metallurgy, vol. 22, pp. 815–18.
- Miller, D 1995. 'Geology of the Blair Athol Basin', in IW Withnall (ed.), 1995 field conference Clermont— Anakie region central Queensland, Geological Society of Australia, Queensland Division, Brisbane.
- Miller, GH, Magee, JW, Johnson, BJ, Fogel, ML, Spooner, NA, McCulloch, MT & Ayliffe, LK 1999, 'Pleistocene extinction of *Genyornis newtoni*: human impact on Australian megafauna', *Science*, vol. 283, pp. 205–8.
- Miller, JMcL, Phillips, D, Wilson, CJL & Dugdale, LJ 2005, 'Evolution of a reworked orogenic zone: the boundary between the Delamerian and Lachlan fold belts, southeastern Australia', Australian Journal of Earth Sciences, vol. 52, pp. 921–40.
- Milligan, PR & Franklin, R 2004. Magnetic anomaly map of Australia, 1:5 000 000, 4th edn, Geoscience Australia, Canberra.
- Mines Administration 1969, 'Associated Australian Oilfields NL St Helena No. 1 well completion report', Mines Administration Pty Ltd, Brisbane, unpublished report held by the Geological Survey of Queensland as CR2673.
- Mitchell, DC, Reghenzani, JR & Furnas, M 2001, 'Nitrogen levels in the Tully River—a long-term view', Water Science and Technology, vol. 43, pp. 99–105.
- Mitchell, DC, Bohl, HP, Roth, CH & Cook, FJ 2001, 'The dynamics of a shallow perched watertable on a heavy soil in the lower Herbert Valley', Proceedings of Australian Society of Sugar Cane Technologists, vol. 23, pp. 148–53.
- Miyake, Y 1985, 'MORB-like tholeiites formed within the Miocene forearc basin, southwest Japan', Lithos, vol. 18, pp. 23-34.
- Miyazaki, S & Ozimic, S 1987, Adavale Basin, Queensland, Australian petroleum accumulations report no. 4, Bureau of Mineral Resources, Australia, Canberra.

- Mollan, RG, Dickins, JM, Exon, NF &
 Kirkegaard, AG 1969, Geology of the
 Springsure 1:250 000 sheet area,
 Queensland, report no. 123, Bureau of
 Mineral Resources, Australia, Canberra.
- Mollan, RG, Exon, NF & Forbes, VR 1965, Notes on the geology of the Eddystone 1:250 000 sheet area, record no. 1965/98, Bureau of Mineral Resources, Australia, Canberra.
- Mollan, RG, Exon, NF & Kirkegaard, AG 1964, The geology of the Springsure 1:250 000 sheet area, Queensland, record no. 1964/27, Bureau of Mineral Resources, Australia, Canberra.
- Mollan, RG, Forbes, VR, Jensen, AR, Exon, NF & Gregory, CM 1972, Geology of the Eddystone, Taroom and western part of the Mundubbera sheet areas, Queensland, report no. 142, Bureau of Mineral Resources, Australia, Canberra.
- Molnar, RE 1977, 'Crocodile with laterally compressed snout: first find in Australia', Science, vol. 197, pp. 62–4.
- Molnar, RE 1980,'An ankylosaur (Ornithischia: Reptilia) from the lower Cretaceous of southern Queensland', Memoirs of the Queensland Museum, vol. 20, pp. 77–87.
- Molnar, RE 1981, 'Pleistocene ziphodont crocodilians of Queensland', Records of the Australian Museum, vol. 33, pp. 803–34.
- Molnar, RE 1982a, 'A catalogue of fossil amphibians and reptiles in Queensland', *Memoirs of the Queensland Museum*, vol. 20, pp. 613–33.
- Molnar, RE 1982b, 'Pallimnarchus and other Cenozoic crocodiles of Queensland', Memoirs of the Queensland Museum, vol. 20, pp. 657–73.
- Molnar, RE 2011, 'Sauropod (Saurischia: Dinosauria) material from the Early Cretaceous Griman Creek Formation of the Surat Basin, Queensland, Australia', Alcheringa, vol. 35, pp. 303–7.
- Molnar, RE & Kurz, C 1997, 'The distribution of Pleistocene vertebrates on the eastern Darling Downs, based on the Queensland Museum collections', Proceedings of the Linnean Society of New South Wales, vol. 117, pp. 107–34.
- Monecke, T, Gemmell, BJ & Herzig, PM 2006, 'Geology and volcanic facies architecture of the Lower Ordovician Waterloo massive sulfide deposit, Australia', *Economic Geology*, vol. 101, pp. 179–97.

- Montaggioni, LF & Braithwaite, CJR 2009, Quaternary coral reef systems: history, development processes and controlling factors, Elsevier, Amsterdam, pp. 1–532.
- Monteil, E (ed.) 2006, Australian
 Mesozoic and Cenozoic palynology
 zonations—updated to the 2004 Geologic
 Time Scale, record no. 2006/23,
 Geoscience Australia, Canberra.
- Montel, JM, Foret, S, Veschambre, M, Nicollet, C & Provost, A 1996, 'Electron microprobe dating of monazite', Chemical Geology, vol. 131, pp. 37–53.
- Montelli, R, Nolet, G, Dahlen, FA & Masters, G 2006, 'A catalogue of deep mantle plumes: new results from finite-frequency tomography', Geochemistry, Geophysics, Geosystems, vol. 7, Q111007.
- Montelli, R, Nolet, G, Dahlen, FA, Masters, G, Engdahl, ER & Hung, SH 2004, 'Finite-frequency tomography reveals a variety of plumes in the mantle', Science, vol. 303, pp. 338–43.
- Mooney, SD, Harrison, SP, Bartlein, PJ, Daniau, AL, Stevenson, J, Brownlie, KC, Buckman, S Cupper, M, Luly, J, Black, M, Colhoun, E, D'Costa, D, Dodson, J, Haberle, S, Hope, GS, Kershaw, P, Kenyon, C, McKenzie, M & Williams, N 2011, 'Late Quaternary fire regimes of Australasia', Quaternary Science Review, vol. 30, pp. 28–46.
- Moore, G 2003, The Goondicum Crater ilmenite, feldspar, apatite project, bulletin no. 38, Australian Institute of Geoscientists, pp. 33–7.
- Moore, PS 1986, 'Jurassic and Triassic stratigraphy and hydrocarbon potential of the Poolowanna Trough (Simpson Desert region), northern South Australia', Geological Society of Australia, Special Publication, vol. 12, pp. 39–51.
- Moore, PS, Pitt, GM & Dettmann, ME 1986, 'The Early Cretaceous Coorikiana Sandstone and Toolebuc Formation: their recognition and stratigraphic relationship in the south-western Eromanga Basin', Geological Society of Australia Special Publication, no. 12, pp. 97–114.
- Moore, SJ 1999, 'The petrogenesis of the Delubra Quartz Gabbro and Cheltenham Creek Monzogranite of the Rawbelle Batholith in the Mundubbera region, SE QLD', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Moores, EM 1991, 'Southwest US East Antarctic (SWEAT) connection: a hypothesis', *Geology*, vol. 19, pp. 425–8.

- Morand, VJ 1993a, 'Stratigraphy and tectonic setting of the Calliope Volcanic Assemblage, Rockhampton area, Queensland', Australian Journal of Earth Sciences, vol. 40, pp. 15–30.
- Morand, VJ 1993b, 'Structure and metamorphism of the Calliope Volcanic Assemblage: implications for Middle to Late Devonian orogeny in the northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 40, pp. 257–70.
- Morand, VJ 1997, 'Tectonic significance of the Shacks Mylonite Zone and related shear zones, northern New England Fold Belt, Queensland', Geological Society of Australia Special Publication, vol. 19, pp. 96–108.
- Morand, VJ 1998, 'Structure of the Broome Head Metamorphics and related rocks in the Shoalwater Bay area, northern New England Fold Belt', Australian Journal of Earth Sciences, vol. 45, pp. 155–67.
- Morgan, F 1993, 'Geology of the Late Triassic "Rosehall Caldera", Mount Saul area, Mundubbera district, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Morgan, R 1977, 'New dinoflagellate zones and a depositional model for the Great Australian Basin', Quarterly Notes of the Geological Survey of New South Wales, vol. 28, pp. 10–28.
- Morgan, R 1984, 'Palynology and visual geochemistry of Hudbay Bodalla South No. 1, Eromanga Basin. Appendix VIII in HOA Bodalla South 1 well completion report', unpublished report held by the Geological Survey of Queensland as CR13872.
- Morgan, R 1985, 'Appendix C, Palynology of Pancentinental Honeytin-1, Eromanga Basin. PPL Honeytin-1 well completion report', unpublished report held by the Geological Survey of Queensland as CR15020.
- Morgan, R 1987a, 'Palynology of Pancontinental Bundeena-1, Eromanga Basin. Appendix D in PPL Bundeena-1 well completion report', unpublished report held by the Geological Survey of Queensland as CR16791.
- Morgan, R 1987b, 'Palynology of Hartogen Toobunyah-5, Eromanga Basin. Appendix 9 in HEP Toobunyah-5 well completion report', unpublished report held by the Geological Survey of Queensland as CR20565.

- Morgan, R & Milne, L 1984, 'Appendix 5.
 Palynology and visual geochemistry
 of Hudbay Kyra No. 1, Eromanga
 Basin. HOA Kyra 1 well completion
 report', unpublished report
 held by the Geological Survey
 of Queensland as CR14352.
- Morgan, R & Milne, L 1985, 'Appendix 6.
 Palynology and visual geochemistry of
 Lasmo Mount Bellalie No. 1, Eromanga
 Basin. HOA Mount Bellalie 1 well
 completion report', unpublished
 report held by the Geological Survey
 of Queensland as CR14566.
- Morgan, WR 1965, The igneous geology of the Cooktown 1:250 000 sheet area, north Queensland, record no. 1965/118, Bureau of Mineral Resources, Australia, Canberra.
- Morgan, WR 1968, 'The geology and petrology of Cainozoic basaltic rocks in the Cooktown area, north Queensland', *Journal of the Geological Society of Australia*, vol. 15, pp. 65–78.
- Morley, IW 1981, Black sands: a history of the mineral sand mining industry in eastern Australia, University of Queensland Press, St Lucia, Qld.
- Mortimer, N, Hauff, F & Calvert, AT 2008, 'Continuation of the New England Orogen, Australia beneath the Queensland Plateau and Lord Howe Rise', Australian Journal of Earth Sciences, vol. 55, pp. 195–209.
- Morton, CC 1924, "Geology and mineral occurrences, Pascoe River district, Cape York Peninsula", Queensland Government Mining Journal, vol. 25, pp. 78–83, 129–34.
- Morton, CC 1945, 'Little Red Bluff, Charters Towers', *Queensland Government Mining Journal*, vol. 46, p. 234.
- Morton, JGG & Gatehouse, CG 1985, 'A revision of the Toolachee and Daralingie formations, Cooper Basin, South Australia', Geological Survey of South Australia, Quarterly Geological Notes, vol. 94, pp. 8–15.
- Morwood, DA 2002a, Mineral occurrences—Monto, Calliope and Biloela 1:100 000 sheet areas, record no. 2002/2, Geological Survey of Queensland, Brisbane.
- Morwood, DA 2002b, Mineral occurrences— Mount Morgan 1:100 000 sheet area, record no. 2002/3, Geological Survey of Queensland, Brisbane.

- Morwood, DA 2003, Mineral occurrences—Gladstone and Cape Capricorn 1:100 000 sheet areas, record no. 2003/1, Geological Survey of Queensland, Brisbane.
- Mory, AJ & Crane, DT 1982, 'Early Carboniferous Siphonodella (Conodonta) faunas from eastern Australia', Alcheringa, vol. 6, pp. 275–303.
- Moser, AP, Bajracharya, K, Woodgate, M, McMahon, GA, Heidke, K & Evans, M 2004, Coastal Burnett groundwater project, conceptual report, Department of Natural Resources and Mines, Bundaberg.
- Moss, P, McGowan, H, Westaway, M, Petherick, L & Daus, T 2009, 'Late Quaternary environments of south east Queensland', Ecology in a changing climate: two hemispheres—one globe. Abstracts of papers given at the 10th International Congress of Ecology, Brisbane, QLD, Australia, (1-1), 16–21 August, 2009.
- Moss, PT & Kershaw, AP 2007, 'A late Quaternary marine palynological record (oxygen isotope stages 1 to 7) for the humid tropics of northeastern Australia based on ODP Site 820', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 251, pp. 4–22.
- Mostert, MMR 2012, 'Geological Survey of Queensland and University of Queensland, School of Earth Sciences theses geochemistry and geochronology databases', The University of Queensland institutional digital repository, http://espace.library.uq.edu.au/view/UQ:185174).
- Mott, WD 1952, 'Oil in Queensland', Queensland Government Mining Journal, vol. 53, pp. 848-61.
- Mott, WD 1958, 'Report on A to P 35P, Cape York Peninsula. Australian Mining & Smelting Co. Ltd', Unpublished report held by the Geological Survey of Queensland as CR176.
- Moultrie, JM 1995, 'The geology, petrology and geochemistry of the Neurum Tonalite and Bellthorpe Andesite', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Mount, TJ 1981, 'Dullingari North 1 and oil discovery in the Murta Member of the Eromanga Basin', APEA Journal, vol. 21, pp. 71–7.
- Moyen, JF 2009, 'High Sr/Y and La/Yb ratios: the meaning of the "adakitic signature", *Lithos*, vol. 112, pp. 556–74.

- Muggeridge, GD 1973, 'The geology of the Booreeco Creek area, centraleast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Muirhead, J. & Archer, M. 1990, 'Nimbacinus dicksoni, a plesiomorphic thylacine (Marsupialia: Thylacinidae) from Tertiary deposits of Queensland and the Northern Territory', Memoirs of the Queensland Museum, vol. 28, pp. 203–21.
- Muirhead, J & Godthelp, H 1995, 'Fossil bandicoots of Chillagoe (northeastern Queensland) and the first known specimens of the pigfooted bandicoot Chaeropus Ogilby, 1838 from Queensland', Australian Mammalogy, vol. 19, pp. 73–6.
- Mulder, P 2010, Alpha and Kevin's Corner, Hancock Coal Pty Ltd presentation at the 6th Annual Asia Mining Congress, March 2010, http://hancockcoal.com.au/files/ Paul Mulder_MD_Hancock_Coal.pdf>.
- Muller, J, Kylander, M, Martines-Cortizas, A, Wust, RAJ, Weiss, D, Blake, K, Coles, B & Garcia-Sanchez, R 2008, 'The use of principle component analyses in characterising trace and major elemental distribution in a 55 kyr peat deposit in tropical Australia: implications to paleoclimate', Geochimica et Cosmochimica Acta, vol. 72, pp. 449–63.
- Müller, KJ & Hinz, I 1992, 'Cambrogeorginidae fam. nov., softintegumented Problematica from the Middle Cambrian of Australia', Alcheringa, vol. 16, pp. 333-53.
- Müller, KJ & Hinz-Schallreuter, I 1993, 'Palaeoscolecid worms from the Middle Cambrian of Australia', Palaeontology, vol. 36, pp. 549–92.
- Muller, PJ 1975, Mulgrave River groundwater investigations, record no. 1975/17, Geological Survey of Queensland, Brisbane.
- Muller, PJ 1978, Mulgrave River groundwater investigations. Hydrogeology of the Mulgrave River alluvial valley, record no. 1978/6, Geological Survey of Oueensland, Brisbane.
- Muller, PJ 1982, Second Australian Water Resources Council: Groundwater Committee Meeting North Stradbroke Island field excursion notes, record no. 1982/08, Geological Survey of Queensland, Brisbane.

- Muller, PJ 1987, North Stradbroke Island water resources: hydrogeological report, Eighteen Mile Swamp, Blue Lake area, Geological Survey of Queensland, Brisbane.
- Müller, RD, Dyksterhuis, S & Rey, P 2012, 'Australian paleo-stress fields and tectonic reactivation over the past 100 Ma', Australian Journal of Earth Sciences, vol. 59, pp. 13–28, doi:10.1080/08120099.2011.605801.
- Müller, RD, Gaina, & Clark 2000, 'Seafloor spreading around Australia', in JJ Veevers (ed.), Billionyear earth history of Australia and neighbours in Gondwanaland, GEMOC Press, Department of Earth and Planetary Sciences, Macquarie University, Sydney, pp. 34-50.
- Müller, RD, Gaina, C, Tikku, A, Mihut, D, Cande, SC & Stock, J 2000, 'Mesozoic/ Cainozoic tectonic events around Australia', Geophysical Monographs of the American Geophysical Union, no. 106, pp. 161–88.
- Müller, RD, Lim, VSL & Isern, AR 2000, 'Late Tertiary tectonic subsidence on the northeast Australian passive margin: response to dynamic topography?', Marine Geology, vol. 162, pp. 337–52.
- Müller, RD, Tikku, A, Mihut, D, Gaina, C, Stock, J & Cande, S 1997, The 95 Ma and 61 Ma (Chron 27) tectonic events around Australia: the relationship between absolute and relative plate motion, Abstract presented at the Chapman Conference on the History and Dynamics of Global Plate Motions, AGU, Marshall, California.
- Munrow, DL 1967, Report on groundwater investigations of the Haughton River, Irrigation and Water Supply Commission, Brisbane.
- Munrow, DL 1970, Report on groundwater investigations of Don River at Bowen, Irrigation and Water Supply Commission, Brisbane.
- Munrow, DL 1980, Groundwater allocations Don River, Bowen town common, Queensland Water Resources Commission, Brisbane.
- Munson, TJ 1979, 'Geology and rugose corals of the Jack Hills area, Broken River Province', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Munson, TJ, Ahmad, M & Dunster, JN 2012, 'Carpentaria Basin', in TJ Munson (ed.), Geology of the Northern Territory, Geological Survey of the Northern Territory, Darwin.

- Munson, TJ & Jell, JS 1999, 'Llandovery rugose corals from the Quinton Formation, Broken River Province, northeast Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 21, pp. 1–65.
- Murgulov, V 2006, 'Lithosphere evolution and metallogeny in the Georgetown Inlier and the adjacent Tasman Fold Belt, north Queensland, Australia', PhD thesis, Macquarie University, Sydney.
- Murgulov, V, Beyer, E, Griffin, WL,
 O'Reilly, SY, Walters, SG & Stephens, D
 2007, 'Crustal evolution in the
 Georgetown Inlier, north Queensland,
 Australia: a detrital zircon grain study',
 Chemical Geology, vol. 245, pp. 198–218.
- Murgulov, V, Griffin, WL & O'Reilly, SY 2009, 'Temporal and genetic relationships between the Kidston gold-bearing breccia pipe and the Lochaber ring dyke complex, north Queensland, Australia: insights from in situ U–Pb and Hfisotope analysis of zircon', Mineralogy and Petrology, vol. 95, pp. 17–45.
- Murphy, PR 1972, 'Igneous petrology of the Coolum area', BSc (Hons) thesis, University of Queensland, St Lucia, Qld.
- Murphy, PR, Schwarzböck, H, Cranfield, LC, Withnall, IW & Murray, CG 1976, Geology of the Gympie 1:250 000 sheet area, report no. 96, Geological Survey of Queensland, Brisbane.
- Murphy, PR, Trezise, DL, Hutton, LJ & Cranfield, LC 1979, 'Kurwongbah beds—a new stratigraphic unit of the D'Aguilar Block', Queensland Government Mining Journal, vol. 80, pp. 65–70.
- Murphy, PR, Trezise, DL, Hutton, LJ & Cranfield, LC 1987, Caboolture 1:100 000 geological map commentary, Geological Survey of Queensland, Brisbane.
- Murphy, SF 1995,'A hydrological study of the Condor Oil Shale deposit, Proserpine, north Queensland', BAppSc (hons) thesis, Queensland University of Technology, Brisbane.
- Murray, A 1996, 'Gold mineralisation in the Grahams Creek Volcanics, Maryborough Basin', Geological Society of Australia Abstracts, vol. 43, pp. 404–8.
- Murray, A 2010, No easy field, Ipswich coal mining 1920–2000, University of Queensland Press, St Lucia, Qld.
- Murray, CG 1968, 'Turquoise, variscite and wavellite in Queensland', Queensland Government Mining Journal, vol. 69, pp. 337-41.

- Murray, CG 1969, The petrology of the ultramafic rocks of the Rockhampton district, Queensland, publication no. 343, Geological Survey of Queensland, Brisbane.
- Murray, CG 1975, Port Clinton (SF56-9), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Murray, CG 1983, 'Permian geology of Queensland', Proceedings of the Symposium on the Permian Geology of Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–32.
- Murray, CG 1985, 'Tectonic setting of the Bowen Basin', Geological Society of Australia Abstracts, vol. 17, pp. 5–16.
- Murray, CG 1986, 'Metallogeny and tectonic development of the Tasman Fold Belt system in Queensland', Ore Geology Reviews, vol. 1, pp. 315–400.
- Murray, CG 1987a, 'Tectonic evolution and metallogenesis of the New England Fold Belt, eastern Australia', Proceedings of the Pacific Rim Congress 87, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 353–8.
- Murray, CG 1987b, 'Review of the geology of the Gympie district, southeast Queensland, with particular reference to stratigraphic, structural and tectonic problems', in CG Murray & JB Waterhouse (eds), 1987 field conference Gympie district, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–19.
- Murray, CG 1988, 'Tectonic evolution and metallogenesis of the New England Orogen', in JD Kleeman (ed.), New England Orogen—tectonics and metallogenesis, Department of Geology and Geophysics, University of New England, Armidale, pp. 204–10.
- Murray, CG 1990a, 'Summary of geological developments along the Eromanga— Brisbane Geoscience Transect', Bulletin of the Bureau of Mineral Resources Australia, vol. 232, pp. 11–20.
- Murray, CG 1990b, 'Tectonic evolution and metallogenesis of the Bowen Basin', in JW Beeston (ed.), Proceedings of the Bowen Basin Symposium 1990, Geological Society of Australia, Queensland Division, Brisbane, pp. 201–12.
- Murray, CG 1990c, 'Tasman Fold Belt in Queensland', Monograph of the Australasian Institute of Mining and Metallurgy, no. 14, pp. 1431–50.

- Murray, CG 1994a, Basement cores from the Tasman Fold Belt System beneath the Great Artesian Basin in Queensland, record no. 1994/10, Geological Survey of Queensland, Brisbane.
- Murray, CG 1994b, Yarrol Project 1993– 2000—a review of available information, data requirements, and mapping priorities, record no. 1994/18, Geological Survey of Queensland, Brisbane.
- Murray, CG, 1997a, 'Basement terranes beneath the Bowen and Surat basins, Queensland', in PM Green (ed.), The Surat and Bowen basins, south-east Queensland, Queensland Minerals and Energy Review Series no. 1, Geological Survey of Queensland, Brisbane, pp. 13-40.
- Murray, CG 1997b, 'From geosyncline to fold belt: a personal perspective on the development of ideas regarding the tectonic evolution of the New England Orogen', Geological Society of Australia, Special Publication, no. 19, pp. 1–28.
- Murray, CG 2003, Granites of the northern New England Orogen, record no. 2003/14, Geoscience Australia, Canberra, pp. 101–8.
- Murray, CG 2007a, 'Devonian suprasubduction zone setting for the Princhester and Northumberland serpentinites: implications for the tectonic evolution of the northern New England Orogen', Australian Journal of Earth Sciences, vol. 54, pp. 899–925.
- Murray, CG 2007b, 'The Stanwell Coal Measures: a century of confusion', Proceedings of the Digging Deeper Conference, 2007, Geological Survey of Queensland, Brisbane, pp. 1–41.
- Murray, CG & Blake, PR 2005, 'Geochemical discrimination of tectonic setting for Devonian basalts of the Yarrol Province of the New England Orogen, central coastal Queensland: an empirical approach', Australian Journal of Earth Sciences, vol. 52, pp. 993–1034.
- Murray, CG, Blake, PR, Crouch, SBS, Hayward, MA, Robertson, ADC & Simpson, GA 2012, 'Geology of the Yarrol Province and associated rocks of the northern New England Orogen', Queensland Geology, vol. 13, pp. 1–524.
- Murray, CG, Blake, PR, Hutton, LJ,
 Withnall, IW, Hayward, MA, Simpson, GA
 & Fordham, BG 2003, 'Discussion.
 Yarrol terrane of the northern
 New England Fold Belt: forearc or
 backarc?', Australian Journal of Earth
 Sciences, vol. 50, pp. 271-8.

- Murray, CG & Cranfield, LC 1989, 'Geology of the Rockhampton region', in WG Whitaker (ed.), 1989 field conference, Rockhampton region, Geological Society of Australia, Queensland Division, Brisbane, pp. 1–19.
- Murray, CG, Fergusson, CL, Flood, PG, Whitaker, WG & Korsch, RJ 1987, 'Plate tectonic model for the Carboniferous evolution of the New England Fold Belt', Australian Journal of Earth Sciences, vol. 34, pp. 213–36.
- Murray, CG, Holcombe, RJ & Ishiga, H 1989, 'Suspect terranes of the Gympie Province, New England Fold Belt', Geological Society of Australia Abstracts, vol. 24, pp. 99–100.
- Murray, CG & Kirkegaard, AG 1978, 'The Thomson Orogen of the Tasman Orogenic Zone', *Tectonophysics*, vol. 48, pp. 299–325.
- Murray, CG, McClung, GR & Whitaker, WG 1979, 'Early Permian fossils from the Amamoor beds and the age of the Booloumba beds—a new stratigraphic unit of the North D'Aguilar Block', Queensland Government Mining Journal, vol. 80, pp. 71–8.
- Murray, CG, Scheibner, E & Walker, RN 1989, 'Regional geological interpretation of a digital coloured residual Bouguer gravity image of eastern Australia with a wavelength cut-off of 250 km', Australian Journal of Earth Sciences, vol. 36, pp. 423–49.
- Murray, CG & Whitaker, WG 1982,

 'A review of the stratigraphy, structure and regional tectonic setting of the Brisbane Metamorphics', in PG Flood & BN Runnegar (eds), New England geology, Proceedings of a symposium on the geology of New England area, Armidale, July 1982, Department of Geology & AHV Club, University of New England, Armidale, pp. 79–94.
- Murray, CG, Whitaker, WG, Wilson, IH, Hekel, HK, Grimes, KG, Stephens, AW, Cranfield, LC, Withnall, IW, Jones, MR, Hutton, LJ, Green, PM, McLeod, RL, Donchak, PJT & Warnick, JV 1980, Regional mapping, annual report for 1980, Queensland Department of Mines, Brisbane, pp. 79–82.
- Murray, CG, Wilson, IH, Grimes, KG, Cranfield, LC, Withnall, IW, Stephens, AW, Bultitude, RJ, Jones, MR, Hutton, LJ, Donchak, PJT, Warnick, JV & Schneider, SE 1981, Regional mapping, annual report for 1981, Queensland Department of Mines, Brisbane, pp. 94-6.

- Murray, RS 1979, 'Olive River area, Cape York Peninsula, final report on Authorities to Prospect 173C & 183C', unpublished report held by the Geological Survey of Queensland as CR7653.
- Musakti, OT 1997, 'Regional sequence stratigraphy of a non-marine intracratonic succession; the Hooray Sandstone and Cadnaowie Formation, Eromanga Basin, Queensland', MSc thesis, Queensland University of Technology, Brisbane.
- Muscio, V 1994, 'Structural analysis of the Nob Creek region, Marlborough Block, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Mustard, R 2004, 'Textural, mineralogical and geochemical variation in the zoned Timbarra Tablelands pluton, New South Wales', Australian Journal of Earth Sciences, vol. 51, pp. 385–405.
- Mustard, R, Nielsen, R & Ruxton, PA 1998, 'Timbarra gold deposits', in DA Berkman & DH Mackenzie (eds), Geology of Australian and Papua New Guinean mineral deposits, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 551–60.
- Mutter, JC 1972, A structural analysis of the Gulf of Papua and northwest Coral Sea region, record no. 1972/134, Bureau of Mineral Resources, Australia, Canberra.
- Mutter, JC 1977, 'The Queensland Plateau', Bulletin of the Bureau of Mineral Resources, Australia, vol. 179, pp. 1–55.
- Mutter, JC & Karner, GD 1980, 'The continental margin of northeastern Australia', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 47–69.
- Mutton, AJ 2003, Queensland coals: physical and chemical properties, colliery and company information, 14th edn, Department of Natural Resources and Mines, Brisbane.
- Myers, JS, Shaw, RD & Tyler, IM 1996, 'Tectonic evolution of Proterozoic Australia', *Tectonics*, vol. 15, pp. 1431–46.
- Myatt, B (ed.) 1972, Australian and New Zealand gemstones, Paul Hamlyn, Sydney.

- Nakanishi, T & Lang, SC 2001, 'The search for stratigraphic traps goes on—visualisation of fluvial—lacustrine successions in the Moorari 3D Survey, Cooper—Eromanga Basin', APPEA Journal, vol. 41, pp. 115–38.
- Nanson, GC, Chen, XY & Price, DM 1992, 'Lateral migration, thermoluminescence chronology and colour variation of longitudinal dunes near Birdsville in the Simpson Desert, central Australia', Earth Surface Processes and Landforms, vol. 17, pp. 807–19.
- Nanson, GC, Price, DM, Jones, BG, Maroulis, JC, Coleman, M, Bowman, H, Cohen, TJ, Pietsch, TJ & Larsen, JR 2008, 'Alluvial evidence for major climate and flow regime changes during the middle and late Quaternary in eastern central Australia', Geomorphology, vol. 101, pp. 109–29.
- Nanson, GC, Price, DM & Short, SA 1992, 'Wetting and drying of Australia over the past 300 ka', Geology, vol. 20, pp. 791–94.
- Nanson, GC, Price, DM, Short, SA, Young, RS & Jones, BG 1991, 'Comparative Uranium-Thorium and Thermoluminescence dating of weathered Quaternary alluvium in the tropics of northern Australia', Quaternary Research, vol. 35, pp. 347-66.
- NAO-see Nortex Australian Oils Ltd.
- Neale, RC 1968, 'The petrology of the Ridler Syenite', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Nebel, O, Scherer, EE & Mezger, K 2011, 'Evaluation of the Rubidium decay constant by age comparison against the U-Pb system', Earth and Planetary Science Letters, vol. 301, pp. 1-8.
- Needham, DT 1995, 'Mechanisms of melange formation; examples from SW Japan and southern Scotland', Journal of Structural Geology, vol. 17, pp. 971–85.
- Neil, D 1998, 'Moreton Bay and its catchment: seascape and landscape, development and degradation', in IR Tibbetts, NJ Hall & WC Dennison (eds), Moreton Bay and catchment, School of Marine Science, University of Queensland, St Lucia, Qld, pp. 3–54.
- Nelson, PN, Whitehead, PW & Link, CA 2010, 'Buried lava flows crossing the Great Divide in north Queensland: discovery using magnetic methods, and implications for hydrology', Australian Journal of Earth Sciences, vol. 57, pp. 279–89.

- Nesbitt, HW & Young, GM 1982, 'Early Proterozoic climates and plate motions inferred from major element chemistry of lutites', Nature, vol. 299, pp. 715–17.
- Neumann, AC & MacIntyre, IG 1985, 'Reef response of sea level rise: keep up, catch up or give up', Proceedings of the Fifth International Coral Reef Symposium, Tahiti, vol. 3, pp. 105-10.
- Neumann, NL & Fraser, GL (eds) 2007, Geochronological synthesis and timespace plots for Proterozoic Australia, record no. 2007/06, Geoscience Australia, Canberra, pp. 52–73.
- Neumann, NL, Gibson, GM & Southgate, PN 2009, 'New SHRIMP age constraints on the timing and duration of magmatism and sedimentation in the Mary Kathleen Fold Belt, Mount Isa Inlier, Australia', Australian Journal of Earth Sciences, vol. 56, pp. 965–83.
- Neumann, NL & Kositcin, N 2011, New SHRIMP U-Pb zircon ages from north Queensland 2007-2010, record no. 2011/38, Geoscience Australia, Canberra.
- Neumann, NL, Southgate, PN & Gibson, GM 2009, 'Defining unconformities in Proterozoic sedimentary basins using detrital geochronology and basin analysis—an example from the Mount Isa Inlier, Australia', Precambrian Research, vol. 168, pp. 149–66.
- Neumann, NL, Southgate, PN, Gibson, GM & McIntyre, A 2006, 'New SHRIMP geochronology for the Western Fold Belt of the Mount Isa Inlier: developing an 1800–1650 Ma event framework', Australian Journal of Earth Sciences, vol. 53, pp. 1023–39.
- Neumann, Nt., Southgate, PN, McIntyre, A & Gibson, GM 2005, 'New data on rock ages from Mt Isa Inlier', AusGeo News, no. 78, pp. 1–3.
- Neville, BJ & von Gnielinski, F 1999, 'Sapphire and ruby in Australia', Queensland Government Mining Journal, vol. 100, pp. 6–12.
- Neville, BJ, Willmott, WF, O'Flynn, ML & Potter, R 2000, Key resource areas for sandstone building stone, extractive materials and explosives industry, Helidon area, Key Resource Areas report no. 3, Department of Mines and Energy, Brisbane.
- Newberry, TL 1998, 'Weathering history and supergene gold transport in the Mount Leyshon Deposit, northeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.

- Ng, M 2002, 'Catalogue of meteorites, tektites and associated material from the University of Queensland collection', Memoirs of the Queensland Museum, vol. 48, pp. 173–80.
- Nichols, W 1995, 'Callide Coalfields EPC188 sub-block relinquishment July 1995', unpublished report held by the Geological Survey of Queensland as CR27253.
- Nicoll, RS 1988, Preliminary analysis of conodonts from the Mulgrave Formation (Upper Ordovician), north Queensland, professional opinion 1988/002, Bureau of Mineral Resources, Australia, Canberra.
- Nieper, C 1966, 'Stratigraphy and structure of the Pine Mountain area, near Ipswich, south-east Queensland', University of Queensland Papers Department of Geology, vol. 5, no. 13, pp. 1–20.
- Nind, MAP 1988, 'Age of the Campaspe Formation, north Queensland', Search, vol. 19, pp. 30–2.
- Nishiya, T, Watanabe, T, Yokoyama, K & Kuramoto, Y 2003, 'New isotopic constraints on the age of the Halls Reward Metamorphics, north Queensland, Australia: Delamerian metamorphic ages and Grenville detrital zircons', Gondwana Research, vol. 6, pp. 241-9.
- Noakes, LC, Carter, EK & Öpik, AA 1959, Urandangi (SF54-5), Queensland, 4 mile geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Noakes, LC & Traves, DM 1954.

 Outline of the geology of the Barkly region, report no. 3, CSIRO, Land Research Series, pp. 34–41.
- Noon, TA 1972, 'Geology of the Mount Cooroy area near Gympie, southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Noon, TA 1979, 'Sedimentary uranium: a review of exploration in Queensland', Queensland Government Mining Journal, vol. 80, pp. 553-67.
- Noon, TA 1980, 'Stratigraphic drilling report GSQ Rockhampton 1', Queensland Government Mining Journal, vol. 81, pp. 261-6.
- Noon, TA 1982a, 'Stratigraphic drilling report GSQ Monto 5', Queensland Government Mining Journal, vol. 83, pp. 450-5.

- Noon, TA 1982b, 65Q Duaringa 1-2r & 3-5rd—preliminary lithologic logs and composite logs, record no. 1982/40, Geological Survey of Queensland, Brisbane.
- Noon, TA 1984, Review of oil shale in Queensland, record no. 1984/56, Geological Survey of Queensland, Brisbane.
- Noon, TA & Coote, SM 1986, Preliminary lithologic log and composite log, record no. 1986/42, Geological Survey of Queensland, Brisbane.
- Nortex Australian Oils Ltd (NAO) 1962, 'A-P 78P, Nortex Australian Oils Ltd, Nortex Jambin No. 1 & No. 2 Wells', unpublished report held by the Geological Survey of Queensland as CR848.
- Norvick, M 1974, Permian and late Carboniferous palynostratigraphy of the Galilee Basin, Queensland, record no. 1974/141, Bureau of Mineral Resources, Australia, Canberra.
- Norvick, MS, Langford, RP, Rollet, N,
 Hashimoto, T, Higgins, KL & Morse, MP
 2008, 'New insights into the evolution
 of the Lord Howe Rise (Capel and Faust
 basins), offshore eastern Australia,
 from terrane and geophysical data
 analysis', in JE Blevin, BE Bradshaw &
 C Uruski (eds), Eastern Australasian
 Basins Symposium III: energy security
 for the 21st century, Petroleum
 Exploration Society of Australia Special
 Publication, Melbourne, pp. 291–310.
- Norvick, MS, Smith, MA & Power, MR 2001, 'The plate tectonic evolution of eastern Australasia guided by the stratigraphy of the Gippsland Basin', in KC Hill & TBernecker (eds), Eastern Australasian Basins Symposium: a refocussed energy perspective for the future, Petroleum Exploration Society of Australia Special Publication, pp. 15–24.
- Nott, J 2007, 'The importance of Quaternary records in reducing risk from tropical cyclones', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 251, pp. 137–49.
- Nott, J 2009, 'Long-term natural variability of tropical cyclones in Australia', in JB Elsner & TH Jagger (eds), Hurricanes and climate change, Springer, New York, pp. 35–59.
- Nott, J 2011, 'Tropical cyclones, global climate change and the role of Quaternary studies', Journal of Quaternary Science, vol. 26, pp. 468–73.

- Nott, J, Haig, J, Neil, H & Gillieson, D 2007, 'Greater frequency variability of landfalling tropical cyclones at centennial compared to seasonal and decadal scales', Earth and Planetary Science Letters, vol. 255, pp. 367–72.
- Nott, JF, Thomas, MF & Price, DM 2001, 'Alluvial fans, landslides and Late Quaternary climatic change in the wet tropics of northeast Queensland', Australian Journal of Earth Sciences, vol. 48, pp. 875–82.
- Nunn, RH 1982, 'Sonne SO-15 cruise 1980 off the east coast of Australia, seismic results—Fraser Island', *Geologisches Jahrbuch*, vol. D56, pp. 105–10.
- Oakes, GM, Barron, LM & Lishmund, SR 1996, 'Alkall basalts and associated volcaniclastic rocks as a source of sapphire in eastern Australia', Australian Journal of Earth Sciences, vol. 43, pp. 289-98.
- O'Brien, PE, Korsch, RJ, Wells, AT, Sexton, MJ & Wake-Dyster, KD 1990, 'Mesozoic basins at the eastern end of the Eromanga-Brisbane Geoscience Transect: strike-slip faulting and basin development', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 117-32.
- O'Brien, PE, Korsch, RJ, Wells, AT, Sexton, MJ & Wake-Dyster, KD 1994, 'Structure and tectonics of the Clarence-Moreton Basin', Bulletin of the Bureau of Mineral Resources, Australia, vol. 241, pp. 195–216.
- O'Brien, PE & Wells, AT 1994, 'Sedimentology of the Bundamba Group', Bulletin of the Bureau of Mineral Resources, Australia, vol. 241, pp. 72–137.
- O'Connell, SA 1995, 'Geology and structure of the Aeroview area, Rockhampton region, central Queensland: Implications for mineralisation of the Lower Permian Rookwood Volcanics', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- O'Dea, MG, Betts, PG, MacCready, T & Ailleres, L 1997a, Sequential development of a mid-crustal fold-thrust complex in the eastern Mount Isa Inlier, Australia, publication no. 47, Australian Crustal Research Centre, p. 28.
- O'Dea, MG, Betts, PG, MacCready T & Ailleres, L 2006, 'Sequential development of a mid-crustal fold-thrust complex: evidence from the Mitakoodi Culmination in the eastern Mount Isa Inlier, Australia', Australian Journal of Earth Sciences, vol. 53, pp. 69–90.

- O'Dea, MG & Lister, GS 1995, 'The role of ductility contrast and basement architecture in the structural evolution of the Crystal Creek Block, Mount Isa Inlier, NW Queensland, Australia', Journal of Structural Geology, vol. 17, pp. 949–60.
- O'Dea, MG, Lister, GS, Betts, PG & Pound, KS 1997b, 'A shortened intraplate rift system in the Proterozoic Mount Isa Terrane, NW Queensland, Australia', Tectonics, vol. 16, pp. 425–41.
- O'Dea, MG, Lister, GS, MacCready, T, Betts, PG, Oliver, NHS, Pound, KS, Huang, W & Valenta, RK 1997c, 'Geodynamic evolution of the Proterozoic Mount Isa Inlier', Geological Society of London, Special Publication, vol. 121, pp. 99–122.
- O'Dea, TR 1964, 'ML 5532 (Mount Isa), Big River, Bong Bong, Welcome Strike beryl deposits', unpublished report held by the Geological Survey of Queensland as CR1226.
- Offler, R & Foster, DA 2008, 'Timing and development of oroclines in the southern New England Orogen, New South Wales', Australian Journal of Earth Sciences, vol. 55, pp. 331–40.
- Offler, R & Gamble, J 2002, 'Evolution of an intra-oceanic island arc during the Late Silurian to Late Devonian, New England Fold Belt', Australian Journal of Earth Sciences, vol. 49, pp. 349–66.
- Offler, R & Murray, CG 2011, 'Devonian volcanics in the New England Orogen: tectonic setting and polarity', *Gondwana Research*, vol. 19, pp. 706–15.
- Offler, R, Phillips, G, Fergusson, CL & Green, TJ 2011, 'Tectonic implications of early Paleozoic metamorphism in the Anakie Inlier, central Queensland', Journal of Geology, vol. 119, pp. 467–85.
- O'Flynn, ML 1978, Rock slope stability survey, Brookfield-Moggill area, record no. 1978/47, Geological Survey of Queensland, Brisbane.
- O'Flynn, ML 1992, Resources of extractive materials in the eastern Moreton region, Queensland Resource Industries Review Series, Department of Resource Industries, Brisbane.
- O'Flynn, ML, Holmes, KH & Trezise, DL 1983, Industrial rock and mineral resources of the Brisbane and Caboolture 1:100 000 sheet areas, publication no. 382, Geological Survey of Queensland, Brisbane.

- Ogg, JG, Ogg, G & Gradstein, FM 2008, The concise geologic time scale, Cambridge University Press, 177 pp.
- Ogilvie, C 1955, Artesian water supplies in Queensland, Appendix H, the hydrology of the Queensland portion of the Great Artesian Basin, Department of the Co-ordinator General of Public Works, Parliamentary Paper A, 56-1955, Government Printer, Brisbane, pp. 23-61.
- O'Hanley, DS 1995, Serpentinites: recorders of tectonic and petrological history, Oxford Monographs on Geology and Geophysics, no. 32, Oxford University Press, New York.
- Olgers, F 1969, Emerald (SF/55-15), Queensland, 1:250 000 geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Olgers, F 1970, Buchanan (SF/55-6), Queensland, 1:250 000 geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Olgers, F 1972, 'Geology of the Drummond Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 132, pp. 1–76.
- Olgers, F 1974, Warwick (SH56-2), Queensland and New South Wales, 1:250 000 geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Olgers, F & Flood, PG 1970, 'An angular Permian/Carboniferous unconformity in south-eastern Queensland and north-eastern New South Wales', Journal of the Geological Society of Australia, vol. 17, pp. 81–6.
- Olgers, F, Flood, PG & Robertson, AD 1974, Palaeozoic geology of the Warwick and Goondiwindi 1:250 000 sheet areas, Queensland and New South Wales, report no. 164, Bureau of Mineral Resources, Australia, Canberra.
- Oliver, NHS, Rubenach, MJ, Fu, B, Baker, T, Blenkinsop, TG, Cleverley, JS, Marshall, LJ & Ridd, PJ 2006, 'Graniterelated overpressure and volatile release in the mid crust: fluidized breccias from the Cloncurry district, Australia', Geofluids, vol. 6, pp. 346-58.
- Oliver, NHS, Holcombe, RJ, Hill, EJ & Pearson, PJ 1991, 'Tectonometamorphic evolution of the Mary Kathleen Fold Belt, northwest Queensland: a reflection of mantle plume processes?', Australian Journal of Earth Sciences, vol. 38, pp. 425–55.

- Ollier, CD 1978, 'Chapter two: silcrete and weathering', in T Langford-Smith (ed.), Silcretes in Australia, Department of Geography, University of New England, Armidale, pp. 13–18.
- O'Neil, JR, Shaw, SE & Flood, RH 1977, 'Oxygen and hydrogen isotope compositions as indicators of granite genesis in the New England Batholith, Australia', Contributions to Mineralogy and Petrology, vol. 62, pp. 313–28.
- Oosting, AM 2004, Palaeoenvironmental and climatic changes in Australia during the Early Cretaceous. Chapter 3 Environmental reconstructions for the Aptian (mid-Cretaceous) of the Carpentaria Basin (NE Australia) by means of geochemical and palynological records from BMR Mossman 1, Biologie Proefschriften, Utrecht University.
- Öpik, AA 1957a, 'Cambrian geology of Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 49, pp. 1–24.
- Öpik, AA 1957b, 'Cambrian palaeogeography of Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 49, pp. 239–84.
- Čpik, AA 1960, 'Cambrian and Ordovician geology', Journal of the Geological Society of Australia, vol. 7, pp. 90–109.
- Öpik, AA 1961, 'The geology and palaeontology of the headwaters of the Burke River, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 53, pp. 1–249.
- Öpik, AA 1963, 'Early Upper Cambrian fossils from Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 64, pp. 1–133.
- Öpik, AA 1967, 'The Mindyallan fauna of north-western Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 74, pp. 1–404.
- Öpik, AA 1968, 'Ordian (Cambrian)
 Crustacea Bradoriida of Australia',
 Bulletin of the Bureau of Mineral
 Resources, Australia, vol. 103, pp. 1–37.
- Ópik, AA 1970a, 'Nepeid trilobites of the Middle Cambrian of northern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 113, pp. 1–48.
- Öpik, AA 1970b, 'Redlichia of the Ordian (Cambrian) of northern Australia and New South Wales', Bulletin of the Bureau of Mineral Resources, Australia, vol. 114, pp. 1–67.

- Öpik, AA 1975, 'Templetonian and Ordian xystridurid trilobites of Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 121, pp. 1–84.
- Öpik, AA 1979, 'Middle Cambrian agnostids: systematics and biostratigraphy', Bulletin of the Bureau of Mineral Resources, Australia, vol. 172, pp. 1–188.
- Öpik, AA 1982, 'Dolichometopid trilobites of Queensland, Northern Territory and New South Wales', Bulletin of the Bureau of Mineral Resources, Australia, vol. 175, pp. 1–85.
- Oppel, TW 1969, 'Tenneco-Signal Anchor Cay number 1, offshore Queensland, well completion report', unpublished report held by Geological Survey of Queensland as CR2807.
- Oppel, TW 1970, 'Exploration of the southwest flank of the Papuan Basin', APEA Journal, vol. 10, pp. 62–9.
- Orange, DL & Underwood, MB 1995, 'Patterns of thermal maturity as diagnostic criteria for the interpretation of melanges', Geology, vol. 23, pp. 1144–8.
- O'Reilly, K 1999, 'EPC 581Rugby relinquishment and final report for the period 26 July 1998 to 12 August 1999, a report prepared for BHPCoal Pty Ltd', unpublished report held by the Geological Survey of Queensland as CR31306.
- O'Reilly, SY & Griffin, TJ 1990, 'Geophysical and petrologic properties of the crust/mantle boundary region, eastern Australia: relevance to the Eromanga-Brisbane Transect', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 203–12.
- O'Reilly, SY & Griffin, WL 1987, 'Eastern Australia—4000 kilometres of mantle samples', in PH Nixon (ed.), *Mantle* xenoliths, Chichester, John Wiley & Sons, New York, pp. 267–280.
- O'Reilly, SY & Zhang, M 1995, 'Geochemical characteristics of lava-field basalts from eastern Australia and inferred sources: connections with the subcontinental lithospheric mantle', Contributions in Mineralogy and Petrology, vol. 121, pp. 148–70.
- Orme, GR 1977, 'The Coral Sea Plateau—a major reef province', in OA Jones & R Endean (eds), *Biology and geology of* coral reefs, vol. 4, geology 2, Academic Press, London, pp. 267–306.

- Orme, GR 1985, 'The sedimentological importance of Halimeda in the development of back reef lithofacies, northern Great Barrier Reef (Australia)', Proceedings of Sixth International Coral Reef Symposium, vol. 5, pp. 31–7.
- Orme, GR & Flood, PG 1980,

 'Sedimentation in the Great Barrier Reef
 Province, adjacent bays and estuaries',
 in RA Henderson & PJ Stephenson
 (eds), Geology and geophysics of
 northeastern Australia, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 419–34.
- Orme, GR, Flood, PG & Ewart, A 1974, 'An investigation of sediments and physiography of Lady Musgrave Reef preliminary account', Proceedings of the Second International Coral Reef Symposium, vol. 2, The Great Barrier Reef Committee, Brisbane, pp. 371–86.
- Orme GR, Flood, PG & Sargent, GEG 1978, 'Sedimentation trends in the lee of outer (ribbon) reefs, northern region of the Great Barrier Reef Province', Philosophical Transactions of the Royal Society of London, series A, vol. 291, pp. 85–99.
- Orme, GR & Salama, MS 1988, 'Form and seismic stratigraphy of Halimeda banks in part of the northern Great Barrier Reef Province', Coral Reefs, vol. 6, pp. 131–7.
- Ort, MH, Coira, BL & Mazzoni, MM 1996, 'Generation of a crust-mantle magma mixture: magma sources and contamination at Cerro Panizos, central Andes', Contributions to Mineralogy and Petrology, vol. 123, pp. 308–22.
- Osborne, N 1956, 'The sedimentary basins of the Australian territory of Papua and New Guinea', Proceedings of the 20th International Geological Congress, International Union of Geological Sciences, Mexico City, pp. 227–35.
- O'Shea, JA 1967, 'Replenishment of underground water supplies—Burdekin Delta, Queensland', *Transactions* of the Institute of Engineers, Civil Engineering, CE9, pp. 117–126.
- O'Shea, JA 1985, A review of the Burdekin Delta recharge scheme, Queensland Water Resources Commission, Brisbane.
- Osman, AH & Wilson, RG 1975, 'Blair Athol coal-field', in DM Traves, D King & CL Knight (eds), Economic geology of Australia and Papua New Guinea, Volume 2—Coal, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 376–80.

- O'Sullivan, PB, Orr, M, O'Sullivan, AJ & Gleadow, JW 1999, 'Episodic late Palaeozoic to Cenozoic denudation of the southeastern highlands of Australia: evidence from the Bogong High Plains, Victoria', Australian Journal of Earth Sciences, vol. 46, pp. 199–216.
- Oversby, BS 1985, 'Northern subprovince', International Union of Geological Sciences Publications, vol. 20, pp. 71–5.
- Oversby, BS, Black, LP & Sheraton, JW 1980, 'Late Palaeozoic continental volcanism in northeastern Australia', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 247–68.
- Oversby, BS & Mackenzie, DE 1994, Geology of late Palaeozoic ignimbrites and associated rocks in the Georgetown Region, northeastern Queensland, record no. 1994/20, Australian Geological Survey Organisation, Canberra.
- Oversby, BS & Mackenzie, DE 1997, 'Newcastle Range Volcanic Group', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 40–1.
- Oversby, BS, Mackenzie, DE, McPhie, J, Law, SR & Wyborn, D 1994, The geology of Palaeozoic volcanic and associated rocks in the Burdekin Falls Dam—"Conway" area, northeastern Queensland, record no. 1994/21, Australian Geological Survey Organisation, Canberra.
- Oversby, BS, Reinks, IP & Mackenzie, DE 1997, Geology of the Timber Top Volcanic Subgroup (Featherbed Volcanic Group) and associated rocks, Mount Mulligan area, North Queensland, record no. 1997/53, Australian Geological Survey Organisation, Canberra.
- Owen, HB 1954, 'Bauxite in Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 24, pp. 1–234.
- Oyarzun, R, Marquez, A, Lillo, J, Lopez, I & Rivera, S 2001, 'Giant versus small porphyry copper deposits of Cenozoic age in northern Chile: adakitic versus normal calc-alkaline magmatism', Mineralium Deposita, vol. 36, pp. 794–8.

- Oyarzun, R, Marquez, A, Lillo, J, Lopez, I & Rivera, S 2002, 'Reply to discussion on "Giant versus small porphyry copper deposits of Cenozoic age in northern Chile: adakitic versus normal calc-alkaline magmatism" by Oyarzun, R, Marquez, A, Lillo, J, Lopez, I & Rivera, S (Mineralium Deposita, vol. 36, 794–798, 2001)', Mineralium Deposita, vol. 37, pp. 795–99.
- Ozimic, S & Saxby, JD 1983, Oil shale methodology: an examination of the Toolebuc Formation and the laterally contiguous time equivalent units, Eromanga and Carpentaria basins, end of grant report no. 194, Bureau of Mineral Resources and CSIRO, Canberra, 4 fische.
- Packham, GH 1969, 'Tamworth area', Journal of the Geological Society of Australia, vol. 16, pp. 230-1.
- Packham, GH & Andrews, JE 1975, 'Introduction and principal results: Leg 30, deep sea drilling project', Initial Reports of the Deep Sea Drilling Project, vol. 30, pp. 3–12.
- Page, MC, Dickens, GR & Dunbar, GB 2003, 'Tropical view of Quaternary sequence stratigraphy: siliciclastic accumulation on slopes east of the Great Barrier Reef since the Last Glacial Maximum', Geology, vol. 11, pp. 1013–16.
- Page, RW 1981, 'Depositional ages of the stratiform base metal deposits at Mount Isa and McArthur River, Australia, based on U-Pb zircon dating of concordant tuff horizons', Economic Geology, vol. 76, pp. 648-58.
- Page, RW 1983a, 'Chronology of magmatism, skarn formation, and uranium mineralisation, Mary Kathleen, Queensland, Australia', Economic Geology, vol. 78, pp. 838–53.
- Page, RW 1983b, 'Timing of superimposed volcanism in the Proterozoic Mount Isa Inlier, Australia', *Precambrian Research*, vol. 21, pp. 223–45.
- Page, RW 1988, 'Geochronology of Early to Middle Proterozoic fold belts in northern Australia: a review', Precambrian Research, vol. 40-41, pp. 1-19.
- Page, RW, Jackson, MJ & Krassay, AA 2000, "Constraining sequence stratigraphy in north Australian basins: SHRIMP U-Pb zircon geochronology between Mt Isa and McArthur River', Australian Journal of Earth Sciences, vol. 47, pp. 431-59.

- Page, RW & Bell, TH 1986, Isotopic and structural responses of granite to successive deformation and metamorphism', *Journal of Geology*, vol. 94, pp. 365–79.
- Page, RW & Laing, WP 1992, 'Felsic metavolcanic rocks related to the Broken Hill Pb-Zn-Ag orebody, Australia: Geology, depositional age, and timing of high-grade metamorphism', Economic Geology, vol. 87, pp. 2138-68.
- Page, RW & Sun, SS 1996, 'Age and provenance of granitic rocks and host sequences in the Mount Isa Eastern Succession', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 55, pp. 95–98.
- Page, RW & Sun, SS 1998, 'Aspects of geochronology and crustal evolution in the Eastern Fold Belt, Mt Isa Inlier', Australian Journal of Earth Sciences, vol. 45, pp. 343–61.
- Page, RW & Sweet, IP 1998, 'Geochronology of basin phases in the western Mount Isa Inlier, and correlation with the McArthur Basin', Australian Journal of Earth Sciences, vol. 45, pp. 219–32.
- Page, RW & Williams, IS 1988, 'Age of the Barramundi Orogeny in northern Australia by means of ion microprobe and conventional U-Pb zircon studies', Precambrian Research, vol. 40-41, pp. 21-36.
- Paillard, D 2001, 'Glacial cycles: toward a new paradigm', Revue Geophysique, vol. 39, pp. 325–46.
- Pain, CF & Ollier, CD 1995, 'Inversion of relief—a component of landscape evolution', Geomorphology, vol. 12, pp. 151–65.
- Pain, CF, Wilford, JE & Dohrenwend, JC 1997, 'Regolith of Cape York Peninsula', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 419–28.
- Paine, AGL, Clarke, DE & Gregory, CM 1974, Geology of the northern half of the Bowen 1:250 000 sheet area, Queensland (with additions to the geology of the southern half), report no. 145, Bureau of Mineral Resources, Australia, Canberra.
- Paine, AGL, Gregory, CM & Clarke, DE 1970, Geology of the Ayr 1:250 000 sheet area, Queensland, report no. 128, Bureau of Mineral Resources, Australia, Canberra.

- Paine, AGL, Harding, RR & Clarke, DE 1971, Geology of the northeastern part of the Hughenden 1:250 000 sheet area, Queensland (with additions to the geology of the southern half), report no. 126, Bureau of Mineral Resources, Australia, Canberra.
- Palethorpe, CE 1968, 'Geology of serpentinites and associated rocks of the Rossmore district, Kilkivan. Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Palethorpe, CE 1972, 'A geochemical and geotectonic comparison of selected Australian ultramafic associations', PhD thesis, University of Queensland, St Lucia, Qld.
- Palmieri, V 1969, Upper Carboniferous conodonts from limestone near Murgon, southeast Queensland, publication no. 341, Geological Survey of Queensland, Brisbane.
- Palmieri, V 1971, Tertiary subsurface biostratigraphy of the Capricorn Basin, report no. 52, Geological Survey of Queensland, Brisbane.
- Palmieri, V 1973, 'Comparison of correlation methods for planktonic and larger Foraminifera in the Capricorn Basin, Queensland', Queensland Government Mining Journal, vol. 74, pp. 312–17.
- Palmieri, V 1974, Correlation and environmental trends of the subsurface Tertiary Capricorn Basin, report no. 86, Geological Survey of Queensland, Brisbane.
- Palmieri, V 1975, Planktonic Foraminiferida from the Capricorn Basin, Queensland, palaeontological papers no. 36, Geological Survey of Queensland, Brisbane.
- Palmieri, V 1987, Micropalaeontological report on a sample of limestone from the Goodnight beds', unpublished file report held by the Geological Survey of Queensland, Brisbane.
- Palmieri, V 1978, Late Ordovician conodonts from the Fork Lagoons beds, Emerald area, central Queensland, publication no. 369, Geological Survey of Queensland, Brisbane.
- Palmieri, V 1983, 'Biostratigraphic appraisal of Permian foraminifera from the Denison Trough, Bowen Basin (central Queensland)', in Permian Geology of Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 139–54.

- Palmieri, V 1984, 'Neogene foraminiferida from GSQ Sandy Cape 1-3R bore, Queensland: a biostratigraphic appraisal', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 46, pp. 165–83.
- Palmieri, V 1987, 'Report on micropalaeontological analysis of limestone samples from the Permian of the Gympie Basin', unpublished file report held by the Geological Survey of Queensland, Brisbane.
- Palmieri, V 1990, 'Permian foraminifera of Australia', Geological Society of Australia Abstracts, vol. 25, pp. 53-4.
- Palmieri, V 1993, 'Permian foraminifera in the Bowen Basin, Queensland', Queensland Geology, vol. 6, pp. 1–125.
- Palmieri, V, Foster, CB & Bondareva, EV 1994, 'First record of shared species of late Permian small foraminiferids in Australia and Russia: time correlations and plate reconstructions', AGSO Journal of Australian Geology & Geophysics, vol. 15, pp. 359-65.
- Pankhurst, RJ, Leat, PT, Sruoga, P, Rapela, CS, Márquez, M, Storey, BC & Riley, TR 1998, 'The Chon Aike silicic igneous province of Patagonia and related rocks in Antarctica: a silicic large igneous province', Journal of Volcanology and Geothermal Research, vol. 81, pp. 113–36.
- Pankhurst, RJ, Riley, TR, Fanning, CM & Kelley, SR 2000, 'Episodic silicic volcanism along the proto-Pacific margin of Patagonia and the Antarctic Peninsula: plume and subduction influences associated with the break-up of Gondwana', Journal of Petrology, vol. 41, pp. 605–25.
- Papalia, N 1969, 'The Nappamerri Formation', APEA Journal, vol. 9, pp. 108–10.
- Parfrey, SM 1984, Permian fossils from the Gayndah 1:100 000 sheet area, record no. 1984/18, Geological Survey of Queensland, Brisbane.
- Parfrey, SM 1986, Early Permian invertebrates from the Camboon Andesite near Biloela, south-eastern Bowen Basin, publication no. 387, Geological Survey of Queensland, Brisbane, pp. 57–67.
- Parfrey, SM 1989, 'Early Devonian fossils from the Ukalunda beds, northwest of Mount Coolon, central Queensland', Queensland Government Mining Journal, vol. 90, pp. 20–1.

- Parianos, JM 1993, 'Carboniferous to Tertiary geology of the Airlie Block, northeast Queensland', MSc thesis, University of Queensland, St Lucia, Qld.
- Parker, K, Warren, A & Johanson, Z 2005, 'Strepsodus (Rhizodontida; Sarcopterygii) pectoral elements from the lower Carboniferous Ducabrook Formation, Queensland, Australia', Journal of Vertebrate Paleontology, vol. 25, pp. 46–62.
- Parrish RR & Noble, SR 2003, 'Zircon U-Th-Pb geochronology by isotope dilution-thermal ionization mass spectrometry (ID-TIMS)', Reviews in Mineralogy and Geochemistry, vol. 53, pp. 183-213.
- Partridge, AD 2006, Jurassic Early Cretaceous spore-pollen and dinocyst zonations for Australia, record no. 2006/23, Geoscience Australia, Canberra.
- Passmore, VL 1979, Carpentaria and Karumba basins explanatory notes and stratigraphic columns, record no. 1979/22, Bureau of Mineral Resources Australia, Canberra.
- Passmore, VL & Burger, D 1986, 'Effects of eustatic sea-level changes on Early Jurassic deposition in the eastern Eromanga Basin', in Sediments down under. Abstracts of the 12th International Sedimentological Congress, Canberra, p. 237.
- Passmore, VL, Maung, T, Gray, ARG, Williamson, PE, Lavering, IH, Blake, PR, Wellman, P, Vuckovic, V & Miyazaki, S 1992, Gulf of Carpentaria petroleum prospectivity study, record no. 1992/20, Bureau of Mineral Resources, Australia, Canberra.
- Passmore, VL & Sexton, MJ 1984, 'The structural development and hydrocarbon potential of Palaeozoic source rocks in the Adavale Basin region', APEA Journal, vol. 24, pp. 393–411.
- Passmore, VL, Williamson, PE, Gray ARG & Wellman, P 1993a, 'The Bamaga Basin—a new exploration target', in GJ Carman & Z Carman (eds), Petroleum exploration and development in Papua New Guinea. Proceedings of the second PNG petroleum convention, Port Moresby, 31st May 2nd June 1993.
- Passmore, VL, Williamson, PE, Maung, TU & Gray, ARG 1993b, 'The Gulf of Carpentaria—new basin and exploration targets', APEA Journal, vol. 33, pp. 297–314.

- Paten, RJ 1964, The Tertiary geology of the Boulia region, western Queensland, report no. 77, Bureau of Mineral Resources, Australia, Canberra.
- Paten, RJ 1977, 'The Adavale Basin, Queensland', in Petroleum in Queensland—a stocktake for the future, Petroleum Exploration Society of Australia, Queensland Branch, Brisbane,
- Paten, RJ & Groves, RD 1974, 'Permian stratigraphic nomenclature and stratigraphy Roma area, Queensland', Queensland Government Mining Journal, vol. 75, pp. 344-54.
- Paterson, M 1994, 'Structure and petrogenesis of the host rocks and mineralisation at the Nob Creek prospect, Marlborough Block, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Paton, IM 1986, 'The Birkhead Formation— Jurassic petroleum reservoir', Geological Society of Australia, Special Publication, vol. 12, pp. 195–201.
- Patterson, JG & Keys, JA 2003, 'EPM11152 Pajingo—partial relinquishment report for the period ending 15 August 2003', unpublished report held by the Geological Survey of Queensland as CR34935.
- Patterson, WA 1966a, 'Phillips-Sunray Lockrose No. 1—well completion report, Phillips Petroleum, Brisbane', unpublished report held by the Geological Survey of Queensland as CR1867A.
- Patterson, WA 1966b, 'Phillips-Sunray Baylam No. 1—well completion report, Phillips Petroleum, Brisbane', unpublished report held by the Geological Survey of Queensland as CR1873.
- Pattison, CI 1990, 'Igneous intrusions in the Bowen Basin', MAppSc thesis, Queensland University of Technology, Brisbane.
- Paulick, H, Herrmann, W & Gemmell, BJ 2001, 'Alteration of felsic volcanics hosting the Thalanga massive sulfide deposit (northern Queensland, Australia) and geochemical proximity indicators to ore', Economic Geology, vol. 96, pp. 1175–200.
- Payenberg THD, Boyd, R, Beaudoin, J, Ruming, K, Davies, S, Roberts, J & Lang, S 2006, 'The filling of an incised valley by shelf dunes—an example from Hervey Bay, east coast of Australia', Special Publications of the Society for Sedimentary Geology, vol. 85, pp. 122-7.

- Payne, JL, Hand, M, Barovich, KM, Reid, A & Evans, DAD 2009, 'Correlations and reconstruction models for the 2500–1500 Ma evolution of the Mawson Continent', *Geological Society of London*, Special Publication, vol. 323, pp. 319–55.
- Pearce, BR 1971, Report on deep drilling Callide Valley groundwater investigation, report no. 167, Irrigation & Water Supply Commission of Queensland, Brisbane.
- Pearce, BR 1983, Report on groundwater storage analysis Braeside area, Queensland Water Resources Commission, internal report.
- Pearce, BR & Bohl, HP 2004, 'Response to wet season rainfall of an alluvial aquifer system in the lower Herbert River floodplain, Queensland, Australia', Australian Geographical Studies, vol. 42, pp. 34–45.
- Pearce, BR & Hansen, JWL 2006a, Hydrogeological investigation of the Fitzroy River Sub-Catchment, central Queensland, Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, BR & Hansen, JWL 2006b, Hydrogeological investigation of the Comet River Sub-Catchment, central Queensland, Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, BR & Hansen, JWL 2006c,
 Hydrogeological investigation of
 the Isaac and Mackenzie river SubCatchments, central Queensland,
 Australia, Department of Natural
 Resources, Mines and Water, Brisbane,
- Pearce, BR, Hansen, JWL & Jackson, JA 2006, Hydrogeological investigation of the Dawson River Sub-Catchment, central Queensland, Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, BR, Hansen, JWL, Lee, RB, Stegler, JCP, Reading, LP, Jackson, JA & Durick, AM 2006b, Hydrogeological conceptual model for the lower Balonne region, southern Queensland, Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, BR, Hansen, JWL, Reading, LP,
 White, TT & Zirilli, JP 2008a,
 Hydrogeological investigation of the
 Monto-Eidsvold region, northern
 Burnett River Sub-Catchments, southern
 Queensland, Australia, Department of
 Natural Resources and Water, Brisbane.

- Pearce, BR, Hansen, JWL, Reading, LP,
 White, TT & Zirilli, JP 2008b,
 Hydrogeological investigation of the
 Kingaroy-Murgon region, southern
 Burnett River Sub-Catchments, southern
 Queensland, Australia, Department of
 Natural Resources and Water, Brisbane.
- Pearce, BR, Hansen, JWL, Stegler, JCP, Lee, RB & Jackson, JA 2006a, Hydrogeological investigation of the northeast Darling Downs region, southern Queensland, Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, BR, Hansen, JWL & White TT 2007, Hydrogeological investigation of the Lockyer Creek Sub-Catchment, southeast Queensland, Australia, Department of Natural Resources and Water, Brisbane.
- Pearce, BR & Henry JL 1981, Progress report on groundwater investigations Proserpine area, vols 1 and II, Irrigation and Water Supply Commission, Brisbane.
- Pearce, BR, McMahon, GA & Hansen, JWL 2007, Hydrogeological investigation of the Bremer River Sub-Catchment, southeast Queensland Australia, Department of Natural Resources, Mines and Water, Brisbane.
- Pearce, JA & Cann, JR 1973, 'Tectonic setting of basic volcanic rocks determined using trace element analysis', *Earth and Planetary Science Letters*, vol. 19, pp. 290–300.
- Pearce, JA, Harris, NBW & Tindle, AG 1984, 'Trace element discrimination diagrams for the tectonic interpretation of granitic rocks', *Journal of Petrology*, vol. 25, pp. 956–83.
- Pearson, PJ, Holcombe, RJ & Page, RW 1992, 'Synkinematic emplacement of the middle Proterozoic Wonga Batholith into a mid-crustal extensional shear zone, Mount Isa Inlier, Queensland, Australia', Bulletin of the Australian Geological Survey Organisation, vol. 243, pp. 289–328.
- Pegrem, BJ 1995, 'Tarong Basin', Geological Society of Australia, Coal Geology Group, Special Publication, vol. 1, pp. 465–70.
- Percival, IG & Glen, RA 2007, 'Ordovician to earliest Silurian history of the Macquarie Arc, Lachlan Orogen, New South Wales', Australian Journal of Earth Sciences, vol. 54, pp. 143–65.
- Perkins, C 1993, Isotopic dating of precious and base metal deposits and their host rocks in eastern Australia, final report of project P334, Australian Mineral Industry Research Association, Melbourne.

- Perkins, C 1995, Metallogenic epochs of the Tasman Orogen, eastern Australia, annual report of project no. P334A, the Australian Mineral Industries Research Association, Melbourne.
- Perkins, C, Walshe, JL & Morrison, G 1995, 'Metallogenic episodes of the Tasman Fold Belt System, eastern Australia', Economic Geology, vol. 90, pp. 1443–66.
- Perkins, C & Wyborn, LAI 1998, 'Age of Cu-Au mineralisation, Cloncurry district, eastern Mt Isa, Queensland, as determined by ⁴⁰Ar/³⁹Ar dating', *Australian Journal of Earth Sciences*, vol. 45, pp. 233-46.
- Perkins, WG 1984, 'Mount Isa silica-dolomite ore bodies: result of a synorogenic hydrothermal alteration system', *Economic Geology*, vol. 79, pp. 601–37.
- Perryman, JC 1964, 'Completion report, Mid-Eastern Oil NL,
 Burketown No. 1 well, A. to P. 91-P,
 Queensland', unpublished report held by the Geological Survey of Queensland as CR1480.
- Peters, SG 1987a, 'Geology and lode controls of the Charters Towers goldfield, north-eastern Queensland', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 19, pp. 1–117.
- Peters, SG 1987b, 'Geology, lode descriptions and mineralisation of the Hodgkinson Goldfield, northeastern Queensland', James Cook University of North Queensland, Townsville, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 20, pp. 1–124.
- Peters, SG 1993, 'Polygenetic melange in the Hodgkinson Goldfield, northern Tasman orogenic zone', Australian Journal of Earth Sciences, vol. 40, pp. 115–29.
- Peterson, MJ & Golding, SD 1999,

 'Geochemical comparison of Dee Range –

 Mt Morgan and significant global VHMS
 deposit-associated chemical sediments
 (exhalites)', in PG Flood (ed.), New
 England Orogen, Papers presented at
 a conference held at the University of
 New England, Armidale, University of
 New England, Armidale, pp. 445–54.

- Peterson, MJ & Golding, SD 2001, 'The geochemistry of Dee Range exhalites of central coastal Queensland and their potential use as vectors to hydrothermal centres', Contributions from the Economic Geology Research Unit, James Cook University of North Queensland, no. 59, pp. 164-5.
- Petherick, L, McGowan, H & Moss, P 2008, 'Climate variability during the Last Glacial Maximum in eastern Australia: evidence of two stadials?'. Journal of Quaternary Science, vol. 23, pp. 787–802.
- Petherick, LM, McGowan, HA & Moss, PT 2009, 'Quantifying palaeoclimate variables during periods of aridity and drought in eastern Australia: a study using a late Quaternary multiproxy record', in H Diamond & K Walsh (eds), Proceedings of the 9th International Conference on Southern Hemisphere Meteorology and Oceanography. Extremes: Climate and Weather in the Southern Hemisphere, Melbourne, VIC, Australia, 9–13 February 2009.
- Petherick, LM, McGowan, HA & Moss, PT 2010, 'Multi-proxy, high resolution record of the Last Glacial Maximum in eastern Australia', Abstracts for the Australian Quaternary Association Biannual Conference, North Stradbroke Island, Qld, Australia, 11–16 July 2010.
- Petherick, LM, Moss, PT & McGowan, HA 2011, 'Climatic and environmental variability during the termination of the Last Glacial Stage in coastal eastern Australia: a review', Australian Journal of Earth Sciences, vol. 58, pp. 563–77.
- Petherick, LM, Moss, PT, McGowan, HA & Kamber, BS 2008, 'Late Quaternary aridity and dust transport pathways in eastern Australia', Quaternary Australasia, vol. 25, pp. 2–11.
- Petkovic, P & Buchanan, C 2002, Australian bathymetry and topography grid, digital dataset, Geoscience Australia, Canberra.
- Petroleum Resources Assessment and Development Subprogram (PRADS) 1990, Petroleum resources of Queensland (Review to June 30, 1989), Queensland Resource Industries Review Series, Department of Resource Industries, Brisbane, pp. 99–103.
- Philip, GM & Pedder, AEH 1967,

 'Stratigraphical correlation of the principal Devonian limestone sequences of eastern Australia', in DH Oswald (ed.), Proceedings of the International Symposium on the Devonian System, volume II, Alberta Society of Petroleum Geologists, Calgary, pp. 1025–41.

- Phillips, ER 1969, 'The adamellites of the Liston area', Journal of the Geological Society of Australia, vol. 16, pp. 290-4.
- Phillips, K 1960, 'Permian. The Bowen Basin. The Springsure area', Journal of the Geological Society of Australia, vol. 7, pp. 185–94.
- Pickett, EJ, Harrison, SP, Hope, G, Harle, K, Dodson, JR, Kershaw, AP, Prentice, CI, Backhouse, J, Colhoun, EA, D'Costa, D, Flenley, J, Grindrod, J, Haberle, S, Hassell, C, Kenyon, C, Macphail, M, Martin, H, Martin, AH, McKenzie, M, Newsome, JC, Penny, D, Powell, J, Raine, IJ, Southern, W, Stevenson, J, Sutra, JP, Thomas, I, van der Kaars, S & Ward, J 2004, 'Pollen-based reconstructions of biome distributions for Australia, Southeast Asia and the Pacific (SEAPAC region) at 0, 6000 and 18 000 14C yr BP', Journal of Biogeography, vol. 31, pp. 1381–444.
- Pickett, JW 1981, 'Late Devonian and Early Carboniferous conodonts from the Myrtlevale beds and Hardwick Formation, Star Basin', Queensland Government Mining Journal, vol. 82, pp. 24–7.
- Pickett, JW, Ku, TL, Thompson, CH, Roman, D, Kelley, RA & Huang, YP 1989, 'A review of age determinations on Pleistocene corals in eastern Australia', Quaternary Research, vol. 31, pp. 392–5.
- Pickett, JW, Thompson, CH, Kelley, RA & Roman, D 1985, 'Evidence of high sea level during Isotope stage 5C in Queensland, Australia', Quaternary Research, vol. 24, pp. 103–14.
- Pickett, JW, Thompson, CH, Martin, HA & Kelley, RA 1984, 'Late Pleistocene fossils from beneath a high dune near Amity, North Stradbroke Island, Queensland' in RJ Coleman, J Covacevich & P Davie (eds), Focus on Stradbroke Island, Boolarong, Brisbane, pp. 167–77.
- Pigram, CJ 1993, 'Carbonate platform growth, demise, and sea level record: Marion Plateau, northeast Australia', PhD thesis, Australian National University, Canberra.
- Pigram, CJ & Davies, HL 1987, 'Terranes and the accretion history of the New Guinea orogen', BMR Journal of Australian Geology & Geophysics, vol. 10, pp. 193–211.
- Pigram, CJ, Davies, PJ, Feary, DA, & Symonds, PA 1989, 'Tectonic control on carbonate platform evolution in southern Papua New Guinea: passive margin to foreland basin', Geology, vol. 17, pp. 199–202.

- Pigram, CJ, Davies, PJ, Feary, DA & Symonds, PA 1992, 'Absolute magnitude of the second order middle to late Miocene sea-level fall, Marion Plateau, northeast Australia', Geology, vol. 20, pp. 858–62.
- Pigram, CJ, Davies, PJ, Feary, DA,
 Symonds, PA & Chaproniere, GCH
 1990, 'Controls on Tertiary carbonate
 platform evolution in the Papuan Basin:
 new play concepts', in GJ Carman &
 Z Carman (eds), Petroleum exploration
 in Papua New Guinea, Proceedings of
 the First PNG Petroleum Convention,
 Port Moresby, pp. 185–95.
- Pigram, CJ & Panggabean, H 1984, 'Rifting of the northern margin of the Australian continent and the origin of some microcontinents in eastern Indonesia', Tectonophysics, vol. 107, pp. 331–53.
- Pigram, CJ & Symonds, PA 1991, 'A review of the timing of the major tectonic events in the New Guinea Orogen', Journal of Southeast Asian Earth Sciences, vol. 6, pp. 307–18.
- Pigram, CJ & Symonds, PA 1993, 'Eastern Papuan Basin—a new model for tectonic development, and implications for petroleum prospectivity', in GJ Carman & Z Carman (eds), Petroleum exploration and development in Papua New Guinea, Proceedings of Second PNG Petroleum Convention, Port Moresby, pp. 213–31.
- Pillans, B 1997, 'Soil development at snail's pace: evidence from a 6 Ma soil chronosequence on basalt in north Queensland, Australia', Geoderma, vol. 80, pp. 117–28.
- Pillans, B 2003, 'Subdividing the Pleistocene using the Matuyama-Brunhes boundary (MBB): an Australasian perspective', Quaternary Science Reviews, vol. 22, pp. 1569–77.
- Pillans, B 2007, 'Pre-Quaternary landscape inheritance in Australia', Journal of Quaternary Science, vol. 22, pp. 439–47.
- Pinchin, J 1978, 'A seismic investigation of the eastern margin of the Galilee Basin, Queensland', BMR Journal of Australian Geology & Geophysics, vol. 3, pp. 193–202.
- Pinchin, J & Anfiloff, V 1986, 'The Canaway Fault and its effect on the Eromanga Basin', Geological Society of Australia, Special Publication, vol. 12, pp. 163-73.
- Pinchin, J & Hudspeth, JW 1975, 'The Queensland Trough: its petroleum potential based on some recent geophysical results', APEA Journal, vol. 5, pp. 21–31.

- Pinder, BJ 2004, 'Coal seam gas prospectivity of the Ipswich and Clarence-Moreton basins', in PJ Boult, DR Johns & SC Lang (eds), Eastern Australasian Basins Symposium II, Petroleum Exploration Society of Australia, Special Publication, pp. 339-44.
- Pinder, BJ 2005a, "Well completion report, Boyne River-2, 2A, 2B & 2C, ATP 679P Arrow Energy", unpublished report held by the Geological Survey of Queensland as CR47710.
- Pinder, BJ 2005b, 'Well completion report, Styx River 1, ATP 700P', Arrow Energy, Brisbane.
- PIRSA 2007, Warburton Basin, http://warburton.pdf, accessed 26/07/2010.
- Pisarevsky, SA, Wingate, MTD, Powell, CM, Johnson, S & Evans, DAD 2003, 'Models of Rodinia assembly and fragmentation', Geological Society of London, Special Publication, vol. 206, pp. 35-55.
- Playa, E, Cendon, D, Trave, A, Chivas, AR & Garcia, A 2007, 'Non-marine evaporites with both inherited marine and continental signatures: the Gulf of Carpentaria, Australia, at ~70 ka', Sedimentary Geology, vol. 201, pp. 267–85.
- Playford, G 1986, 'Lower Carboniferous megaspores from the Clarke River Basin, north Queensland', Special Papers in Palaeontology, vol. 35, pp. 135–48.
- Playford, G 1988, 'Early Carboniferous miospores from GSQ Clarke River 3-4R and 5, north Queensland', Queensland Government Mining Journal, vol. 89, pp. 527–33.
- Playford, G & Rigby, JF 1988, 'Some lower Mesozoic and lower Tertiary plant megafossil occurrences in the lpswich area, southeast Queensland', in LH Hamilton (ed.), Field excursions handbook for the ninth Australian geological convention, Geological Society of Australia, Queensland Division, Brisbane, pp. 119–25.

- Playford, G & Wicander, R 1988, 'Acritarch palynoflora of the Coolibah Formation (Lower Ordovician), Georgina Basin, Queensland', Memoir of the Association of Australasian Palaeontologists, vol. 5, pp. 5–40.
- Plibersek, P & Browne, ALL 1986, 'Final report ATP 4072M, "Fletchers Awl", Peko-Wallsend Operations Ltd Geopeko Division', unpublished report held by the Geological Survey of Queensland as CR15717.
- Plumb, KA & Derrick, GM 1975, 'Geology of the Proterozoic rocks of the Kimberley to Mount Isa region', Australasian Institute of Mining and Metallurgy Monograph, vol. 5, pp. 217–52.
- Plumb, KA, Derrick, GM & Wilson, IH 1980, 'Precambrian geology of the McArthur River – Mount Isa region northern Australia', in RA Henderson & PJ Stephenson (eds), *The geology* and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 71–88.
- pmd*CRC I7 Project Team 2008,

 Mineral system analysis of the Mount
 Isa McArthur region, Northern

 Australia', final report April 2005 –
 July 2008 for project I7, Predictive
 Mineral Discovery Cooperative
 Research Centre, Melbourne.
- Pocock, M 2010, 'A geochemical and magnetic perspective of Charters Towers', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Pojeta, J & Gilbert-Tomlinson, J 1977, 'Australian Ordovician pelecypod molluscs', Bulletin of the Bureau of Mineral Resources, Australia, vol. 174, pp. 1–64.
- Pojeta, J, Gilbert-Tomlinson, J & Shergold, JH 1977, 'Cambrian and Ordovician rostroconch molluscs from northern Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 171, pp. 1–54.
- Pole, MS 2000, 'Latest Albian earliest Cenomanian monocotyledonous leaves from Australia', Botanical Journal of the Linnean Society, vol. 129, pp. 177–86.
- Pole, MS & Douglas, JG 1999, 'Bennettitales, Cycadales and Ginkgoales from the mid Cretaceous of the Eromanga Basin, Queensland, Australia', Cretaceous Research, vol. 20, pp. 523–38.

- Pollard, PJ 1984, 'Granites and associated tin-tungsten mineralisation in the Emuford district, northeast Queensland, Australia', PhD thesis, James Cook University of North Queensland, Townsville.
- Pollard, PJ 1988, 'Petrogenesis of tin-bearing granites of the Emuford district, Herberton tinfield, Australia', Australian Journal of Earth Sciences, vol. 35, pp. 39–57.
- Pollard, PJ, Mark, G & Mitchell, LC 1998, 'Geochemistry of post-1540 Ma granites spatially associated within regional sodic-calcic alteration and Cu-Au-Co mineralisation, Cloncurry district, north-west Queensland', Economic Geology, vol. 93, pp. 1330-44.
- Pollard, PJ & McNaughton, NJ 1997, U-Pb geochronology and Sm/Nd isotope characteristics of Proterozoic intrusive rocks in the Cloncurry district, Mount Isa Inlier, Australia, final report project no. P438, Australian Minerals Industry Research Association, Melbourne, section 4, p. 19.
- Pollard, PJ & Taylor, RG 1983, 'Aspects of tin systems in the Herberton – Mount Garnet tinfield, Queensland', Proceedings of the Symposium on the Permian Geology of Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 353–65.
- Pollard, PJ & Taylor, RG 1986,

 'Progressive evolution of alteration and tin mineralization: controls by interstitial permeability and fracture-related tapping of magmatic fluid reservoirs in tin granites', Economic Geology, vol. 81, pp. 1795–800.
- Pope, GJ 2000, 'An application of sequence stratigraphy in modelling oil yield distribution: the Stuart Oil Shale deposit, Queensland, Australia', MSc thesis, Queensland University of Technology, Brisbane.
- Porter, SM 2004, 'Halkieriids in Middle Cambrian phosphatic limestones from Australia', Journal of Paleontology, vol. 78, pp. 574–90.
- Potma, WA & Betts, PG 2006, 'Extensionrelated structures in the Mitakoodi Culmination: implications for the nature and timing of extension, and effect on later shortening in the eastern Mt Isa Inlier', Australian Journal of Earth Sciences, vol. 53, pp. 55–67.

- Poulson, J 1995, 'The depositional context, weathering and diagenesis of the Palaeocene Suttor Formation, Rutherfords Table area, North Queensland', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Powell, BS, Gibson, DL, Smart, J, Grimes, KG & Doutch, HF 1976, 'New and revised stratigraphic nomenclature, Cape York Peninsula', Queensland Government Mining Journal, vol. 77, pp. 178-89.
- Powell Duffryn Technical Services Ltd 1949, The coal industry of Queensland, report to the Oueensland Government, Queensland Government Printer, Brisbane.
- Power, PE 1967, 'Geology and hydrocarbons, Denison Trough, Australia', Bulletin of the American Association of Petroleum Geologists, vol. 51, pp. 1320-45.
- Power, PE & Devine, SB 1968, 'Some amendments of the Jurassic stratigraphic nomenclature in the Great Artesian Basin', Queensland Government Mining Journal, vol. 69, pp. 194-8.
- Powis, GD 1989, 'Revision of Triassic stratigraphy at the Cooper Basin to Eromanga Basin transition', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia, Petroleum Exploration Society of Australia, Society of Petroleum Engineers & Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 265-77.
- PRADS-see Petroleum Resources Assessment and Development Subprogram.
- Preiss, WV 2000, 'The Adelaide Geosyncline of South Australia and its significance in Neoproterozoic continental reconstruction', Precambrian Research, vol. 100, pp. 21-63.
- Preiss, WV, Walter, MR, Coats, RP & Wells, AT 1978, 'Lithological correlations of the Adelaidean glaciogenic rocks in parts of the Amadeus, Ngalia, and Georgina basins', BMR Journal of Australian Geology & Geophysics, vol. 3, pp. 48-55.
- Preston, KB 1985, 'The Blair Athol coal measures', Geological Society of Australia Abstracts, vol. 17, pp. 59-63.
- Price, GJ 2002, 'Perameles sobbei sp. nov. (Marsupialia, Peramelidae), a Pleistocene bandicoot from the Darling Downs, south-eastern Queensland', Memoirs of the Queensland Museum, vol. 48, pp. 193-7.

- Price, GJ 2005, 'Fossil bandicoots (Marsupialia, Peramelidae) and environmental change during the Pleistocene on the Darling Downs, southeastern Queensland, Australia', Journal of Systematic Palaeontology, vol. 2, pp. 347-56.
- Price, GJ 2008a, 'Is the modern koala (Phascolarctos cinereus) a derived dwarf of a Pleistocene giant? Implications for testing megafauna extinction hypotheses', Quaternary Science Reviews, vol. 27, pp. 2516-21.
- Price, GJ 2008b, 'Taxonomy and palaeobiology of the largest-ever marsupial, Diprotodon Owen 1838 (Diprotodontidae, Marsupialia)', Zoological Journal of the Linnean Society, vol. 153, pp. 389-417.
- Price, GJ 2012a, 'Long-term trends in lineage 'health' of the Australian koala (Mammalia, Phascolarctidae): using paleo-diversity to prioritize species for conservation', in JC Louys (ed.), Paleontology in ecology and conservation, Springer, Berlin.
- Price, GJ 2012b, 'Plio-Pleistocene climate and faunal change in central eastern Australia', Episodes, vol. 35, pp. 160-5.
- Price, GJ & Hocknull, SA 2005, 'A small adult Palorchestes (Marsupialia, Palorchestidae) from the Pleistocene of the Darling Downs, southeast Queensland', Memoirs of the Queensland Museum, vol. 51, p. 202.
- Price, GJ & Hocknull, SA 2011, 'Invictokoala monticola gen. et sp. nov. (Phascolarctidae, Marsupialia), a Pleistocene plesiomorphic koala holdover from Oligocene ancestors', Journal of Systematic Palaeontology, vol. 9, pp. 327-35.
- Price, GJ & Piper, KJ 2009, 'Gigantism of the Australian Diprotodon Owen 1838 (Marsupialia, Diprotodontoidea) through the Pleistocene', Journal of Quaternary Science, vol. 24, pp. 1029-38.
- Price, GJ & Sobbe, IH 2005, 'Pleistocene palaeoecology and environmental change on the Darling Downs, southeastern Queensland, Australia', Memoirs of the Queensland Museum, vol. 51, pp. 171-201.

- Price, GJ & Sobbe, IH 2011, 'Morphological variation within an individual Pleistocene Diprotodon optatum Owen, 1838 (Diprotodontinae; Marsupialia): implications for taxonomy within diprotodontoids', Alcheringa: an Australasian Journal of Palaeontology, vol. 35, pp. 21-9.
- Price, GJ, Tyler, MJ & Cooke, BN 2005, Pleistocene frogs from the Darling Downs, south-eastern Queensland, and their palaeoenvironmental significance'. Alcheringa, vol. 29, pp. 171-82.
- Price, GJ & Webb, GE 2006, 'Late Pleistocene sedimentology, taphonomy and megafauna extinction on the Darling Downs, southeastern Queensland', Australian Journal of Earth Sciences, vol. 53, pp. 947-70.
- Price, GJ, Webb, GE, Zhao, JX, Feng, YX, Murray, AS, Cooke, BN, Hocknull, SA & Sobbe, IH 2011, 'Dating megafaunal extinction on the Pleistocene Darling Downs, eastern Australia: the promise and pitfalls of dating as a test of extinction hypotheses', Quaternary Science Reviews, vol. 30, pp. 899-914.
- Price, GJ, Zhao, JX, Feng, YX & Hocknull, SA 2009a, 'New records of Plio-Pleistocene koalas from Australia: palaeoecological and taxonomic implications', Records of the Australian Museum, vol. 61, pp. 39-48.
- Price, GJ, Zhao, JX, Feng, YX & Hocknull, SA 2009b, 'New U/Th ages for Pleistocene megafauna deposits of southeastern Queensland Australia', Journal of Asian Earth Sciences, vol. 34, pp. 190-7.
- Price, PL 1974, 'Appendix 1, palynology, well completion report, Weston No. 1, ATP 166P', unpublished report held by the Geological Survey of Queensland as CR4943.
- Price, PL 1980, 'Biostratigraphy of the Devonian section from selected wells in A-P 232P, Adavale Basin, Oueensland, Mines Administration Pty Ltd, palynological laboratory report 208/1', unpublished report held by the Geological Survey of Queensland as CR8763.
- Price, PL 1983, 'A Permian palynostratigraphy for Queensland', in Proceedings of the Symposium on the Permian of Queensland, Geological Society of Australia, Queensland Division, pp. 155-211.

- Price, PL 1995, 'Triassic Early Jurassic palynostratigraphic reference sections, Bowen–Surat basins, APG Consultants report no. 633/03', unpublished report held by the Geological Survey of Queensland as CR43698.
- Price, PL 1997, 'Permian to Jurassic palynostratigraphic nomenclature of the Bowen and Surat basins', in PM Green (ed.), The Surat and Bowen basins, south-east Queensland, Queensland Minerals and Energy Review Series, Queensland Department of Mines and Energy, Brisbane, pp. 137–78.
- Price, PL & Filatoff, J 1988,

 'Palynostratigraphy and organic facies
 of GSQ Normanton No. 1', unpublished
 report held by the Geological Survey
 of Queensland as CR18289.
- Price, PL, Filatoff, J, Williams, AJ,
 Pickering, SA & Wood, GR 1985,
 'Late Palaeozoic and Mesozoic
 palynostratigraphical units, CSR Oil
 and Gas Division, palynology laboratory
 report no. 274/25', unpublished
 report held by the Geological Survey
 of Queensland as CR14012.
- Prideaux, GJ 2004, 'Systematics and evolution of the sthenurine kangaroos', University of California Publications in Geological Sciences, vol. 146, pp. 1–62.
- Prideaux, GJ, Roberts, RG, Megirian, D, Westaway, KE, Hellstrom, JC & Olley, JM 2007, 'Mammalian responses to Pleistocene climate change in southeastern Australia', Geology, vol. 35, pp. 33-6.
- Prior, GT 1923, Catalogue of meteorites: with special reference to those represented in the collection of the British Museum (Natural History), British Museum, London, pp. 1–196.
- Prior, GT 1953, Catalogue of meteorites: with special reference to those represented in the collection of the British Museum (Natural History), 2nd edn, British Museum, London, pp. 1–432.
- Project Oil Exploration Ltd 1982, 'POE Tamrookum Creek 1, well completion report, Project Oil Exploration Limited, Brisbane', unpublished report held by the Geological Survey of Queensland as CR10984.
- Prouza, V & Park, WJ 1973, 'Revision of Permian stratigraphy of the Emerald – German Creek – Comet area', Queensland Government Mining Journal, vol. 74, pp. 433–8.

- Pulley, JM 1957, 'The geology of the eastern part of the Brisbane Valley north of Kilcoy', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Purdy, DJ 2003, 'Volcanic stratigraphy and origin of the Wallangarra Volcanics, Wandsworth volcanic group, northern NSW, Australia', MAppSc thesis, Queensland University of Technology, Brisbane.
- Purdy, DJ 2009, Geology of the Late Triassic Agnes Water Volcanics, central Queensland, record no. 2009/01, Geological Survey of Queensland, Brisbane.
- Purdy, DJ 2010, Geology and geochemistry of the Late Triassic Bobby Volcanics, Many Peaks area, central Queensland, record no. 2010/02, Geological Survey of Queensland, Brisbane.
- Putnis, A & Price, GD 1979, 'Highpressure (Mg, Fe)2SiO₄ phases in the Tenham chondritic meteorite', Nature, vol. 280, pp. 217–18.
- Pye, K & Bowman, G 1984, 'The Holocene marine transgression as a forcing function in episodic dune activity on the eastern Australian coast', in BG Thom (ed.), Coastal geomorphology in Australia', Academic Press, Sydney, pp. 179–96.
- Quarles van Ufford, A & Cloos, M 2005, 'Cenozoic tectonics of New Guinea', Bulletin of the American Association of Petroleum Geologists, vol. 89, pp. 119-40.
- Queensland Department of Mines & Energy, Taylor Wall & Associates, SRK Consulting Pty Ltd and ESRI Australia 2000, North-west Queensland Mineral Province Report, Queensland Department of Mines & Energy, Brisbane.
- Queensland Water Resources Commission 1982, Water resources assessment north Queensland—Herbert River to Daintree River, Queensland Water Resources Commission, Brisbane.
- Queensland Water Resources Commission 1983, Overview report on water resources of the Mackay region. Pioneer River and Plane Creek basins, Queensland Water Resources Commission, Brisbane.
- Queensland Water Resources Commission 1986, Review of water supplies in the Callide Valley, Queensland Water Resources Commission, Brisbane.

- Queensland Water Resources Commission 1988, Review of groundwater resources of the Don River, Bowen, Queensland Water Resources Commission, Brisbane.
- Queensland Water Resources Commission 1991, Groundwater review of the Douglas Shire from Wonga Beach to Mowbray River, Queensland Water Resources Commission, Cairns.
- Queensland Water Resources Commission 1992, Report on groundwater conditions Jarra Creek Road (Tully) and Attie Creek Road (Cardwell) proposed landfill sites, Queensland Water Resources Commission, Cairns.
- Queensland Water Resources Commission 1993, Report on groundwater conditions Etty Bay – Mourilyan area, north Queensland, Queensland Water Resources Commission, Cairns.
- Qureshi, IR 1984, 'Geophysical evidence for rifting of the basement underlying the Sydney Basin', Geological Society of Australia Abstracts, vol. 12, pp. 444-6.
- QWRC—see Queensland Water Resources Commission.
- Rabbia, OM, Hernandez, LB, King, RW & Lopez-Escobar, L 2002, 'Discussion on "Giant versus small porphyry copper deposits of Cenozoic age in northern Chile: adakitic versus normal calc-alkaline magmatism" by Oyarzun et al. (Mineralium Deposita 36:794–798, 2001)', Mineralium Deposita, vol. 37, pp. 791–4.
- Radke, BM 1971, 'Geology of upper Degalgil Creek, central Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Radke, BM 1982, 'Late diagenetic history of the Ninmaroo Formation (Upper Cambrian Lower Ordovician), Georgina Basin, Queensland and Northern Territory', BMR Journal of Australian Geology & Geophysics, vol. 7, pp. 231–54.
- Radke, BM 2009, Hydrocarbon and geothermal prospectivity of sedimentary basins in central Australia: Warburton, Cooper, Pedirka, Galilee, Simpson & Eromanga basins, record no. 2009/25, Geoscience Australia, Canberra.
- Radke, BM, Ferguson, J, Cresswell, RG, Ransley, TR & Habermehl, MA 2000, Hydrochemistry and implied hydrodynamics of the Cadna-owie— Hooray Aquifer, Great Artesian Basin, Bureau of Rural Sciences, Canberra.

- Radke, BM, Simpson, CJ & Draper, JJ 1983, 'The Poodyea Formation: a possible Tertiary fluvial unit in the Toko Syncline, Georgina Basin, Queensland and Northern Territory', BMR Journal of Australian Geology & Geophysics, vol. 8, pp. 157–9.
- Rainbird, RH, Hadlari, T, Aspler, LB, Donaldson, JA, Lecheminant, AN & Peterson, TD 2003, 'Sequence stratigraphy and evolution of the Paleoproterozoic intracontinental Baker Lake and Thelon basins, western Churchill Province, Nunavut, Canada', Precambrian Research, vol. 125, pp. 21–53.
- Randal, MA 1978, Hydrogeology in the southeastern Georgina Basin Queensland and Northern Territory, publication no. 366, Geological Survey of Queensland, Brisbane.
- Randall, RE 1996, 'The sedimentology, stratigraphy and geochemistry of the Late Devonian Dee Volcanics, Mount Hoopbound area, Yarrol Basin, central Queensalnd', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Randall, RE, Osborne, JH, Donchak, PJT, Crosby, GC & Scott, M 1996, A review of mineral exploration and known mineral occurrences within the Goomeri (9345), Nambour (9444) and Nambour (9344) 1:100 000 sheet areas, south-east Queensland', record no. 1996/4, Geological Survey of Queensland, Brisbane.
- Rands, WH 1885, Report on the goldfields of Raglan, Calliope, Milton (Norton) and Cania, in the Port Curtis district, and on the mineral deposits in the Burnett district', report no. 21, Geological Survey of Queensland, Brisbane.
- Rands, WH 1886, Report on the Burrum coalfield, publication no. 24, Geological Survey of Queensland, Brisbane.
- Rands, WH 1887, Glenelg and other reefs in the neighbourhood of Thane's Creek and Talgai, and certain mineral deposits near Stanthorpe', publication no. 40, Geological Survey of Queensland, Brisbane.
- Rands, WH 1888, 'Annual progress report of the Assistant Government Geologist for the year 1887', in Annual report of the Queensland Department of Mines for 1887, Department of Mines, Brisbane, p. 94.
- Rands, WH 1889, On the Albert and Logan districts, publication no. 51, Geological Survey of Queensland, Brisbane.

- Rands, WH 1892a, Annual progress report of the Geological Survey for the year 1891, Government Printer, Brisbane.
- Rands, WH 1892b, Alluvial cinnabar deposit near Kilkivan, publication no. 79, Geological Survey of Queensland, Brisbane.
- Rands, WH 1894, Pine Mountain district, publication no. 103, Geological Survey of Queensland, pp. 26–8.
- Rankin, LR & Gatehouse, CG 1990, 'The northern margin of the Warburton Basin, South Australia', South Australian Geological Survey Quarterly Notes, vol. 113, pp. 14–17.
- Rapp, RP & Watson, EB 1995, 'Dehydration melting of metabasalt at 8–32 kbar: implications for continental growth and crust-mantle recycling', *Journal* of Petrology, vol. 36, pp. 891–931.
- Rasidi, JS & Smart, JA 1979, 'Halifax Basin, Queensland', *Queensland Government Mining Journal*, vol. 80, pp. 150–6.
- Rea, PS 2000, 'Geology of the Surveyor-1 VHMS deposit', MSc thesis, James Cook University of North Queensland, Townsville.
- Reagan, MK, Ishizuka, D, Stern, RJ, Kelley, K, Ohara, KA, Blichert-Toft, J, Bloomer, SH, Cash, J, Fryer, P, Hanan, BB, Hickey-Vagas, R, Ishii, T, Kimara, J, Peate, DW, Rowe, MC & Woods, M 2010, 'Fore-arc basalts and subduction initiation in the Izu-Bonin-Mariana system', Geochemistry, Geophysics and Geosystems, vol. 11, pp. 1-17.
- Rees, ID & Genn, DLP 1999, Mineral occurrences—Gilberton 1:250 000 sheet area, north Queensland, record no. 1999/8, Geological Survey of Queensland, Brisbane.
- Reeves, F 1947, 'Geology of the Roma district, Australia', Bulletin of the American Association of Petroleum Geologists, vol. 34, pp. 1341–71.
- Reeves, JM, Chivas, AR, Garcia, A & de Deckker, P 2007, 'Palaeoenvironmental change in the Gulf of Carpentaria (Australia) since the last interglacial based on Ostracoda', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 246, pp. 163–87.
- Reeves, JM, Chivas, AR, Garcia, A, Holt, S, Couapel, MJJ, Jones, BG, Cendon, D & Fink, D 2008, 'The sedimentary record of palaeoenvironments and sea-level change in the Gulf of Carpentaria, Australia, through the last glacial cycle', Quaternary International, vol. 183, pp. 3–22.

- Reeves, SJ & Keays, RR 1995, 'The platinum-group element geochemistry of the Bucknalla Layered Complex, central Queensland', Australian Journal of Earth Sciences, vol. 42, pp. 187–201.
- Reich, M, Parada, MA, Palacios, C,
 Dietrich, A, Schultz, F & Lehmann, B
 2003, 'Adakite-like signature of
 late Miocene intrusions at the Los
 Pelambres giant porphyry copper
 deposit in the Andes of central Chile:
 metallogenic implications', Mineralium
 Deposita, vol. 38, pp. 876–85.
- Reid, AG 1966, 'The geology of the lower Cooyar Creek area, south-east Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Reid, JH, 1917, *The Charters Towers* goldfield, publication no. 256, Geological Survey of Queensland, Brisbane.
- Reid, JH 1919, 'Iron ore and limestone deposits of Mount Perry district', Queensland Government Mining Journal, vol. 20, pp. 421–5.
- Reid, JH 1921, 'Geology of the Walloon–Rosewood Coalfield', Queensland Government Mining Journal, vol. 22, pp. 223–7.
- Reid, JH 1922, Coal measures etc. of West Moreton district, publication no. 272, Geological Survey of Queensland, Brisbane, pp. 462–75.
- Reid, JH 1924, 'Coal at Saint Helens, Mackay district', *Queensland Government Mining Journal*, vol. 25, pp. 84–5.
- Reid, JH 1925, 'The Murgon-Goomeri districts', Queensland Government Mining Journal, vol. 26, pp. 87–91.
- Reid, JH 1929a, 'Waterpark Creek coal deposits', Queensland Government Mining Journal, vol. 30, pp. 6–9.
- Reid, JH 1929b, 'Coal prospects, Mackay district', Queensland Government Mining Journal, vol. 30, pp. 156–8.
- Reid, JH 1930, The Queensland upper Palaeozoic succession, publication no. 278, Geological Survey of Queensland, Brisbane.
- Reid, JH 1931, 'Gold discovery at Mount Cassidy, near Morinish, Rockhampton district', Queensland Government Mining Journal, vol. 32, pp. 5-7.
- Reid, JH 1939, 'Merrion and Junee, Mackenzie River', Queensland Government Mining Journal, vol. 40, p. 221.

- Reid, JH 1940, 'Report on the geology and hydrology of the Callide Valley, Queensland', Queensland Government Mining Journal, vol. 41, pp. 185–8.
- Reid, JH 1942, 'The Tertiary Oil shales of Plevna–Eungella district', Queensland Government Mining Journal, vol. 43, pp. 2–4.
- Reid, JH 1945, 'Callide coal', Queensland Government Mining Journal, vol. 46, pp. 47–9.
- Reid, JH 1947, 'Callide coalfield', Queensland Government Mining Journal, vol. 48, pp. 260-1.
- Reimold, WU & Duane, MJ 1991,

 'Discussion of the criteria for recognition of multiring impact basins—with reference to the Simpson Desert Depression and the Vredefort Dome', Abstracts and Papers, 22nd Lunar and Planetary Science Conference, March 18–22, Houston (Texas), pp. 1115–16.
- Reimold, WU, Duane, MJ & Wits, PO 1990, 'The Simpson Desert Depression—an intracratonic basin or a large multi-ring basin of Proterozoic age?', Meteoritics and Planetary Science, vol. 25, pp. 400–1.
- Reinhardt, J 1987, 'Cordierite-anthophyllite rocks from north-west Queensland, Australia: metamorphosed magnesian pelites', Journal of Metamorphic Geology, vol. 5, pp. 451–72.
- Reinhardt, J & Rubenach, MJ 1989, 'Temperature-time relationships across metamorphic zones: evidence from porphyroblast-matrix relationships in progressively deformed metapelites', Tectonophysics, vol. 158, pp. 141-61.
- Reiser, RF 1970, 'Stratigraphic nomenclature of the upper part of the Rolling Downs Group in the Surat area', Queensland Government Mining Journal, vol. 71, pp. 301–3.
- Reiser, NF & Williams, AJ 1969, Palynology of the Lower Jurassic sediments of the northern Surat Basin, publication no. 339, Geological Survey of Queensland, Brisbane.
- Reisgys, L 1982, 'Valiant Consolidated Ltd, Meridian Oil NL, Energy Exploration Pty Ltd, half yearly report, Authority to Prospect 2850M, Byfield, central Queensland', unpublished report held by the Geological Survey of Queensland as CR10501.

- Reith, F, Fairbrother, L, Nolze, G,
 Wilhelmi, O, Clode, P, Greg, A,
 Parsons, J, Wakelin, S, Pring, A,
 Hough, R, Southam, G & Brugger, J 2010,
 'Nanoparticle factories: biofilms hold
 the key to gold dispersion and nugget
 formation', Geology, vol. 38, pp. 843-6.
- Reith, F, Rogers, SL, McPhail, DC & Webb, D 2006, 'Biomineralisation of gold: biofilms on bacterioform gold', Science, vol. 313, pp. 233-6.
- Remus, DA & Tindale, K 1988, 'The Pleasant Creek Arch, Adavale Basin, a mid-Devonian to mid-Carboniferous thrust system', APEA Journal, vol. 28, pp. 208–16.
- Republic Gold Ltd 2005, 'Northcote Project: significant gold resource upgrade from 212 000 ounces to 260 000 ounces', Announcement to the Australian Stock Exchange, 31 October 2005', Republic Gold Limited, Melbourne.
- Retallack, GJ, Gould, RE & Runnegar, BN 1977, 'Isotopic dating of a Middle Triassic megafossil flora from near Nymboida, northeastern New South Wales', Proceedings of the Linnean Society of New South Wales, vol. 101, pp. 77–113.
- Retallack, GJ, Renne, PR & Kimbrough, DL 1993, 'New radiometric ages for Triassic floras of southeast Gondwana', New Mexico Museum of Natural History and Science Bulletin, vol. 3, pp. 415–18.
- Reynolds, MA 1965, Glenormiston (SF 54-9), Queensland, 1:250 000 geological series, explanatory notes, 1st edn, Bureau of Mineral Resources, Australia, Canberra.
- Reynolds, MA 1966, Mount Whelan (SF 54-13), Queensland, 1:250 000 geological series, explanatory notes, 1st edn, Bureau of Mineral Resources, Australia, Canberra.
- Rhodes, E, Chappell, J, Fujioka, T,
 Fitzsimmons, K, Magee, J, Aubert, M
 & Hewitt, D 2005, 'The history of
 aridity in Australia: chronological
 developments', in IC Roach (ed.),
 Regolith 2005—ten years of CRC LEME.',
 Proceedings of the CRC LEME Regional
 Regolith Symposia, November 2005,
 CRC LEME, Canberra, pp. 265–8.
- Rich, TH, Archer, M, Plane, M, Flannery, TF, Pledge, NS, Hand, S & Rich, PV 1982, 'Australian Tertiary mammal localities', in PV Rich & EM Thomson (eds), *The fossil vertebrate record of Australasia*, Monash University, Melbourne, pp. 525–72.

- Richards, DNG 1980, 'Palaeozoic granitoids of northeastern Australia', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 229–46.
- Richards, DNG 1981, 'Granitoids of the northern Tate Batholith, Chillagoe, north Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Richards, HC 1918a, 'The building stones of Queensland', Proceedings of the Royal Society of Queensland, vol. 30, pp. 97–159.
- Richards, HC 1918b, 'The volcanic rocks of Springsure, central Queensland', Proceedings of the Royal Society of Queensland, vol. 30, pp. 179–98.
- Richards, HC 1922, 'Anorthoclase basalt from Mapleton, Blackall Range, south-eastern Queensland', Proceedings of the Royal Society of Queensland, vol. 34, pp. 161–7.
- Richards, HC 1930, 'The Glenormiston meteorite', Memoirs of the Queensland Museum, vol. 10, pp. 65–72.
- Richards, HC & Bryan, WH 1924, 'The geology of the Silverwood – Lucky Valley area', Proceedings of the Royal Society of Queensland, vol. 36, pp. 44–108.
- Richards, HC & Hill, D 1942, 'Great Barrier Reef bores, 1926 and 1937. Descriptions, analyses and interpretations', Report of the Great Barrier Reef Committee, vol. 5, pp. 1–111.
- Richards, JP 2002, 'Reply to discussion on "Giant versus small porphyry copper deposits of Cenozoic age in northern Chile: adakitic versus normal calc-alkaline magmatism" by Oyarzun, R, Marquez, A, Lillo, J, Lopez, I & Rivera, S (Mineralium Deposita, 36, 794–798, 2001)', Mineralium Deposita, vol. 37, pp. 788–90.
- Richards, JP & Kerrick, R 2007, 'Special paper: adakite-like rocks: their diverse origins and questionable role in metallogenesis', *Economic Geology*, vol. 102, pp. 537–76.
- Richards, JR 1971, Appendix 2, Isotopic age determinations, Torres Strait, record no. 1971/94, Bureau of Mineral Resources, Australia, Canberra, pp. 136–8.

- Richards, JR, White, DA, Webb, AW & Branch, CD 1966, 'Isotopic ages of acid igneous rocks in the Cairns hinterland, north Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 88, pp. 1–41.
- Richards, JR & Willmott, WF 1970, 'K-Ar age of biotites from Torres Strait', *Australian Journal of Science*, vol. 32, pp. 369-70.
- Richards, TH 1977, 'The geological history of the Frankland Islands region, coastal North Queensland', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Rickards, RB & Jell, JS 2002, 'New graptolite faunas from the Llandovery, lower Silurian of the Graveyard Creek Subprovince, Broken River region, Queensland, Australia', Proceedings of the Geologists' Association, vol. 113, pp. 111–20.
- Ridd, MF 1976, 'Papuan Basin onshore', Monographs of the Australasian Institute of Mining and Metallurgy, no. 7, pp. 478–94.
- Ridgway, JE 1943a, 'Chromite deposits, central district', *Queensland Government Mining Journal*, vol. 44, pp. 36–9.
- Ridgway, JE 1943b, 'Tantalite, Glenrowan', Queensland Government Mining Journal, vol. 44, p. 95.
- Ridgway, JE 1943c, 'Columbite, Georgetown', *Queensland Government Mining Journal*, vol. 44, p. 95.
- Ridgway, JE 1945, 'Re agate—Agate Creek, Percyville, *Queensland Government Mining Journal*, vol. 46, pp. 299–300.
- Ridley, WF 1957, 'The geology of the Wolvi – Tin Can Bay area and its regional relations', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Ridley, WF 1957, 'A sedimentary formation of Tertiary age between Maryborough and Bundaberg, Queensland', *Proceedings of the Royal Society of Queensland*, vol. 68, pp. 11–16.
- Riech, V, Kudrass, HR & Wediche, M 1982, 'Heavy minerals of the east Australian shelf sediments between Newcastle and Fraser Island', *Geologisches Jahrbuch*, vol. D56, pp. 179–95.
- Riek, EF 1952a, 'The fossil insects of the Tertiary Redbank Plains Series. Part I. An outline of the fossil assemblage with descriptions of the fossil insects of the orders Mecoptera and Neuroptera', *University of Queensland Papers Department of Geology*, vol. 4, no. 1, pp. 3–14.

- Riek, EF 1952b, 'Fossil insects from Tertiary sediments at Dinmore, Queensland', *University of Queensland Papers Department of Geology*, vol. 4, no. 2, pp. 17–22.
- Riek, EF 1954, 'The fossil Diptera of the Tertiary Redbank Plains series, Queensland', *Proceedings* of the Linnean Society of New South Wales, vol. 79, pp. 58–60.
- Riek, EF 1955, 'Fossil insects from the Triassic beds at Mt Crosby, Queensland', Australian Journal of Zoology, vol. 3, pp. 654–91.
- Riek, EF 1956, 'A re-examination of the mecopteroid and orthopteroid fossils (Insecta) from the Triassic beds at Denmark Hill, Queensland, with descriptions of further specimens', Australian Journal of Zoology, vol. 4, pp. 98–110.
- Rienks, IP 1991, 'New plutonic rock units in the northeastern portion of the Ravenswood Batholith', *Queensland Government Mining Journal*, vol. 92, pp. 30–42.
- Rienks, IP 1997a, 'Granites of the Reedy Springs Batholith', *Bulletin* of the Australian Geological Survey Organisation, vol. 240, pp. 177–80.
- Rienks, IP 1997b, 'Tables 6.9–6.12. Silurian to Permian supersuites in the Charters Towers region', *Bulletin* of the Australian Geological Survey Organisation, vol. 240, pp. 215–19.
- Rienks, IP 1997c, 'Overview—late Palaeozoic igneous rocks', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 184–6.
- Rienks, IP 1997d, 'Table 6.12. Carboniferous to Permian supersuites', *Bulletin of the Australian Geological Survey Organisation*, vol. 240, pp. 218–19.
- Rienks, IP, Gunther, MC, Bultitude, RJ, Morwood, DA, Dash, PH, Withnall, IW & Fanning, CM 2000, Ingham (SE55-10), Queensland, 1:250 000 geological series, explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Rienks, IP, Tenison Woods, K & Wyborn, D 1995, Geology of the southeast portion of the Ravenswood Batholith, record no. 1995/4, Geological Survey of Queensland, Brisbane.

- Rienks, IP, Willmott, WF & Stephenson, PJ 1984, Geological sites in central and northern Queensland, Geological Elements of the National Estate in Queensland report no. 3, Geological Society of Australia, Queensland Division, Brisbane.
- Rienks, IP & Withnall, IW 1996a, Pre-Mesozoic geology of the Reedy Springs Batholith and environs, north Queensland, record no. 1996/8, Geological Survey of Queensland, Brisbane.
- Rienks, IP & Withnall, IW 1996b, 'New units in the Reedy Springs Batholith, north Queensland', Queensland Government Mining Journal, vol. 97, pp. 21–35.
- Rieser, U & Wust, RAJ 2010, 'OSL chronology of Lynch's Crater, the longest terrestrial record in NE-Australia', Quaternary Geochronology, vol. 5, pp. 233-6.
- Rigby, JF 1973, Gondwanidium and other similar Upper Palaeozoic genera, and their stratigraphic significance, publication no. 3, Geological Survey of Queensland, Brisbane.
- Rigby, JF 1987, 'On some Carboniferous lycopod remains from Australia', *Actas del Simposio Argentino de Paleobotanica y Palinologia*, vol. 7, pp. 67–8.
- Rigby, JF 1992, 'Plant remains from the Carboniferous Pascoe River beds of North Queensland', Geophytology, vol. 22, pp. 83-7.
- Rigby, JF 1993, 'Review of the early Permian flora of the Nychum Volcanics north of Chillagoe, North Queensland', in RH Findlay, R Unrug, MR Banks & JJ Veevers (eds), *Gondwana eight.* Assembly, evolution and dispersal, AA Balkema, Rotterdam, pp. 241–7.
- Riley, CM 1991, 'Somerset Dam igneous complex', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Riley, JM 2004, 'The rise and rise of coal seam gas in Queensland', *APPEA Journal*, vol. 44, p. 647.
- Riley, K & Dale, L 2000, 'Trace elements in coals of the Bowen Basin: good for business', in JW Beeston (ed.), Bowen Basin Symposium 2000—the new millennium—geology, Geological Society of Australia, Coal Geology Group and the Bowen Basin Geologists Group, Rockhampton, pp. 215–19.
- Rio Tinto Coal Australia PL 2004, Clermont coal mine project, environmental impact statement, section 2, description of the project.

- Roach, A 1993, 'Felsic volcanism in the Ipswich Basin', in PG Flood & JC Aitchison (eds), New England Orogen, eastern Australia, Department of Geology and Geophysics, University of New England, Armidale, pp. 643–8.
- Roach, A 1996, 'Late Triassic volcanism of the Ipswich Basin', Geological Society of Australia, Abstracts, vol. 43, pp. 476–84.
- Roach, A 1997, 'Late Triassic volcanism of the Ipswich basin', PhD thesis, Macquarie University, Sydney.
- Robbie, SM 2004, 'Arrow Energy NL, Boyne River 1, well completion report, ATP 679P, Queensland', unpublished report held by the Geological Survey of Queensland as CR38468.
- Roberts, DC, Carroll, PG & Sayers, J 1990, 'The Kalladeina Formation—a Warburton Basin Cambrian carbonate play', APEA Journal, vol. 30, pp. 166–84.
- Roberts, J 1975, 'Early Carboniferous brachiopod zones of eastern Australia', Journal of the Geological Society of Australia, vol. 22, pp. 1–31.
- Roberts, J 1985a, 'Carboniferous sea level changes derived from depositional patterns in Australia', Proceedings of the 10e Congrès International de Stratigraphie et de Géologie du Carbonifère, Madrid, 1983, vol. 4, pp. 43–64.
- Roberts, J 1985b, 'Carboniferous faunas of the Tasman Belt, eastern Australia', Geological Society of Australia Abstracts, vol. 14, pp. 196–201.
- Roberts, J 1987, 'Carboniferous faunas: their role in the reconstruction of tectonostratigraphic terranes in the Tasman Belt, eastern Australia', American Geophysical Union Geodynamics Series, vol. 19, pp. 93–102.
- Roberts, J 2012, 'Appendix 3—Devonian— Carboniferous shelly fossils', Queensland Geology, vol. 13, pp. 587–98.
- Roberts, J., Claoue-Long, JC & Foster, CB 1996, 'SHRIMP zircon dating of the Permian System of eastern Australia', Australian Journal of Earth Sciences, vol. 43, pp. 401–21.
- Roberts, J & Engel, BA 1980, 'Carboniferous palaeogeography of the Yarrol and New England orogens, eastern Australia', Journal of the Geological Society of Australia, vol. 27, pp. 167–86.

- Roberts, J., Jones, PJ., Jell, JS., Jenkins, TBH, Marsden, MAH, McKellar, RG, McKelvey, BC & Seddon, G 1972, 'Correlation of the Upper Devonian rocks of Australia', Journal of the Geological Society of Australia, vol. 18, pp. 467–90.
- Roberts, J., Jones, PJ & Jenkins, TBH 1993, 'Revised correlations for Carboniferous marine invertebrate zones of eastern Australia', Alcheringa, vol. 17, pp. 353-76.
- Roberts, KK, Archer, M, Hand, SJ & Godthelp, H 2009, 'New Australian Oligocene to Miocene ringtail possums (Pseudocheiridae) and revision of the genus Marlu', Palaeontology, vol. 52, pp. 441–56.
- Roberts, MP & Clemens, JD 1993, 'Origin of high-potassium, calc-alkaline, I-type granitoids', Geology, vol. 21, pp. 825–8.
- Roberts, RG, Flannery, TF, Ayliffe, LK, Yoshida, H, Olley, JM, Prideaux, GJ, Laslett, GM, Baynes, A, Smith, MA, Jones, R & Smith, BL 2001, 'New ages for the last Australian megafauna: continent-wide extinction about 46 000 years ago', Science, vol. 292, pp. 1888–92.
- Robertson, AD 1971, Preliminary report—Wateranga Reserve, record no. 1971/1, Geological Survey of Queensland, Brisbane.
- Robertson, AD 1974a, Preliminary geological report on the Anakie mining field, record no. 1974/18, Geological Survey of Queensland, Brisbane.
- Robertson, AD 1974b, The geological relationships of the New England Batholith and the economic mineral deposits of the Stanthorpe district, report no. 64, Geological Survey of Queensland, Brisbane.
- Robertson, AD 1978, 'Lowmead amethyst deposit', Queensland Government Mining Journal, vol. 79, pp. 380-1.
- Robertson, AD 1979, 'Revision of the Cainozoic geology between the Kolan and Elliott rivers', Queensland Government Mining Journal, vol. 80, pp. 350-63.
- Robertson, AD 1983, Notes on the geology of the central Queensland sapphire fields, record no. 1983/51, Geological Survey of Queensland, Brisbane.
- Robertson, AD 1985, 'Cainozoic volcanic rocks in the Bundaberg – Gin Gin – Pialba area, Queensland', University of Queensland Papers, Department of Geology, vol. 11, pp. 72–92.

- Robertson, AD 1990, 'Rifting, transfer faulting, and resultant Cainozoic volcanism, Maryborough Basin, southeast Queensland', Proceedings of the Pacific Rim Congress 90, volume II, Australian Institute of Mining and Metallurgy, Melbourne, pp. 265–70.
- Robertson, AD 1993a, 'Bundaberg Volcanic Province', Queensland Geology, vol. 5, pp. 44–87.
- Robertson, AD 1993b, Cainozoic volcanism in the Butchers Hill (7866) 1:100 000 sheet area north Queensland, record no. 1993/12, Geological Survey of Queensland, Brisbane.
- Robertson, AD 1997, 'Mesozoic and Cenozoic volcanics, in—new insights into the geology of the northern New England Orogen in the Rockhampton—Monto region, central coastal Queensland', Queensland Government Mining Journal, vol. 98, pp. 11–26.
- Robertson, AD & Robertson, CM 1994, 'The Brigooda diamond enigma', Queensland Government Mining Journal, vol. 95, pp. 32–3.
- Robertson, AD & Sutherland, FL 1992, 'Possible origins and ages for sapphire and diamond from the central Queensland gemfields', Records of the Australian Museum Supplement, vol. 15, pp. 45–54.
- Robertson, AD & Sutherland, FL 1993, "A note on the petrology and age of basalt in the vicinity of Childers", Queensland Government Mining Journal, vol. 94, pp. 15–17.
- Robertson, AD, Sutherland, FL & Hollis, JD 1985, 'Upper mantle xenoliths and megacrysts and the origin of the Brigooda basalt and breccia, near Proston', University of Queensland Papers, Department of Geology, vol. 11, pp. 58–71.
- Robertson, AD, Sutherland, FL & Hollis, JD 1989, 'East Australian Volcanic Geology. 3.4 Southern Queensland and Tweed Volcano. 3.4.2 Bundaberg and Boyne', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 107–8.
- Robertson, RS, Preiss, WV, Crooks, AF, Hill, PS & Sheard, MJ 1998, 'Review of the Proterozoic geology and mineral potential of the Curnamona Province in South Australia', BMR Journal of Australian Geology & Geophysics, vol. 17, pp. 169–82.

- Robins, FG 1982, 'Wallamaine Togara ATP 3134M relinquishment report', unpublished report held by the Geological Survey of Queensland as CR10445.
- Robinson, CJ 1997, '12 monthly report and partial relinquishment report EPM10151 Winton, central west Queensland', unpublished report held by the Geological Survey of Queensland as CR29008.
- Robinson, CJ 1998, 'Zinback Pty Ltd, 12 month and final report for period ending 26.08.98, EPM 9559 Winton, central west Queensland', unpublished report held by the Geological Survey of Queensland as CR30322.
- Robinson, S, Gorczyk, W, Corbel, S & Schaubs, P 2008. Geological Survey of Queensland Hodgkinson Province Numerical Modelling Project, report no. P2008/1799, CSIRO Exploration and Mining, Kenmore, Qld.
- Rodda, JS & Paspaliaris, TG 1989,
 'Tirrawarra and Moorari oil fields
 enhanced oil recovery schemes—further
 developments', in BJ O'Neil (ed.), The
 Cooper and Eromanga basins, Australia.
 Proceedings of the Cooper and Eromanga
 Basins Conference, Adelaide, Petroleum
 Exploration Society of Australia, Society
 of Petroleum Engineers, Australian
 Society of Exploration Geophysicists
 (SA Branches), pp. 121–30.
- Rodgers, J, Wehr, FL & Hunt, JW 1991, 'Tertiary uplift from velocity data in the Eromanga Basin', Exploration Geophysics, vol. 22, pp. 321–4.
- Rogers, JK & Keevers, RE 1976, Lady Annie Lady Jane phosphate deposits, Georgina Basin, Queensland, monograph no. 8, The Australasian Institute of Mining and Metallurgy, vol. 4, pp. 251–65.
- Rollason, RG 1970, 'The geology of the Marodian area, near Gympie southeast Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Rose, G 1960, Geological survey of the Border Rivers inner catchment, technical report no. 8, Geological Survey of New South Wales, Sydney.
- Rosenbaum, G 2010, 'Structure of the New England oroclines', in S Buckman & PL Blevin (eds), New England Orogen 2010. Proceedings of a conference held at the University of New England, Armidale, New South Wales, Australia, November 2010, University of New England, Armidale, pp. 297–302.

- Rosenbaum, G 2012, 'Oroclines of the southern New England Orogen, eastern Australia', Episodes, vol. 35, pp. 187–94.
- Rosenbaum, G, Li, PF & Rubatto, D 2012, 'The contorted New England Orogen (eastern Australia): new evidence from U-Pb geochronology of early Permian granitoids', *Tectonics*, vol. 31, no. TC1006, pp. 1–14, doi:10.1029/2011TC002960, 2012.
- Ross, CJ 1986, 'The sediments of Mt Cross', undergraduate project report, Darling Downs Institute of Advanced Education, Toowoomba.
- Ross, JA 1974, 'The Focal Peak Shield Volcano, southeast Queensland evidence from its eastern flank', Proceedings of the Royal Society of Queensland, vol. 85, pp. 111–17.
- Ross, JA 1977, 'The Tertiary Focal Peak shield volcano, south-east Queensland: a geological study of its eastern flank', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Ross, JA 1989, 'Focal Peak', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 113–14.
- Rowlands, N 1993, 'Bathurst Range coking coal deposit EPC 463— Cape York', unpublished report held by the Geological Survey of Queensland as CR24788.
- Roy, P 1999, 'Heavy mineral beach placers in southeastern Australia: their nature and genesis', *Economic Geology*, vol. 94, pp. 567–88.
- Roy, PS & Thom, BG 1981, 'Late Quaternary marine deposition in New South Wales and southern Queensland—an evolutionary model', Journal of the Geological Society of Australia, vol. 28, pp. 471–89.
- Rozefelds, AC 1986, 'Insects', in BG Fordham (ed.), A field guide to 'Sediments and fossils of the Ipswich Basin', Geological Society of Australia, Queensland Division, Brisbane, pp. 25-7.
- Rozefelds, AC 1990, 'A new mid-Tertiary rainforest flora from central Queensland', in JG Douglas & DC Christophel (eds), Proceedings of the Third International Symposium on Palaeobotany, A–Z Printers, Melbourne, pp. 123–36.
- Rozefelds, AC 1991, 'Mid Tertiary Sarcopetalum (Menispermaceae) from Glencoe, mid-eastern Queensland', Alcheringa, vol. 15, pp. 145-9.

- Rozefelds, AC 1996, Eucalyptus phylogeny and history: a brief summary', Tasforests, vol. 8, pp. 15–26.
- Rozefelds, AC & Christophel, DC 1996, 'Elaeocarpus (Elaeocarpaceae) endocarps from the Oligo-Miocene of eastern Australia', Papers and Proceedings of the Royal Society of Tasmania, vol. 130, pp. 41-8.
- Rozefelds, AC & Christophel, DC 2002, 'Cenozoic *Elaeocarpus* (Elaeocarpaceae) fruits from Australia', *Alcheringa*, vol. 26, pp. 261–74.
- Rozefelds, AC & Sobbe, I 1987, 'Problematic insect leaf mines from the Upper Triassic Ipswich Coal Measures of southeastern Queensland, Australia', Alcheringa, vol. 11, pp. 51–7.
- Rubatto, D, Williams, IW & Buick, IW 2001, 'Zircon and monazite response to prograde metamorphism in the Reynolds Range, Central Australia', Contributions to Mineralogy and Petrology, vol. 140, pp. 458–68.
- Rubenach, MJ 1978, 'Northernmost section of the Tasman Orogenic Zone', in MJ Rubenach (ed.), Excursions handbook, Third Australian Geological Convention, Townsville, 1978, Geological Society of Australia, Queensland Division, Brisbane, pp. 43–67.
- Rubenach, MJ 1982, 'Metamorphosed mafic-ultramafic complexes of the Greenvale area', in IW Withnall (ed.), 1982 field conference Charters Towers Greenvale area, Geological Society of Australia, Queensland Division, Brisbane, pp. 47–51.
- Rubenach, MJ 1992, 'Proterozoic low-pressure/high-temperature metamorphism and an anticlockwise P-T-t path for the Hazeldene area, Mt Isa Inlier, Queensland, Australia', Journal of Metamorphic Geology, vol. 10, pp. 333-46.
- Rubenach, MJ 2008, 'Tectonothermal and metasomatic evolution of the Mt Isa Inlier', in GM Gibson & AP Hitchman (eds), Project I1 final report 3D basin architecture and mineral systems in the Mt Isa Western Succession, Predictive Mineral Discovery, Cooperative Research Centre, Part IV, 2 (CD-ROM).
- Rubenach, MJ in press, 'Structural controls of metasomatism on a regional scale', in D Harlov & H Austrheim (eds), Metasomatism and the chemical transformation of rock: rock-mineral-fluid interaction in terrestrial and extra terrestrial environments, Springer Verlag, Berlin.

- Rubenach, MJ & Bell, TH 1983, 'Isograds, reactions and P/T gradients for low pressure intermediate metamorphism in the Proterozoic Robertson River Formation, north Queensland', Geological Society of Australia, Abstracts, vol. 9, pp. 56–8.
- Rubenach, MJ & Bell, TH 1988,

 'Microstructural controls and the role
 of graphite in matrix/porphyroblast
 exchange during synkinematic
 andalusite growth in a granitoid
 aureole', Journal of Metamorphic
 Geology, vol. 6, pp. 651–66.
- Rubenach, MJ, Blenkinsop, TG, & Austin, JR 2005, Pre conference field trip guide: structural and metasomatic evolution of the Mount Isa block, Geological Society of Australia, Sydney.
- Rubenach, MJ, Foster, DRW, Evins, PM, Blake, KL & Fanning, CM 2008, 'Age constraints on the tectonothermal evolution of the Selwyn Zone, Eastern Fold Belt, Mount Isa Inlier', Precambrian Research, vol. 163, pp. 81–107.
- Rudnick, RL, McDonough, WF, McCulloch, MT & Taylor, SR 1986, 'Lower crustal xenoliths from Queensland, Australia: evidence for deep crustal assimilation and fractionation of continental basalts', Geochimica Cosmochimica Acta, vol. 50, pp. 1099–115.
- Rudnick, RL & Taylor, SR 1987, 'Petrology and geochemistry of lower crust: a xenolith study', Journal of Geophysical Research, vol. 92, pp. 13 981–14 005.
- Runnegar, BN 1969a, 'The Permian faunal succession in eastern Australia', Geological Society of Australia, Special Publication, vol. 2, pp. 73–98.
- Runnegar, BN 1969b, 'A Lower Triassic ammonoid fauna from southeast Queensland', *Journal of Paleontology*, vol. 43, pp. 818–28.
- Runnegar, BN 1979, 'Ecology of Eurydesma and the Eurydesma fauna', Alcheringa, vol. 3, pp. 261–85.
- Runnegar, BN & Ferguson, JA 1969, 'Stratigraphy of the Permian and Lower Triassic marine sediments of the Gympie district, Queensland', University of Queensland Papers, Department of Geology, vol. 6, pp. 247–81.
- Runnegar, BN & Jell, PA 1976, 'Australian Middle Cambrian molluscs and their bearing on early molluscan evolution', Alcheringa, vol. 1, pp. 109–38.

- Runnegar, BN & McClung, G 1973, "New names for marine Permian rock units in the northern Bowen Basin, Queensland', Queensland Government Mining Journal, vol. 74, pp. 441–2.
- Runnegar, BN & McClung, G 1975, 'A Permian time scale for Gondwanaland', in KSW Campbell (ed.), Gondwana Geology, Australian University Press, Canberra, pp. 425–41.
- Russell, RT 1967, 'Discovery of major phosphate deposits in northwest Queensland', Queensland Government Mining Journal, vol. 68, pp. 153-7.
- Russell, RT & Trueman, NA 1971, 'The geology of the Duchess phosphate deposits, northwest Queensland, Australia', Economic Geology, vol. 66, pp. 1186–214.
- Rust, BR 1981, 'Sedimentation in an arid-zone anastomosing fluvial system; Cooper's Creek, central Australia', Journal of Sedimentary Research, vol. 51, pp. 745–55.
- Rust, BR & Nanson, GC 1986,

 'Contemporary and palaeo channel
 patterns and the late Quaternary
 stratigraphy of Cooper Creek,
 Southwest Queensland, Australia',
 Earth Surface Processes and
 Landforms, vol. 11, pp. 581–90.
- Ryall, A, Priest, P, Dorsch, C &
 Lawrence, M 1988, 'Final well report,
 Talundilly-1 Adavale—Galilee—
 Eromanga basins, Queensland,
 Sydney Oil Company (Canning) Pty
 Ltd, operator for and on behalf of
 ATP 268 (Talundilly) Joint Venture,
 Command Petroleum NL', unpublished
 report held by the Geological Survey
 of Queensland as CR20498.
- Ryan, DA, Bostock, HC, Brooke, BP & Marshall, JF 2007, 'Bathymetric expression of the Fitzroy River palaeochannel, northeast Australia: response of a major river to sea-level change on a semi-rimmed, mixed siliciclasticcarbonate shelf', Sedimentary Geology, vol. 201, pp. 196–211.
- Ryburn, RJ, Wilson, IH, Grimes, KG & Hill, RM 1983, Cloncurry, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Rynn, JMS 1987, Queensland seismic risk study, Department of Geology and Mineralogy, University of Queensland, Brisbane, pp. 1–191 (for the Queensland Department of Mines).

- Sahni, B 1920, Petrified plant remains from the Queensland Mesozoic and Tertiary formations, publication no. 267, Geological Survey of Queensland, Brisbane.
- Saint-Smith, EC 1914, Geology and mineral resources of the Stanthorpe, Ballandean and Wallangarra districts (with notes on the Silver Spur mine, Texas), southern Queensland, 1913, publication no. 243, Geological Survey of Queensland, Brisbane.
- Saint-Smith, EC 1919, 'Magnesite, chromite and fire clay at Mount Pring, Bowen', Queensland Government Mining Journal, vol. 20, pp. 57–8.
- Saint-Smith, EC 1922, 'Opal occurrences in the Springsure district', Queensland Government Mining Journal, vol. 23, pp. 188–9.
- Sajjadi, F & Playford, G 2002a, 'Systematic and stratigraphic palynology of Late Jurassic – earliest Cretaceous strata of the Eromanga Basin, Queensland, Australia: Part 1', Palaeontographica B, vol. 261, pp. 1–97.
- Sajjadi, F & Playford, G 2002b, 'Systematic and stratigraphic palynology of Late Jurassic – earliest Cretaceous strata of the Eromanga Basin, Queensland, Australia: Part 2', Palaeontographica B, vol. 261, pp. 99–165.
- Sakimoto, SHE & Zuber, MT 1998, 'Flow and convective cooling in lava tubes', Journal of Geophysical Research, vol. 103, pp. 27 465–87.
- Salisbury, JA, Tomkins, AG & Schaefer, BF 2008, 'New insights into the size and timing of the Lawn Hill impact structure: relationship to the Century Zn-Pb deposit', Australian Journal of Earth Sciences, vol. 55, pp. 587-603.
- Salisbury, SW, Molnar, RE & Frey, E 2006, 'The origin of modern crocodyliforms: new evidence from the Cretaceous of Australia', Proceedings of the Royal Society B, vol. 273, pp. 2439–48.
- Salisbury, SW & Willis, PMA 1996,
 'A new crocodylian from the
 early Eocene of southeastern
 Queensland and a preliminary
 investigation of the phylogenetic
 relationships of crocodyloids',
 Alcheringa, vol. 20, pp. 179–226.
- Sandford, C 2000, 'Queensland mineral commodity outlook: silver', Queensland Government Mining Journal, vol. 101, pp. 12–18.

- Sandiford, M 2007, 'The tilting continent: a new constraint on the dynamic topography field from Australia', Earth and Planetary Science Letters, vol. 261, pp. 152–63.
- Sandiford, M, Quigley, M, De Broekert, P & Jakica, S 2009, 'Tectonic framework for the Cenozoic cratonic basins of Australia', Australian Journal of Earth Sciences, vol. 56, pp. 5–18.
- Sargent, SN, Bowden, S, Maxwell, M,
 O'Connor, LK & Talebi, B 2012, Coastal
 geothermal energy initiative GSQ
 Maryborough 16, well completion
 report and heat flow modelling
 results, record no. 2012/1, Geological
 Survey of Queensland, Brisbane.
- Saul, WG & Grant, AS 1987, 'A to P 4384M, Grays Creek, six month period 5-9-86 to 5-3-87', unpublished report held by the Geological Survey of Queensland as CR18152.
- Saul, WG & Steine, G 1996, 'Winton kaolinite, twelve monthly exploration report from 20th June 1995 to 19th June 1996, EPM 10505', unpublished report held by the Geological Survey of Queensland as CR27817.
- Savory, PJ 1987, 'Geology of the Poley Cow Formation, Broken River area, north Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Sawers, JD 1968, 'Barambah limestone deposits, Murgon', Queensland Government Mining Journal, vol. 69, pp. 405–8.
- Sawers, JD 1969, 'Limestone resources, Mackay district', Queensland Government Mining Journal, vol. 70, pp. 489–95.
- Sawers, JD 1990, 'Queensland mineral commodity report: base metals—Cu, Pb, Zn, Ag', Queensland Government Mining Journal, vol. 91, pp. 267–71.
- Sawers, JD & Cooper, W 1985, 'Some Queensland industrial minerals', Queensland Government Mining Journal, vol. 86, pp. 188–95.
- Sayers, J, Symonds, PA, Direen, NG & Bernadel, G 2001, 'Nature of the continent-ocean transition on the non-volcanic rifted margin of the Great Australian Bight', Geological Society of London Special Publication, vol. 187, pp. 51-76.
- Saygin, E & Kennett, BLN 2010, 'Ambient seismic noise tomography of Australian continent', *Tectonophysics*, vol. 481, pp. 116–25.

- Scanlon, JD 1993, 'Madtsoild snakes from the Eocene Tingamarra fauna of eastern Queensland', Kaupia, vol. 3, pp. 3–8.
- Scanlon, JD 2005, 'Australia's oldest known snakes: Patagoniophis, Alamitophis, and cf. Madtsoia (Squamata: Madtsoiidae) from the Eocene of Queensland, Memoirs of the Queensland Museum, vol. 51, pp. 215–35.
- Schaap, AD 1990, 'Weipa kaolin and bauxite deposits', in FE Hughes (ed.), Geology of the mineral deposits of Australia and Papua New Guinea, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 1669–73.
- Schaefer, M 1992, 'Geological study of the Mount Byron Volcanics, Mount Mee State Forest, southeast Queensland', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Scheibner, E 1973, 'A plate tectonic model of the Palaeozoic tectonic history of New South Wales', Journal of the Geological Society of Australia, vol. 20, pp. 405–26.
- Scheibner, E & Basden, H (eds) 1996, 'Geology of New South Wales—synthesis. Volume 1, structural framework', Memoir of the Geological Survey of New South Wales, vol. 13, pp. 1–295.
- Scheibner, E & Veevers, JJ 2000, 'Tasman Fold Belt System', in JJ Veevers (ed.), Billion-year earth history of Australia and neighbours in Gondwanaland, GEMOC Press, Department of Earth and Planetary Sciences, Macquarie University, Sydney, pp. 154–234.
- Scheibnerova, V 1986, 'Marine Cretaceous of the Great Australian Basin—foraminiferal and palynological zonations reconciled', Geological Society of Australia Special Publication, vol. 12, pp. 115–18.
- Scher, H & Martin, E 2006, 'Timing and climatic consequences of the opening of Drake Passage', Science, vol. 312, pp. 428–30.
- Scholl, DW & von Huen R 2007, 'Exploring the implications for continental basement tectonics if estimated rates of crustal removal (recycling) at Cenozoic subduction zones are applied to Phanerozoic and Precambrian convergent ocean margins', Memoir of the Geological Society of America, vol. 200, pp. 9–32.
- Scoffin, TP & Tudhope, AW 1985, "Sedimentary environments of the central region of the Great Barrier Reef of Australia", Coral Reefs, vol. 4, pp. 81–93.

- Scott, AR 2004, 'An integrated coalbed methane exploration model: defining coal bed methane sweetspots', short course presented to the Petroleum Exploration Society of Australia, 17 May 2 June 2004.
- Scott, DL 1993, 'Architecture of the Queensland Trough: implications for the structure and tectonics of the northeastern Australian margin', AGSO Journal of Australian Geology & Geophysics, vol. 14, pp. 21–34.
- Scott, DL, Bradshaw, BE & Tarlowski, CZ 1998, 'The tectonostratigraphic history of the Proterozoic Northern Lawn Hill Platform, Australia: an integrated intracontinental basin analysis', Tectonophysics, vol. 300, pp. 329–58.
- Scott, DL, Rawlings, DJ, Page, RS, Tarlowski, CZ, Idnurm, M, Jackson, MJ & Southgate, PN 2000, 'Basement framework and geodynamic evolution of the Palaeoproterozoic superbasins of north-central Australia: an integrated review of geochemical, geochronological and geophysical data', Australian Journal of Earth Sciences, vol. 47, pp. 341–480.
- Scott, M & Withnall, IW 1987, 'New and revised stratigraphic units in the Clarke River Basin, north Queensland', Queensland Government Mining Journal, vol. 88, pp. 50–8.
- Scott, RJ & Lister, GS 1992, 'Detachment faults: evidence for a low-angle origin', Geology, vol. 20, pp. 833-6.
- Scott, S, Anderson, B, Crosdale, P,
 Dingwall, J & Lebland, G 2004,
 'Revised geology and coal seam
 gas characteristics of the Walloon
 Subgroup—Surat Basin, Queensland',
 in PJ Boult, DR Johns & SC Lang (eds),
 Proceedings of the Eastern Australasian
 Basins Symposium II, Petroleum
 Exploration Society of Australia
 Special Publication, pp. 345–55.
- Scott, S, Anderson, B, Crosdale, P,
 Dingwall, J & Lebland, G 2007, 'Coal
 petrology and coal seam gas contents
 of the Walloon Subgroup—Surat
 Basin, Queensland, Australia',
 International Journal of Coal
 Geology, vol. 70, pp. 209–22.
- Scott, SG & Beeston, JW 1993, 'Coal seam methane potential of some Queensland coal basins', in JW Beeston (ed.), New developments in coal geology, Coal Geology Group, Geological Society of Australia, pp. 81–94.

- Scott, SG, Beeston, JW & Carr, AF 1995, 'Galilee Basin', Geological Society of Australia, Coal Geology Group, Special Publication, vol. 1, pp. 341–52.
- Scott, SG & Hawkins, PJ 1992, 'Coal geology of the northern Galilee Basin and its implication for coal bed methane investigations', in BB Beamish & PD Gamson (eds), Symposium on Coalbed Methane Research and Developments in Australia, Townsville, vol. 5, pp. 85–102.
- Scrimgeour, IR 2003, Developing a revised framework for the Arunta region, record no. 2003–001, Northern Territory Geological Survey, Darwin.
- Scrimgeour, IR, Kinny, PD, Close, DF & Edgoose, CJ 2005, 'High-T granulites and polymetamorphism in the southern Arunta region, Central Australia: evidence for a 1.64 Ga accretional event', Precambrian Research, vol. 142, pp. 1–27.
- Searle, DE 1982, 'Seismic reflection profiling off the east coast of Australia, South Stradbroke Island to Tweed Heads', Geologisches Jahrbuch, vol. D56, pp. 97–104.
- Searle, DE 1983, 'Late Quaternary regional controls on the development of the Great Barrier Reef: geophysical evidence', BMR Journal of Australian Geology & Geophysics, vol. 8, pp. 267–76.
- Searle, DE & Flood, PG 1988,

 'Halimeda bioherms of the Swain
 Reefs—southern Great Barrier Reef,
 Abstracts for the 6th International
 Coral Reef Symposium, p. 92.
- Searle, DE & Harvey, N 1982, 'Interpretation of inter-reefal seismic data: a case study from Michaelmas Reef, Australia', Marine Geology, vol. 46, pp. M9-M16.
- Searle, DE & Huber, RD 1973, Mulgrave River groundwater investigations—geophysical survey, record no. 1973/29, Geological Survey of Queensland, Brisbane.
- Self, S, Keszthelyi, L & Thordanson, T 1998, 'The importance of pahoehoe', Annual Review of Earth and Planetary Sciences, vol. 26, pp. 81–110.
- Selway, K, Hand, M, Heinson, GS & Payne, JL 2009, 'Magnetotelluric constraints on subduction polarity: reversing reconstruction models for Proterozoic Australia', Geology, vol. 37, pp. 799–802.
- Senapati, N 1988, 'The sedimentology of the northeastern Carpentaria Basin', PhD thesis, University of Wollongong.

- Senior, BR 1971, Eulo (SH55-1), Queensland, 1:250 000 geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Senior, BR 1978, 'Silcrete and chemically weathered sediments in southwest Queensland', in T Langford-Smith (ed.), Silcretes in Australia, Department of Geography, University of New England, Armidale, pp. 41–50.
- Senior, BR 1979, 'Mineralogy and chemistry of weathered and parent sedimentary rocks in southwest Queensland', BMR Journal of Australian Geology & Geophysics, vol. 4, pp. 111–24.
- Senior, BR, Exon, NF & Burger, D 1975, 'The Cadna-owie and Toolebuc Formations in the Eromanga Basin, Queensland', Queensland Government Mining Journal, vol. 76, pp. 445–55.
- Senior, BR & Habermehl, MA 1980,
 'Structure, hydrodynamics and
 hydrocarbon potential of the central
 Eromanga Basin, Queensland, Australia',
 BMR Journal of Australian Geology
 & Geophysics, vol. 5, pp. 47–55.
- Senior, BR & Mabbutt, J 1979, 'A proposed method of defining deeply weathered rock units based on regional geological mapping in southwest Queensland', Journal of the Geological Society of Australia, vol. 26, pp. 237–54.
- Senior, BR, Mond, A & Harrison, PL 1978, 'Geology of the Eromanga Basin', Bulletin of the Bureau of Mineral Resources, Australia, vol. 167, pp. 1–102.
- Senior, BR & Young, GA 1976, Geology and geomorphology of the Haddon Corner area, southwest Queensland, 1:250 000, map sheet, preliminary edition, Bureau of Mineral Resources, Australia, Canberra.
- Senior, DA 1973, Jericho (SF/55-14), Queensland, 1:250 000 geological series explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Shafik, S 1985, 'Calcareous nannofossils from the Toolebuc Formation, Eromanga Basin, Australia', BMR Journal of Geology & Geophysics, vol. 9, pp. 171–81.
- Sharp, WD & Clague, DA 2006, '50-Ma initiation of Hawaiian-Emperor bend records major change in Pacific Plate motion', Science, vol. 313, pp. 1281-4.
- Shaw, FA 1981, 'Geochemistry and geochronology of the Mascotte Granodiorite near Texas, southern Queensland', BSc (hons) thesis, University of New England, Armidale.

- Shaw, RD, Alder, JD & Aadil, N 2001,

 'The offshore Clarence-Moreton
 Basin in New South Wales—a new
 petroleum play', in KC Hill & T Bernecker
 (eds), Eastern Australasian Basins
 Symposium: a refocussed energy
 perspective for the future, Petroleum
 Exploration Society of Australia,
 Special Publication, pp. 201–10.
- Shaw, RD, Fawckner, JF & Bultitude, RJ 1987, 'The Palmerville Fault System: a major imbricate thrust system in the northern Tasmanides, north Queensland', Australian Journal of Earth Sciences, vol. 34, pp. 69–93.
- Shaw, RD, Wellman, P, Gunn, P, Whitaker, AJ, Tarlowski, C & Morse, M 1996, Australian crustal elements based on the distribution of geophysical domains, 1:5 000 000 scale map, version 2.4 (ArcGIS dataset), Geoscience Australia, Canberra.
- Shaw, SE 1969, 'Granitic rocks from the northern portion of the New England Batholith', Journal of the Geological Society of Australia, vol. 16, pp. 285–90.
- Shaw, SE & Flood, RH 1981, 'The New England Batholith, eastern Australia: geochemical variations in time and space', *Journal of Geophysical Research*, vol. 86, pp. 10 530–44.
- Shaw, SE & Flood, RH 1993, 'A compilation of late Permian and Triassic biotite Rb-Sr data from the New England Batholith and areas to the south-east', in PF Carr (ed.), Research report 1991–92 of the Centre for Isotope Studies, North Ryde, pp. 151–5.
- Shepherd, SRL 1935, 'Mercury deposit at Cinnabar, Kilkivan Gold and Mineral Field. Cirson's Cinnabar Mines Pty Ltd', Queensland Government Mining Journal, vol. 36, pp. 201–2.
- Shepherd, SRL 1946, 'Some mines on the Cloncurry field Queensland', Queensland Government Mining Journal, vol. 47, pp. 45–52.
- Sheraton, JW 1974, Chemical analyses of acid igneous rocks from northeast Queensland, record no. 1974/162, Bureau of Mineral Resources, Australia, Canberra.
- Sheraton, JW & Labonne, B 1974, Petrography of acid igneous rocks from northeast Queensland, record no. 1974/161, Bureau of Mineral Resources, Australia, Canberra.

- Sheraton, JW & Labonne, B 1978, Petrology and geochemistry of acid igneous rocks of northeast Queensland, Bulletin of the Bureau of Mineral Resources, Australia, vol. 169, pp. 1–139.
- Shergold, JH 1969, 'Oryctocephalidae (Trilobita: middle Cambrian) of Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 104, pp. 1–66.
- Shergold, JH 1971, 'Late Cambrian trilobites from the Gola Beds, western Queensland', *Bulletin of the Bureau of Mineral Resources*, *Australia*, vol. 112, pp. 1–127.
- Shergold, JH 1975, 'Late Cambrian and Early Ordovician trilobites from the Burke River Structural Belt, western Queensland, Australia', Bulletin of the Bureau of Mineral Resources, Australia, vol. 153, pp. 1–251.
- Shergold, JH 1980, 'Late Cambrian trilobites from the Chatsworth Limestone, western Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 186, pp. 1–111.
- Shergold, JH 1982, 'Idamean (late Cambrian) trilobites, Burke River Structural Belt, western Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 187, pp. 1–69.
- Shergold, JH 1985, Notes to accompany the Hay River – Mount Whelan special 1:250 000 geological sheet, southern Georgina Basin, report no. 251, Bureau of Mineral Resources, Australia, Canberra.
- Shergold, JH & Druce, EC 1980, 'Upper Proterozoic and lower Palaeozoic rocks of the Georgina Basin', in RA Henderson & PJ Stephenson (eds), *The geology and geophysics of northeastern Australia*, Geological Society of Australia, Queensland Division, Brisbane, pp. 149–74.
- Shergold, JH, Druce, EC, Radke, BM & Draper, JJ 1976, Cambrian and Ordovician stratigraphy of the eastern portion of the Georgina Basin, Queensland and eastern Northern Territory. excursion guide no. 4C, 25th International Geological Congress, Sydney.
- Shergold, JH & Fortey, RA 1984, 'Early Ordovician trilobites, Nora Formation, central Australia', Palaeontology, vol. 27, pp. 315–66.
- Shergold, JH, Jago, JB, Cooper, RA & Laurie, JR 1985, 'The Cambrian System in Australia, Antarctica and New Zealand', International Union of Geological Sciences, Publication, no. 19, pp. 1–85.

- Shergold, JH & Southgate, PN 1986, Middle Cambrian phosphatic and calcareous lithofacies along the eastern margin of the Georgina Basin, Western Queensland, field guide no. 2, Australasian Sedimentologists Group, Sydney, pp. 1–89.
- Shergold, JH & Walter, MR 1979, BMR stratigraphic drilling in the Georgina Basin, 1977 and 1978, record no. 1979/36, Bureau of Mineral Resources, Australia, Canberra.
- Sheridan, B 1990, Interpreting the past: radiocarbon dating, University of California Press, Berkeley.
- Shervais, JW 1982, 'Ti-V plots and the petrogenesis of modern and ophiolitic lavas', *Earth and Planetary Science Letters*, vol. 59, pp. 101–18.
- Shervais, JW, Zoglman Schuman, MM & Hanan, B 2005, 'The Stonyford volcanic complex: a forearc seamount in the northern California Coast Ranges', Journal of Petrology, vol. 46, pp. 2091–128.
- Shield, CJ 1991, Sedimentology and palynology of the Westbourne Formation, Augathella area, south-central Queensland, record no. 1991/29, Geological Survey of Queensland, Brisbane.
- Shoemaker, EM & Shoemaker, CS 1990, 'Proterozoic impact record of Australia', Abstracts for the International Workshop on Meteorite Impact on the Early Earth, held in Perth, Australia, September 21–22, 1990', Lunar and Planetary Institute Contribution, no. 746, pp. 47–8.
- Shoemaker, EM & Shoemaker, CS 1996, 'The Proterozoic impact record of Australia', AGSO Journal of Australian Geology & Geophysics, vol. 16, pp. 379–98.
- Shulmeister, J, Short, SA, Price, DM & Murray, AS 1993, 'Pedogenic uranium/ thorium and thermoluminescence chronologies and evolutionary history of a coastal dunefield, Groote Eylandt, northern Australia', Geomorphology, vol. 8, pp. 47–64.
- Sial, AN, Toselli, AJ, Saavedra, J, Ferreira, VP & Rossi De Toselli, JN 1995, 'Magmatic epidote-bearing granitoids from NW Argentina and NE Brazil (abstract)', US Geological Survey, Circular, no. 1129, pp. 141–2.
- Siemon, JE 1973, Limestone resources of the Warwick-Texas area, report no. 80, Geological Survey of Queensland, Brisbane.

- Siemon, JE 1980, Ceramic resources of the Maryborough region, record no. 1980/36, Geological Survey of Oueensland, Brisbane.
- Sigé, B, Archer, M, Crochet, J-Y, Godthelp, H, Hand, SJ & Beck, RMD 2009, 'Chulpasia and Thylacotinga, late Paleocene – earliest Eocene trans-Antarctic Gondwanan bunodont marsupials, Geobios, vol. 42, pp. 813–23.
- Siller, CW 1960, Final report Queensland American 'the Overflow' No. 1 Well, publication no. 15, Petroleum Search Subsidy Act Australia, Canberra.
- Sillitoe, RH 1991, 'Intrusion-related gold deposits', in RP Foster (ed.), Metallogeny and exploration of gold, Blackie & Son, Glasgow, pp. 165–209.
- Simmonds, NAH 1958, 'Geology of the Ballandean-Sundown area', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Simmonds, NAH 1960, 'Limestone inspection—Repulse Islands', *Queensland Government Mining Journal*, vol. 61, pp. 23–5.
- Simmonds, NAH 1964, A new meteorite from the Gladstone district, publication no. 320, Geological Survey of Queensland, Brisbane.
- Simpson, AJ 1995, 'Silurian conodont studies in eastern Australia', PhD thesis. University of Queensland, St Lucia, Qld.
- Simpson, AJ 1999, 'Early Silurian conodonts from the Quinton Formation of the Broken River region (north-eastern Australia)', Abhandlungen der Geologischen Bundesanstalt, vol. 54, pp. 181–99.
- Simpson, AJ 2000, 'Silurian conodonts from the Broken River crossing, northeastern Australia', *Records of the West Australian Museum,* Supplement, vol. 58, pp. 145–62.
- Simpson, C 1995, 'The petrology of the Briggs Granodiorite and geology of the Briggs Creek area, southeast Queensland', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Simpson, CJ, Scott, RJ, Crawford, AJ & Meffre, S 2007, 'Volcanology, geochemistry and structure of the Ordovician Cargo Volcanics in the Cargo-Walli region, central New South Wales', Australian Journal of Earth Sciences, vol. 54, pp. 315–54.

- Simpson, CJ, Shergold, JH, Radke, BM, Walter, MR, Wilford, GE, Green, D & Draper, JJ 1982, Geology of the Hay River – Mount Whelan area, southern Georgina Basin, 1:250 000 geological special, Bureau of Mineral Resources, Australia, Canberra.
- Simpson, G 1995, 'Sequence stratigraphy of the Carboniferous Rockhampton Group, Mount Salmon area, Yarrol Basin, central Queensland', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Simpson, S & McPhie, J 2001, 'Fluidalclast breccia generated by submarine fire fountaining, Trooper Creek Formation, Queensland, Australia', Journal of Volcanology and Geothermal Research, vol. 109, pp. 339–55.
- Sircombe, KN 1999, 'Tracing provenance through the isotope ages of littoral and sedimentary detrital zircon, eastern Australia', Sedimentary Geology, vol. 124, pp. 47–67.
- Sivell, WJ 1990, 'Late Palaeozoic metavolcanic suites from Gympie area: Implications for terranes', Proceedings of Pacific Rim Congress 90, Volume II, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 277–82.
- Sivell, WJ & McCullough, MT 1993,
 'Nd-isotopic evolution of a Permian
 island-arc back-arc basin system
 in Gympie Province', in PG Flood
 & JC Aitchison (eds), New England
 Orogen, eastern Australia, NEO '93
 Conference, Department of Geology
 & Geophysics, University of New
 England, Armidale, pp. 581–6.
- Sivell, WJ & McCulloch, MT 1996, 'Ndisotope of a Permian Island arc-backarc basin system in Gympie Province. 13th Australian Geological Convention, Canberra', Geological Society of Australia Abstracts, vol. 41, p. 403.
- Sivell, WJ & McCulloch, MT 2001, "Geochemical and Nd-isotopic systematics of the Permo-Triassic Gympie Group, southeastern Queensland', Australian Journal of Earth Sciences, vol. 48, pp. 377–93.
- Sivell, WJ & Passmore, MJ 1999a,

 'Stanthorpe Granite Group—I: petrologic diversity and the results of recent

 1:10 000 mapping', in PG Flood (ed.), New England Orogen: regional geology, tectonics and metallogenesis,
 Earth Sciences, University of New England, Armidale, pp. 301–14.

- Sivell, WJ & Passmore, MJ 1999b,

 'Stanthorpe Granite Group—
 II: geochemical implications for petrogenetic relationships among discrete intrusive suites', in PG Flood (ed.) New England Orogen: regional geology, tectonics and metallogenesis, Earth Sciences, University of New England, Armidale, pp. 315–24.
- Sivell, WJ, Stocksiek, CM & Waterhouse, JB 1990a, 'Metavolcanic suites from suspect late Palaeozoic terranes of the Gympie Province, southeast Queensland', Geological Society of Australia Abstracts, vol. 25, p. 197.
- Sivell, WJ, Stocksiek, CM & Waterhouse, JB 1990b, 'Geochemistry of metabasalts from the Gympie Province. Implications for crustal development and the origin of suspect terranes at the Gondwana rim', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 237–52.
- Sivell, WJ & Waterhouse, JB 1986,

 'Petrogenesis of Gympie Group volcanics
 and their relation to early Permian
 volcanism in eastern Australia and
 New Zealand', Geological Society of
 Australia Abstracts, vol. 15, p. 179.
- Sivell, WJ & Waterhouse, JE 1987,

 'Volcanic rocks of the Highbury

 Volcanics and Rammutt Formation—
 remnant portion of an early Permian
 intra-oceanic arc', in CG Murray &
 JB Waterhouse (eds), 1987 field
 conference Gympie district, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 34–43.
- Sivell, WJ & Waterhouse, JB 1988, 'Petrogenesis of Gympie Group volcanics: evidence for remnants of an early Permian volcanic arc in eastern Australia', Lithos, vol. 21, pp. 81–95.
- Skae, A 1998, 'The petrology of the Buckland volcanic province, central Queensland, Australia', DPhil thesis, University of Oxford, Oxford.
- Skertchly, SDJ 1889, 'The seology and mineral deposits of the country around Herberton, Watsonville and Chillagoe, north Queensland', Proceedings of the Royal Society of Queensland, vol. 14, pp. 9–27.
- Skertchly, SBJ 1898, On the geology of the country round Stanthorpe and Warwick, south Queensland, with special reference to the tin and gold fields and the silver deposits, publication no. 120, Geological Survey of Queensland, Brisbane.

- Skirrow, RG, Jaireth, S, Huston, DL, Bastrakov, EN, Schofield, A, van der Wielen, SE & Barnicoat, AC 2009, Uranium mineral systems: processes, exploration criteria and a new deposit framework, record no. 2009/20, Geoscience Australia, Canberra.
- SKM 1997, Independent analysis of water supplies in the Callide Valley, final report, Sinclair Knight Merz report to Department of Natural Resources, Brisbane.
- Skwarko, SK 1963, Observations on occurrences of Cretaceous strata in Queensland and Northern Territory, progress report 1962, record no. 1963/11, Bureau of Mineral Resources, Australia, Canberra.
- Skwarko, SK 1965, 'Australian Mesozoic trigoniids', Bulletin of the Bureau of Mineral Resources, Australia, vol. 67, pp. 1–42.
- Skwarko, SK 1966, 'Cretaceous stratigraphy and palaeontology of the Northern Territory', Bulletin of the Bureau of Mineral Resources Australia, vol. 73, pp. 1–133.
- Slanis, AA & Netzel, RK 1967, 'Geological review of ATP 109P and 125P,
 Queensland, Australia', unpublished report held by the Geological Survey of Queensland as CR2201.
- Slessar, GC 1970, 'The geology of Cape Hillsborough, Mackay region', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Sliwa, R 1994, 'Regional structural geology of the central North D'Aguilar Block, southeastern Queensland', PhD thesis, University of Queensland, St Lucia, Qld.

- Sloan, TR, Talent, JA, Mawson, R,
 Simpson, AJ, Brock, GA,
 Engelbretsen, MJ, Jell, JS, Aung, AK,
 Pfaffenritter, C, Trotter, J & Withnall, IW
 1995, 'Conodont data from Silurian –
 Middle Devonian carbonate fans,
 debris flows, allochthonous blocks
 and adjacent autochthonous platform
 margins: Broken River and Camel
 Creek areas, north Queensland,
 Australia', Courier Forschungsinstitut
 Senckenberg, vol. 182, pp. 1–77.
- Smart, J 1973, Dobbyn (SE/54-14), Queensland, 1:250 000 geological series, explanatory notes, 2nd edn, Bureau of Mineral Resources, Australia, Canberra.
- Smart, J 1999a, 'Queensland mineral commodity outlook, kaolin', Queensland Government Mining Journal, vol. 100, pp. 6–12.
- Smart, J 1999b, 'Gypsum', mineral information leaflet no. 26, Queensland Department of Mines and Energy, Brisbane.
- Smart, J 1999c, 'Queensland mineral commodity outlook: magnesite and magnesium', Queensland Government Mining Journal, vol. 100, pp. 6-15.
- Smart, J 1999d, 'Queensland mineral commodity outlook: cobalt', Queensland Government Mining Journal, vol. 100, pp. 50–4.
- Smart, J 2001, 'Queensland mineral commodity outlook: nickel and cobalt', *Queensland Government Mining Journal*, vol. 101, pp. 18–21.
- Smart, J 2002, 'Commodity outlook: nickel and cobalt', Queensland Government Mining Journal, vol. 102, pp. 32–4.
- Smart, J, Grimes, KG & Doutch, GF 1972, 'New and revised stratigraphic names—Carpentaria Basin', Queensland Government Mining Journal, vol. 73, pp. 190–201.
- Smart, J, Grimes, KG, Doutch, HF & Pinchin, J 1980, 'The Carpentaria and Karumba basins, north Queensland', Bulletin of the Bureau of Mineral Resources Australia, vol. 202, pp. 1–73.
- Smart, J & Rasidi, JS 1979, 'Geology and petroleum potential of the Laura Basin, Torres Shelf and Papuan Basin, Queensland', Queensland Government Mining Journal, vol. 80, pp. 267–79.

- Smart, J & Senior, BR 1980, 'Jurassic-Cretaceous basins of northeastern Australia', in RA Henderson & PJ Stephenson (eds), *The geology* and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 315–28.
- Smart, PG 1970, 'The petrology of the summit region of the Mt Warning central complex of north eastern NSW', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Smith, AB & Jell, PA 1990, 'Cambrian edrioasteroids from Australia and the origin of starfishes', *Memoirs of the Queensland Museum*, vol. 28, pp. 715–78.
- Smith, AB & Jell, PA 1999, 'A new cornute carpoid from the Upper Cambrian (Idamean) of Queensland', Memoirs of the Queensland Museum, vol. 43, pp. 341–50.
- Smith BT, Frankel, E & Jell, JS 1998, 'Lagoonal sedimentation and reef development on Heron Reef, southern Great Barrier Reef Province', Special Publications of the International Association of Sedimentologists, vol. 25, pp. 281–94.
- Smith, JV 1998, 'Morphology and kinematics of boudinage vein systems, Great Keppel Island, Queensland', Australian Journal of Earth Sciences, vol. 45, pp. 807–15.
- Smith, JV 2000a, 'Textural evidence for dilatant (shear thickening) rheology of magma at high crystal concentrations', Journal of Volcanology and Geothermal Research, vol. 99, pp. 1–7.
- Smith, JV 2000b, Geology of the southern Beenleigh Block, northeastern New South Wales: a field guide for the 15th Australian Geological Convention, Sydney, July 2000, University of Technology, Sydney.
- Smith, JV 2002, 'Structural analysis of flow-related textures in lavas', Earth Science Reviews, vol. 57, pp. 279–97.
- Smith, KG 1963, Hay River (SF 53-11), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Smith, KG 1965, 'Tobermory (SF 53-12), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.

- Smith, KG 1972, 'Stratigraphy of the Georgina Basin', Bulletin of the Bureau of Mineral Resources, Australia, vol. 111, pp. 1–156.
- Smith, ME 1960, 'The petrology and geochemistry of metamorphic and granitic rocks in the upper Wide Bay Creek area of southeast Queensland', MSc thesis, University of Queensland, St Lucia, Qld.
- Smith, PE 1974, 'The geology of the Mount Cross area, Parish of Murphy, south eastern Queensland', undergraduate project report, Darling Downs Institute of Advanced Education, Toowoomba.
- Smith, RDC & Miller, DE 1995, 'The Blair Athol coal mine', in IW Follington, JW Beeston & LH Hamilton (eds), Proceedings of the Bowen Basin Symposium, Geological Society of Australia, Coal Geology Group, Brisbane, pp. 265–70.
- Smith, RJ 1999, Utilisation of Walloon coals of southern Queensland for power generation, Department of Mines and Energy, Brisbane, http://mines.industry.qld.gov.au/assets/ coal-pdf/walloon_coal.pdf>.
- Smith, RW 1972, 'Geology of the Perseverence Creek area', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Smyth, M 1980, 'Thick coal members: products of an inflationary environment?', Coal Geology, vol. 2, pp. 53–76.
- Snape, M 1991, 'A tin exploration programme in the Cressbrook Creek Dam area, south-east Queensland', undergraduate report, Queensland University of Technology, Brisbane.
- Sobbe, IH 1990, 'Devils on the Darling Downs-the tooth mark record', Memoirs of the Queensland Museum, vol. 27, pp. 299-322.
- Sorby, LA 1976, 'Biostratigraphy and ore genesis of the Silver Spur district, southern Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Sorby, LA & Scott, SG 1988, Geology and coal resources of the Moorlands Basin, central Queensland, record no. 1987/54, Geological Survey of Queensland, Brisbane.

- Southgate, PN 1986, 'The Gowers Formation and Bronco Stromatolith bed, two new stratigraphic units in the Undilla portion of the Georgina Basin', Queensland Government Mining Journal, vol. 87, pp. 407–11.
- Southgate, PN 1988, 'A model for the development of phosphatic and calcareous lithofacies in the Middle Cambrian Thorntonia Limestone, northeast Georgina Basin, Australia', Australian Journal of Earth Sciences, vol. 35, pp. 111–30.
- Southgate, PN, Bradshaw, BE, Domagala, J, Jackson, MJ, Idnurm, M, Krassay, AA, Page, RS, Sami, TT, Scott, DL, Lindsay, JF, McConachie, BA & Tarlowski, C 2000, 'Chronostratigraphic basin framework for Palaeoproterozoic rocks (1730–1575 Ma) in northern Australia and implications for mineralisation', Australian Journal of Earth Sciences, vol. 47, pp. 461–85.
- Southgate, PN & Shergold, JH 1991, 'Application of sequence stratigraphic concepts to Middle Cambrian phosphogenesis, Georgina Basin, Australia', BMR Journal of Australian Geology & Geophysics, vol. 12, pp. 119–44.
- Spaggiari CV, Gray DR & Foster, DA 2003, 'Tethyan- and cordilleran-type ophiolites in eastern Australia: implications for the evolution of the Tasmanides', Geological Society of London, Special Publication, vol. 218, pp. 517–39.
- Sparks, GJ 1985, 'The geology of the Buckmara Creek district Ravensbourne Parish, SE Queensland', undergraduate report, Darling Downs Institute of Advanced Education, Toowoomba.
- Spell, TL & McDougall, I 2003, 'Characterization and calibration of 40Ar/39Ar dating standards', Chemical Geology, vol. 198, pp. 189–211.
- Spencer, LJ 1937, 'The Tenham (Queensland) meteoritic shower of 1879', Mineralogical Magazine, vol. 24, pp. 437–52.
- Spero, C 1998, 'Walloon coals: their properties and power station performance', *Queensland Government Mining Journal*, vol. 99, pp. 26–38.
- Spikings, RA, Foster, DA, Kohn, BP & Lister, GS 2001a, 'Post-orogenic thermal history of the Mesoproterozoic Eastern Successions, Mount Isa Inlier, Australia', *Precambrian Research*, vol. 109, pp. 103–44.

- Spikings, RA, Foster, DA, Kohn, BP & O'Sullivan, PB 2001b, 'The Late Neoproterozoic to Recent thermal history of the Precambrian Georgetown Inlier, northeast Australia', Australian Journal of Earth Sciences, vol. 48, pp. 9–24.
- Sprent, JK (ed.) 1970, Mount Etna Caves, University of Queensland Speleological Society, Brisbane.
- Stacey, JS & Kramers, JD 1975, 'Approximation of terrestrial lead isotope evolution by a two-stage model', Earth and Planetary Science Letters, vol. 26, pp. 207–21.
- Stagg, HMJ, Willcox, JB, Symonds, PA,
 O'Brien, GW, Colwell, JB, Hill, PJ, Lee C-S,
 Moore, AMG & Struckmeyer, HIM
 1999, 'Architecture and evolution of
 the Australian continental margin',
 AGSO Journal of Australian Geology
 & Geophysics, vol. 17, pp. 17–33.
- Staines, HRE 1972, Blackwater Coalfield correlation of seams in the Rangal Coal Measures Mackenzie River to Sirius Creek, report no. 70, Geological Survey of Queensland, Brisbane.
- Staines, HRE 1973, Coal exploration south central Bowen Basin Oak Park area, record no. 1973/36, Geological Survey of Queensland, Brisbane.
- Staines, HRE, Falkner, AJ & Thornton, MP 1995, 'Ipswich coalfield', Geological Society of Australia, Coal Geology Group, Special Publication, vol. 1, pp. 455-64.
- Staines, HRE & Koppe, WH 1980, 'The geology of the north Bowen Basin', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, pp. 279–98.
- Staines, HRE & Woods, JT 1964, 'Recent discovery of Triassic dinosaur footprints in Queensland', Australian Journal of Science, vol. 27, p. 55.
- Stait, K & Druce, EC 1993, 'Conodonts from the Lower Ordovician Coolibah Formation, Georgina Basin, central Australia', BMR Journal of Australian Geology & Geophysics, vol. 13, pp. 293–322.
- Stanisic, J 1994, 'An ecologic and biogeographic study of a new Tertiary land snail from mideastern Queensland (Pulmonata: Caryodidae)', Memoirs of the Queensland Museum, vol. 35, pp. 241–7.

- Stanmore, PJ 1989, 'Case studies of stratigraphic and fault traps in the Cooper Basin, Australia', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia, Petroleum Exploration Society of Australia, Society of Petroleum Engineers, Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 361–9.
- Staplin, FL 1982, 'Determination of thermal alteration index from colour of exinite (pollen, spores)', Society of Economic Paleontologists and Mineralogists, short course, no. 7, pp. 7–11.
- Stegman, C 1982, 'The geology of the Mount Cross area', undergraduate report, Queensland University of Technology, Brisbane.
- Steiger, RH & Jager, E 1977,

 'Subcommission on geochronology:
 convention on the use of decay
 constants in geo- and cosmochronology',
 Earth and Planetary Science
 Letters, vol. 36, pp. 359-62.
- Stenson, MP 1997, 'The occurrence and petrogenesis of the Wigton Granite, SE Qld', undergraduate report, Queensland University of Technology, Brisbane.
- Stephens, AW 1971, 'Geology of the Point Vernon area, Hervey Bay', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Stephens, AW 1982, 'Quaternary coastal sediments of southeast Queensland', Geologisches Jahrbuch, vol. D56, pp. 37–47.
- Stephens, CJ 1991, 'The Mungore Cauldron and Gayndah Centre, Late Triassic large-scale volcanism in the New England Fold Belt near Gayndah, southeast Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Stephens, CJ, Holcombe, RJ & Gust, DA 1996, 'Tectonic evolution of the eastern Gondwanaland margin during the late Palaeozoic and early Mesozoic', Geological Society of Australia, Abstracts, vol. 43, pp. 517–18.
- Stephenson, AE & Burch, GJ 2004,
 Preliminary evaluation of the petroleum
 potential of Australia's central
 east margin, record no. 2004/06,
 Geoscience Australia, Canberra.
- Stephenson, PJ 1959, 'The Mount Barney central complex, southeastern Queensland', Geological Magazine, vol. 96, pp. 125–36.

- Stephenson, PJ 1970, 'Geology of the Townsville area', in PJ Stephenson, W Sugden & PL Ellis (eds), 'Field conference, Townsville – Charters Towers area', Geological Society of Australia, Queensland Division, Brisbane.
- Stephenson, PJ 1976, 'Sapphire and zircon in some basaltic rocks from Queensland, Australia', Abstracts, vol. 2, pp. 602–3, 25th International Geological Congress, Sydney
- Stephenson, PJ 1985, 'Tertiary volcanic-plutonic rocks of the Cape Hillsborough Mount Jukes area', in DP Johnson & AW Stevens (eds), Guide to the Permian to Quaternary geology of the Mackay-Collinsville-Townsville region, northeastern Queensland, Geological Society of Australia, Queensland Division, Townsville.
- Stephenson, PJ 1989, 'Northern Queensland', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 89–97.
- Stephenson, PJ 1990a, 'Some aspects of dyke emplacement and characteristics in the Townsville-Ingham district, north Queensland, Australia', in AJ Parker, PC Rickwood & DH Tucker (eds), Mafic dykes and emplacement mechanisms. Proceedings of the second International Dyke Conference, AA Balkema, Rotterdam-Brookfield, vol. 2, pp. 421–30.
- Stephenson, PJ 1990b, 'Layering in felsic granites in the main East Pluton, Hinchinbrook Island, north Queensland, Australia', Geological Journal, vol. 25, pp. 325–36.
- Stephenson, PJ, Burch-Johnson, AT, Stanton, D & Whitehead, PW 1998, 'Three long lava flows in north Queensland', Journal of Geophysical Research, vol. 103, pp. 27 359-70.
- Stephenson, PJ & Chappell, BW 1987, 'A major north-west dyke swarm zone in north Queensland', Proceeding's, Pacific Rim Congress 87, The Australian Institute of Mining and Metallurgy, Melbourne, pp. 817–22.
- Stephenson, PJ, Chappell, BW, McCulloch, M, Frost, MT & Reid, E 1992, 'The geology and petrology of arfvedsonite granites, Hinchinbrook Island, north Queensland', Transactions of the Royal Society of Edinburgh, vol. 83, p. 501.
- Stephenson, PJ & Coventry, RJ 1986, 'Stream incision and inferred late Cainozoic tectonism in the Flinders River headwaters, north Queensland', Search, vol. 17, pp. 220-3.

- Stephenson, PJ & Griffin, TG 1976a, Cainozoic volcanicity of north Queensland, field excursion guidebook no. 7A, 25th International Geological Congress, Sydney.
- Stephenson, PJ, Griffin, TJ & Sutherland, FL 1980, 'Cainozoic volcanism in northeastern Australia', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 349–74.
- Stephenson, PJ & Patrick, 1978,

 'Mount Stewart Ross River Dam',
 in MJ Rubenach (ed.), Excursions
 handbook, Third Geological
 Convention, Townsville, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 111–20.
- Stephenson, PJ, Polach, H & Wyatt, DH 1978, 'The age of the Toomba Basalt, north Queensland', Abstracts and Programme, 3rd Australian Geological Convention, Townsville, p. 62.
- Stephenson, PJ, Sutherland, FL, Robertson, AD & Hollis, JD 1989, 'Hoy', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 101–3.
- Stephenson, PJ, Zhang, M & Spry, M 2000, 'Fractionation modelling of segregations in the Toomba Basalt, north Queensland', Australian Journal of Earth Sciences, vol. 47, pp. 291–300.
- Stern, R & Sanborn, N 1998, 'Monazite U-Pb and Th-Pb geochronology by high-resolution secondary ion mass spectrometry', Geological Survey of Canada, Current Research, vol. 1998, pp. 1-18.
- Stevens, J 1981, 'Palynology of the Callide Basin, east-central Queensland', University of Queensland Papers Department of Geology, vol. 9, no. 4, pp. 1–35.
- Stevens, NC 1968, 'Triassic volcanic rocks of Agnes Water, Queensland', University of Queensland Papers Department of Geology, vol. 6, no. 6, pp. 147–55.

- Stevens, NC 1969, 'The Tertiary volcanic rocks of Toowoomba and Cooby Creek, south-east Queensland', Proceedings of the Royal Society of Queensland, vol. 80, pp. 85–96.
- Stevens, NC 1971, 'The Glass Houses', in G Playford (ed.), Geological Excursions Handbook, ANZAAS 43rd Congress, Brisbane, Geological Society of Australia, Queensland Division, Brisbane, pp. 153-8.
- Stevens, NC 1987, 'Tertiary igneous rocks—Glass Houses to Gympie', in CG Murray & JB Waterhouse (eds), 1987 field conference, Geological Society of Australia, Queensland Division, Brisbane, pp. 88–91.
- Stevens, NC 1989, 'Brisbane', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 112–13.
- Stevens, NC & Atkinson, FA 1976, 'The Undara Lava Tubes, north Queensland, Australia', in WR Halliday (ed.), Proceedings of the International Symposium on Vulcanospeleology and its Extraterrestrial Applications, Western Speleological Survey, Washington, pp. 58–63.
- Stevens, NC, Knutson, J, Ewart, A & Duggan, MB 1989, 'Tweed', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 114–16.
- Stevenson, J & Hope, G 2005, 'A comparison of late Quaternary forest changes in New Caledonia and northeastern Australia', Quaternary Research, vol. 64, pp. 372–83.
- Stewart, AJ & Blake, DH (eds) 1992, 'Detailed studies of the Mount Isa Inlier', Bulletin of the Bureau of Mineral Resources, Australia, vol. 243, pp. 1–374.
- Stewart, AJ & Mitchell, K 1987, 'Shatter cones at Lawn Hill circular structure, northwestern Queensland: presumed astrobleme', Australian Journal of Earth Sciences, vol. 34, pp. 477–85.
- Stewart, HSJ & Gough, K 1963, 'Mulgildie No. 1, well completion report, Amalgamated Petroleum Exploration, Brisbane', unpublished report held by the Geological Survey of Queensland as CR1133.

- Stewart, HSJ & Hoyling, N 1963, 'APE Morstone No. 1, well completion report. Amalgamated Petroleum Exploration Pty Ltd, Brisbane', unpublished report held by the Geological Survey of Queensland as CR1173.
- Stewart, JR & Alder, JD (eds) 1995, New South Wales petroleum potential, New South Wales Department of Mineral Resources, Sydney, pp. 1–188.
- Stockill, BD & Hutton, LJ 1991, 'Gravity data over the Lolworth-Ravenswood Province—geological and structural implications', Australian Society of Exploration Geophysicists, Abstracts, vol. 30, pp. 68–9.
- Stolz, AJ 1994, 'Geochemistry and Nd isotopic character of the Mount Windsor Volcanics: implications for the tectonic setting of Cambro-Ordovician VHMS mineralisation', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 13–16.
- Stolz, AJ & Davies, GR 1989,

 'Metasomatised lower crustal and
 upper mantle xenoliths from north
 Queensland: chemical and isotopic
 evidence bearing on the composition and
 source of the fluid phase', Geochimica et
 Cosmochimica Acta, vol. 53, pp. 649-60.
- Stow, DAV 1985, 'Deep sea clastics: where are we and where are we going?', Special Publication of the Geological Society of London, vol. 18, pp. 67–93.
- Stroud, WJ 1992, 'New and revised geological units from the Inverell and Goondiwindi 1:250 000 sheet areas, New England Fold Belt', Geological Survey of New South Wales, Quarterly Notes, vol. 87, pp. 1–16.
- Stroud, WJ, Barnes, RG, Brown, RE & Brownlow, JW 1992, 'An introduction to the Wandsworth Volcanic Group', in WF Willmott (ed.), 1992 field conference, regional and economic geology of the New England district, Geological Society of Australia, Queensland Division, Brisbane, pp. 34–43.
- Struckmeyer, HIM 1990, Papua Basin data compilation: Mesozoic to Cainozoic stratigraphic summary columns and data maps, record no. 1990/67, Bureau of Mineral Resources, Australia, Canberra.
- Struckmeyer, HIM & Symonds, PA 1997, 'Tectonostratigraphic evolution of the Townsville Trough, offshore northeastern Australia', Australian Journal of Earth Sciences, vol. 44, pp. 799–817.

- Struckmeyer, HIM, Yeung, M & Bradshaw, MT 1990, 'Mesozoic palaeogeography of the northern margin of the Australian plate and its implications for hydrocarbon exploration', in GJ Carman & Z Carman (eds), Petroleum exploration in Papua New Guinea: proceedings of the First PNG Petroleum Convention, Port Moresby, 12–14 Feb. 1990.
- Struckmeyer, HIM, Yeung, M & Pigram, CJ 1993, 'Mesozoic to Cainozoic plate tectonic and palaeogeographic evolution of the New Guinea region', in GJ Carman & Z Carman (eds), Petroleum exploration and development in Papua New Guinea: proceedings of the Second PNG Petroleum Convention, Port Moresby, 31st May – 2nd June 1993, pp. 261–90.
- Struckmeyer, HIM, Symonds, PA, Fellows, ME & Scott, DL 1994, Structural and stratigraphic evolution of the Townsville Basin, Townsville Trough, offshore northeastern Australia, record no. 1994/50, Bureau of Mineral Resources, Australia, Canberra.
- Stutchbury, S 1854, 'Thirteenth monthly report on the geologic and mineralogic structure of New South Wales', Legislative Council Papers, 1854.
- Sun SS & McDonough WF 1989, 'Chemical and isotopic systematics of ocean basalts: implications for mantle compositions and processes', Special Publication of the Geological Society of London, no. 42, pp. 313–45.
- Sun, SS, Page, RW & Carr, GR 1994, 'Lead-isotope-based stratigraphic correlations and ages of Proterozoic sediment-hosted Pb–Zn deposits in the Mount Isa Inlier', AGSO Research Newsletter, vol. 20, pp. 1–2.
- Sun, WD, Ling, MX, Yang, XY, Fan, WM, Ding, X & Liang, HY 2010, 'Ridge subduction and porphyry copper-gold mineralization: an overview', Science China—Earth Sciences, vol. 53, pp. 475–84.
- Sun, WD, Zhang, H, Ling, MX, Ding, X, Chung, SL, Zhou, J, Yang, XY & Fan, WM 2011, 'The genetic association of adakites and Cu–Au ore deposits', International Geology Review, vol. 53, pp. 691–703.
- Sun, X 1996, 'Sequence stratigraphy, sedimentology, biostratigraphy and palaeontology of the eastern Warburton Basin (Palaeozoic), South Australia', PhD thesis, University of Adelaide.

- Sun, X 1997, 'Structural style of the Warburton Basin and control in the Cooper and Eromanga basins, South Australia', Exploration Geophysics, vol. 28, pp. 333–9.
- Sun, X 1998, 'Prediction of carbonate reservoirs and traps by applying sequence stratigraphy in the eastern Warburton Basin, South Australia, 1998', APEA Journal, vol. 38, pp. 380–98.
- Sun, X 2001, "Natural fractures of the southern Cooper and eastern Warburton basins, South Australia", APEA Journal, vol. 41, pp. 201–22.
- Sun, X, Stuart, WJ & Warren, JK 1994, 'Stratigraphy and sedimentology of the Cambro-Ordovician successions, eastern Warburton Basin, South Australia', PESA Journal, vol. 22, pp. 107–11.
- Sutherland, FL 1977, 'Cainozoic basalts of the Mt Fox area, north Queensland', Records of the Australian Museum, vol. 30, pp. 532–43.
- Sutherland, FL 1981, 'Migration in relation to possible tectonic and regional controls in eastern Australian volcanism', Journal of Volcanology and Geothermal Research, vol. 9, pp. 181–213.
- Sutherland, FL 1991, 'Cainozoic volcanism, eastern Australia: a predictive model based on migration over multiple hotspot magma sources', Geological Society of Australia Special Publication, vol. 18, pp. 15–43.
- Sutherland, FL 1996, 'Alkaline rocks and gemstones, Australia: a review and synthesis', Australian Journal of Earth Sciences, vol. 43, pp. 323–43.
- Sutherland, FL 2003, "Boomerang" migratory intraplate Cenozoic volcanism, eastern Australian rift margins and the Indian-Pacific mantle boundary', Geological Society of America Special Paper, vol. 372, pp. 203–22.
- Sutherland, FL & Hollis, JD 1982, 'Mantle lower crust petrology from inclusions in basaltic rocks in eastern Australia—an outline', Journal of Volcanology and Geothermal Research, vol. 14, pp. 1–29.
- Sutherland, FL, Hollis, JD & Robertson, AD 1989, 'Bauhinia, Springsure', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 103–4.

- Sutherland, FL, Robertson, AD, Barron, BJ & Pogson, RE 1996, 'The Rockhampton plume and its late Mesozoic trace?', Geological Society of Australia Abstracts, vol. 43, pp. 519–27.
- Sutherland, FL, Robertson, AD, Hendry, DF & Hollis, JD 1990, 'Xenolith studies from southern Queensland: the lithosphere below volcanic regions', Bulletin of the Bureau of Mineral Resources Australia, vol. 232, pp. 213–35.
- Sutherland, FL, Stubbs, D & Green, DC 1977, 'K-Ar ages of Cainozoic volcanic suites, Bowen - St Lawrence hinterland, north Queensland (with some implications for petrologic models)', Journal of the Geological Society of Australia, vol. 24, pp. 447-60.
- Svenson, D & Rayment, PA 1975, 'Mulgildie Basin, Queensland', Monograph of the Australasian Institute of Mining and Metallurgy, vol. 6, pp. 318–20.
- Svenson, D & Taylor, DA 1975, 'Styx Basin', Monograph of the Australasian Institute of Mining and Metallurgy, vol. 6, pp. 324-7.
- Swain, G, Barovich, K, Hand, M, Ferris, G & Schwarz, M 2008, 'Petrogenesis of the St Peter Suite, Southern Australia: arc magmatism and Proterozoic crustal growth of the South Australian Craton', Precambrian Research, vol. 166, pp. 283–96.
- Swarbrick, CFJ 1973, Stratigraphy and economic potential of the Injune Creek Group in the Surat Basin, report no. 79, Geological Survey of Queensland, Brisbane.
- Swarbrick, CFJ 1974a, Oil shale resources of Queensland, report no. 83, Geological Survey of Queensland, Brisbane.
- Swarbrick, CFJ 1974b, 'Stratigraphic drilling report—GSQ Jericho 1', Queensland Government Mining Journal, vol. 75, pp. 210–15.
- Swarbrick, CFJ 1976, 'Oil shale in Queensland', in RB Leslie, HJ Evans & CL Knight (eds), Economic geology of Australia and Papua New Guinea, Volume 3—Petroleum, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 519–24.
- Swarbrick, CFJ, Gray, ARG & Exon, NF 1973, 'Injune Creek Group amendments and an addition to stratigraphic nomenclature in the Surat Basin', Queensland Government Mining Journal, vol. 74, pp. 57–63.

- Swarbrick, CFJ & Wallin, CI 1976, Well completion report—QDM Aramac 1 and Hexham 1, report no. 92, Geological Survey of Queensland, Brisbane.
- Sweet, IP & Hutton, LJ 1982, Lawn Hill region, Queensland, 1:100 000 geological map commentary. Bureau of Mineral Resources, Australia, Canberra.
- Sweet, IP, Mock, CM & Mitchell, JE 1981, Seigal, Northern Territory, Hedleys Creek Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Symonds, PA 1973, The structure of the north Tasman Sea, record no. 1973/167, Bureau Mineral Resources, Australia, Canberra.
- Symonds, PA, Capon, D, Davies, PJ,
 Pigram, CJ & Feary, DA 1987,
 Structural style of the Townsville
 Trough and its implications for
 the development of the northeast
 Australian margin, record no. 1987/51,
 Bureau of Mineral Resources,
 Australia, Canberra, pp. 165-72.
- Symonds, PA, Colwell, JB, Struckmeyer, HIM, Wilcox, JB & Hill, PJ 1996, 'Mesozoic rift basin development off eastern Australia', Geological Society of Australia, Abstracts, vol. 43, pp. 528–42.
- Symonds, PA & Davies, PJ 1988, Structure, stratigraphy, evolution and regional framework of the Townsville Trough and Marion Plateau region—research cruise proposal—Project 9131.11, record no. 1988/48, Bureau of Mineral Resources, Australia, Canberra.
- Symonds, PA, Davies, PJ, Feary,
 DA & Pigram, CJ 1988, 'Geology
 of the northeastern Australian
 marginal basins', Proceedings of the
 PESA-ODCAA-SPE Petroleum Symposium,
 Queensland 1988: Exploration
 and Development, pp. 61–77.
- Symonds, PA, Davies, PJ & Parisi, A 1983, 'Structure and stratigraphy of the central Great Barrier Reef', BMR Journal of Australian Geology & Geophysics, vol. 8, pp. 277–91.
- Symonds, PA, Fritsch, J & Schluter, JU 1984, 'Continental margin around the western Coral Sea Basin: structural elements, seismic sequences and petroleum geological aspects', in ST Watson (ed.), Transactions of third Circum-Pacific Energy and Mineral Resources Conference, Hawaii, American Association of Petroleum Geologists, Tulsa, pp. 143–252.

- Taira, A, Okada, H, Whitaker, JHM & Smith, AJ 1982, 'The Shimanto Belt of Japan; Cretaceous lower Miocene active-margin sedimentation', Geological Society of London, Special Publication, vol. 10, pp. 5–26.
- Talent, JA, Berry, WBN & Boucot, AJ 1982, 'Correlation of the Silurian rocks of Australia, New Zealand and New Guinea', Special Papers of the Geological Society of America, vol. 150, pp. 1–108.
- Talent, JA & Mawson, R 1994,
 'Conodonts in relation to the age
 and environmental framework of
 the Burdekin Basin, north-eastern
 Australia', Courier Forschungsinstitut
 Senckenberg, vol. 168, pp. 61–81.
- Talent, JA, Mawson, R, Aitchison, JC, Becker, RT, Bell, KN, Bradshaw, MA, Burrow, CJ, Cook, AG, Dargan, GM, Douglas, JG, Edgecombe, GD, Feist, M, Long, JA, Phillips-Ross, JR, Pickett, JW, Playford, G, Richards, RB, Webby, BD, Winchester-Seeto, T, Wright, AJ, Young, GC & Zhen, YY 2000, 'Devonian palaeobiogeography of Australia and adjoining regions', Memoirs of the Association of Australasian Palaeontologists, vol. 23, pp. 167–257.
- Talent, JA, Mawson, R & Simpson, AJ 2003, 'The "lost" Early Ordovician (Arenig) – Devonian (latest Givetian/ earliest Frasnian) Georgetown carbonate platform', Courier Forschungsinstitut Senkenberg, vol. 242, pp. 71–9.
- Talent, JA, Mawson, R, Simpson, AJ & Brock, GA 2002, Palaeozoics of NE Queensland: Broken River region: Ordovician—Carboniferous of the Townsville hinterland: Broken River and Camel Creek regions, Burdekin and Clarke River basins, ICP 2002 field excursion guidebook, special publication no. 1, Macquarie University Centre for Ecostratigraphy and Palaeobiology, Sydney.
- Talusani, RVR, Sivell, WJ & Ashley, PM 2005, 'Mineral chemistry, petrogenesis, and tectonic setting of the Wateranga layered intrusion, southeast Queensland', Canadian Journal of Earth Sciences, vol. 42, pp. 1967–85.
- Tang, JEH 2003, Goomeri (9345), Queensland, 1:100 000 geological map commentary, Geological Survey of Queensland, Brisbane.
- Tang, JEH 2004, 'The petrogenesis of the Station Creek Igneous Complex and associated volcanics, northern New England Orogen', PhD thesis, Queensland University of Technology, Brisbane.

- Tang, JEH & Gust, DA 2000, 'Revision and petrogenetic significance of intrusive units in the North D'Aguilar Block, south-east Queensland', Queensland Government Mining Journal, vol. 101, pp. 49-61.
- Tanner, JJ 1967, 'Devonian of the Adavale Basin, Queensland, Australia', in DH Oswald (ed.), Proceedings of the International symposium on the Devonian System, vol. II, Alberta Society of Petroleum Geologists, Calgary, pp. 111–16.
- Taube, A 1979, 'Authority to Prospect 1896M, report to Queensland Department of Mines for six months ended 20th Feb. 1979', unpublished report held by the Geological Survey of Queensland as CR6951.
- Taube, A 1986, 'The Mount Morgan gold-copper mine and environment, Queensland: a volcanogenic massive sulfide deposit associated with penecontemporaneous faulting', Economic Geology, vol. 81, pp. 1322-40.
- Taube, A, Mawson, R & Talent, JA 2005, 'Repetition of the Mount Morgan stratigraphy and mineralization in the Dee Range, northeastern Australia: implications for exploration', Economic Geology, vol. 100, pp. 375–84.
- Taube, A & McLeod, RL 1987, 'Mt Morgan mine, Mt Chalmers mine, and UNMC prospect—penecontemporaneous faulting and volcanogenic massive sulphide deposits in central Queensland', in *Proceedings of the Pacific Rim Congress 87,* The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 423–5.
- Taube, A & Messenger, P 1994, 'Volcanic stratigraphy of the Dee Range: a new perspective on Mt Morgan', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 50, pp. 85–7.
- Taube, A & van der Helder, P 1983, 'The Mount Chalmers mine and environment—a Kurokostyle volcanogenic sulphide environment', in Permian geology of Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 387–99.
- Taylor, G & Eggleton, RA 2008,
 'Genesis of pisoliths and of the
 Weipa bauxite deposit, northern
 Australia', Australian Journal of Earth
 Sciences, vol. 55, pp. S87–103.

- Taylor, LWH 1977, 'The western Coral Sea: sedimentation and tectonics', PhD thesis, University of Sydney.
- Taylor, LWH & Falvey, D 1977, "Queensland Plateau and Coral Sea Basin: stratigraphy, structure and tectonics", APEA Journal, vol. 17, pp. 13-29.
- Taylor, OJ 1987, 'Benefits, requirements, and effects of different levels of oilshale development', USGS Professional Paper, vol. 1310, pp. 125–38.
- Taylor, WG 1919, 'Pinnacle arsenic lease (No. 3613, Boonmoo)', Queensland Government Mining Journal, vol. 20, pp. 494-6.
- Teale, GS 1989, 'Exploration return, Mining Lease Application No. 910 Ingham, Bitumen. Report on the Frasers Creek (Bitumen) Co-REE-bearing manganese oxide occurrence', unpublished report held by the Geological Survey of Queensland as CR19973.
- Teale, GS 1993, 'Mount Painter and Mount Babbage inliers', Bulletin of the Geological Survey of South Australia, vol. 54, pp. 93–100.
- Teale, GS & Flint, RB 1993, 'Curnamona Craton and Mount Painter Province', Bulletin of the Geological Survey of South Australia, vol. 54, pp. 147–9.
- Teasdale, J. & Pryor, L. 2002, Georgina Basin SEEBASE Project, April—May 2002, record no. 2002-004, Northern Territory Geological Survey, Darwin.
- Tedford, RH 1967, 'Fossil mammal remains from the Tertiary Carl Creek Limestone, north-western Queensland', Bulletin of the Bureau of Mineral Resources Australia, vol. 92, pp. 217–37.
- Tejan-Kella, MS, Chittleborough, DJ, Fitzpatrick, RW, Thompson, CH, Prescott, JR & Hutton, JT 1990, 'Thermoluminescence dating of coastal sand dunes at Cooloola and North Stradbroke Island, Australia', Australian Journal of Soil Research, vol. 28, pp. 465–81.
- Telford, PG 1972, 'Lower Devonian conodonts from the Silverwood Group, south-east Queensland', Proceedings of the Royal Society of Queensland, vol. 83, pp. 61–8.
- Telford, PG 1975, 'Lower and Middle Devonian conodonts from the Broken River Embayment north Queensland, Australia', Special Papers in Palaeontology, vol. 15, pp. 1–96.

- Teluk, JA 1984, 'Cape Weymouth Joint Venture, report on exploration for the 1984 field season May— December, 1984', unpublished report held by the Geological Survey of Queensland as CR13918.
- Tester, ES, Abbott, DH & Meyers, CA 2007, 'Evidence for a late Holocene oblique impact in the Gulf of Carpentaria, Australia', Abstracts with Programs, Geological Society of America Annual Meeting, vol. 39, p. 312.
- Thom, B, Hesp, P & Bryant, E 1994,

 'Last glacial "coastal" dunes in
 eastern Australia and implications
 for landscape stability during the last
 glacial maximum', Palaeogeography,
 Palaeoclimatology and Palaeoecology,
 vol. 111, pp. 229–48.
- Thomas, BM, Osbourne, DG & Wright, AJ 1982, 'Hydrocarbon habitat of the Surat/Bowen Basin', APEA Journal, vol. 22, pp. 213–26.
- Thomas, BM & Reiser, RF 1968, The geology of the Surat 1:250 000 sheet area, record no.-1968/56, Bureau of Mineral Resources, Australia, Canberra.
- Thomas, DE 1960, 'The zonal distribution of Australian graptolites', Journal and Proceedings of the Royal Society of New South Wales, vol. 94, pp. 1–58.
- Thomas, MN 1981, 'Geology of the Dunbar Mine, Monsildale district, southeast Queensland: and some platinum-gold-pyrite occurrences', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Thomis, MI 1985, A place of light & learning: the University of Queensland's first seventy-five years, University of Queensland Press, Brisbane.
- Thompson, AB, Schulmann, K, Jezek, J & Tolar, V 2001, 'Thermally softened continental extensional zones (arcs and rifts) as precursors to thickened orogenic belts', *Tectonophysics*, vol. 332, pp. 115–41.
- Thompson, CH & Beckmann, GG 1959, Soils in the Toowoomba area, Darling Downs, Queensland, Commonwealth Scientific and Industrial Research Organisation, Melbourne.
- Thompson, JFH, Sillitoe, RH, Baker, T, Lang, JR & Mortensen, JK 1999, 'Intrusion-related gold deposits associated with tungsten-tin provinces', Mineralium Deposita, vol. 34, pp. 323-34.

- Thompson, RS 1975, 'Tidal flat sediments of the Colorado River delta, northwestern Gulf of California', in RN Ginsburg (ed.), *Tidal deposits*, Springer, Berlin, pp. 57–65.
- Thomson, J 1976, Geology of the Drake 1:100 000 sheet, 9340, Geological Survey of New South Wales, Sydney.
- Thomson, LD & Russell, RT 1971,
 'Discovery, exploration, and
 investigations of phosphate deposits
 in Queensland', Proceedings of the
 Australasian Institute of Mining and
 Metallurgy, vol. 240, pp. 1–14.
- Thorkelson, DJ, Mortensen, JK, Creaser, RA, Davidson, GJ & Abbott, JG 2001, 'Early Proterozoic magmatism in Yukon, Canada: constraints on the evolution of northwestern Laurentia', Canadian Journal of Earth Sciences, vol. 38, pp. 1479–94.
- Thornton, MP 1995, 'Maryborough Basin, Queensland', Geological Society of Australia, Coal Geology Group, Special Publication, vol. 1, pp. 525–32.
- Thornton, RCN 1979, 'Regional stratigraphic analysis of the Gidgealpa Group, southern Cooper Basin, Australia', Bulletin of the Geological Survey of South Australia, vol. 49, pp. 1–140.
- Thulborn, RA 1998, 'Australia's earliest theropods: footprint evidence in the Ipswich Coal Measures (Upper Triassic) of Queensland', GAIA, vol. 15, pp. 301–11.
- Thulborn, RA & Wade, M 1979, 'Dinosaur stampede in the Cretaceous of Queensland', *Lethaia*, vol. 12, pp. 275–9.
- Thulborn, RA & Wade, M 1984, 'Dinosaur trackways in the Winton Formation (mid-Cretaceous) of Queensland', Memoirs of the Queensland Museum, vol. 21, pp. 413-518.
- Tibbett, KE 2002, 'Archaeological analysis of stone axe exchange networks in the Lake Eyre Basin during the mid- to late Holocene', Australian Archaeology, vol. 55, pp. 22–9.
- Tibby, J & Haberle, SG 2007, 'A late glacial to present diatom record from Lake Euramoo, wet tropics of Queensland, Australia', Palaeogeography Palaeoclimatology, Palaeoecology, vol. 251, pp. 46–56.
- Tillyard, RJ & Dunstan, B 1916, Mesozoic and Tertiary insects of Queensland and New South Wales, publication no. 253, Geological Survey of Queensland, Brisbane.

- Tillyard, RJ & Dunstan, B 1923,

 Mesozoic Insects of Queensland.

 Part 1—Introduction and Coleoptera,
 publication no. 273, Geological
 Survey of Queensland, Brisbane.
- Timmins, AL 1990, 'A phosphate and fluorine bearing assemblage developed in the lower Palaeozoic deformed volcanics of the Balcooma Dry River region', BSc (hons) thesis, James Cook University of North Queensland, Townsville.
- Tissot, BP & Welte, DH 1978, Petroleum formation and occurrence: a new approach to all and gas exploration, Springer, Berlin, 699 pp.
- Tooth, S & Nanson, GC 1995, 'The geomorphology of Australia's fluvial systems: retrospect, perspect and prospect', Progress in Physical Geography, vol. 19, pp. 35–60.
- Torgersen, T, Habermehl, MA, Phillips, FM, Elmore, D, Kubik, P, Jones, BG, Hemmick, T & Gove, HE 1991, 'Chlorine-36 dating of very old groundwater: 3. Further studies in the Great Artesian Basin, Australia', Water Resources Research, vol. 27, pp. 3201–13.
- Torgersen, T, Hutchinson, MF, Searle, DE & Nix, HA 1983, 'General bathymetry of the Gulf of Carpentaria and the Quaternary physiography of Lake Carpentaria', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 41, pp. 207–25.
- Torgersen, T, Jones, MR, Stephens, AW, Searle, DE & Ullman, WJ 1985, 'Late Quaternary hydrological changes in the Gulf of Carpentaria', Nature, vol. 313, pp.785–7.
- Torgersen, T, Luly, J, de Deckker, P, Jones, MR, Searle, DE, Chivas, AR & Ullman, WJ 1988, 'Late Quaternary environments of the Carpentaria Basin, Australia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 67, pp. 245-61.
- Totterdell, JM 1990, Notes to accompany a 1:5 000 000 scale Permian structure map of Australia, record no. 1990/40, Bureau of Mineral Resources, Australia, Canberra.
- Totterdell, JM & Korsch, RJ 1992, Structural configuration and tectonic development of the Bowen and Surat basins in the Taroom region, record no. 1991/102, Bureau of Mineral Resources, Australia, Canberra, pp. 35–52.

- Totterdell, JM, Moloney, J, Korsch, RJ & Krassay, AA 2009, 'Sequence stratigraphy of the Bowen-Gunnedah and Surat basins in New South Wales', Australian Journal of Earth Sciences, vol. 56, pp. 433-59.
- Totterdell, JM, Wells, AT, Brakel, AT, Korsch RJ & Nicoll, MG 1991, Sequence stratigraphic interpretation of seismic data in the Taroom region, Bowen and Surat basins, Queensland, record no. 1991/102, Bureau of Mineral Resources, Australia, Canberra.
- Trail, DS, Pontifex, IR, Palfreyman, WD, Willmott, WF & Whitaker, WG 1968, The igneous and metamorphic rocks of the southern part of the Cape York Peninsula, Queensland, record no. 1968/26, Bureau of Mineral Resources, Australia, Canberra.
- Trail, DS, Willmot, WF, Palfreyman, WD, Spark, RF & Whitaker, WG 1969, The igneous and metamorphic rocks of the Coen and Cape Weymouth 1:250 000 sheet areas, Cape York Peninsula, record no. 1969/64, Bureau Mineral Resources, Australia, Canberra.
- Traves, DM 1960, 'Upper Cainozoic', Journal of the Geological Society of Australia, vol. 7, pp. 387–8.
- Traves, DM 1966, 'Petroleum in the Roma-Springsure area', in RT Madigan, RG Thomas & JT Woodcock (eds), Proceedings of the 8th Commonwealth Mining and Metallurgical Congress, Melbourne, Volume 5—Petroleum, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 147–54.
- Traves, DM & Thralls, HM 1960, 'The gas strike at Roma', Australasian Oil & Gas Journal, vol. 7, pp. 20-3.
- Travouillon, KJ, Archer, M, Hand, SJ & Godthelp, H 2006, 'Multivariate analyses of Cenozoic mammalian faunas from Riversleigh, northwestern Queensland', Alcheringa: an Australasian Journal of Palaeontology, vol. 30, pp. 323–49.
- Tregoning, P 2002, 'Plate kinematics in the western Pacific derived from geodetic observations', Journal of Geophysical Research, vol. 107, doi:10.1029/2001JB000406.
- Trezise, DL 1990, A review of the Queensland building stone industry, Queensland Resource Industries Review Series, Department of Resource Industries, Queensland, pp. 1–113.

■ 928 Geology of Queensland

- Trezise, DL, Holmes, KH & Cooper, W 1989, Townsville (8259), Queensland, 1:100 000 geological map commentary, Queensland Department of Mines and Energy, Brisbane.
- Trezise, DL & Stephenson, PJ 1990, Rocks and landscapes of the Townsville district, Queensland Department of Resource Industries, Brisbane.
- Troup, AJ & Green, PM 2011, 'The changing face of Queensland's petroleum industry', APPEA Journal, vol. 51, pp. 225–39.
- Tryon, H 1910, 'Meteoric stones, with reference to discoveries in Queensland', Queensland Naturalist, vol. 1910, pp. 170-1.
- Tudhope, AW & Scoffin, TP 1984, 'The effects of Callianassa bioturbation on the preservation of carbonate grains in Davies Reef Lagoon, Great Barrier Reef, Australia', Journal of Sedimentary Petrology, vol. 54, pp. 1091–6.
- Tulloch, AJ & Kimbrough, DL 2003, 'Paired plutonic belts in convergent margins and the development of high Na, Al, Sr, low Y magmatism: the Peninsular Ranges Batholith of California and the Median Batholith of New Zealand', Geological Society of America Special Paper, vol. 374, pp. 275–95.
- Turner, S 1982, 'A catalogue of fossil fish in Queensland', *Memoirs of the Queensland Museum*, vol. 20, pp. 599–611.
- Turner, S 1993, 'Palaeozoic microvertebrate biostratigraphy of eastern Gondwana', in JA Long (ed.), Palaeozoic vertebrate biostratigraphy and biogeography, Belhaven Press, London, pp. 174–207.
- Turner, S, Basden, A & Burrow, CJ 2000, 'Devonian vertebrates of Queensland', Courier Forschungsinstitut Senckenberg, vol. 223, pp. 487–521.
- Turner, S, Bean, LB, Dettmann, M, McKeller, JL, McLoughlin, S & Thulborn, T 2009, 'Australian Jurassic sedimentary and fossil successions: current work and future prospects for marine and non-marine correlation', GFF, vol. 131, pp. 49–70.
- Turner, S, Burrow, CJ & Warren, A 2005, 'Gyracanthides hawkinsi gen. et sp. nov. (Acanthodii: Gyracanthidae) from the Lower Carboniferous of Queensland with a review of gyracanthid taxa', Palaeontology, vol. 48, pp. 963–1006.
- Turner, S & Cook, AG 1999, 'Carboniferous fish remains from the far-northern Drummond Basin', *Memoirs of the Queensland Museum*, vol. 48, p. 786.

- Turner, S, Jones, PJ & Draper, JJ 1981, 'Early Devonian thelodonts (Agnatha) from the Toko Syncline, western Queensland, and a review of other Australian discoveries', BMR Journal of Australian Geology & Geophysics, vol. 6, pp. 51–69.
- Turner, S, Kemp, A & Warren, AA 1999, 'First early Carboniferous lungfish (Dipnoi, Ctenodontidae) from central Queensland', Alcheringa, vol. 23, pp. 177–82.
- Turner, S, Warren, AA, Yates, A & Burrow, CJ 1996, 'Viséan vertebrate macro- and microfossils from Queensland, Australia', Journal of Vertebrate Paleontology, vol. 16, supplement 3, pp. 69A-70A.
- Turner, S & Young, GC 1987, 'Shark teeth from the Early-Middle Devonian Cravens Peak Beds, Georgina Basin, Queensland', Alcheringa, vol. 11, pp. 233-44.
- Turner, T 1997, 'Exploration permit for coal No. 529—Styx, final report', unpublished report held by the Geological Survey of Queensland as CR29307.
- Turney, CSM, Kershaw, AP, Clemens, SC, Branch, N, Moss, PT & Fifield, KL 2004, 'Millennial and orbital variations of El Nino/Southern Oscillation and high-latitude climate in the last glacial period', Nature, vol. 428, pp. 306–10.
- Turney, CSM, Kershaw, AP, Moss, P, Bird, MI, Fifield, LK, Cresswell, RG, Santos, GM, Di Tada, ML, Hausladen, PA & Zhou, Y 2001, 'Redating the onset of burning at Lynch's Crater (North Queensland): implications for human settlement in Australia', Journal of Quaternary Science, vol. 16, pp. 767–71.
- Twidale, CR 1956, 'A physiographic reconnaissance of some volcanic provinces in north Queensland, Australia', Bulletin Volcanologique, vol. 18, pp. 3–23.
- Twidale, CR, Prescott, JR, Bourne, JA & Williams, FM 2001, 'Age of desert dunes near Birdsville, southwest Queensland', Quaternary Science Reviews, vol. 20, pp. 1355–64.
- Tyler, MJ 1990, 'Limnodynastes Fitzinger (Anura: Leptodactylidae) from the Cainozoic of Queensland', Memoirs of the Queensland Museum, vol. 28, pp. 779–84.
- Tyler, MJ, Archer, M & Godthelp, H 1994, 'Frogs from a Plio-Pleistocene site at Floraville Station, Northwestern Queensland', Records of the South Australian Museum, vol. 27, pp. 169–73.

- Tyler, MJ & Godthelp, H 1993, 'A new species of Lechriodus Boulenger (Anura: Leptodactylidae) from the early Eocene of Queensland', Transactions of the Royal Society of South Australia, vol. 117, pp. 187–9.
- Tyler, MJ & Knight, F 2009, Field guide to the frogs of Australia, CSIRO, Melbourne.
- Tyler, R, Scott, AR & Kaiser, WR 1999,
 'Defining coalbed methane exploration
 fairways: an example from the Piceance
 Basin, Rocky Mountains foreland,
 western United States', in M Mastalerz,
 M Glikson & SD Golding (eds), Coalbed
 methane: scientific, environmental
 and economic evaluation, Kluwer
 Academic, Dordrecht, pp. 67–88.
- Uemoto, T, Watanabe, M, Hoshino, K, Kagami, H, Hodkinson, IP & Orr, T 1992, 'Geochemistry of gold mineralisation and related magmatic events at the Mount Leyshon mine, Queensland, Australia', Mining Geology, vol. 42, pp. 361–78.
- Ulrich, T, Golding, SD, Kamber, BS, Zaw, K & Taube, A 2002, 'Different mineralization styles in a volcanic-hosted ore deposit, the fluid and isotopic signatures of the Mt Morgan Au–Cu deposit, Australia', Ore Geology Reviews, vol. 22, pp. 61–90.
- Ulrich, T, Kamber, BS & Golding, SD 2001, 'The Mount Morgan Au-Cu deposit, Australia: porphyry, VHMS or intrusive-related? Constraints from geologic, isotopic and fluid inclusion analyses', James Cook University of North Queensland, Department of Earth Sciences, Economic Geology Research Unit, Contribution, vol. 59, pp. 201-2.
- Uysal, IT, Glikson, M, Golding, SD & Southgate, PN 2004, 'Hydrothermal control on organic matter alteration and illite precipitation, Mt Isa basin, Australia, Geofluids, vol. 4, pp. 131–42.
- Uysal, IT, Golding, SD & Thiede, DS 2001, 'K-Ar and Rb-Sr dating of authigenic illite-smectite in late Permian coal measures, Queensland, Australia: implication for thermal history', Chemical Geology, vol. 171, pp. 195-211.
- Vail, PR & Hardenbol, J 1979, 'Sealevel changes during the Tertiary', Oceanus, vol. 22, pp. 71–9.
- van Dyck, S 1982, 'Antechinus puteus (Marsupialia, Dasyuridae), a new fossil species from the Texas Caves, southeastern Queensland', Australian Mammalogy, vol. 5, pp. 59–68.

- van Heeswijck, A 2004, 'The structure and hydrocarbon potential of the northern Drummond Basin and northeastern Galilee Basin, central Queensland', in PJ Boult, DR Johns & SC Lang (eds), Eastern Australian Basins Symposium II, Petroleum Exploration Society of Australia, Special Publication, pp. 319–30.
- van Heeswijck, A 2006, 'The structure, sedimentology, sequence stratigraphy and tectonics of the northern Drummond and Galilee basins, central Queensland, Australia', PhD thesis, James Cook University of North Queensland, Townsville.
- van Heeswijck, A 2010, 'Late Palaeozoic to early Mesozoic deformation in the northeastern Galilee basin, Australia', Australian Journal of Earth Sciences, vol. 57, pp. 431–51.
- van Noord, KAA 1999a, 'Basin development, geological evolution and tectonic setting of the Silverwood Group', in PG Flood (ed.), Regional geology, tectonics and metallogenesis. New England Orogen, Department of Earth Sciences, University of New England, Armidale, pp. 163–80.
- van Noord, KAA 1999b, 'Deep-marine sedimentation and volcanism in the Silverwood Group, New England Fold Belt, Australia', PhD thesis, Queensland University of Technology, Brisbane.
- Vasconcelos, PM 1998, Geochronology of weathering in the Mt Isa and Charters Towers regions northern Queensland, report no. 452R/CRC LEME Report, 68R, CSIRO Exploration and Mining, Kenmore (reprinted 2002 as CRC LEME Open file report 139).
- Vasconcelos, PM, Becker, TA, Renne, PR & Brimhal, GH 1992, 'Age and duration of weathering by ⁴⁰K--⁴⁰Ar and ⁴⁰Ar/³⁹Ar analysis of potassium-manganese oxides', Science, vol. 258, pp. 451-5.
- Vasconcelos, PM & Conroy, M 2003, 'Geochronology of weathering and landscape evolution, Dugald River valley, NW Queensland, Australia', Geochimica et Cosmochimica Acta, vol. 67, pp. 2913–30.
- Vasconcelos, PM & Feng, Y 2000, 40Ar/39Ar analyses of biotite and hornblende single crystals from igneous intrusions in SE Queensland, Department of Earth Sciences, University of Queensland, St Lucia, Qld.

- Vasconcelos, PM, Knesel, KM, Cohen, BE & Heim, JA 2008, 'Geochronology of the Australian Cenozoic: a history of tectonic and igneous activity, weathering, erosion, and sedimentation', Australian Journal of Earth Sciences, vol. 55, pp. 865–914.
- Vasconcelos, PM, Renne, PR, Brimhall, GH & Becker, TA 1994, 'Direct dating of weathering phenomena by 40Ar/39Ar and K-Ar analysis of supergene K-Mn oxides', Geochimica et Cosmochimica Acta, vol. 58, pp. 1635-65.
- Veeh, HH & Veevers, JJ 1970, 'Sealevel at -175 m off the Great Barrier Reef 13 600 to 17 000 years ago', Nature, vol. 226, pp. 536-7.
- Veevers, JJ 1990, 'Pacific rim of Australia: the 600 million year partnership of Gondwanaland and the ocean' Proceedings, Pacific Rim Congress 90, Volume II, The Australasian Institute of Mining and Metallurgy, Melbourne, pp. 151–8.
- Veevers, JJ 2000, Billion-year earth history of Australia and neighbours in Gondwanaland, GEMOC Press, Department of Earth and Planetary Sciences, Macquarie University, Sydney.
- Veevers, JJ, Clare, A & Wopfner, H 1994, Neocratonic magmatic-sedimentary basins of post-Variscan Europe and post-Kanimblan eastern Australia generated by right-lateral transtension of Permo-Carboniferous Pangaea', Basin Research, vol. 6, pp. 141–57.
- Veevers, JJ, Jones, JG & Powell, CM 1982, 'Tectonic framework of Australia's sedimentary basins', APEA Journal, vol. 22, pp. 283–300.
- Veevers, JJ, Mollan, RG, Olgers, F & Kirkegaard, AG 1964b, The geology of the Emerald 1:250 000 sheet area, Queensland, report no. 68, Bureau of Mineral Resources, Australia, Canberra.
- Veevers, JJ, Powell, CM & Roots, SR 1991, 'Review of seafloor spreading around Australia. I. Synthesis of the patterns of spreading', Australian Journal of Earth Sciences, vol. 38, pp. 373–89.
- Veevers, JJ, Randal, MA, Mollan, RG & Paten, RJ 1964a, The geology of the Clermont 1:250 000 sheet area, Queensland, report no. 66, Bureau of Mineral Resources, Australia, Canberra.

- Vendrasco, MJ, Porter, SM, Kouchinsky, A, Li, GX & Fernandez, CZ 2010, 'New data on molluscs and their shell microstructures from the Middle Cambrian Gowers Formation, Australia', Palaeontology, vol. 53, pp. 97–135.
- Vengosh, A, Kolodny, Y, Starinsky, A,
 Chivas, AR & McCulloch, MT 1991,
 'Coprecipitation and isotopic
 fractionation of boron in modern
 biogenic carbonates', Geochimica et
 Cosmochimica Acta, vol. 55, pp. 2901–10.
- Vickers-Rich, P & Molnar, R 1996, 'The foot of a bird from the Eocene Redbank Plains Formation of Queensland, Australia', Alcheringa, vol. 20, pp. 21–9.
- Vickery, JC 1972, 'The geology of the Mole River valley, northern New South Wales', BSc (hons) thesis, University of New England, Armidale.
- Vine, RR 1963, McKinlay (SF54-7), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR 1964a, Mackunda (SF54-11), Queensland 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR 1964b, 'New Tertiary stratigraphic units—western Queensland', Queensland Government Mining Journal, vol. 65, pp. 471–4.
- Vine, RR 1966, 'Recent geological mapping in the northern Eromanga Basin, Queensland', APEA Journal, vol. 6, pp. 110–15.
- Vine, RR 1969, Hydrological implications of recent geological work in the Great Artesian Basin, record no. 1969/59, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR 1972, 'Relationships between the Adavale and Drummond basins', APEA Journal, vol. 12, pp. 58-61.
- Vine, RR, Casey, DJ & Johnson, NEA 1964, Progress report, 1963, on the geology of part of the northeastern Eromanga Basin, record no. 1964/39, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR & Day, RW 1965, 'Nomenclature of the Rolling Downs Group, northern Eromanga Basin, Queensland', Queensland Government Mining Journal, vol. 66, pp. 416–21.

- Vine, RR, Day, RW, Milligan, EN, Casey, DJ, Galloway, MC & Exon, NF 1967, 'Revision of the nomenclature of the Rolling Downs Group in the Eromanga and Surat basins', Queensland Government Mining Journal, vol. 68, pp. 144–51.
- Vine, RR & Doutch, HF 1972, Galilee (SF/55-10), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR, Jauncey, W, Casey, DJ, & Galloway, MC 1965, Geology of the Longreach-Jericho Lake Buchanan area, Queensland, record no. 1965/245, Bureau of Mineral Resources, Australia, Canberra.
- Vine, RR & Paine, AGL 1974, Hughenden (SF55-1), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Virtue, RJ 1985, 'Geology of the Pikedale – Mount You You area (including the Pikedale silver mine)', BSc (hons) thesis, Queensland Institute of Technology, Brisbane.
- Volk, P 1994, 'Catalogue of meteorites, tektites and associated material in the Queensland Museum', Memoirs of the Queensland Museum, vol. 35, pp. 255–62.
- von Gnielinski, FE 1997, 'Carboniferous-Permian', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 160-1.
- von Gnielinski, FE 2010, Queensland minerals, a summary of major mineral resources, mines and projects, Queensland Department of Employment, Economic Development and Innovation, Brisbane.
- von Gnielinski, FE 2011, Queensland minerals, a summary of major mineral resources, mines and projects, Queensland Department of Employment, Economic Development and Innovation, Brisbane.
- von Gnielinski, FE & Hoffmann, KL 2008, Stratigraphic drilling report DME Fairymead NS1, Bundaberg area', record no. 2008/02, Geological Survey of Queensland, Brisbane.
- von Gnielinski, FE, Morwood, DA & Bultitude, RJ 2004, 'New geological mapping at Bustard Head and Clews Point', Queensland Government Mining Journal, vol. 103, pp. 81–3.

- von Gnielinski, FE & Robertson, A 2008, Rosedale (9248), Queensland, 1:100 000 geological series, Geological Survey of Queensland, Brisbane.
- Vos, IMA, Bierlein, FP, Barlow, MA & Betts, PG 2006a, 'Resolving the nature and geometry of major fault systems from geophysical and structural analysis', Journal of Structural Geology, vol. 28, pp. 2097–108.
- Vos, IMA, Bierlein, FP & Webb, J 2006, 'Geochemistry of early-middle Paleozoic basalts in the Hodgkinson Province: a key to tectono-magmatic evolution of the Tasman Fold Belt system in northeastern Queensland, Australia', International Journal of Earth Science, vol. 95, pp. 569-85.
- Wade, BP, Barovich, KM, Hand, M, Scrimgeour, IR & Close, DF 2006, 'Evidence for early Mesoproterozoic arc magmatism in the Musgrave Block, central Australia: implications for Proterozoic crustal growth and tectonic reconstructions of Australia', Journal of Geology, vol. 114, pp. 43–63.
- Wade, M 1977a, 'Georginidae, a new family of actinoceratid cephalopods, middle Ordovician, Australia', Memoirs of the Queensland Museum, vol. 18, pp. 1–15.
- Wade, M 1977b, 'The siphuncle of Georginidae and other Ordovician actinoceratid cephalopods', Lethaia, vol. 10, pp. 303–15.
- Wade, M 1993, 'New Kelaenida and Vampyromorpha: Cretaceous squid from Queensland', *Memoir* of the Association of Australasian Palaeontologists, vol. 15, pp. 353–74.
- Wagner, GA & Van den Haute, P 1992, Fission-track dating, Kluwer Academic, New York, pp. 1–285.
- Walker, D 2007, 'Holocene sediments of Lake Barrine, north-east Australia, and their implications for the history of lake and catchment environments', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 251, pp. 57–82.
- Walker, D 2011, 'The frequency of lamination in the sediments of Lake Barrine, tropical north-east Australia, during the last five millennia', Palaeogeography, Palaeoclimatology, Palaeoecology, vol. 299, pp. 214–26.
- Walker, GPL 1983, 'Ignimbrite types and ignimbrite problems', Journal of Volcanology and Geothermal Research, vol. 17, pp. 65–88.

- Walker, TB 1998, 'The Somerset Dam igneous complex, south-east Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Walkom, AB 1915, Mesozoic floras of Queensland. Part I. The flora of the Ipswich and Walloon Series. (a) Introduction. (b) Equisetales, publication no. 252, Geological Survey of Queensland, Brisbane.
- Walkom, AB 1917a, Mesozoic floras of Queensland. Part I. The flora of the Ipswich and Walloon Series. (c) Filicales, publication no. 257, Geological Survey of Queensland, Brisbane.
- Walkom, AB 1917b, Mesozoic floras of Queensland. Part I. The flora of the Ipswich and Walloon Series. (d) Ginkgoales.(e) Cycadophyta. (f) Coniferales, publication no. 259, Geological Survey of Queensland, Brisbane.
- Walkom, AB 1919, Mesozoic floras of Queensland parts III and IV. The floras of the Burrum and Styx River Series, publication no. 263, Geological Survey of Queensland, Brisbane.
- Wallin, CI 1974, 'Stratigraphic drilling report—GSQ Tambo 2', Queensland Government Mining Journal, vol. 75, pp. 287–92.
- Wallin, CI 1975, 'Stratigraphic drilling report—GSQ Jericho 2', Queensland Government Mining Journal, vol. 76, pp. 438–43.
- Wallin, CI 1979, Departmental drilling, Emerald–Springsure area southwest and south central Bowen Basin, record no. 1979/46, Geological Survey of Queensland, Brisbane.
- Wallis, DS 1993a, Antimony in Queensland, a commodity review and metallogenic study, April 1991, Queensland Minerals and Energy Review Series. Department of Minerals and Energy, Brisbane.
- Wallis, DS 1993b, 'Queensland mineral commodity report: copper', Queensland Government Mining Journal, vol. 94, pp. 11–26.
- Wallis, DS 1993c, 'Queensland mineral commodity report: lead and zinc', *Queensland Government Mining Journal*, vol. 94, pp. 6–21.
- Wallis, DS 1993d, 'Queensland mineral commodity report: silver', Queensland Government Mining Journal, vol. 94, pp. 22-34.

- Wallis, DS 1994, 'Queensland mineral commodity report: nickel and cobalt', Queensland Government Mining Journal, vol. 95, pp. 28–36.
- Wallis, DS 1996, "Queensland mineral commodity report: copper, silver, lead and zinc", Queensland Government Mining Journal, vol. 97, pp. 35–8.
- Wallis, DS 1998a, 'Queensland mineral commodity outlook: nickel', Queensland Government Mining Journal, vol. 99, pp. 5–8.
- Wallis, DS 1998b, 'Queensland mineral commodity report: copper, silver, lead and zinc', Queensland Government Mining Journal, vol. 99, pp. 10–15.
- Wallis, DS 1999, 'Queensland mineral commodity outlook: copper', Queensland Government Mining Journal, vol. 100, pp. 17–21.
- Wallis, DS 2001a, 'Commodity outlook, copper, silver, lead and zinc', Queensland Government Mining Journal, vol. 101, pp. 17–31.
- Wallis, DS 2001b, 'Commodity outlook, phosphate rock', Queensland Government Mining Journal, vol. 101, pp. 28–30.
- Wallis, DS 2008, 'Iron ore in Queensland', Queensland Government Mining Journal, vol. 109, pp. 36–9.
- Wallis, DS & Oakes, GM 1990, 'Heavy mineral sands in eastern Australia', Australasian Institute of Mining and Metallurgy Monograph, vol. 14, pp. 1599–608.
- Walossek, D, Hinz-Schallreuter, I, Shergold, JH & Müller, KJ 1993, 'Threedimensional preservation of arthropod integument from the Middle Cambrian of Australia', Lethaia, vol. 26, pp. 7–15.
- Walsh, JP, Nittrouer, CA, Palinkas, C, Ogston, AS, Sternberg, RW & Brunskill, GJ 2004, 'Clinoform mechanics in the Gulf of Papua, New Guinea', Continental Shelf Research, vol. 24, pp. 2487–510.
- Walsh, WD 2000, A steady state groundwater flow model of the Great Artesian Basin, Bureau of Rural Sciences, Canberra, pp. 1–75.
- Walsh, WD 2006, Great Artesian Basin transient groundwater model, Bureau of Rural Sciences, Canberra, pp. 1–68.
- Waltenberg, K 2006, '40Ar/39Ar geochronology of lava flows at Carnarvon Gorge, Buckland Volcano', BSc (hons) thesis, University of Queensland, St Lucia, Qld.

- Walter, MR 1980, Adelaidean and early Cambrian stratigraphy of the southwestern Georgina Basin: correlation chart and explanatory notes, report no. 214, Bureau of Mineral Resources, Australia, Canberra.
- Walter, MR, Desmarais, D, Farmer, JD & Hinman, NS 1996, 'Lithofacies and biofacies of mid-Paleozoic thermal spring deposits in the Drummond Basin, Queensland, Australia', Palaios, vol. 11, pp. 497–515.
- Walter, MR, McLoughlin, S, Drinnan, AN & Farmer, JD 1998, 'Palaeontology of Devonian thermal springs deposits', Alcheringa, vol. 22, pp. 287–314.
- Walter, MR, Veevers, JJ, Calver, CR & Grey, K 1995, 'Neoproterozoic stratigraphy of the Centralian Superbasin, Australia', Precambrian Research, vol. 73, pp. 173–95.
- Wang, S & Williams, PJ 2001, 'Geochemistry and origin of some Proterozoic skarns at the Mount Elliot Cu-Au (-Co-Ni) deposit, NW Queensland, Australia', *Mineralium Deposita*, vol. 35, pp. 109-35.
- Ward, CR, Harrington, CS, Mallett, CS & Beeston, JW (eds) 1995, 'Geology of Australian coal basins', Geological Society of Australia Coal Geology Group Special Publication, vol. 1, pp. 1–589.
- Ward, WT 1978, 'Notes on the origin of Stradbroke Island', *University of Queensland Papers*, *Department* of Geology, vol. 8, pp. 97–104.
- Ward, WT 1985, 'Correlation of east Australian Pleistocene shorelines with deep-sea core stages: a basis for a coastal chronology', Bulletin of the Geological Society of America, vol. 96, pp. 1156–66.
- Ward, WT 2006, 'Coastal dunes and strandplains in southeast Queensland: stratigraphy and chronology', Australian Journal of Earth Science, vol. 53, pp. 363–73.
- Ward, WT & Grimes, KG 1987, 'History of coastal dunes at Triangle Cliff, Fraser Island, Queensland', Australian Journal of Earth Science, vol. 34, pp. 325–33.
- Ward, WT & Little, IP 2000, 'Sea-rafted pumice on the Australian east coast: numerical classification and stratigraphy', Australian Journal of Earth Sciences, vol. 47, pp. 95–109.

- Warner, KR 1964, Burnett Valley groundwater investigations, hydrogeological report of part of the South Burnett district, record no. 1964/17, Geological Survey of Queensland, Brisbane.
- Warner, KR 1968, Gilbert-Staaten rivers groundwater investigation, hydrogeological report of the Gilbert Delta area, report no. 24, Geological Survey of Queensland, Brisbane.
- Warnick, JV 1989, Pre-Carboniferous geology of the Mount Surprise – Einasleigh region, report no. 2, Geological Survey of Queensland, Brisbane, pp. 103–29.
- Warren, A 2007, 'New data on Ossinodus pueri, a stem tetrapod from the Early Carboniferous of Australia', Journal of Vertebrate Paleontology, vol. 27, pp. 850–62.
- Warren, AA & Turner, S 2004, 'The first stem tetrapod from the Lower Carboniferous of Gondwana', Palaeontology, vol. 47, pp. 151–84.
- Wartenberg, W, Korsch, RJ & Schäfer, A
 1999, 'Geometry of the Tamworth Belt
 in the New England Orogen beneath
 the Surat Basin, southern Queensland',
 in PG Flood (ed.), Regional geology:
 tectonics and metallogenesis. New
 England Orogen Symposium, Department
 of Geology & Geophysics, University of
 New England, Armidale, pp. 211–20.
- Waschbusch, P, Beaumont, C & Korsch, RJ 1999, 'Geodynamic modelling of aspects of the New England Orogen and adjacent Bowen, Gunnedah and Surat basins', in PG Flood (ed.), Regional geology: tectonics and metallogenesis. New England Orogen Symposium, Department of Geology and Geophysics, University of New England, Armidale, pp. 203–210.
- Waschbusch, P, Korsch, RJ & Beaumont, C 2009, 'Geodynamic modelling of aspects of the Bowen, Gunnedah, Surat and Eromanga basins from the perspective of convergent margin processes', Australian Journal of Earth Sciences, vol. 56, pp. 309–34.
- Wass, R & Dennis, DM 1977, 'Early Palaeozoic faunas from the Warwick– Stanthorpe region, Queensland', Search, vol. 8, pp. 207–8.
- Wass, SY & Irving, AJ 1976, XENMEG: A catalogue of occurrences of xenoliths and megacrysts in basic volcanic rocks of eastern Australia, Australian Museum, Sydney.

- Wasson, JT 1991, 'Layered tektites a multiple impact origin for the Australasian tektites', Earth and Planetary Science Letters, vol. 102, pp. 95–109.
- Waterhouse, JB 1983, 'Back Creek Group', in JB Waterhouse (ed.), 1983 field conference, Permian of the Biloela-Moura-Cracow area, Geological Society of Australia, Queensland Division, Brisbane, pp. 26-50.
- Waterhouse, JB 1987, 'Late Palaeozoic Mollusca and correlations from the south-east Bowen Basin, east Australia', Palaeontographica A, vol. 198, pp. 129–233.
- Waterhouse, JB & Balfe, P 1987,
 'Stratigraphic and faunal subdivisions
 of the Permian rocks at Gympie',
 in CG Murray & JB Waterhouse
 (eds), 1987 field conference,
 Gympie district, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 20–33.
- Waterhouse, JB & Jell, JS 1983, 'The sequence of Permian rocks and faunas near Exmoor Homestead, north Bowen Basin', *Proceedings of a symposium on the Permian geology of Queensland*, Geological Society of Australia, Queensland Division, Brisbane, pp. 231–67.
- Waterhouse, JB, Jell, JS & Flood, PG 1981, 'Two new early Permian stratigraphic units in the southeastern Bowen Basin, central Queensland', Queensland Government Mining Journal, vol. 82, pp. 179–84.
- Waterhouse, JB & Sivell, WJ 1987a,
 'Trans-Tasman relationships between
 the Permian-Triassic rocks of
 Gympie, southeast Queensland
 and those of New Caledonia and
 New Zealand', in CG Murray &
 JB Waterhouse (eds), 1987 field
 conference Gympie district, Geological
 Society of Australia, Queensland
 Division, Brisbane, pp. 48-59.
- Waterhouse, JB & Sivell, WJ 1987b, 'Permian evidence for trans-Tasman relationships between east Australia, New Caledonia and New Zealand', Tectonophysics, vol. 142, pp. 227–40.
- Watkins, JR 1967, 'The relationship between climate and the development of landforms in the Cainozoic rocks of Queensland', *Journal of the Geological* Society of Australia, vol. 14, pp. 153-8.

- Watts, KF, Varga, LL & Feary, DA 1993, 'Origins, timing, and implications of Miocene to Pleistocene turbidites, debris flows, and slump deposits of the Queensland Trough, northeastern Australia (Site 823)', Proceedings of the Ocean Drilling Program, Scientific Results, vol. 133, pp. 379–445.
- Webb, AW 1960, 'The geology of the Eidsvold igneous complex', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Webb, AW 1969a, 'Metallogenic epochs in eastern Queensland', Proceedings of the Australasian Institute of Mining and Metallurgy, vol. 230, pp. 27–39.
- Webb, AW 1969b, 'Isotopic age determinations in Queensland and their relation to the geochronological time scale for the Permian', Geological Society of Australia Special Publication, vol. 2, pp. 113–16.
- Webb, AW 1971, Isotopic dating of the Lolworth Igneous Complex, Hughenden and Charters Towers sheet areas, report no. 126, Bureau of Mineral Resources, Australia, Canberra.
- Webb, AW, Cooper, JA & Richards, JR 1963, 'K-Ar ages on some central Queensland granites', Journal of the Geological Society of Australia, vol. 10, pp. 317-24.
- Webb, AW & McDougall, I 1964, 'Granites of Lower Cretaceous age near Eungella, Queensland', Journal of the Geological Society of Australia, vol. 11, pp. 151-4.
- Webb, AW & McDougall, I 1967a, 'Isotopic dating evidence on the age of the upper Permian and Middle Triassic', Earth and Planetary Science Letters, vol. 2, pp. 483–8.
- Webb, AW & McDougall, I 1967b, 'A comparison of mineral and whole rock Potassium–Argon ages of Tertiary volcanics from central Queensland, Australia', Earth and Planetary Science Letters, vol. 3, pp. 41–7.
- Webb, AW & McDougall, I 1968, 'The geochronology of the igneous rocks of eastern Queensland', Journal of the Geological Society of Australia, vol. 15, pp. 313-46.
- Webb, AW, Stevens, NC & McDougall, I 1967, 'Isotopic age determination on Tertiary volcanic rocks and intrusives of south-eastern Queensland', Proceedings of the Royal Society of Queensland, vol. 79, pp. 79–92.

- Webb, EA & Crap, CE 1960, 'The geology of the Collinsville Coal Measures', Proceedings of the Australasian Institute of Mining and Metallurgy, vol. 193, pp. 23–88.
- Webb, GE 1988, 'Lower Carboniferous coral fauna of the Rockhampton Group, eastern-central Queensland', PhD thesis, University of Queensland, St Lucia, Qld.
- Webb, GE 1989, 'Late Visean coral-algal bioherms from the Lion Creek Formation of Queensland, Australia', Onzieme Congres International de Stratigraphie et de Geologie du Carbonifere, Compte Rendu, vol. 3, pp. 282–95.
- Webb, GE 1990, 'Lower Carboniferous coral fauna of the Rockhampton Group, east-central Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 10, pp. 1–167.
- Webb, GE 1991, Late Visean coralalgal bioherms from the Lion Creek Formation of Queensland, Australia', Proceedings of the 11th International Congress on Carboniferous Stratigraphy and Geology, Beijing, China, Compte Rendu, vol. 3, pp. 282–95.
- Webb, GE 1994, 'Parallelism, non-biotic data and phylogeny reconstruction in paleobiology', Lethaia, vol. 27, pp. 185–92.
- Webb, GE 2000, 'The palaeobiogeography of eastern Australian lower Carboniferous corals', Historical Biology, vol. 15, pp. 91–120.
- Webb, GE 2005, 'Quantitative analysis and paleoecology of earliest Mississippian microbial reefs, lowermost Gudman Formation, Queensland, Australia: not just post-disaster phenomena', Journal of Sedimentary Research, vol. 75, pp. 875–94.
- Webb, GE, Price, GJ, Nothdurft, LD, Deer, L & Rintoul, L 2007, 'Cryptic meteoric diagenesis in freshwater bivalves: implications for radiocarbon dating', Geology, vol. 35, pp. 803-6.
- Webb, JA 1973, 'Geology of the Bukali area, Monto district, Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Webb, JA 1977, 'Stratigraphy and palaeontology of the Bukali area, Monto district, Queensland', *University of Queensland Papers*, *Department of Geology*, vol. 8, pp. 37–70.
- Webb, JA 1982, 'Triassic species of Dictyophyllum from eastern Australia', Alcheringa, vol. 6, pp. 79–91.

- Webb, JA 1986, 'Plants (megaflora) and conchostracans', in BG Fordham (ed.), A field guide to 'Sediments and fossils of the Ipswich Basin', Geological Society of Australia, Queensland Division, Brisbane.
- Webb, JA, Joyce, EB & Stevens, NC 1993, 'Lava caves of Australia', in WR Halliday (ed.), Proceedings of the Third International Symposium on Vulcanospeleology. A special session of the 39th Annual Convention of the National Speleological Society, Bend, Oregon, 30 July 1 August 1982, International Speleological Foundation, pp. 74–85.
- Webb, JA & McNaughton, NJ 1978, 'Isotopic age of the Sugars Basalt', Queensland Government Mining Journal, vol. 79, pp. 591–5.
- Webby, BD, Vandenberg, AHM, Banks, MR, Burrett, CF, Cooper, RA, Henderson, RA, Laurie, J & Stait, B 1981, 'Alphabetical list of rock units', International Union of Geological Sciences Publication, vol. 6, pp. 14–46.
- Webster, GD & Jell, PA 1999a, 'New Carboniferous crinoids from Australia', *Memoirs of the Queensland Museum*, vol. 43, pp. 237–77.
- Webster, GD & Jell, PA 1999b, 'New Permian crinoids from Australia', Memoirs of the Queensland Museum, vol. 43, pp. 279–339.
- Webster, JM & Davies, PJ 2003, 'Coral variations in two deep drill cores from the northern Great Barrier Reef: significance for the Pleistocene development of the Great Barrier Reef', Sedimentary Geology, vol. 159, pp. 61–80.
- Webster, JM, Yokoyama, Y, Cotterill, C & expedition 325 scientists 2011, 'Program 325', Proceedings of the Integrated Ocean Drilling Program, doi:10.2204/iodp.proc.325.2011.
- Webster, MA, Brew, J & Grimison, AG 2000, 'Hydrodynamics in the Queensland sector of the Cooper/Eromanga basins: identifying non-conventional exploration plays using water pressure and chemistry data', Proceedings of Society of Petroleum Engineers Asia Pacific Oil and Gas Conference and Exhibition (CD).
- Wecker, HRB 1989, 'The Eromanga Basin', APEA Journal, vol. 29, pp. 379-97.
- Wecker, HRB, Ziolkowski, V & Powis, GD 1996, 'New gas discoveries in the northern Cooper Basin', APPEA Journal, vol. 36, pp. 104–15.

- Wehrle, A 1995, 'The complexity of granitoid pulses that comprise the Taromeo Tonalite', BSc (hons) thesis, Queensland University of Technology, Brisbane.
- Wellman, P 1971, 'The age and palaeomagnetism of the Australian Cenozoic volcanic rocks', PhD thesis, Australian National University, Canberra.
- Wellman, P 1975, 'Palaeomagnetism of two mid-Tertiary basaltic volcanoes in Queensland, Australia', Proceedings of the Royal Society of Queensland, vol. 86, pp. 147–53.
- Wellman, P 1978, 'Potassium-argon ages of Cainozoic volcanic rocks from the Bundaberg, Rockhampton and Clermont areas of eastern Queensland', Proceedings of the Royal Society of Queensland, vol. 89, pp. 59-64.
- Wellman, P 1986, 'Intrusions beneath large intraplate volcanoes', Exploration Geophysics, vol. 17, pp. 135-9.
- Wellman, P 1987, 'Eastern Highlands of Australia; their uplift and erosion', BMR Journal of Australian Geology & Geophysics, vol. 10, pp. 277-86.
- Wellman, P 1989, 'Upper mantle, crust, and geophysical volcanology of eastern Australia', in RW Johnson (ed.), Intraplate volcanism in eastern Australia and New Zealand, Cambridge University Press, Sydney, pp. 29–38.
- Wellman, P 1990, 'A tectonic interpretation of the gravity and magnetic anomalies in southern Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 232, pp. 21–34.
- Wellman, P 1992, 'A geological interpretation of the regional gravity and magnetic features of north Queensland', Exploration Geophysics, vol. 23, pp. 423–8.
- Wellman, P 1995a, Interpretation of regional magnetic and gravity data in Cape York Peninsula, Queensland, record no. 1995/45, Australian Geological Survey Organisation, Canberra.
- Wellman, P 1995b, 'The Lakefield Basin: a new Permian basin in far north Queensland', *Queensland Government* Mining Journal, vol. 95, pp. 19–23.
- Wellman, P 1995c, 'Tasman Orogenic System: a model for its subdivision and growth history based on gravity and magnetic anomalies', *Economic Geology*, vol. 90, pp. 1430–42.

- Wellman, P 1997a, 'Geological & geophysical framework', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 9–18.
- Wellman, P 1997b, 'Geophysical characteristics', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 366-71.
- Wellman, P. Bultitude, RJ, & Draper, JJ 1997, 'Gamboola Basin', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 514.
- Wellman, P, Mackenzie, DE & Bain, JHC 1994, 'Permian-Carboniferous magmatism in north Queensland; a new perspective', AGSO Research Newsletter, vol. 20, pp. 8-9.
- Wellman, P, McConachie, BA & Draper, JJ 1997, 'Lakefield Basin' Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 513–14.
- Wellman, P & McDougall, I 1974a, 'Cainozoic igneous activity in eastern Australia', *Tectonophysics*, vol. 23, pp. 49–65.
- Wellman, P & McDougall, I 1974b, 'Potassium-argon ages on the Cainozoic volcanic rocks of New South Wales', Journal of the Geological Society of Australia, vol. 21, pp. 247-72.
- Wellman, P, Williams, JW & Maher, AR 1995, 'Interpretation of gravity and magnetic anomalies in the Clarence— Moreton Basin region', Bulletin of the Australian Geological Survey Organisation, vol. 241, pp. 217–29.
- Wells, AT 1989, 'Late Permian coal measures beneath the Olive River Basin, Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 231, pp. 171-3.
- Wells, AT, Brakel, AT, Totterdell, JM, Korsch RJ & Nicoll, MG 1993, Sequence stratigraphic interpretation of seismic data north of 26°S, Bowen and Surat basins, Queensland, record no. 1993/51, Australian Geological Survey Organisation, Canberra.
- Wells, AT & O'Brien, PE 1994, 'Lithostratigraphic framework of the Clarence-Moreton Basin', Bulletin of the Bureau of Mineral Resources, Australia, vol. 241, pp. 4-47.
- Wells, B 2001, 'Tectonic analysis of the Beenleigh Block, southeastern Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.

- Werner, A 2005, Report 2: conceptualisation of Pioneer Valley seawater intrusion, groundwater amendment to the Pioneer Valley water resources plan, Department of Natural Resources and Mines, Brisbane.
- Westergård, AH 1946, 'Agnostidea of the middle Cambrian of Sweden' Sveriges Geologiska Undersökning, Series C Avhandlingar och uppsatser, no. 477, pp. 1–141.
- Whalen, JB, Currie, KL & Chappell, BW 1987, 'A-type granites: geochemical characteristics, discrimination and petrogenesis', Contributions to Mineralogy and Petrology, vol. 95, pp. 407–19.
- Whitaker, WG 1965, 'The geology of the Barambah area near Ban Ban Springs, south-east Queensland', BSc (hons) thesis. University of Queensland, St Lucia, Qld.
- Whitaker, WG 1972, 'A note on the occurrence of phenoclasts of lower Palaeozoic oolitic arenite in the Upper Triassic Kholo Sub Group', *Queensland Government Mining Journal*, vol. 73, pp. 149-52.
- Whitaker, WG & Green, PM 1980, Moreton geology, 1:1 500 000 scale map, Geological Survey of Queensland, Brisbane.
- Whitaker, WG & Grimes, KG 1977, Hann River (SD54-16), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Whitaker, WG, Murphy, PR & Rollason, RG 1974, Geology of the Mundubbera 1:250 000 sheet area, report no. 84, Geological Survey of Queensland, Brisbane.
- Whitaker, WG & Willmott, WF 1968, 'The nomenclature of the igneous and metamorphic rocks of Cape York Peninsula, Queensland', Queensland Government Mining Journal, vol. 69, pp. 344-55.
- Whitaker, WG & Willmott, WF 1969a, 'The nomenclature of the igneous and metamorphic rocks of Cape York Peninsula, Queensland', Queensland Government Mining Journal, vol. 70, pp. 130-42.
- Whitaker, WG & Willmott, WF 1969b, 'The nomenclature of the igneous rocks of Torres Strait, Queensland', Queensland Government Mining Journal, vol. 70, pp. 530-6.

- Whitby, K, Dyson, R. & Straub, K 1996, Geological report EPC 463, Bathurst Range, report no. 163/12, McElroy Bryan Geological Services Pty Ltd for Bathurst Coal and Power Ltd, unpublished report held by the Geological Survey of Queensland as CR28316.
- White, AH 1970, 'Authority to Prospect 74C, Pascoe River area, Cape York Peninsula, final report, Comalco Ltd', unpublished report held by the Geological Survey of Queensland as CR3329.
- White, AW 2001, 'A new Eocene soft-shelled turtle (Trionychidae) from Murgon, south-eastern Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 25, pp. 37–43.
- White, DA 1959, Progress report on regional geological mapping, northern Queensland, 1958, record no. 1959/115, Bureau of Mineral Resources, Australia, Canberra.
- White, DA 1961, Geological history of the Cairns-Townsville hinterland, north Queensland, report no. 59, Bureau of Mineral Resources, Australia, Canberra.
- White, DA 1965, 'The geology of the Georgetown/Clarke River area, north Queensland', Bulletin of the Bureau of Mineral Resources, Australia, vol. 71, pp. 1–165.
- White, DA & Crespin, I 1959, 'Some diatomites of north Queensland', Queensland Government Mining Journal, vol. 60, pp. 191-3.
- White, DA & Stewart, JR 1959, 'Discovery of graptolites in north Queensland', Australian Journal of Science, vol. 22, p. 76.
- White, DA, Stewart, JR, Branch, CD, Green, DH & Wyatt, DH 1959 Progress report on the regional geological mapping of north Queensland, 1957, Gray Creek, Broken River and Clarke River areas, record no. 1959/114, Bureau of Mineral Resources Australia, Canberra.
- White, JP & O'Connell, JF 1982, A prehistory of Australia, New Guinea and Sahul, Academic Press, Sydney.
- White, ME 1957, Fossil plants from the Georgetown district, western Queensland, from the Blythesdale Formation, record no. 1957/70, Bureau Mineral Resources, Australia, Canberra.
- White, ME 1961, Fossil plants from the Little River Coal Measures, in the Cooktown region of North Queensland, record no. 1961/121, Bureau of Mineral Resources, Australia, Canberra.

- White, ME 1969, Appendix 2—Plant fossils from the Duaringa and Saint Lawrence sheet areas, report no. 121, Bureau of Mineral Resources, Australia, Canberra, pp. 118–25.
- White, ME 1972, 'Plant fossils from the Drummond Basin, Queensland', Bulletin of the Bureau Mineral Resources Australia, vol. 132, pp. 73–8.
- White, S & Mitchell, M 2006, 'Geological heritage sites: a procedure and protocol for documentation and assessment', Geological Society of Australia, Abstracts, vol. 82, p. 37.
- Whitehead, PW, Stephenson, PJ,
 McDougall, I, Hopkins, MS, Graham, AS,
 Collerson, KD & Johnson, DP 2007,
 'Temporal development of the
 Atherton Basalt Province, north
 Queensland', Australian Journal of
 Earth Sciences, vol. 54, pp. 691–709.
- Whitehouse, FW 1928, 'Central Queensland geology', Queensland Government Mining Journal,' vol. 29, pp. 441–2.
- Whitehouse, FW 1930, 'The geology of Queensland', in *Handbock for Queensland*, Australian Association for the Advancement of Science, Brisbane, pp. 23–39.
- Whitehouse, FW 1931, 'A note on the Devonian fossils, collected by Mr JH Reid, at the Mount Cassidy gold diggings', Queensland Government Mining Journal, vol. 32, p. 8.
- Whitehouse, FW 1936, 'The Cambrian faunas of northeastern Australia.

 Part 1: Stratigraphical outline. Part 2: Trilobita', Memoirs of the Queensland Museum, vol. 11, pp. 59–112.
- Whitehouse, FW 1939, 'The Cambrian faunas of northeastern Australia. Part 3: The polymerid trilobites', Memoirs of the Queensland Museum, vol. 11, pp. 179–282.
- Whitehouse, FW 1940, 'Studies in the late geological history of Queensland', *University of Queensland Papers Department of Geology*, vol. 2, no. 1, pp. 1–39.
- Whitehouse, FW 1941, 'The Cambrian faunas of northeastern Australia.

 Part 4: Early Cambrian echinoderms similar to the larval stages of Recent forms', Memoirs of the Queensland Museum, vol. 12, pp. 1–28.

- Whitehouse, FW 1945, 'The Cambrian faunas of north-eastern Australia. Part 5: The trilobite genus Dorypyge', Memoirs of the Queensland Museum, vol. 12, pp. 117–23.
- Whitehouse, FW 1946, 'A marine early Cretaceous fauna from Stanwell (Rockhampton district)', Proceedings of the Royal Society of Queensland, vol. 57, pp. 7–20.
- Whitehouse, FW 1948, 'The Australian Aborigine as a collector of fossils', Queensland Naturalist, vol. 13, pp. 101–2.
- Whitehouse, FW 1952, 'The Mesozoic environments of Queensland', Report of the Australian and New Zealand Association for the Advancement of Science, vol. 29, pp. 83–106.
- Whitehouse, FW 1955, 'The geology of the Queensland portion of the Great Australian Artesian Basin. Appendix G', in Artesian water supplies in Queensland, Department of the Co-ordinator General of Public Works, Queensland Parliamentary Papers, no. A.56-1955, pp. 1-20.
- Whitehouse, FW 1966, 'Summary notes on the Waterpark Creek coal field A to P 26C', unpublished report held by the Geological Survey of Queensland as CR2115.
- Whitehouse, FW 1973, 'Coral reefs of the New Guinea region', in OA Jones & R Endean (eds), *Biology and geology* of coral reefs, vol. 1, geology 1, Academic Press, London, pp. 169–86.
- Whitmore, RL 1981, Coal in Queensland: the first fifty years, a history of early coal mining in Queensland, University of Queensland Press, St Lucia.
- Whitmore, RL 1985, Coal in Queensland, the late nineteenth century 1875 to 1900, University of Queensland Press, St Lucia.
- Whitmore, RL 1991, Coal in Queensland, from federation to the twenties, 1900 to 1925, University of Queensland Press, St Lucia.
- Whittaker, JM, Müller, RD, Leitchenkov, G, Stagg, HMJ, Sdrolias, M, Gaina, C & Goncharov, A 2007, 'Major Australian— Antarctic Plate reorganization at Hawaiian—Emperor bend time', Science, vol. 318, pp. 83–6.
- Wilkinson, JFG 1951, 'The serpentinites of Queensland', BSc (hons) thesis, Unversity of Queensland, St Lucia, Qld.

- Wilkinson, JFG 1969, Intrusive rocks. The New England Batholith', Journal of the Geological Society of Australia, vol. 16, pp. 271–8.
- Willcox, JB & Stagg, HMJ 1990, 'Australia's southern margin: a product of oblique extension', Tectonophysics, vol. 173, pp. 269-81.
- Willett, GC 1985, 'Final report, A to P 3857M, Yatton (period ending September 13, 1985)', unpublished report held by the Geological Survey of Oueensland as CR15233.
- Willey, EC 1998, 'Maronghi Creek beds: a preliminary appraisal', Queensland Government Mining Journal, vol. 99, pp. 49–56.
- Willey, EC 2000, 'Esk Trough-Yarraman Block contact, an unconformity: its nature and implications for regional tectonics', Australian Journal of Earth Sciences, vol. 47, pp. 139–52.
- Willey, EC 2003, 'Urban geology of the Toowoomba conurbation, SE Queensland, Australia', Quaternary International, vol. 103, pp. 57–74.
- Williams, AJ 1983, 'Appendix 5. Bycoe No. 1. Delhi Petroleum Pty Ltd, palynological report no. 13/185, DIO Bycoe 1, well completion report', unpublished report held by the Geological Survey of Queensland as CR13033.
- Williams, AJ 1984, 'Appendix 6.
 Buckaroola No. 1. Delhi Petroleum
 Pty Ltd, palynological report
 no. 13/197. DIO Buckaroola 1, well
 completion report', unpublished
 report held by the Geological Survey
 of Queensland as CR13028.
- Williams, AJ 1985, 'Appendix 7. Palynology of the Cadna-owie Formation in Kercummurra No. 1 and Boldrewood No. 1. Delhi Petroleum Pty Ltd, palynological report no. 13/271, DIO Boldrewood 1, well completion report', unpublished report held by the Geological Survey of Queensland as CR14349 and 'DIO Kercummurra 1, well completion report', unpublished report held by the Geological Survey of Queensland as CR14355.
- Williams, BPJ 1982, 'Facies analysis of Gidgealpa Group reservoir rocks, southern Cooper Basin, South Australia', unpublished report for South Australian Oil and Gas Corporation Pty Ltd.

- Williams, BPJ 1984, Reservoir geometry and alluvial architecture of the Toolachee Formation, Moomba Field, south Cooper Basin', Geological Society of Australia, Abstracts, vol. 12, pp. 552–3.
- Williams, BPJ & Wild, EK 1984, 'The Tirrawarra Sandstone and Merrimelia Formation of the southern Cooper Basin, South Australia—the sedimentation and evolution of a glaciofluvial system', APEA Journal, vol. 24, pp. 377–92.
- Williams, HA, Betts, PG & Ailleres, L 2009, 'Constrained 3D modeling of the Mesoproterozoic Benagerie Volcanics, Australia', *Physics of the Earth and Planetary Interiors*, vol. 173, pp. 233–53.
- Williams, IS 1998, 'U-Th-Pb geochronology by ion microprobe', Reviews in Economic Geology, vol. 7, pp. 1-35.
- Williams, LJ 1988, GSQ Ebagoola 1, preliminary lithologic log and composite log, record no. 1988/14, Geological Survey of Queensland, Brisbane.
- Williams, LJ 1989, Sedimentology of the Adori Sandstone in the Tambo region, central Queensland, record no. 1989/25, Geological Survey of Queensland, Brisbane.
- Williams, LJ & Gunther, LM 1989, GSQ Dobbyn 1—preliminary lithologic log and composite log, record no. 1989/22, Geological Survey of Queensland, Brisbane.
- Williams, PR 1958, 'The geology of the area between Somerset Dam and Kilcoy', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Williams, PR 1989, 'Nature and timing of early extensional structures in the Mitakoodi Quartzite, Mount Isa Inlier, northwest Queensland', Australian Journal of Earth Sciences, vol. 36, pp. 283–96.
- Willis, IL 1994, 'Stratigraphic implications of regional reconnaissance observations in the southern Clarence-Moreton Basin, New South Wales', Bulletin of the Bureau of Mineral Resources, Australia, vol. 241, pp. 48-71.
- Willis, PMA, Molnar, RE & Scanlon, JD 1993, 'An early Eocene crocodilian from Murgon, southeastern Queensland', Kaupia, vol. 3, pp. 27–33.

- Willmott, WF 1976, 'Coalstoun Lakes and Dundurrah lava tube', in NJ de Jersey, NC Stevens & WF Willmott (eds), Geological elements of the National Estate in Queensland, Geological Society of Australia, Queensland Division, Brisbane, pp. 7–10.
- Willmott, WF 1979, Limestone resources of the Chillagoe Formation, Rookwood, Bellevue and Mitchell-Palmer areas, record no. 1979/41, Geological Survey of Queensland, Brisbane.
- Willmott, WF 1980, 'Limestone resources of the Chillagoe Formation, Rookwood, Bellevue and Mitchell-Palmer areas', *Queensland Government Mining Journal*, vol. 81, pp. 311–13.
- Willmott, WF 1981, Slope stability and its constraints on closer settlement on Tamborine Mountain, southeast Queensland, record no. 1981/14, Geological Survey of Queensland, Brisbane.
- Willmott, WF 1983a, Slope stability and its constraints on closer settlement in the Canungra-Beechmont-Numinbah area, southeast Queensland, record no. 1983/64, Geological Survey of Queensland, Brisbane.
- Willmott, WF 1983b, Slope stability and its constraints on closer settlement on the Mapleton-Maleny plateau, southeast Queensland, record no. 1983/9, Geological Survey of Queensland, Brisbane.
- Willmott, WF 1984a 'Forest clearing and landslides on the basalt plateaux of southeast Queensland', Queensland Agricultural Journal, January–February, pp. 15–20.
- Willmott, WF 1984b, Slope stability and its constraints on closer settlement in the foothills of the Toowoomba Range, Gatton Shire, record no. 1984/44, Geological Survey of Queensland, Brisbane.
- Willmott, WF 1984c, Geological sites in Brisbane. Nominations for the Brisbane Conservation Atlas, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF 1987, Slope stability and its constraints on building in the Rosewood-Marburg area, record no. 1987/4, Geological Survey of Queensland, Brisbane.
- Willmott, WF 2004, Rocks and landscapes of the national parks of southern Queensland, Geological Society of Australia, Queensland Division, Brisbane.

- Willmott, WF 2006, Rocks and landscapes of the national parks of central Queensland, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF 2007, Rocks and landscapes of the Sunshine Coast, 2nd edn, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF 2009, Rocks and landscapes of the national parks of north Queensland, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF 2011, Rocks and landscapes of the Gold Coast hinterland, 3rd edn, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF 2012, Rocks and landscapes of Brisbane and Ipswich, 2nd edn, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF & Hayne, M 2001, Slope stability and its constraints on closer settlement on the Springbrook Plateau and the upper Tallebudgera and Currumbin valleys, record no. 2001/1, Geological Survey of Queensland, Brisbane.
- Willmott, WF, Martin, JE, O'Flynn, ML & Cooper, W 1978, Industrial rock and mineral resources of the Beenleigh and Murwillumbah 1:100 000 sheet areas, publication no. 368, Geological Survey of Queensland, Brisbane.
- Willmott, WF, O'Flynn, ML & Trezise, DL 1986, Rockhampton region, Queensland, 1:100 000 geological map commentary, Geological Survey of Queensland, Brisbane.
- Willmott, WF, Palfreyman, WD, Trail, DS & Whitaker, WG 1969, The igneous rocks of Torres Strait, Queensland and Papua, record no. 1969/119, Bureau of Mineral Resources, Australia, Canberra.
- Willmott, WF & Powell, BS 1977a, Torres Strait - Boigu-Daru (SG/54-11/12, SC/54-7, SC/54-8), Queensland, 1:250 000 geological series, explanatory notes, Bureau of Mineral Resources, Australia, Canberra.
- Willmott, WF & Powell, BS 1977b, Cape Weymouth (SD/54-4), Queensland, 1:250 000 geological series, explanatory notes, Bureau Mineral Resources, Australia, Canberra.
- Willmott, WF & Stephenson, PJ 1989, Rocks and landscapes of the Cairns district, Queensland Department of Mines, Brisbane.

- Willmott, WF & Stevens, NC 1992, Rocks and landscapes of Brisbane and Ipswich, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF & Suwitadiredja, DA 2003, Slope stability and its constraints on closer settlement—Mount Mee Plateau, south-east Queensland, record no. 2003/3, Geological Survey of Queensland, Brisbane.
- Willmott, WF & Trezise, DL 1989, Rocks and landscapes of the Chillagoe District, Queensland Department of Mines, Brisbane.
- Willmott, WF, Trezise, DL, O'Flynn, ML, Holmes, PR & Hofmann, GS 1988, Cairns region (8064, part 8063), Queensland, 1:100 000 geological map commentary, Department of Mines, Queensland, Brisbane.
- Willmott, WF, Webb, JA & Wade, M 1981, Geological sites in southeast Queensland, Geological Society of Australia, Queensland Division, Brisbane.
- Willmott, WF, Whitaker, WG, Palfreyman, WD & Trail, DS 1971, Igneous and metamorphic rocks of Cape York Peninsula and Torres Strait, record no. 1971/94, Bureau of Mineral Resources, Australia, Canberra.
- Willmott, WF, Whitaker, WG, Palfreyman, WD & Trail, DS 1973, 'Igneous and metamorphic rocks of Cape York Peninsula and Torres Strait', Bulletin of the Bureau of Mineral Resources, Australia, vol. 135, pp. 1–145.
- Wilson, AF 1995, 'Gemstones of Queensland', *The Australian Gemmologist*, vol. 19, pp. 120-7.
- Wilson, IH & Derrick, GM 1983, 'Definitions of two new stratigraphic units in the Alsace and Myally 1:100 000 sheet areas, northwestern Queensland', Queensland Government Mining Journal, vol. 84, pp. 112–15.
- Wilson, IH, Derrick, GM, Hill, RM, Duff, BA, Noon, TA & Ellis, DJ 1977, Geology of the Prospector 1:100 000 sheet area (6857), Queensland, record no. 1977/4, Bureau of Mineral Resources, Australia, Canberra.
- Wilson, IH, Derrick, GM & Perkin, DJ 1984, 'Eastern Creek Volcanics their geochemistry and possible role in copper mineralization at Mount Isa, Queensland', BMR Journal of Australian Geology & Geophysics, vol. 9, pp. 317–28.

- Wilson, IH & Grimes, KG 1984, Myally, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Wilson, IH & Grimes, KG 1986, Coolullah, Queensland, 1:100 000 geological map commentary, Bureau of Mineral Resources, Australia, Canberra.
- Wilson, IH, Gunn, MJ & Smit, JAJ 1979, 'The Kajabbi Formation, a middle Cambrian unit northwest of Cloncurry', Queensland Government Mining Journal, vol. 80, pp. 629-33.
- Wilson, IH, Hill, RM, Noon, TA, Duff, BA & Derrick, GM 1979b, Geology of the Kennedy Gap 1:100 000 sheet area (6757), Queensland, record no. 1979/24, Bureau of Mineral Resources, Australia, Canberra.
- Wilson, IH, Noon, TA, Hill, RM & Duff, BA 1979c, Geology of the Quamby 1:100 000 sheet area (6957), Queensland, record no. 1979/56, Bureau of Mineral Resources, Australia, Canberra.
- Wilson, MM 1980, 'Origin and deposition of native copper in altered andesites of the Devonian and Permo-Carboniferous volcanic sequences in the Yarrol Shelf and Bowen Basin', in GW Hofmann (ed.), 1980 field conference Mount Morgan Rundle Range Yeppoon area, Geological Society of Australia, Queensland Division, Brisbane, pp. 25–39.
- Wilson, MM & Mathison, CI 1968, 'The Eulogie Park Gabbro, a layered basic intrusion from eastern Queensland', Journal of the Geological Society of Australia, vol. 15, pp. 139–58.
- Wilton, R 1995, 'The Wolfang coal deposit', in IL Follington, JW Beeston & LH Hamilton (eds), *The Bowen* Basin Symposium 1995, Geological Society of Australia, Coal Geology Group, Brisbane, pp. 459–62.
- Wiltshire, MJ 1978, Poolowanna No. 1, well completion report, open file envelope no. 317, South Australia Department of Mines and Energy, Adelaide.
- Wiltshire, MJ 1989, 'Mesozoic stratigraphy and palaeogeography, eastern Australia', in BJ O'Neil (ed.), The Cooper and Eromanga basins, Australia, Petroleum Exploration Society of Australia, Society of Petroleum Engineers, Australian Society of Exploration Geophysicists (SA Branches), Adelaide, pp. 279–91.
- Wingate, MTD, Franco, P & Morris, PA 2004, 'The Warakurna large igneous province: a new Mesoproterozoic large igneous province in west-central Australia', Geology, vol. 32, pp. 105-8.

- Wingate, MTD, Pisarevsky, SA & Evans, DAD 2002, 'Rodinia connections between Australia and Laurentia: no SWEAT, no AUSWUS?', Terra Nova, vol. 14, pp. 121–8.
- Winter, JD 2010, Principles of igneous and metamorphic petrology, 2nd edn, Prentice Hall, New York.
- Winterer, EL 1970, "Submarine valley systems around the Coral Sea Basin (Australia)", Marine Geology, vol. 8, pp. 229-44.
- Wise, RA 1976, 'Papuan Basin—
 off-shore (Gulf Basin)', in RB Leslie,
 HJ Evans & CL Knight (eds), Economic
 geology of Australia and Papua
 New Guinea, Volume 3—Petroleum,
 Australian Institute of Mining and
 Metallurgy, Melbourne, pp. 494–9.
- Withnall, IW 1971, 'The geology of the Toondahra Creek area, near Gayndah, south-east Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Withnall, IW 1972, 'New rock unit names in the Toondahra Creek area, near Gayndah, Queensland', Queensland Government Mining Journal, vol. 73, pp. 265–7.
- Withnall, IW 1981, Mines and mineral deposits of the Gilberton 1:100 000 sheet area, publication no. 370, Geological Survey of Queensland, Brisbane.
- Withnall, IW 1985, 'Geochemistry and tectonic significance of early Proterozoic mafic rocks from the Etheridge Group, Georgetown Inlier, north Queensland', BMR Journal of Australian Geology & Geophysics, vol. 9, pp. 339–51.
- Withnall, IW 1989a, 'Revision of the stratigraphy of the Broken River area, north Queensland—Ordovician and Silurian units', Queensland Government Mining Journal, vol. 90, pp. 213–18.
- Withnall, IW 1989b, Precambrian and Palaeozoic geology of the southeastern Georgetown Inlier, north Queensland, report no. 2, Queensland Department of Mines, Brisbane, pp. 1–102.
- Withnall, IW 1990, 'Geology of the Ewan area, north Queensland', Queensland Government Mining Journal, vol. 91, pp. 25-34.
- Withnall, IW 1993a, 'Stratigraphy of the Camel Creek Subprovince', Queensland Geology, vol. 4, pp. 15–35.
- Withnall, IW 1993b, 'Structure of the Camel Creek Subprovince', Queensland Geology, vol. 4, pp. 35-45.

- Withnall, IW 1993c, 'Pre-Silurian geology of the Graveyard Creek Subprovince', Queensland Geology, vol. 4, pp. 46-54.
- Withnall, IW 1993d, 'Structure of the Graveyard Creek Subprovince', Queensland Geology, vol. 4, pp. 195–202.
- Withnall, IW 1993e, 'Devonian outliers', Queensland Geology, vol. 4, pp. 220-5.
- Withnall, IW 1993f, 'Major bounding faults', Queensland Geology, vol. 4, pp. 226-8.
- Withnall, IW 1993g, 'Geochemistry of the Ordovician to Silurian igneous rocks', Queensland Geology, vol. 4, pp. 229–35.
- Withnall, IW 1996, Stratigraphy, structure and metamorphism of the Proterozoic Etheridge and Langlovale Groups, Georgetown region, north Queensland, record no. 1996/15, Australian Geological Survey Organisation, Canberra.
- Withnall, IW 1997a, 'Carboniferous early Permian intrusive rocks', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 339–40.
- Withnall, IW 1997b, 'Oweenie Supersuite', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 181–2.
- Withnall, IW 1997c, 'Bally Knob Volcanics', Bulletin of the Australian Geological Survey Organisation, vol. 240, p. 43.
- Withnall, IW 1997d, 'Broken River Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 476–9.
- Withnall, IW 2004, Conjuboy 1:100 000 Geological Sheet 7860, Geological Survey of Queensland, Brisbane.
- Withnall, IW, Bain, JHC, Draper JJ, Mackenzie, DE & Oversby, BS 1988a, 'Proterozoic stratigraphy and tectonic history of the Georgetown Inlier, northeastern Queensland', Precambrian Research, vol. 40/41, pp. 429–46.
- Withnall, IW, Bain, JHC & Oversby, BS 1976, 'New and revised names for intrusive rock units in the Forsayth and Georgetown 1:100 000 sheet areas, north Queensland', Queensland Government Mining Journal, vol. 77, pp. 228–31.
- Withnall, IW, Bain, JHC & Rubenach, MJ 1980, 'The Precambrian geology of northeast Queensland', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 109–27.

- Withnall, IW, Black, LP & Harvey, KJ 1991, 'Geology and geochronology of the Balcooma area—part of an early Palaeozoic magmatic belt in north Queensland', Australian Journal of Earth Sciences, vol. 38, pp. 15–29.
- Withnall, IW, Blake, PR, Crouch, SBS, Tenison Woods, K, Grimes, KG, Hayward, MA, Lam, JS, Garrad, P & Rees, ID 1995, 'Geology of the southern part of the Anakie Inlier, central Queensland', Queensland Geology, vol. 7, pp. 1–245.
- Withnall, IW, Blake, PR, Crouch, SBS, Tenison Woods, K, Hayward, MA, Rees, ID & Hutton, LJ 1993a, 'Geological mapping of the southern Anakie Inlier, central Queensland—progress report', Queensland Government Mining Journal, vol. 94, pp. 28–43.
- Withnall, IW, Draper, JJ, Lang, SC, Lam. JS, Oversby, BS, Grimes, KG & Rienks, IP 1996a, Clarke River (SE55-13), Queensland, 1:250 000 geological series, explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.
- Withnall, IW, Draper, JJ, Mackenzie, DE, Knutson, J, Blewett, RS, Hutton, LJ, Bultitude, RJ, Wellman, P, McConachie, BA, Bain, JHC, Donchak, PJT, Lang, SC, Domagala, J, Symonds, PA & Rienks, IP 1997d, 'Review of geological provinces and basins of north Queensland', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 449–528.
- Withnall, IW, Fielding, CR, Lang, SC & Fleming, PJG 1993b, 'Stratigraphy and sedimentology of the Silurian to Early Devonian Graveyard Creek Group and Shield Creek Formation', Queensland Geology, vol. 4, pp. 55–78.
- Withnall, IW, Golding, SD, Rees, ID & Dobos, SK 1996b, 'K-Ar dating of the Anakie Metamorphic Group: evidence for an extension of the Delamerian Orogeny into central Queensland', Australian Journal of Earth Science, vol. 43, pp. 567–72.
- Withnall, IW & Grimes, KG 1991, Explanatory notes on the Einasleigh 1:250 000 sheet, record no. 1991/15, Geological Survey of Queensland, Brisbane.
- Withnall, IW & Grimes, KG 1995, Einasleigh (SE55-9), Queensland, 1:250 000 geological series, explanatory notes, 2nd edn, Geological Survey of Queensland, Brisbane.

- Withnall, IW & Hebbard, CL 2007, Eidsvold (9147), Queensland, 1:100 000 geological series, Geological Survey of Queensland, Brisbane.
- Withnall, IW & Henderson, RA 2012, 'Accretion on the long-lived continental margin of northeastern Australia', Episodes, vol. 35, pp. 166–76.
- Withnall, IW & Hutton, LJ 1997, 'Cape River Province', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 459–62.
- Withnall, IW & Hutton, LJ 2005, Lyndbrook (7762), Queensland, 1:100 000 geological series, 2nd edn, Geological Survey of Queensland, Brisbane.
- Withnall, IW, Hutton, LJ & Blight, RL 2003, North Queensland gold and base metal study. Stage 2 data release—Charters Towers GIS, Geological Survey of Queensland, Brisbane (CD-ROM).
- Withnall, IW, Hutton, LJ, Bultitude, RJ, von Gnielinski, FE & Rienks, IP 2009a, 'Geology of the Auburn Arch, southern Connors Arch and adjacent parts of the Bowen Basin and Yarrol Province, central Queensland', Queensland Geology, vol. 12, pp. 1–461.
- Withnall, IW, Hutton, LJ, Garrad, PD, Jones, MR & Blight, RKJ 2002, North Queensland gold and base metal study stage 1—Georgetown GIS, Geological Survey of Queensland, Brisbane (CD-ROM).
- Withnall, IW, Hutton, LJ, Garrad, PD & Rienks, IP 1997b, Pre-Silurian rocks of the Lolworth-Pentland area, north Queensland, record no. 1997/6, Geological Survey of Queensland, Brisbane.
- Withnall, IW, Hutton, LJ, Rienks, IP,
 Bultitude, RJ, von Gnielinski, FE, Lam, JS,
 Garrad, PD & John, BH 1998a, South
 Connors Auburn–Gogango Project:
 progress report of investigations during
 1997, record no. 1998/1, Geological
 Survey of Queensland, Brisbane.
- Withnall, IW, John, BH, Hutton, LJ, Rienks, IP, Bultitude, RJ, von Gneilinski, FE, Lam, JS & Garrad, PD 1998b, 'South Connors Auburn–Gogango Project: summary of investigations for 1996 and 1997', Queensland Government Mining Journal, vol. 99, pp. 14–21.

- Withnall, IW, Korsch, RJ, Blewett, RS, Henson, PA, Hutton, LJ, Holzschuh, J, Saygin, E, Fergusson, CL, Collins, WJ, Henderson, RA, Huston, DL, Champion, DC, Nicoll, MG, Blenkinsop, TG & Wormald, R 2009b, Geological interpretation of deep seismic reflection line 07GA-GC1: the Georgetown to Charters Towers transect, bulletin no. 49, Australian Institute of Geoscientists, pp. 163–7.
- Withnall, IW & Lang, SC (eds) 1993, 'Geology of the Broken River Province, north Queensland', Queensland Geology, vol. 4, pp. 1–289.
- Withnall, IW & Lang, SC 1997, 'Correlations—intra and inter-regional', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 344–7.
- Withnall, IW, Lang, SC, Jell, JS,
 McLennan, TPT, Talent, JA, Mawson, R,
 Fleming, PJP, Law, SR, Macansh, JD,
 Savory, P, Kay, JR & Draper, JJ 1988b,
 Stratigraphy, sedimentology,
 biostratigraphy and tectonics of the
 Ordovician to Carboniferous Broken
 River Province, north Queensland,
 Australian Sedimentologists Group
 Field Guide Series 5, Geological
 Society of Australia, Sydney.
- Withnall, IW, Lang, SC, Lam, JS, Draper, JJ, Knutson, J, Grimes, KG & Wellman, P 1997c, 'Clarke River region', *Bulletin* of the Australian Geological Survey Organisation, vol. 240, pp. 327–347.
- Withnall, IW & Mackenzie, DE 1980, 'New and revised stratigraphic units in the Proterozoic Georgetown Inlier, north Queensland', Queensland Government Mining Journal, vol. 81, pp. 28–43.
- Withnall, IW & Mackenzie, DE 1983, 'Definition of the Proterozoic Langlovale Group, Georgetown Inlier, north Queensland', Queensland Government Mining Journal, vol. 84, pp. 193–4.
- Withnall, IW, Mackenzie, DE, Denaro, TJ, Bain, JHC, Oversby, BS, Knutson, J, Donchak, PJT, Champion, DC, Wellman, P, Cruikshank, BI, Sun, SS & Pain, CF 1997a, 'Chapter 3. Georgetown Region', Bulletin of the Australian Geological Survey Organisation, vol. 240, pp. 19–116.
- Withnall, IW & McLennan, TPT 1991, Geology of the northern part of the Lolworth-Ravenswood Province, record no. 1991/12, Geological Survey of Queensland, Brisbane.

- Withnall, IW, Neumann, NL & Lambeck, A 2009, 'Palaeoproterozoic to Mesoproterozoic geology of north Queensland', Bulletin of the Australian Institute of Geoscientists, vol. 49, pp. 129–34.
- Withnall, IW, Oversby, BS, Baker, EM & Bain, JHC 1980, Geology of the Gilberton 1:100 000 sheet area (7659), north Queensland: data record, record no. 1980/2, Bureau of Mineral Resources, Australia, Canberra.
- Withnall, IW & Turner, SM 2007, Mundubbera (9146), Queensland, 1:100 000 geological series, 1st edn, Geological Survey of Queensland, Brisbane.
- Withnall, IW, Warnick, JV & Oversby, BS 2003, Einasleigh (7760), Queensland, 1:100 000 geological series, Geological Survey of Queensland, Brisbane.
- Witt, WK 1985, 'Diffuse (background), and fracture-controlled feldspathic alteration in tin-mineralised granites of the Irvinebank-Emuford area, northeast Queensland', PhD thesis, James Cook University of North Queensland, Townsville.
- Wohl, EE 1992, 'Gradient irregularity in the Herbert Gorge of northeastern Australia', Earth Surface Processes and Landforms, vol. 17, pp. 69–84.
- Wolfe, KJ, Larcombe, P, Naish, T & Purdon, RG 1998, 'Low stand rivers need not incise the shelf: an example from the Great Barrier Reef, Australia, with implications for sequence stratigraphic models', Geology, vol. 26, pp. 75–8.
- Wolff, KW 1957a, Queensland building and monumental stones, publication no. 287, Geological Survey of Queensland, Brisbane.
- Wolff, KW 1957b, 'Queensland building and monumental stones, summary report', Queensland Government Mining Journal, vol. 58, pp. 273–91.
- Wolff, KW 1964, North Stradbroke Island water resource investigations, record no. 1964/21, Geological Survey Queensland, Brisbane.
- Wood, DG 2006, Structural geology, tectonics, and gold mineralisation of the southern Anakie Inlier, annual report 2006, Research School of Earth Sciences, Australian National University, Canberra.

- Wood, GR 1982, Palynological examination of core samples from the Lowmead and Nagoorin oil shale prospects, record no. 1982/39, Geological Survey of Queensland, Brisbane.
- Wood, GR 1984a, Palynological examination of cores from GSQ Mundubbera 9, 10 and 11, record no. 1984/30, Geological Survey of Queensland, Brisbane.
- Wood, GR 1984b, Tertiary palynomorphs from a water bore on Tamborine Mountain, record no. 1984/35, Geological Survey of Queensland, Brisbane.
- Wood, GR 1985, 'Appendix 4. Naccowlah East No. 1, Delhi Petroleum Pty Ltd, palynological report 13/259, DIO Naccowlah East 1, well completion report', unpublished report held by the Geological Survey of Queensland as CR14079.
- Wood, GR 1986a, Late Oligocene to early Miocene palynomorphs from GSQ Sandy Cape 1-3R, publication no. 387, Geological Survey of Queensland, Brisbane.
- Wood, GR 1986b, 'Appendix 4.

 Doonmulla No. 1, Delhi Petroleum
 Pty Ltd, palynological report
 13/340, DIO Doonmulla 1, well
 completion report', unpublished
 report held by the Geological Survey
 of Queensland as CR15084.
- Woodhead, J, Archer, M, Hand, SJ,
 Godthelp, HJ, Graham, IT, Creaser, P,
 Black, KH, Arena, DA & Price, ER 2011,
 Preliminary radiometric ages for Cenozoic
 deposits in the Riversleigh World Heritage
 fossil area, record no. 2011/9, Geological
 Survey of Western Australia, Perth.
- Woodroffe CD, Kennedy D, Hopley, D & Smithers, SG 2000, 'Holocene reef growth in Torres Strait', Marine Geology, vol. 170, pp. 331–46.
- Woods, JT 1947, 'Stratigraphical notes on the Brighton beds', University of Queensland Papers, Department of Geology, vol. 3, no. 4, pp. 12–16.
- Woods, JT 1960, 'Fossiliferous fluviatile and cave deposits', Journal of the Geological Society of Australia, vol. 7, pp. 393–403.
- Woods, JT 1961, Mesozoic and Cainozoic sediments of the Wrotham Park area, publication no. 304, Geological Survey of Queensland, Brisbane.

- Woods, JT & Dear, JF 1962, 'Report on fossil plants from the Tarong beds', unpublished report held by the Geological Survey of Queensland, Brisbane.
- Woolley, JB 1941, 'Geological report on the area north-east of Tambo', unpublished report held by the Geological Survey of Queensland as CR640.
- Woolnough, WG 1927, 'The chemical criteria of peneplanation, the duricrust of Australia', Journal and Proceedings of the Royal Society of New South Wales, vol. 61, pp. 17–53.
- Wopfner, H 1974, 'Post-Eocene history and stratigraphy of northeastern South Australia', Transactions of the Royal Society of South Australia, vol. 98, pp. 1–12.
- Wopfner, H 1985, 'Some thoughts on the post-orogenic development of northeastern South Australia and adjoining regions', Special Publications of the Department of Mines and Energy South Australia, vol. 5, pp. 365–72.
- Wopfner, H 1997, 'Climatic and geodynamic significance of Cenozoic land surfaces and duricrusts of inland Australia', Proceedings of the 30th International Geological Congress, vol. 1, pp. 201–13.
- Wopfner, H, Freytag, IB & Heath, GR 1970, 'Basal Jurassic-Cretaceous rocks of the western Great Artesian Basin, South Australia: stratigraphy and environment', Bulletin of the American Association of Petroleum Geologists, vol. 54, pp. 383-416.
- Worrall, R, Neil, D, Grigg, A & Brereton, D 2004, Legacy mining areas on the urban fringe: a study of Ipswich, Queensland, Centre for Social Responsibility in Mining, University of Queensland, St Lucia.
- Worthy, TH & Boles, WE 2011, 'Australlus, a new genus for Gallinula disneyi (Aves: Rallidae) and a description of a new species from Oligo-Miocene deposits at Riversleigh, northwestern Queensland, Australia', Records of the Australian Museum, vol. 63, pp. 61-77.
- Wyatt, DH & Jell, JS 1980, 'Devonian and Carboniferous stratigraphy of the northern Tasman Orogenic Zone in the Townsville hinterland', in RA Henderson & PJ Stephenson (eds), The geology and geophysics of northeastern Australia, Geological Society of Australia, Queensland Division, Brisbane, pp. 201–28.

- Wyatt, DH, Paine, AGL, Clarke, DE, Gregory, CM & Harding, RR 1971, Geology of the Charters Towers 1:250 000 sheet area, Queensland, report no. 137, Bureau of Mineral Resources, Australia, Canberra.
- Wyatt, DH, Paine, AGL, Clarke, DE & Harding, RR 1970, Geology of the Townsville 1:250 000 sheet area, Queensland, report no. 127, Bureau of Mineral Resources, Australia, Canberra.
- Wyatt, DH & Webb, AW 1971,

 'Potassium—argon ages of some
 northern Queensland basalts and
 an interpretation of late Cainozoic
 history', Journal of the Geological
 Society of Australia, vol. 17, pp. 39–51.
- Wyborn, LAI 1998, 'Younger ca 1500 Ma granites of the Williams and Naraku batholiths, Cloncurry district, eastern Mt Isa Inlier: geochemistry, origin, metallogenic significance and exploration indicators', Australian Journal of Earth Sciences, vol. 45, pp. 397–411.
- Wyborn, LAI, Bastrakova, IV, Hensley, C & Budd, AR 2001, 'Mount Isa Inlier synthesis', in AR Budd, LAI Wyborn & IV Bastrakova (eds), The metallogenic potential of Australian Proterozoic granites, record no. 2001/12, Geoscience Australia, Canberra, pp. 92-6.
- Wyborn, LAI & Page, RW 1983,
 'The Proterozoic Kalkadoon and
 Ewen batholiths, Mount Isa Inlier,
 Queensland: source, chemistry,
 age and metamorphism', BMR
 Journal of Australian Geology &
 Geophysics, vol. 8, pp. 53–69.
- Wyborn, LAI, Page, RS & McCulloch, MT 1988, 'Petrology, geochronology and isotope geochemistry of the post-1820 Ma granites of the Mount Isa Inlier: mechanisms for the generation of Proterozoic anorogenic granites', Precambrian Research, vol. 40–41, pp. 509–41.
- Wyborn, LAI, Wyborn, D, Warren, RG & Drummond, BJ 1992, 'Proterozoic granite types in Australia: implications for lower crustal composition, structure and composition', Transactions of the Royal Society of Edinburgh, Earth Sciences, vol. 83, pp. 201–9.
- Xia, O, Zhao, JX & Collerson, KD 1998, 'U-series dating and C-O-Sr isotopic study of a stagmite in northern Australia: palaeoclimatic implications', Chinese Science Bulletin, vol. 43, p. 146.

- Xiao, WJ, Han, CM, Yuan, C, Sun, M, Zhao, GC & Shan, YH 2010, 'Transitions among Mariana-, Japan-, Cordilleraand Alaska-type arc systems and their final juxtapositions leading to accretionary and collisional orogenesis', Geological Society of London, Special Publication, vol. 338, pp. 35–53.
- Xie, ZD & Sharp, TG 2007, 'Host rock solid-state transformation in a shock-induced melt vein of Tenham L6 chondrite', Earth and Planetary Science Letters, vol. 254, pp. 433–45.
- Yago, JVR & Fielding, CR 1996,

 'Sedimentology of the Middle Jurassic
 Walloon Coal Measures in the Great
 Artesian Basin, eastern Australia',
 Geological Society of Australia,
 Abstracts, vol. 43, pp. 574–5.
- Yamaguchi, KE 2002, 'Supergene enrichment of the George Fisher deposit, northwest Queensland', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Yan, CY & Kroenke, LW 1993, 'A plate tectonic reconstruction of the Southwest Pacific 0–100 Ma', animated, Proceedings of the Ocean Drilling Program Scientific Results, vol. 130, pp. 697–709.
- Yang, K & Seccombe, PK 1997,

 'Geochemistry of mafic and ultramafic complexes of the northern Great Serpentinite Belt, New South Wales: implications for first-stage melting', Special Publications of the Geological Society of Australia, vol. 19, pp. 197–211.
- Yarrol Project Team 1997, 'New insights into the geology of the northern New England Orogen in the Rockhampton—Monto region, central coastal Queensland: progress report on the Yarrol Project', Queensland Government Mining Journal, vol. 98, pp. 11–26.
- Yeates, AN 2001a, An assessment of progress made towards the nomination of Australian geological sites having National or International significance. Volume 1: rocks and landforms, Report for the Australian Heritage Commission, Canberra.
- Yeates, AN 2001b, An assessment of progress made towards the nomination of Australian geological sites having National or International significance. Volume 2: fossils, Report for the Australian Heritage Commission, Canberra.

- Yokoyama, Y, Purcell, A, Lambeck, K & Johnston, P 2001, 'Shore-line reconstruction around Australia during the Last Glacial Maximum and Late Glacial Stage', Quaternary International, vol. 83–85, pp. 9–18.
- Yokoyama, Y, Purcell, A, Marshall, JF & Lambeck, K 2006, 'Sea-level during the early deglaciation period in the Great Barrier Reef, Australia', Global and Planetary Change, vol. 53, pp. 147–53.
- Yokoyama, Y, Webster, JM, Cotterill, C, Braga, JC, Jovane, L, Mills, H, Morgan, S, Suzuki, A & the IODP expedition 325 scientists 2011, 'IODP expedition 325: Great Barrier Reef reveals past sea-level climate and environmental changes since the last ice age', Scientific Drilling, no. 12, pp. 32–45.
- Young, GC 1995, Timescales 4. Devonian, record no. 1995/33, Australian Geological Survey Organisation, Canberra.
- Young, GC, Burrow, CJ, Long, JA, Turner, S & Choo, B 2010, 'Devonian macrovertebrate assemblages and biogeography of East Gondwana (Australasia, Antarctica)', Palaeoworld, vol. 19, pp. 55–74.
- Young, GC & Goujet, D 2003, 'Devonian fish remains from the Dulcie Sandstone and Cravens Peak beds, Georgina Basin, Australia', Records of the Western Australian Museum Supplement, vol. 65, pp. 1–85.
- Young, GC & Schultze, JP 2005,
 'New osteichthyans (bony fishes)
 from the Devonian of central
 Australia', Mitteilungen aus
 dem Museum für Naturkunde in
 Berlin—Geowissenschaftliche
 Reihe, vol. 8, pp. 13–35.
- Young, IF, Gunther, LM & Dixon, O 1989, 'GSQ Thargomindah-3: a stratigraphic test of a "canyon-like" feature near the Tookoonooka Complex, Eromanga Basin, Queensland', Cooper-Eromanga Basin volume ceba89, Petroleum Exploration Society of Australia, pp. 457-71.
- Young, RW & Wray, RAL 2000,

 'Contribution to the theory of scarpland development from observations in central Queensland, Australia', Journal of Geology, vol. 108, pp. 705–19.
- Youngs, BC & Boothby, PG 1985, 'The Nappamerri Formation in the Cooper Basin, South Australia and south-west Queensland', Special Publication of the South Australian Department of Mines and Energy, vol. 5, pp. 373-87.

- Yu, CM & Jell, JS 1990, 'Early Devonian rugose coral fauna from the Shield Creek Formation, Broken River Embayment, north Queensland', Memoirs of the Association of Australasian Palaeontologists, vol. 10, pp. 169–209.
- Zachos, J., Pagani, M., Sloan, L., Thomas, E & Billups, K 2001, 'Trends, rhythms, and aberrations in global climate 65 Ma to Present', Science, vol. 292, pp. 686–93.
- Zahawi, Z 1981, 'Landslides in the Lockyer Valley', Queensland Government Mining Journal, vol. 82, no. 961, pp. 529-39.
- Zahawi, Z 1983a, Mount Sugarloaf landslide, investigation of recent movement, record no. 1983/14, Geological Survey of Queensland, Brisbane.
- Zahawi, Z 1983b, Potential landslide areas in the Lockyer Valley, record no. 1983/56, Geological Survey of Queensland, Brisbane.
- Zahawi, Z & Trezise, DL 1981, Lockyer Valley landslide investigations, record no. 1981/20, Geological Survey of Queensland, Brisbane.
- Zeissink, HE 1969, 'The mineralogy and geochemistry of a nickeliferous laterite profile (Greenvale, Queensland, Australia)', Mineralium Deposita, vol. 4, pp. 132–52.
- Zhang, M, O'Reilly, SY & Chen, D 1999, 'Location of Pacific and Indian midocean ridge-type mantle in two time slices: evidence from Pb, Sr, and Nd isotopes for Cenozoic Australian basalts', Geology, vol. 27, pp. 39–42.
- Zhang, M, Stephenson, PJ, O'Reilly, SY, McCulloch, MT & Norman, M 2001,
 'Petrogenesis and geodynamic implications of late Cenozoic basalts in north Queensland,
 Australia: trace-element and Sr-Nd-Pb isotope evidence', Journal of Petrology, vol. 42, pp. 685-719.
- Zhang, Y, Roberts, PA & Murphy, B 2010, "Understanding regional structural controls on mineralization at the Century deposit: a numerical modelling approach", Journal of Geochemical Exploration, vol. 106, pp. 244–50.
- Zhao, JX 2006, 'U-series dating of Quaternary climatic and archaeological Indicators', Geological Society of Australia, Abstracts, vol. 82, p. 50.

- Zhao, JX & McCulloch, MT 1995, 'Geochemical and Nd isotopic systematics of granites from the Arunta Inlier, central Australia: implications for Proterozoic crustal evolution', Precambrian Research, vol. 71, pp. 265–99.
- Zhen, YY 1994, 'Givetian rugose corals from the northern margin of the Burdekin Basin, north Queensland', Alcheringa, vol. 18, pp. 301-43.
- Zhen, YY 1995, 'Late Emsian rugose corals of the Mount Podge area, Burdekin Basin, north Queensland', Alcheringa, vol. 19, pp. 193–234.
- Zhen, YY 1996, 'Succession of rugose coral associations during a Givetian transgressive-regressive cycle in Queensland', Acta Palaeontologia Polonica, vol. 41, pp. 59–88.
- Zhen, YY & Jell, JS 1996, 'Middle Devonian rugose corals from the Fanning River Group, north Queensland', Palaeontographica A, vol. 242, pp. 15–89.
- Zhen, YY, Lang, SC & Jell, JS 1993,

 "A new biostratigraphic framework and lithostratigraphic nomenclature for the Devonian Fanning River Group, Burdekin Basin, north Queensland", Queensland Government Mining Journal, vol. 94, pp. 7–14.
- Ziebell, RO 1972, 'The geology of the Mount Suthers area, south-east of Biggenden, south-east Queensland', BSc (hons), thesis, University of Queensland, St Lucia, Qld.
- Zillman, NJ 1979, 'Geology and coal resources of the Togara area, south-central Bowen Basin', *Queensland Government Mining Journal*, vol. 80, pp. 26–34.
- Zimmerman, DO 1956, 'The geology of the Esk district', BSc (hons) thesis, University of Queensland, St Lucia, Qld.
- Zimmerman, DO 1964, Beryllium—review paper, record no. 1964/8, Bureau of Mineral Resources, Australia, Canberra.
- Zimmerman, DO 1965, 'Aluvial cassiterite deposits in Queensland', in J McAndrew (ed.), Geology of Australian ore deposits, Australasian Institute of Mining and Metallurgy, Melbourne, pp. 375–8.
- Ziołkowski, V & Taylor, R 1985, 'Regional structure of the north Denison Trough', Geological Society of Australia, Abstracts, vol. 17, pp. 129–35.

- Zucchetto, RG 1999, 'Tectonic history of the southeastern Hodgkinson Province, north Queensland, Australia', PhD thesis, James Cook University of North Queensland, Townsville.
- Zucchetto, RG, Henderson, RA, Davis, BK & Wysoczanski, R 1999, 'Age constraints on deformation of the eastern Hodgkinson Province, north Queensland: new perspectives on the evolution of the northern Tasman Orogenic Zone', Australian Journal of Earth Sciences, vol. 46, pp. 105-14.
- Zwigulis, M 1983, 'Permian geology of the Cooper Basin', Permian geology of Queensland, Proceedings of the symposium on the Permian geology of Queensland, held in conjunction with the Geological Survey of Queensland, July, 1982, Brisbane, Geological Society of Australia, Queensland Division, Brisbane, pp. 43–9.