

Fall 10-26-2018

# Synthesis of an Unnatural Fluorescent Amino Acid

Madeline J. Johnson

*Valparaiso University*, [madeline.johnson@valpo.edu](mailto:madeline.johnson@valpo.edu)

Thomas Goyne

*Valparaiso University*

Follow this and additional works at: <https://scholar.valpo.edu/fires>

---

## Recommended Citation

Johnson, Madeline J. and Goyne, Thomas, "Synthesis of an Unnatural Fluorescent Amino Acid" (2018). *Fall Interdisciplinary Research Symposium*. 100.

<https://scholar.valpo.edu/fires/100>


This Poster Presentation is brought to you for free and open access by the Office of Sponsored and Undergraduate Research at ValpoScholar. It has been accepted for inclusion in Fall Interdisciplinary Research Symposium by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at [scholar@valpo.edu](mailto:scholar@valpo.edu).

## Abstract

The long-term goal of this project is to chemically synthesize an unnatural fluorescent amino acid (UFAA) that can later be used to build glow-in-the-dark proteins. UFAAs allow investigators to visualize a single protein in an otherwise transparent living cell. The specific UFAA target for this project is L-alanine, 3-[7-nitro-2,1,3-benzoxadiazol-4-yl], which is an analog of the natural amino acid tryptophan. This synthesis consists of a coupling reaction followed by a deprotection reaction. Products have been characterized using  $^1\text{H}$  and  $^{13}\text{C}$  NMR, and Liquid Chromatography-Mass Spectrometry (LC-MS). Future tasks could include optimizing the yield and purity of this UFAA.


## Introduction

- Current methods of visualizing proteins such as Green Fluorescent Proteins (GFP) pose problems because they are very bulky and cannot be used in vivo (in a living cell)
- Each amino acid has a unique **R** group
- The goal of the project is to synthesis a fluorescent R group, which can be used to create a glow-in-the-dark-protein



**Fluorescent R group**

## Synthesis



## Results




Fig. 1  $^1\text{H}$  NMR of coupling reaction



## Future Work

- Improve purity and percent yield
- Use screening system (Scripps Institute) to determine whether or not this incorporated into proteins using existing tRNA synthetases

## Acknowledgements

- V.U. Chemistry Department
- Dr. Goyne
- Dr. Pruet
- Arman Salim