



EUROPEAN MIDDLEWARE INITIATIVE

ARC GLUE2 Compliance Status

Florido Paganelli


Lund University

NorduGrid Workshop, Kiev, 05/10-8/10 2011


local information system(1/3)

- Publishes info about the CE
- Information is published via two interfaces:
 - LDAP (LDIF)
 - WS (XML)
- Information is published in three schemas:
 - Nordugrid
 - Glue 1.2
 - GLUE 2

Local information system(1/2)



Local information system(2/2)



GLUE2 schema

- Project page on forge.gridforum.org
<http://forge.gridforum.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/HomePage>
- *“The GLUE specification is an information model for Grid entities described using the natural language and UML Class Diagrams. As a conceptual model, it is designed to be independent from the concrete data models adopted for its implementation.”*

GLUE2 - LDAP

- Latest revision March 2011
- No new entries added to the schema but several changes:

```

root@piff:~/1317312733.1/host...  x bjaast@lynx: /media/BJAASTSD...  x bjaast@lynx: ~  x bjaast@lynx: ~  x
# Doc:   GLUE Specification 2.0 (March 3, 2009)                # Doc:   GLUE Specification 2.0 (March 3, 2009)
# Section: 5.1 Entity                                          # Section: 5.1 Entity
# Authors: Laurence Field (laurence.field@cern.ch), CERN      # Authors: Laurence Field (laurence.field@cern.ch), CERN
#         David Horat (david.horat@cern.ch), CERN             #         David Horat (david.horat@cern.ch), CERN

# Entity <<abstract>>                                         # Entity <<abstract>>

attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.2
    NAME 'GLUE2EntityName'
    DESC 'Human-readable name'
    EQUALITY caseExactIA5Match
    SUBSTR caseExactIA5SubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.26
    SINGLE-VALUE
)
attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.3
    NAME 'GLUE2EntityOtherInfo'
    DESC 'Placeholder to publish info that does not fit in
attribute'
    EQUALITY caseExactIA5Match
    SUBSTR caseExactIA5SubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.26
)
attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.4
    NAME 'GLUE2EntityCreationTime'
    DESC 'Timestamp describing when the entity instance was
created'
    EQUALITY caseExactIA5Match
    SUBSTR caseExactIA5SubstringsMatch
)

attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.2
    NAME 'GLUE2EntityName'
    DESC 'Human-readable name'
    EQUALITY caseExactMatch
    SUBSTR caseExactSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.15
    SINGLE-VALUE
)
attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.3
    NAME 'GLUE2EntityOtherInfo'
    DESC 'Placeholder to publish info that does not fit in
attribute'
    EQUALITY caseExactMatch
    SUBSTR caseExactSubstringsMatch
    SYNTAX 1.3.6.1.4.1.1466.115.121.1.15
)
attributetype ( 1.3.6.1.4.1.6757.100.1.1.5.1.4
    NAME 'GLUE2EntityCreationTime'
    DESC 'Timestamp describing when the entity instance was
created'
    EQUALITY caseExactMatch
    SUBSTR caseExactSubstringsMatch
)

```

LDAP tree example

```

extended LDIF
#
# LDAPv3
# base <o=glue> with scope subtree
# filter: (objectclass=*)
# requesting: ALL
#
# glue
dn: o=glue
objectClass: top
objectClass: organization
o: glue

# urn:ogf:AdminDomain:nbi.dk, glue
dn: GLUE2DomainID=urn:ogf:AdminDomain:nbi.dk,o=glue
objectClass: GLUE2Domain
objectClass: GLUE2AdminDomain
GLUE2EntityName: nbi.dk
GLUE2DomainID: urn:ogf:AdminDomain:nbi.dk


# urn:ogf:ComputingService:nbi.dk:lscf, urn:ogf:AdminDomain:nbi.dk, glue
dn: GLUE2ServiceID=urn:ogf:ComputingService:nbi.dk:lscf,GLUE2DomainID=urn:ogf:
  AdminDomain:nbi.dk,o=glue
GLUE2ComputingServiceSuspendedJobs: 0
GLUE2EntityValidity: 60
GLUE2ServiceType: org.nordugrid.execution.ares
GLUE2ServiceID: urn:ogf:ComputingService:nbi.dk:lscf
objectClass: GLUE2Service
objectClass: GLUE2ComputingService
GLUE2ComputingServicePreLRMSWaitingJobs: 0
GLUE2ServiceQualityLevel: development
GLUE2ServiceComplexity: endpoint=1,share=5,resource=5
GLUE2ServiceCapability: executionmanagement.jobexecution
GLUE2ComputingServiceStagingJobs: 4
GLUE2EntityName: lscf
GLUE2ServiceAdminDomainForeignKey: urn:ogf:AdminDomain:nbi.dk
GLUE2ComputingServiceWaitingJobs: 0
GLUE2ComputingServiceTotalJobs: 4
GLUE2ComputingServiceRunningJobs: 0
GLUE2EntityCreationTime: 2011-10-06T06:38:31Z

```

1,1

Top

LDAP tree example



The screenshot shows an LDAP browser interface. On the left, a tree view displays the LDAP hierarchy. The selected entry is a GLUE2Endpoint object with the Distinguished Name (DN) `GLUE2EndpointID=urn:ogf:ComputingEndpoint:lscf.nbi.dk:60000`. The right pane shows the object's attributes and their values:

Attribute	Value
Distinguished Name (DN)	GLUE2EndpointID=urn:ogf:ComputingEndpoint:lscf.nbi.dk:60000
objectClass	GLUE2Endpoint, GLUE2ComputingEndpoint
GLUE2EntityName	
GLUE2EntityOtherInfo	
GLUE2EntityCreationTime	2011-10-06T06:48:57Z
GLUE2EntityValidity	60
GLUE2EndpointID	urn:ogf:ComputingEndpoint:lscf.nbi.dk:60000
GLUE2EndpointURL	https://lscf.nbi.dk:60000/arex
GLUE2EndpointInterfaceName	ogf.bes
GLUE2EndpointQualityLevel	development
GLUE2EndpointHealthState	ok
GLUE2EndpointServingState	production
GLUE2EndpointServiceForeignKey	urn:ogf:ComputingService:nbi.dk:lscf
GLUE2EndpointCapability	executionmanagement.jobexecution
GLUE2EndpointTechnology	webservice

GLUE2 - XML

- Latest revision April 2011
- Completion of XML rendering

XML example

```

<wsrf-rp:GetResourcePropertyDocumentResponse><InfoRoot>
  <Domains xmlns="http://schemas.ogf.org/glue/2008/05/spec_2.0_d41_r01"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://schemas.ogf.org/glue/2009/03/spec/2/0 path/to/GLUE2.xsd">
    <AdminDomain BaseType="Domain">
      <ID>urn:ogf:AdminDomain:hep.lu.se</ID>
      <Name>hep.lu.se</Name>
      <Services>
        <ComputingService BaseType="Service" CreationTime="2011-10-06T07:00:22Z" Validity="60">
          <ID>urn:ogf:ComputingService:hep.lu.se:piff</ID>
          <Name>piff</Name>
          <Capability>executionmanagement.jobexecution</Capability>
          <Type>org.nordugrid.execution.arex</Type>
          <QualityLevel>development</QualityLevel>
          <Complexity>endpoint=1,share=1,resource=1</Complexity>
          <Location>
            <ID>urn:ogf:Location:hep.lu.se:piff</ID>
            <PostCode>SE-22100</PostCode>
          </Location>
          <Contact>
            <ID>urn:ogf:Contact:hep.lu.se:piff:mailto:florido.paganelli@hep.lu.se</ID>
            <Name>florido.paganelli</Name>
            <Detail>mailto:florido.paganelli@hep.lu.se</Detail>
            <Type>usersupport</Type>
          </Contact>
          <TotalJobs>0</TotalJobs>
          <RunningJobs>0</RunningJobs>
          <WaitingJobs>0</WaitingJobs>
          <StagingJobs>0</StagingJobs>
        </ComputingService>
      </Services>
    </AdminDomain>
  </Domains>
</InfoRoot>
  
```

ARC CE LDAP GLUE2 status


- EMI and NG still ship an old version of the schema

/etc/ldap/schemas/GLUE20.schema

package: glue-schema

- EMI provided a validator:

<https://tomtools.cern.ch/confluence/display/IS/GLUEValidator>



```
Validating data types. ... ok
Verifying the existence of mandatory attributes. ... ok
Verifying the object class ... ok
Verifying single-valued attributes only have one value. ... ok

=====
FAIL: Verifying the object class
-----
Traceback (most recent call last):
  File "/root/glue2validator/trunk/lib/validator/EntryTest.py", line 31, in test_object_class
    self.assertTrue(self.types.is_ObjectClass(obj), message)
AssertionError: The object class top in o=glue is not valid
-----


Ran 4452 tests in 0.871s

FAILED (failures=1)
[root@piff bin]#
```

10/05/2010

ARC CE XML GLUE2 status

- Data retrieved via the arcwsrf tool
- Validator: xmlstarlet
- Does NOT validate.



XML validation problems

```
bjast@lynx:~$ xmlstarlet val -e -s /media/BJAASTSDCRD/Documents/EMI/GLUE2/OGF-GLUE-XSD-4
98c71a/schema/GLUE2.xsd xmlout.xml
xmlout.xml:1: element Domains: Schemas validity error : Element '{http://schemas.ogf.org/
glue/2008/05/spec_2.0_d41_r01}Domains': No matching global declaration available for the
validation root.
xmlout.xml - invalid
bjast@lynx:~$ xmlstarlet val -e -s /media/BJAASTSDCRD/Documents/EMI/GLUE2/OGF-GLUE-XSD-4
98c71a/schema/GLUE2.xsd xmlout.xml
xmlout.xml:1: element Domains: Schemas validity error : Element '{http://schemas.ogf.org/
glue/2008/05/spec_2.0_d41_r01}Domains': No matching global declaration available for the
validation root.
xmlout.xml - invalid
bjast@lynx:~$ vim xmlout.xml
bjast@lynx:~$ vim xmlout.xml
bjast@lynx:~$ xmlstarlet val -e -s /media/BJAASTSDCRD/Documents/EMI/GLUE2/OGF-GLUE-XSD-4
98c71a/schema/GLUE2.xsd xmlout.xml
xmlout.xml:5: element Services: Schemas validity error : Element '{http://schemas.ogf.org
/glue/2009/03/spec_2.0_r1}Services': This element is not expected. Expected is one of ( {
http://schemas.ogf.org/glue/2009/03/spec_2.0_r1}OtherInfo, {http://schemas.ogf.org/glue/2
009/03/spec_2.0_r1}Extensions, {http://schemas.ogf.org/glue/2009/03/spec_2.0_r1}Descripti
on, {http://schemas.ogf.org/glue/2009/03/spec_2.0_r1}WWW, {http://schemas.ogf.org/glue/20
09/03/spec_2.0_r1}Location, {http://schemas.ogf.org/glue/2009/03/spec_2.0_r1}Contact, {ht
tp://schemas.ogf.org/glue/2009/03/spec_2.0_r1}Distributed, {http://schemas.ogf.org/glue/2
009/03/spec_2.0_r1}Owner, {http://schemas.ogf.org/glue/2009/03/spec_2.0_r1}Service, {http
://schemas.ogf.org/glue/2009/03/spec_2.0_r1}ComputingService ).
xmlout.xml - invalid
bjast@lynx:~$
```

Affected files

- Infoproviders:
 - ARC1ClusterInfo.pm
 - Ceinfo.pl
 - GLUE2ldifPrinter.pm
 - GLUE2xmlPrinter.pm
 - LdifPrinter.pm
 - Sysinfo.pm
- Anything from a-rex/arched?

Other issues

- GridFTPD interface is not published
- ...



Thank you!

EMI is partially funded by the European Commission under Grant Agreement RI-261611