



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

YTi

40Zr
25Cu
9Ni
8Be
18

Shan, Z.T.; Ruan, B.W.; Tao, H.Z.; Yue, Yuanzheng

DOI (link to publication from Publisher):
[10.11868/j.issn.1001-4381.2017.001622](https://doi.org/10.11868/j.issn.1001-4381.2017.001622)

Publication date:
2018

Document Version
Også kaldet Forlagets PDF

[Link to publication from Aalborg University](#)

Citation for published version (APA):
Shan, Z. T., Ruan, B. W., Tao, H. Z., & Yue, Y. (2018). YTi $_{40}^{Zr}$ $_{25}^{Cu}$ $_9^{Ni}$ $_8^{Be}$ $_{18}$ 88-93.
<https://doi.org/10.11868/j.issn.1001-4381.2017.001622>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- ? You may not further distribute the material or use it for any profit-making activity or commercial gain
- ? You may freely distribute the URL identifying the publication in the public portal ?


Structural origin of the mixed modifier effects in aluminosilicate glasses

Zhitao Shan¹, Bowen Ruan¹, Haizheng Tao¹, Yuanzheng Yue^{1,2}

¹State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China

²Department of Chemistry and Bioscience, Aalborg University, DK-9220 Aalborg, Denmark

To understand the mixed modifier effect in oxide glasses, it is important to reveal the structure-property relation. Recently, we have made some progress in understanding such relation [1-3]. It is established that the cation can play the role of network-modifier, pseudo network-former and charge balancer in the network. In this talk, we present our findings about the mixed modifier effects in aluminosilicate glasses prepared by both the aerodynamic levitation technique (see the figure below) and/or the traditional melt-quenching method, respectively. By performing indentation experiments, we found that the glass hardness exhibits a negative deviation from linearity as the network modifier, a positive deviation from linearity as pseudo network-former and a linear trend as the charge balancer. Besides glass hardness, we also determined the mixed modifier effects on several other properties such as glass transition temperature, isokom temperature, surface tension, density and thermal expansion coefficient. We revealed the structural origin of the mixed modifier effects on the above-mentioned properties by means of the combined techniques including differential scanning calorimetry, viscometer, Raman spectroscopy, and nuclear magnetic resonance.



Aerodynamic levitator furnace

ADL can measure the viscosity, density, and surface tension of supercooled liquids of poor glass formers

Various Advantages

- Reach high liquid temperatures (>3000°C)
- These methods maintain the sample purity
- Easy access to the supercooled state (few hundred degrees below the melting point)

Schematic representation of aerodynamic levitator furnace

References:

1. Z.T. Shan, C.J. Li, H.Z. Tao, Mixed alkaline earth effect on the mechanical and rheological properties of Ca-Mg silicate glasses. *J. Am. Ceram. Soc.*, 100 (2017) 4570-4580.
2. Z.T. Shan, A. Qiao, S.J. Liu, H.Z. Tao, Mixed intermediate effect on mechanical and rheological performances in Zn-Mg silicate glasses. *J. Alloys Compd.* 747 (2018) 738-746.
3. Z.T. Shan, S.J. Liu, H.Z. Tao, Y.Z. Yue, Mixed alkaline-earth effect on mechanical and rheological performances in aluminate glasses. *J. Am. Ceram. Soc.* 2018 (in press) doi: 10.1111/jace.15975