PLOS ONE

CORRECTION

Correction: A novel copro-diagnostic molecular method for qualitative detection and identification of parasitic nematodes in amphibians and reptiles

Lucas G. Huggins, Christopher J. Michaels, Sheena M. Cruickshank, Richard F. Preziosi, Kathryn J. Else

There is an error in the eighth sentence of the PCR amplification section. The correct sentence is: The degenerate nematode specific primers developed in this study (Nem27 primers) comprised Nem1217F which had the 5'-3' sequence CGN BCC GRA CAC YGT RAG and Nem1619 which had the 5'-3' sequence GGA AAY AAT TDC AAT TCC CKR TCC.

Reference

1. Huggins LG, Michaels CJ, Cruickshank SM, Preziosi RF, Else KJ (2017) A novel copro-diagnostic molecular method for qualitative detection and identification of parasitic nematodes in amphibians and reptiles. PLoS ONE 12(9): e0185151. https://doi.org/10.1371/journal.pone.0185151 PMID: 28934299

Citation: Huggins LG, Michaels CJ, Cruickshank SM, Preziosi RF, Else KJ (2018) Correction: A novel copro-diagnostic molecular method for qualitative detection and identification of parasitic nematodes in amphibians and reptiles. PLoS ONE 13(6): e0198977. https://doi.org/10.1371/journal.pone.0198977

Published: June 7, 2018