



ELSEVIER

Available online at www.sciencedirect.com

SciVerse ScienceDirect

Nuclear Physics B 864 (2012) 341–381

www.elsevier.com/locate/nucphysb

Measurement of the b -hadron production cross section using decays to $D^{*+}\mu^-X$ final states in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

ATLAS Collaboration *

Received 14 June 2012; accepted 10 July 2012

Available online 14 July 2012

Abstract

The b -hadron production cross section is measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, using 3.3 pb^{-1} of integrated luminosity, collected during the 2010 LHC run. The b -hadrons are selected by partially reconstructing $D^{*+}\mu^-X$ final states. Differential cross sections are measured as functions of the transverse momentum and pseudorapidity. The measured production cross section for a b -hadron with $p_T > 9$ GeV and $|\eta| < 2.5$ is $32.7 \pm 0.8(\text{stat.})_{-6.8}^{+4.5}(\text{syst.}) \mu\text{b}$, higher than the next-to-leading-order QCD predictions but consistent within the experimental and theoretical uncertainties.

Published by Elsevier B.V. Open access under [CC BY-NC-ND license](https://creativecommons.org/licenses/by-nc-nd/4.0/).

Keywords: QCD; Flavour physics; B physics; Heavy quark production

1. Introduction

The production of heavy quarks at hadron colliders provides a challenging opportunity to test the validity of quantum chromodynamics (QCD) predictions and calculations. The b -hadron production cross section has been predicted with next-to-leading-order (NLO) accuracy for more than twenty years [1,2].

Several measurements were performed with proton–antiproton collisions by the UA1 experiment at the Sp \bar{p} S collider (CERN) at a centre-of-mass energy of $\sqrt{s} = 630$ GeV [3,4], and by

* E-mail address: atlas.publications@cern.ch.

the CDF and D0 experiments at the Tevatron collider (Fermilab) at $\sqrt{s} = 630$ GeV, 1.8 TeV and 1.96 TeV [5–14]. These measurements made a significant contribution to the understanding of heavy-quark production in hadronic collisions [15], but the theoretical predictions still suffer from large uncertainties, mainly due to the dependence on the factorisation and renormalisation scales.

A measurement of the b -hadron production cross section in proton–proton collisions at the Large Hadron Collider (LHC) provides a further test of QCD calculations for heavy-quark production at higher centre-of-mass energies. Recently the LHCb experiment measured the $b\bar{b}$ and B^+ [16–18] production cross sections in the forward region at $\sqrt{s} = 7$ TeV, the CMS experiment measured the production cross sections for B^+ , B^0 , B_s^0 mesons, inclusive b -hadrons with muons, and $b\bar{b}$ decays with muons at $\sqrt{s} = 7$ TeV [19–23], and the ALICE experiment measured the $b\bar{b}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV [24].

This paper presents a measurement of the b -hadron (H_b , a hadron containing a b -quark and not a \bar{b} -quark) production cross section at a centre-of-mass energy of 7 TeV with the ATLAS detector at the LHC, and its comparison with the NLO QCD theoretical predictions. The measurement requires the partial reconstruction of the b -hadron decay final state $D^{*+}\mu^-X$, with the D^{*+} reconstructed through the fully hadronic decay chain $D^{*+} \rightarrow \pi^+D^0(\rightarrow K^-\pi^+)$. This sample was collected by ATLAS between August and October 2010 using events selected by a single-muon trigger, and corresponds to a total integrated luminosity of 3.3 pb^{-1} .

2. The ATLAS detector

The ATLAS detector [25] covers almost the full solid angle around the collision point with layers of tracking detectors, calorimeters and muon chambers. For the measurement presented in this paper, the inner detector tracking devices, the muon spectrometer and the trigger system are of particular importance.

The inner detector (ID) has full coverage in ϕ and covers the pseudorapidity range $|\eta| < 2.5$. It consists of a silicon pixel detector, a silicon microstrip tracker and a transition radiation tracker composed of drift tubes. These detectors are located at radial distances of 50.5–1066 mm from the interaction point and are surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field. The ID barrel consists of three layers of pixels, four double-layers of single-sided silicon microstrips, and 73 layers of drift tubes, while each ID end-cap has three layers of pixels, nine double-layers of single-sided silicon microstrips, and 160 layers of drift tubes.

The muon spectrometer covers the pseudorapidity range $|\eta| < 2.7$ and is located within the magnetic field produced by three large superconducting air-core toroid systems. The muon spectrometer is divided into a barrel region ($|\eta| < 1.05$) and two end-cap regions ($1.05 < |\eta| < 2.7$), within which the average magnetic fields are 0.5 T and 1 T respectively. Precise measurements are made in the bending plane by monitored drift tube chambers, or, in the innermost layer for $2.0 < |\eta| < 2.7$, by cathode strip chambers. Resistive plate chambers in the barrel and thin gap chambers at $|\eta| < 2.4$ in the end-caps are used as trigger chambers. The chambers are arranged in three layers, such that high p_T muons traverse at least three stations with a lever arm of several metres.

A three-level trigger system is used to select interesting events. The first level is hardware-based, and uses a subset of the detector information to reduce the event rate to a design value of at most 75 kHz. This is followed by two software-based trigger levels, together known as the high level trigger, which finally reduce the event rate to about 200 Hz.

3. Outline of the measurement

The first result presented in this paper is the $H_b \rightarrow D^{*+}\mu^- X$ production cross section, measured in a limited fiducial acceptance for the $D^{*+}\mu^-$ final state. Given the integrated luminosity \mathcal{L} of the data sample, and the branching ratio \mathcal{B} of the D^{*+} cascade decay $D^{*+} \rightarrow \pi^+ D^0 (\rightarrow K^- \pi^+)$, the $H_b \rightarrow D^{*+}\mu^- X$ cross section is defined as:

$$\sigma(pp \rightarrow H_b X' \rightarrow D^{*+}\mu^- X) = \frac{f_b N(D^{*+}\mu^- + D^{*-}\mu^+)}{2\epsilon\mathcal{B}\mathcal{L}} \quad (1)$$

where $N(D^{*+}\mu^- + D^{*-}\mu^+)$ is the total number of reconstructed candidates, f_b is the fraction of candidates originating from the decay $H_b \rightarrow D^{*+}\mu^- X$ and ϵ is the signal reconstruction efficiency. The efficiency takes into account reconstruction and muon trigger efficiencies, including the loss of events where the D^{*+} falls within the fiducial acceptance, but the decay products (π or K) cannot be reconstructed because they fall outside the p_T and η acceptance. The number N of reconstructed candidates includes both $D^{*+}\mu^-$ and $D^{*-}\mu^+$ combinations: assuming that b - and \bar{b} -quarks are produced with the same rate at the LHC, the factor of two is needed to quote the cross section for hadrons containing a b -quark. The value of the branching ratio \mathcal{B} can be obtained by combining the world average values of the branching ratios $D^{*+} \rightarrow \pi^+ D^0$ and $D^0 \rightarrow K^- \pi^+$ [26], and is $(2.63 \pm 0.04)\%$.

The parameters N , f_b and ϵ are determined as functions of the transverse momentum and pseudorapidity of the $D^{*+}\mu^-$ pairs, in order to measure the differential cross sections. The detailed calculation of these parameters is discussed in the following sections.

To obtain the b -hadron production cross section $\sigma(pp \rightarrow H_b X)$, the $H_b \rightarrow D^{*+}\mu^- X$ cross section is divided by an acceptance correction α , accounting for the fiducial region in which this is measured, and by the inclusive branching ratio $\mathcal{B}(b \rightarrow D^{*+}\mu^- X)$. For this branching ratio the world average value is $(2.75 \pm 0.19)\%$, assuming the world average values of the b -hadronisation fractions [26]. The dominant contributions to the sample are from B^0 mesons, through the decay $B^0 \rightarrow D^{*-}\mu^+ \nu_\mu$ and its charge conjugate.

4. Event simulation and NLO cross section predictions

Monte Carlo (MC) simulated samples are used to optimise the selection criteria (Section 5) and to evaluate the $D^{*+}\mu^-$ signal composition and reconstruction efficiency (Sections 6 and 7). The different b - and c -quark sources of $D^{*+}\mu^-$ are studied using inclusive samples of $b\bar{b}$ and $c\bar{c}$ events having at least one muon with $p_T > 4$ GeV and $|\eta| < 2.5$ in the final state. Both samples are generated with PYTHIA [27], using the ATLAS AMBT1 tuning [28]. The ATLAS detector response to the passage of the generated particles is simulated with GEANT4 [29,30], and the simulated events are fully reconstructed with the same software used to process the collision data.

To compare the measurements with theoretical predictions, NLO QCD calculations, matched with a leading-logarithmic parton shower MC simulation, are used. Predictions for $b\bar{b}$ production at the LHC at $\sqrt{s} = 7$ TeV are evaluated with two packages: MC@NLO 4.0 [31,32] and POWHEG-HVQ 1.01 [33,34]. MC@NLO is matched with the HERWIG 6.5 [35] MC event generator, while POWHEG is used with both HERWIG 6.5 and PYTHIA 6.4 [27]. For all the predictions, the inclusive branching ratio $\mathcal{B}(b \rightarrow D^{*+}\mu^- X)$ is set to the world average value.

The following set of input parameters is used to perform all theoretical predictions:

- CTEQ6.6 [36] parameterisation for the proton parton distribution function (PDF).
- b -Quark mass m_b of 4.75 GeV [26].
- Renormalisation and factorisation scales set to $\mu_r = \mu_f = \mu$, where μ has different definitions for MC@NLO and POWHEG. For MC@NLO:

$$\mu^2 = m_Q^2 + \frac{(p_{T,Q} + p_{T,\bar{Q}})^2}{4}$$

where $p_{T,Q}$ and $p_{T,\bar{Q}}$ are the transverse momenta of the produced heavy quark and anti-quark, and m_Q is the heavy-quark mass. For POWHEG:

$$\mu^2 = m_Q^2 + (m_{Q\bar{Q}}^2/4 - m_Q^2) \sin^2(\theta_Q)$$

where $m_{Q\bar{Q}}$ is the invariant mass of the $Q\bar{Q}$ system and θ_Q is the polar angle of the heavy quark in the $Q\bar{Q}$ rest frame.

- Heavy-quark hadronisation: cluster model [37] for HERWIG; Lund string model [38] with Bowler modification [39] of the Lund symmetric fragmentation function [40] for PYTHIA.

The following sources of theoretical uncertainties are included in the NLO predictions:

- Scale uncertainty, determined by varying μ_r and μ_f independently to $\mu/2$ and 2μ , with the additional constraint $1/2 < \mu_r/\mu_f < 2$, and selecting the largest positive and negative variations.
- m_b uncertainty, determined by varying the b -quark mass by ± 0.25 GeV.
- PDF uncertainty, determined by using the CTEQ6.6 PDF error eigenvectors; the total uncertainty is obtained by varying each parameter independently within these errors and summing the resulting variations in quadrature.
- Hadronisation uncertainty, determined in PYTHIA by using the Peterson fragmentation function [41] instead of the Bowler one, with extreme choices of the b -quark fragmentation parameter: $\epsilon_b = 0.002$ and $\epsilon_b = 0.01$.

In addition to the final comparison with the experimental measurement, these theoretical predictions are used to unfold and extrapolate the measured cross sections (Sections 9 and 10), and to extrapolate to the full kinematic phase space (Section 11). In the following, POWHEG + PYTHIA is used as the default prediction.

5. Data selection and reconstruction of the $D^{*+}\mu^-$ decay

The $D^{*+}\mu^-$ (including its charge conjugate) sample was collected during stable proton–proton collisions. Events were selected by a single-muon trigger, which requires a muon, reconstructed by the high level trigger, with $p_T > 6$ GeV. This trigger was prescaled during the last part of the 2010 data-taking period. Taking into account the prescale factors, this data sample corresponds to an integrated luminosity of 3.3 pb^{-1} .

The D^{*+} candidates are reconstructed through the fully hadronic decay chain $D^{*+} \rightarrow \pi^+ D^0 (\rightarrow K^- \pi^+)$, using only good quality tracks, i.e. tracks with at least five silicon detector hits, and at least one of them in the pixel detector.

The b -hadron and D^0 decay vertices are reconstructed and fitted simultaneously. To perform the vertexing, an iterative procedure based on a fast Kalman filtering method is used. This allows to reconstruct consecutively all the vertices of the same decay chain, using the full information from track reconstruction (particles trajectories with complete error matrices). All pairs of opposite charge particle tracks are fitted to a single vertex to form D^0 candidates, assigning to each track, in turn, the kaon or the pion mass, with the additional requirement $p_T > 1$ GeV for both the kaon and pion candidate; the resulting D^0 candidate is reconstructed by combining the kaon and pion four-momenta. The D^0 path is then extrapolated back and fitted with a track of opposite charge to the candidate kaon, requiring $p_T > 250$ MeV and assigning to it the pion mass, to form the D^{*+} candidate, and with a muon with $p_T > 6$ GeV and $|\eta| < 2.4$ to form the b -hadron vertex. No requirements are made here on the muon charge; only opposite charge combinations $D^{*+}\mu^-$ are used in the analysis, while same charge combinations are used to cross-check the background. The muon is also required to have fired the trigger. To ensure good fit quality, the global χ^2 probability of the combined fit must satisfy $P(\chi^2) > 0.001$. To avoid an additional systematic uncertainty no requirement on the b -hadron vertex decay length is applied.

The D^{*+} candidate is accepted if it satisfies $p_T(K^-\pi^+\pi^+) > 4.5$ GeV and $|\eta(K^-\pi^+\pi^+)| < 2.5$, and either (a) $|m(K^-\pi^+) - m(D^0)| < 64$ MeV in the region $p_T(K^-\pi^+\pi^+) > 12$ GeV and $|\eta(K^-\pi^+\pi^+)| > 1.3$, or (b) $|m(K^-\pi^+) - m(D^0)| < 40$ MeV elsewhere. Here $m(D^0)$ is the world average value for the D^0 mass [26]. This last selection cut is divided into two different kinematic regions due to the changing D^0 mass resolution. The $D^{*+}\mu^-$ candidate must have an invariant mass in the range 2.5–5.4 GeV. The upper invariant mass cut matches the physical requirement of not exceeding the mass of the B -mesons.

Because of the kinematics of the D^{*+} decay, the prompt pion takes only a small fraction of the energy. The D^{*+} signal is therefore studied as a function of the mass difference Δm between the D^{*+} and D^0 candidates. Real D^{*+} mesons are expected to form a peak in Δm around 145.4 MeV, while the combinatorial background gives a rising distribution, starting at the pion mass. The combinatorial background is made of fake $D^{*+}\mu^-$ candidates, created from combinations of tracks which pass the selection cuts, but do not come from a $D^{*+}\mu^-$ signal. Fig. 1(a) shows a clear signal in the distribution of Δm for the reconstructed opposite charge $D^*\mu$ pairs. The dashed histogram shows the corresponding Δm distribution for the same charge combinations $D^{*\pm}\mu^\pm$, showing a very small excess around 145.4 MeV, whose origin is described in Section 6.

The opposite charged signal distribution is fitted using a modified Gaussian (G^{mod}), which provides a good description of the tails of the signal distribution. The modified Gaussian has the form:

$$G^{\text{mod}}(x) \propto \exp\left[-0.5 \cdot x^{1+\frac{1}{1+0.5x}}\right] \quad (2)$$

where $x = |(\Delta m - \Delta m_0)/\sigma|$ and Δm_0 and σ , free parameters in the fit, are the mean and width of the Δm peak.

The combinatorial background is fitted with a power function multiplied by an exponential function:

$$B(\Delta m) \propto (\Delta m - m_\pi)^\alpha e^{-\beta(\Delta m - m_\pi)} \quad (3)$$

where α and β are free fit parameters, and m_π is the charged pion mass.

The fitted yield is 4516 ± 100 events, with a fitted $\Delta m_0 = 145.463 \pm 0.015$ MeV, to be compared with the world average value 145.421 ± 0.010 MeV [26], and a fitted $\sigma = 0.49 \pm 0.03$ MeV. The uncertainties on the fitted Δm_0 and σ values are statistical only.




Fig. 1. (a) Distribution of the mass difference Δm for $D^*\mu$ combinations of opposite charge (points) and same charge (dashed line). The solid line shows the result of the fit described in the text. (b) Distribution of the opposite charge $D^*\mu$ invariant mass, for mass combinations within $\pm 3\sigma$ of the Δm peak, without applying the invariant mass cut described in the text. The measured distribution is compared with the MC simulation, including the contribution of different sources of signal. The hashed bands show the MC statistical uncertainty.

Table 1

Fitted number of opposite charge $D^*\mu$ pairs for different p_T and $|\eta|$ bins.

$p_T(D^{*+}\mu^-)$	$N(D^{*+}\mu^-)$	$ \eta(D^{*+}\mu^-) $	$N(D^{*+}\mu^-)$
9–12 GeV	334 ± 33	0.0–0.5	1330 ± 47
12–15 GeV	1211 ± 56	0.5–1.0	1207 ± 47
15–20 GeV	1527 ± 55	1.0–1.5	919 ± 48
20–30 GeV	1049 ± 42	1.5–2.0	890 ± 60
30–45 GeV	310 ± 21	2.0–2.5	317 ± 37
45–80 GeV	76 ± 10		

Fig. 1(b) shows the $D^{*+}\mu^-$ invariant mass distribution selected in a region of 3σ around the Δm peak, without applying any $D^{*+}\mu^-$ invariant mass cut. The measured distribution is compared with the MC $b\bar{b} + c\bar{c}$ simulation described in Section 4, which takes into account the contribution of different physical sources to the $D^{*+}\mu^-$ signal, as discussed in more detail in Section 6. The MC simulation is separately normalised to the number of signal and background events in data. The selection on $m(D^{*+}\mu^-)$ has full efficiency for the signal, while rejecting part of the combinatorial background and physical processes other than a single b -hadron decay.

In order to evaluate differential cross sections, the sample is divided into six $p_T(D^{*+}\mu^-)$ bins and five $|\eta(D^{*+}\mu^-)|$ bins. The Δm distribution in each bin is fitted independently using the same fitting procedure as for the total sample. The number of candidates in each bin is reported in Table 1, together with its statistical uncertainty from the fit.

6. $D^{*+}\mu^-$ sample composition

Various processes contribute to the $D^{*+}\mu^-$ data sample:

- Direct semileptonic decay: $b \rightarrow D^{*+}\mu^- X$; this is the signal contribution used for this measurement.

Table 2

Different sources contributing to the $D^{*+}\mu^-$ sample. The uncertainties are due to MC statistics.

Source	Fraction (%)
$b \rightarrow D^{*+}\mu^- X$	93.2 ± 0.3
$c \rightarrow D^{*+} X, \bar{c} \rightarrow \mu^- X'$	3.8 ± 0.2
$b \rightarrow D^{*+}\tau^- X, \tau^- \rightarrow \mu^- X'$	1.5 ± 0.1
$b \rightarrow D^{*+}\bar{D} X, \bar{D} \rightarrow \mu^- X'$	0.9 ± 0.1
Others	0.6 ± 0.1

Table 3

Fractions of single b semileptonic decays in different $p_T(D^{*+}\mu^-)$ and $|\eta(D^{*+}\mu^-)|$ bins. The uncertainties are due to MC statistics.

$p_T(D^{*+}\mu^-)$	f_b (%)	$ \eta(D^{*+}\mu^-) $	f_b (%)
9–12 GeV	90.8 ± 1.2	0.0–0.5	93.0 ± 0.5
12–15 GeV	92.7 ± 0.5	0.5–1.0	92.6 ± 0.5
15–20 GeV	93.8 ± 0.4	1.0–1.5	93.4 ± 0.6
20–30 GeV	93.2 ± 0.5	1.5–2.0	93.5 ± 0.6
30–45 GeV	93.8 ± 0.9	2.0–2.5	94.6 ± 0.9
45–80 GeV	93.1 ± 1.9		

- Decays of two c -hadrons, one of them decaying semileptonically: $c \rightarrow D^{*+} X, \bar{c} \rightarrow \mu^- X'$.
- Direct semileptonic τ decay: $b \rightarrow D^{*+}\tau^- X, \tau^- \rightarrow \mu^- \bar{\nu}_\mu \nu_\tau (\gamma)$.
- Decays of b -hadrons with two c -hadrons in the final state, one of them decaying semileptonically: $b \rightarrow D^{*+}\bar{D} X, \bar{D} \rightarrow \mu^- X'$.
- Decays of two b -hadrons, one of them decaying semileptonically: $b \rightarrow D^{*+} X, \bar{b} \rightarrow \mu^- X'$. This source contributes to opposite-sign and same-sign charge combinations, depending on the direct or indirect semileptonic decay relative branching ratio and on the neutral b -meson oscillation rate. This explains the small excess observed in Fig. 1(a) in the peak region of the same sign charge Δm distribution.
- A D^{*+} meson accompanied by a fake muon, contributing to both opposite-sign and same-sign charge combinations. The contribution from combinations with misidentified muon charge is negligible.

For the purposes of this measurement, only the direct semileptonic component is of interest. Therefore it is necessary to evaluate the fraction of the reconstructed $D^{*+}\mu^-$ sample that actually originates from direct semileptonic b decays. This is estimated from the MC simulation. The most significant $D^{*+}\mu^-$ contributions are listed in Table 2, together with the MC statistical uncertainty.

The fractions from single b semileptonic decays f_b , evaluated in the various p_T and $|\eta|$ bins of the $D^{*+}\mu^-$ pair, are reported in Table 3, together with the MC statistical uncertainty of the calculations. These values are used for the differential cross section measurements.

7. Reconstruction and muon trigger efficiency

The overall efficiency ϵ for $H_b \rightarrow D^{*+}\mu^- X$ decays to enter the $D^{*+}\mu^-$ sample, which includes the reconstruction, muon trigger and selection efficiencies, is evaluated as a product of

Table 4
Overall efficiency ϵ for different $p_T(D^{*+}\mu^-)$ and $|\eta(D^{*+}\mu^-)|$ bins.

$p_T(D^{*+}\mu^-)$	ϵ (%)	$ \eta(D^{*+}\mu^-) $	ϵ (%)
9–12 GeV	21.2 ± 0.9	0.0–0.5	37.5 ± 0.7
12–15 GeV	26.7 ± 0.6	0.5–1.0	37.2 ± 0.8
15–20 GeV	32.1 ± 0.6	1.0–1.5	29.9 ± 0.8
20–30 GeV	38.8 ± 0.9	1.5–2.0	26.1 ± 0.8
30–45 GeV	45.2 ± 1.7	2.0–2.5	16.1 ± 0.9
45–80 GeV	52 ± 4		

three different components, in order to combine MC and data-driven efficiency calculations. Since the only requirement is the single b detection efficiency, the $b\bar{b}$ MC sample is used. The components are defined as:

$$\epsilon_{\text{reco}} = \frac{N(\text{true } D^{*+}\mu^- \text{ with } \mu \text{ and tracks reconstructed})}{N(\text{true } D^{*+}\mu^-)} \quad (4)$$

$$\epsilon_{\text{trigger}} = \frac{N(\text{true } D^{*+}\mu^- \text{ with } \mu \text{ and tracks reconstructed, } \mu \text{ matched to trigger})}{N(\text{true } D^{*+}\mu^- \text{ with } \mu \text{ and tracks reconstructed})} \quad (5)$$

$$\begin{aligned} \epsilon_{\text{selection}} &= \frac{N(\text{true } D^{*+}\mu^- \text{ with } \mu \text{ and tracks rec., } \mu \text{ matched to trigger, } D^{*+}\mu^- \text{ selection})}{N(\text{true } D^{*+}\mu^- \text{ with } \mu \text{ and tracks rec., } \mu \text{ matched to trigger})} \quad (6) \end{aligned}$$

where the number of true $D^{*+}\mu^-$ pairs is calculated within the fiducial kinematic region $p_T(D^{*+}) > 4.5$ GeV, $p_T(\mu^-) > 6$ GeV, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$. Events where the D^{*+} is inside the fiducial region, but its decay products are not fully reconstructed, contribute to ϵ_{reco} .

Both ϵ_{reco} and $\epsilon_{\text{selection}}$ are taken from MC simulation. However $\epsilon_{\text{trigger}}$, which is the fraction of the reconstructed muons that actually satisfied the trigger, is measured directly from data using $J/\psi \rightarrow \mu^+\mu^-$ samples [42]. These efficiencies are evaluated for the same data-taking periods used in this measurement.

The overall efficiency ϵ is given by:

$$\epsilon = \epsilon_{\text{reco}}(\text{MC})\epsilon_{\text{trigger}}(\text{data})\epsilon_{\text{selection}}(\text{MC}) \quad (7)$$

The different efficiency components, together with the related statistical uncertainties, are determined as $\epsilon_{\text{reco}} = (48.3 \pm 0.4)\%$, $\epsilon_{\text{trigger}} = (81.9 \pm 0.4)\%$ and $\epsilon_{\text{selection}} = (79.1 \pm 0.5)\%$. The overall efficiency is $(31.3 \pm 0.4)\%$, and the values obtained in $p_T(D^{*+}\mu^-)$ and $|\eta(D^{*+}\mu^-)|$ bins are reported in Table 4. A complete description of the systematic uncertainties follows in Section 8.

8. Systematic uncertainties

The uncertainty in the cross section due to each systematic variation is evaluated by repeating the entire analysis procedure and finding the change in the cross section value. The same strategy is adopted to evaluate bin-by-bin systematic uncertainties for the differential cross section measurements. The following sources are considered:

- Uncertainty of the yields from the fits, obtained by varying the fitting procedure in the following ways:

- reducing the high end of the Δm range used for the $D^{*+}\mu^-$ signal fit by 4 MeV, from 165 MeV to 161 MeV;
- changing the background parameterisation function to be $\propto 1 - \exp(-\alpha(\Delta m - m_\pi)^\beta)$, where α and β are free fit parameters, which provides a $P(\chi^2)$ for the fit similar to that with the default background parameterisation.
- Uncertainty of the sample composition estimate: the f_b measurement depends on the b/c cross section ratio used in the MC sample. The ratio of the beauty and charm contributions to the inclusive D^{*+} production, estimated using the life-time information, has been found to be in agreement with the ratio in PYTHIA, within experimental uncertainties. To cover the uncertainties, the MC b/c ratio is varied between 50% and 200% of its nominal value.
- Uncertainties of the muon trigger efficiencies are estimated from $J/\psi \rightarrow \mu^+\mu^-$ studies [42].
- Uncertainty on tracking and muon reconstruction efficiency: the uncertainty on ID tracking efficiency is dominated by the detector material description used in MC simulations. This uncertainty is evaluated in studies of minimum bias events [28]. The muon reconstruction uncertainty is evaluated on $Z \rightarrow \mu^+\mu^-$ data samples [42]. This systematic uncertainty is dominated by the ID tracking uncertainty.
- Model dependence of the reconstruction efficiency: the efficiency calculation could be affected by differences between the $p_T(D^{*+}\mu^-)$ and $\eta(D^{*+}\mu^-)$ spectra in data and MC simulation. To estimate the systematic uncertainty, the MC distribution is varied, while preserving consistency with the observed data distribution, and the resulting change in efficiency is computed after each variation.
- Uncertainty due to differences in the fit of the D^0 and b -hadron vertices between data and MC simulation: to estimate the systematic uncertainty, the MC $P(\chi^2)$ distribution is varied, while preserving consistency with the observed data distribution, and the resulting change in efficiency is computed after each variation.
- Uncertainty of the difference in D^0 mass resolution between data and MC simulation: the efficiency calculation is corrected to account the difference between D^0 mass resolution in data and MC simulation. To estimate the systematic uncertainty, the error on the data-to-MC ratio of D^0 mass widths is propagated to the efficiency.
- NLO prediction uncertainty: since the NLO predictions are also used as an active part of the analysis for unfolding (Section 9) and acceptance corrections (Section 10), the theoretical uncertainties and the use of different predictions introduce additional systematic uncertainties to the experimental measurements. These are evaluated by repeating the entire analysis, introducing different theoretical uncertainties (Section 4) to the default central prediction (POWHEG + PYTHIA), and using a different theoretical prediction (POWHEG + HERWIG and MC@NLO): positive and negative differences obtained with respect to using the central prediction are separately summed in quadrature. The use of the predictions matched with HERWIG produces visible asymmetries in the uncertainties of the acceptance corrections (Section 10).
- Uncertainty of the luminosity measurement ($\pm 3.4\%$) [43,44].
- Relative uncertainty on the branching fractions of the different decay chains, obtained from the world averages [26]: $b \rightarrow D^{*+}\mu^- X$ ($\pm 7\%$), $D^{*+} \rightarrow D^0\pi^+$ ($\pm 0.7\%$), $D^0 \rightarrow K^-\pi^+$ ($\pm 1.3\%$).

In Sections 9 and 10, tables are shown with these uncertainties quoted after each step of the analysis.

Table 5

Differential cross sections for $H_b \rightarrow D^{*+}\mu^- X$ production as a function of p_T and $|\eta|$ of the $D^{*+}\mu^-$ pair, in the fiducial kinematical region $p_T(D^{*+}) > 4.5$ GeV, $p_T(\mu^-) > 6$ GeV, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$. The statistical and total systematic uncertainties are shown for each cross section.

$p_T(D^{*+}\mu^-)$ [GeV]	$\frac{d\sigma(H_b \rightarrow D^{*+}\mu^- X)}{dp_T(D^{*+}\mu^-)}$ [nb/GeV]	$ \eta(D^{*+}\mu^-) $	$\frac{d\sigma(H_b \rightarrow D^{*+}\mu^- X)}{d \eta(D^{*+}\mu^-) }$ [nb/unit of $ \eta $]
9–12	$2.78 \pm 0.29^{+0.30}_{-0.30}$	0.0–0.5	$38.4 \pm 1.5^{+3.4}_{-3.4}$
12–15	$8.2 \pm 0.4^{+0.8}_{-0.8}$	0.5–1.0	$34.9 \pm 1.4^{+3.1}_{-3.1}$
15–20	$5.2 \pm 0.2^{+0.5}_{-0.5}$	1.0–1.5	$33.5 \pm 1.8^{+3.4}_{-3.1}$
20–30	$1.47 \pm 0.06^{+0.15}_{-0.14}$	1.5–2.0	$37.2 \pm 2.6^{+4.7}_{-4.2}$
30–45	$0.250 \pm 0.018^{+0.025}_{-0.024}$	2.0–2.5	$21.7 \pm 2.6^{+3.7}_{-3.1}$
45–80	$0.0229 \pm 0.0030^{+0.0023}_{-0.0023}$		

9. Differential cross sections for $H_b \rightarrow D^{*+}\mu^- X$ production

Differential cross sections for $H_b \rightarrow D^{*+}\mu^- X$ production as a function of the p_T and $|\eta|$ of the $D^{*+}\mu^-$ pairs are evaluated by using Eq. (1) and dividing by the bin width. The results are shown in Table 5.

To extract differential cross sections as a function of the p_T and $|\eta|$ of the b -hadron, it is necessary to correct the observed $p_T(D^{*+}\mu^-)$ and $|\eta(D^{*+}\mu^-)|$ distributions using Monte Carlo simulations, in order to take into account the kinematics of the missing particles from the decay $H_b \rightarrow D^{*+}\mu^- X$. This procedure is known as unfolding [45–48]. The unfolding approach used in this paper is based on the iterative method described in Ref. [49], containing elements of Bayesian statistics.

The element F_{ij} of the response matrix F for a b -hadron in a $p_T/|\eta|(H_b)$ bin j to decay into a $D^{*+}\mu^-$ in $p_T/|\eta|(D^{*+}\mu^-)$ bin i can be interpreted as a conditional probability

$$F_{ij} = P(D^{*+}\mu^- \text{ in bin } i | H_b \text{ in bin } j). \quad (8)$$

Given an initial set of probabilities p_i for b -hadrons to be found in bin i , using Bayes' theorem one can obtain the expected number of b -hadrons in bin i , given a measured $D^{*+}\mu^-$ distribution:

$$\begin{aligned} N_i^{H_b} &= \sum_{j=1}^{N_{\text{bin}}} P(H_b \text{ in bin } i | D^{*+}\mu^- \text{ in bin } j) N_j^{D^{*+}\mu^-} \\ &= \sum_{j=1}^{N_{\text{bin}}} \left(\frac{F_{ji} p_j}{\sum_k F_{jk} p_k} \right) N_j^{D^{*+}\mu^-} \end{aligned} \quad (9)$$

An NLO Monte Carlo sample generated with POWHEG + PYTHIA is used to create the default response matrix F and the initial prior probabilities p . The procedure is repeated with different MC generators, in order to evaluate systematic uncertainties.

The procedure can be iterated, taking as new prior probabilities the solutions of the previous step, i.e. $p_i = N_i^{H_b} / N_{\text{tot}}^{H_b}$. After a large number of iterations, the procedure converges on the results obtained with a direct inversion of the response matrix F

$$N_i^{H_b} = \sum_{j=1}^{N_{\text{bin}}} (F^{-1})_{ij} N_j^{D^{*+}\mu^-} \quad (10)$$




Fig. 2. Differential cross section for $H_b \rightarrow D^{*+} \mu^- X$ production as a function of (a) p_T and (b) $|\eta|$ of the b -hadron, in the fiducial kinematic region $p_T(D^{*+}) > 4.5 \text{ GeV}$, $p_T(\mu^-) > 6 \text{ GeV}$, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$. The measurement is compared with the theoretical predictions, as described in the text. The inner error bars of the data points are statistical uncertainties, the outer are statistical + total systematic uncertainties.

This method is known to be sensitive to statistical fluctuations [45], but this effect can be mitigated in the Bayesian method by truncating the procedure after a few iterations.

The number of iterations was therefore optimised in Monte Carlo simulations with test measurements, comparing the values obtained after each iteration to the values expected from the MC-generated information, using a χ^2 test. Two iterations are the optimal solution in this case, providing compatible results even when the response matrix F and the prior probabilities p are generated using different theoretical distributions.

The inversion method and the Bayesian method with a different number of iterations were employed as a check. Within the systematic uncertainties, all the results were found to be in agreement with the chosen default procedure.

A bias could occur in this procedure due to the possible mismodelling of the H_b decays (e.g. D^{**} decays contributing to the missing particles in the final state) in the simulation. It was verified with the simulation that the relevant $D^{*+} \mu^-$ kinematic variables have a small dependence on the specific b -hadron decay, and that a mismodelling of the D^{**} branching ratios does not produce a significant effect. This is expected since the dominant $D^{*+} \mu^-$ contribution arises from direct B^0 decays without an intermediate D^{**} .

Once the H_b distribution is obtained, the differential $H_b \rightarrow D^{*+} \mu^- X$ cross sections are determined as a function of p_T and $|\eta|$ of the b -hadron, inside the kinematic region $p_T(D^{*+}) > 4.5 \text{ GeV}$, $p_T(\mu^-) > 6 \text{ GeV}$, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$.

Fig. 2 shows the measured differential cross sections, with comparisons to the NLO theoretical predictions. The POWHEG + PYTHIA shaded band refers to the total theoretical uncertainty of the prediction. The differential cross section values are reported in Table 6, together with the statistical and total systematic uncertainties. The individual contributions to the systematic uncertainties are listed in Tables 7 and 8. The comparison with data shows that NLO calculations underestimate the cross section, although the difference is within the combined experimental and theoretical uncertainties.

Table 6

Differential cross sections for $H_b \rightarrow D^{*+} \mu^- X$ and $H_b X$ production as a function of p_T and $|\eta|$ of the b -hadron, in the fiducial kinematical regions $p_T(D^{*+}) > 4.5$ GeV, $p_T(\mu^-) > 6$ GeV, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$, and $p_T(H_b) > 9$ GeV, $|\eta(H_b)| < 2.5$ respectively. The statistical and total systematic uncertainties are shown for each cross section.

$p_T(H_b)$ [GeV]	$\frac{d\sigma(H_b \rightarrow D^{*+} \mu^- X)}{dp_T(H_b)}$ [nb/GeV]	$\frac{d\sigma(H_b X)}{dp_T(H_b)}$ [nb/GeV]
9–12	$0.73 \pm 0.12^{+0.09}_{-0.11}$	$(5.8 \pm 0.9^{+0.8}_{-1.0}) \cdot 10^3$
12–15	$4.65 \pm 0.27^{+0.50}_{-0.50}$	$(2.37 \pm 0.14^{+0.30}_{-0.33}) \cdot 10^3$
15–20	$5.48 \pm 0.19^{+0.57}_{-0.54}$	$(9.1 \pm 0.3^{+1.1}_{-1.1}) \cdot 10^2$
20–30	$2.46 \pm 0.08^{+0.26}_{-0.24}$	$212 \pm 7^{+26}_{-26}$
30–45	$0.530 \pm 0.025^{+0.056}_{-0.062}$	$31.3 \pm 1.5^{+3.9}_{-3.9}$
45–80	$0.055 \pm 0.005^{+0.007}_{-0.006}$	$2.78 \pm 0.25^{+0.38}_{-0.33}$
$ \eta(H_b) $	$\frac{d\sigma(H_b \rightarrow D^{*+} \mu^- X)}{d \eta(H_b) }$ [nb/unit of $ \eta $]	$\frac{d\sigma(H_b X)}{d \eta(H_b) }$ [μ b/unit of $ \eta $]
0.0–0.5	$38.0 \pm 1.5^{+3.3}_{-3.3}$	$14.3 \pm 0.6^{+1.7}_{-2.7}$
0.5–1.0	$35.0 \pm 1.5^{+3.2}_{-3.2}$	$13.4 \pm 0.6^{+1.8}_{-2.7}$
1.0–1.5	$32.9 \pm 1.9^{+3.3}_{-3.1}$	$13.1 \pm 0.7^{+2.1}_{-2.9}$
1.5–2.0	$37.5 \pm 2.7^{+4.7}_{-4.3}$	$15.8 \pm 1.1^{+2.4}_{-4.4}$
2.0–2.5	$22.3 \pm 2.8^{+3.8}_{-3.2}$	$13.3 \pm 1.6^{+2.5}_{-4.5}$

The integrated $H_b \rightarrow D^{*+} \mu^- X$ cross section, inside the kinematic region $p_T(D^{*+}) > 4.5$ GeV, $p_T(\mu^-) > 6$ GeV, $|\eta(D^{*+})| < 2.5$ and $|\eta(\mu^-)| < 2.4$, is:

$$\sigma(pp \rightarrow H_b X' \rightarrow D^{*+} \mu^- X) = 78.7 \pm 2.0(\text{stat.}) \pm 7.3(\text{syst.}) \pm 1.2(\mathcal{B}) \pm 2.7(\mathcal{L}) \text{ nb}$$

The integrated POWHEG + PYTHIA prediction, with its theoretical uncertainty, is:

$$\sigma(pp \rightarrow H_b X' \rightarrow D^{*+} \mu^- X) = 53^{+18}_{-12}(\text{scale})^{+3}_{-3}(m_b)^{+3}_{-3}(\text{PDF})^{+6}_{-5}(\text{hadr.}) \text{ nb}$$

The corresponding POWHEG + HERWIG prediction is 51 nb, while MC@NLO predicts 56 nb, with similar theoretical uncertainties to the POWHEG + PYTHIA prediction.

10. Differential cross sections for b -hadron production

The b -hadron differential cross sections can be derived from the $H_b \rightarrow D^{*+} \mu^- X$ differential cross sections by taking into account the branching ratio $\mathcal{B}(b \rightarrow D^{*+} \mu^- X)$ and the necessary decay acceptance corrections. These are evaluated using a POWHEG + PYTHIA simulation in two steps:

- Identification of the H_b kinematic region selected by the D^{*+} and μ^- kinematic cuts. This indicates that only b -hadrons with $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$ pass the D^{*+} and μ^- kinematic cuts.

Table 7

 $H_b \rightarrow D^{*+} \mu^- X$ and H_b cross section relative uncertainties as a function of $p_T(H_b)$, listed as percentages (%).

p_T bin (GeV)	9–12	12–15	15–20	20–30	30–45	45–80
Data statistics	± 15.8	± 5.9	± 3.4	± 3.1	± 4.7	± 9.0
$\sigma(H_b \rightarrow D^{*+} \mu^- X)$ and $\sigma(H_b)$ relative systematic error (%)						
$D^* \mu$ fit	± 3.5	± 1.8	± 1.0	± 1.4	± 1.7	± 2.0
f_b	+2.5 –3.8	+2.3 –3.5	+1.8 –2.8	+1.6 –2.5	+1.4 –2.2	+1.8 –2.9
μ trigger	+1.3 –1.2	+1.3 –1.3	+1.7 –1.6	+2.2 –2.0	+2.5 –2.2	+2.7 –2.5
Tracking + μ reconstruction	+9.1 –8.2	+9.0 –8.1	+8.9 –8.0	+8.7 –7.9	+8.5 –7.7	+8.3 –7.5
MC p_T/η reweight	+0.2 –1.3	+0.2 –1.2	+0.4 –1.1	+0.5 –1.1	+0.4 –1.0	+0.2 –0.8
D^0 and H_b vertices fit	± 2.0	± 2.0	± 2.0	± 2.0	± 2.0	± 2.0
D^0 mass correction	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0
Luminosity				± 3.4		
$\mathcal{B}(D^{*+} \rightarrow D^0 \pi^+)$				± 0.7		
$\mathcal{B}(D^0 \rightarrow K^- \pi^+)$				± 1.3		
$\sigma(H_b \rightarrow D^{*+} \mu^- X)$ relative systematic error (%)						
Unfolding	+6.6 –10.0	+2.3 –3.8	+1.7 –1.5	+2.3 –1.3	+3.2 –6.7	+9.1 –3.5
$\sigma(H_b)$ relative systematic error in (%)						
$\mathcal{B}(b \rightarrow D^{*+} \mu^- X)$				± 7		
Unfolding \oplus acceptance	+3.4 –11.3	+1.6 –6.4	+2.3 –4.0	+0.7 –2.5	+1.7 –4.4	+6.0 –1.0
Total syst. $\sigma(H_b \rightarrow D^{*+} \mu^- X)$	+12.9 –14.7	+10.7 –10.8	+10.3 –9.9	+10.4 –9.8	+10.6 –11.7	+13.6 –10.3
Total syst. $\sigma(H_b)$	+13.4 –17.1	+12.6 –14.0	+12.5 –12.5	+12.3 –12.1	+12.3 –12.5	+13.5 –11.8

- Evaluation of a bin-by-bin p_T - and $|\eta|$ -decay acceptance α in the H_b allowed kinematic region, defined as

$$\alpha = \frac{\text{number of } H_b(\rightarrow D^{*+} \mu^-) \text{ passing the } D^* \text{ and } \mu \text{ kinematic cuts}}{\text{number of } H_b(\rightarrow D^{*+} \mu^-) \text{ passing the } H_b \text{ kinematic cuts}} \quad (11)$$

The results are shown in Table 9 for the POWHEG + PYTHIA central prediction. Section 8 describes how the NLO theoretical uncertainties are propagated to this measurement.

The b -hadron differential cross sections as a function of p_T and η , inside the kinematic region $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$, can then be calculated according to the formula:

$$\frac{d\sigma(H_b X)}{dp_T(\eta)} = \frac{1}{\alpha_{p_T(\eta)} \mathcal{B}(b \rightarrow D^{*+} \mu^- X)} \frac{d\sigma(pp \rightarrow H_b X' \rightarrow D^{*+} \mu^- X)}{dp_T(\eta)} \quad (12)$$

Fig. 3 shows the b -hadron differential cross section measurements compared with theoretical predictions. The shaded band is the overall theoretical uncertainty of the central POWHEG + PYTHIA prediction. Since the acceptance correction factors have a dependence on p_T and $|\eta|$, as shown in Table 9, the shapes of the b -hadron differential cross sections are different to the $H_b \rightarrow D^{*+} \mu^- X$ differential cross sections shown in Fig. 2. The systematic uncertainties are those from the $\sigma(H_b \rightarrow D^{*+} \mu^- X)$ measurement described in Section 9, with the addition of the uncertainty of the branching ratio $\mathcal{B}(b \rightarrow D^{*+} \mu^- X)$ and the uncertainties of the decay acceptance correction. The b -hadron differential cross section values are reported in Table 6, together with the statistical and total systematic uncertainties, while the individual contributions to the

Table 8

$H_b \rightarrow D^{*+} \mu^- X$ and H_b cross section relative uncertainties as a function of $|\eta(H_b)|$, listed as percentages (%). The last column refers to the integrated cross sections.

$ \eta $ bin	0–0.5	0.5–1	1–1.5	1.5–2	2–2.5	0–2.5
Data statistics	± 3.9	± 4.3	± 5.8	± 7.3	± 12.5	± 2.5
$\sigma(H_b \rightarrow D^{*+} \mu^- X)$ and $\sigma(H_b)$ relative systematic error (%)						
$D^* \mu$ fit	± 0.7	± 0.9	± 0.7	± 1.2	± 1.0	± 0.5
f_b	+1.6 –2.6	+2.0 –3.5	+1.5 –2.4	+1.5 –2.6	+1.3 –2.1	+1.7 –2.8
μ trigger	+2.0 –1.9	+2.1 –1.9	+1.8 –1.6	+1.7 –1.6	+1.6 –1.5	+1.9 –1.9
tracking + μ reconstruction	+7.0 –6.5	+7.1 –6.6	+8.5 –7.7	+11.4 –10.0	+16.2 –13.4	+8.6 –8.0
MC p_T/η reweight	+1.5 –0.1	+1.2 –0.1	+1.4 –0.1	+1.1 –0.2	+2.0 –0.5	+1.3 –1.3
D^0 and H_b vertices fit	± 2.0	± 2.0	± 2.0	± 2.0	± 2.0	± 2.0
D^0 mass correction	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0	+0.8 –1.0
Luminosity				± 3.4		
$\mathcal{B}(D^{*+} \rightarrow D^0 \pi^+)$				± 0.7		
$\mathcal{B}(D^0 \rightarrow K^- \pi^+)$				± 1.3		
$\sigma(H_b \rightarrow D^{*+} \mu^- X)$ relative systematic error (%)						
Unfolding	+1.3 –0.9	+1.1 –1.5	+1.4 –0.8	+0.7 –1.0	+1.1 –2.0	–
$\sigma(H_b)$ relative systematic error (%)						
$\mathcal{B}(b \rightarrow D^{*+} \mu^- X)$				± 7		
Unfolding \oplus acceptance	+5.1 –15.0	+7.3 –16.2	+10.7 –19.1	+4.8 –24.6	+4.3 –29.6	+6.4 –17.1
Total syst. $\sigma(H_b \rightarrow D^{*+} \mu^- X)$	+8.8 –8.5	+9.0 –9.0	+10.0 –9.4	+12.5 –11.4	+17.1 –14.5	+10.0 –9.8
Total syst. $\sigma(H_b)$	+12.2 –18.5	+13.4 –19.7	+16.1 –22.3	+15.0 –27.9	+18.8 –33.5	+13.8 –20.9

Table 9

Decay acceptance α as a function of $p_T(H_b)$ and $|\eta(H_b)|$ for the POWHEG + PYTHIA prediction.

$p_T(H_b)$	α	$ \eta(H_b) $	α
9–12 GeV	0.005	0.0–0.5	0.096
12–15 GeV	0.071	0.5–1.0	0.095
15–20 GeV	0.219	1.0–1.5	0.091
20–30 GeV	0.422	1.5–2.0	0.086
30–45 GeV	0.614	2.0–2.5	0.061
45–80 GeV	0.723		

systematic uncertainty are reported in Tables 7 and 8. The combined unfolding and acceptance uncertainties are calculated taking their correlations into account.

The comparison with data shows that NLO calculations underestimate the cross section, although the difference is within the combined experimental and theoretical uncertainties. The b -hadron integrated cross section for $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$ is measured as:

$$\sigma(pp \rightarrow H_b X) = 32.7 \pm 0.8(\text{stat.}) \pm 3.1(\text{syst.})_{-5.6}^{+2.1}(\alpha) \pm 2.3(\mathcal{B}) \pm 1.1(\mathcal{L}) \mu\text{b}$$

The integrated POWHEG + PYTHIA prediction, with its theoretical uncertainty, is:

$$\sigma(pp \rightarrow H_b X) = 22.2_{-5.4}^{+8.9}(\text{scale})_{-1.9}^{+2.1}(m_b)_{-2.1}^{+2.2}(\text{PDF})_{-1.5}^{+1.6}(\text{hadr.}) \mu\text{b}$$




Fig. 3. Differential cross section for H_b production as a function of (a) p_T and (b) $|\eta|$ of the b -hadron, in the fiducial kinematical region $p_T(H_b) > 9$ GeV, $|\eta(H_b)| < 2.5$. The measurement is compared with the theoretical predictions, as described in the text. The inner error bars of the data points are statistical uncertainties, the outer are statistical + total systematic uncertainties.

The corresponding POWHEG + HERWIG prediction is $18.6 \mu\text{b}$, while MC@NLO predicts $19.2 \mu\text{b}$, with similar theoretical uncertainties to the POWHEG + PYTHIA prediction.

11. Discussion

Section 10 discusses the measurement of the b -hadron production cross section for $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$. In order to compare this result with other LHC measurements, we extrapolate this measurement to the full kinematic phase space, extending to regions outside the ATLAS coverage, using the NLO MC theoretical predictions. The multiplicative extrapolation factor is defined as the ratio of the total number of generated b -hadrons to the number of b -hadrons generated with $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$, and is estimated to be $11.0^{+2.6}_{-1.6}$. The resulting total b -hadron cross section is:

$$\sigma(pp \rightarrow H_b X)_{\text{total}} = 360 \pm 9(\text{stat.}) \pm 34(\text{syst.}) \pm 25(\mathcal{B}) \pm 12(\mathcal{L})_{-69}^{+77}(\text{accept.} \oplus \text{extrap.}) \mu\text{b}$$

where the combined acceptance and extrapolation uncertainty is calculated taking their correlations into account.

This value can be compared with the inclusive $b\bar{b}$ cross section measurements by LHCb $\sigma(pp \rightarrow b\bar{b}X) = 284 \pm 20(\text{stat.}) \pm 49(\text{syst.}) \mu\text{b}$, evaluated in the kinematic region $2 < \eta < 6$ using decays to $D^0\mu^-\bar{\nu}X$ final states [16], and $\sigma(pp \rightarrow b\bar{b}X) = 288 \pm 4(\text{stat.}) \pm 48(\text{syst.}) \mu\text{b}$, evaluated using $J/\psi X$ final states in the kinematic region $2.0 < y < 4.5$ [17]. Extrapolations outside the LHCb sensitivity region are done using different theoretical models, without including additional uncertainties. Also ALICE measured the inclusive $b\bar{b}$ cross section in pp collisions, using decays to $J/\psi X$ final states in the kinematic region $|y| < 0.9$ and $p_T > 1.3$ GeV [24]. After extrapolation to the full phase space, they obtain $\sigma(pp \rightarrow b\bar{b}X) = 244 \pm 64(\text{stat.})_{-59}^{+50}(\text{syst.})_{-6}^{+7}(\text{extr.}) \mu\text{b}$.

12. Conclusions

The production of b -hadrons (H_b) at the LHC is measured with the ATLAS detector in proton–proton collisions at $\sqrt{s} = 7$ TeV, using 3.3 pb^{-1} of integrated luminosity from the 2010 run. A b -hadron enriched sample was obtained by combining oppositely charged D^* mesons and muons, in events triggered by a muon with p_T exceeding 6 GeV.

Differential cross sections as functions of p_T and $|\eta|$ are produced for both H_b and $H_b \rightarrow D^{*+} \mu^- X$ production. These measurements are found to be higher than the NLO QCD predictions, but consistent within the experimental and theoretical uncertainties. The integrated b -hadron cross section for $p_T(H_b) > 9$ GeV and $|\eta(H_b)| < 2.5$ is measured as

$$\sigma(pp \rightarrow H_b X) = 32.7 \pm 0.8(\text{stat.}) \pm 3.1(\text{syst.})_{-5.6}^{+2.1}(\alpha) \pm 2.3(\mathcal{B}) \pm 1.1(\mathcal{L}) \mu\text{b}$$

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3–CNRS, CEADSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciencedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] P. Nason, S. Dawson, R.K. Ellis, The total cross section for the production of heavy quarks in hadronic collisions, Nucl. Phys. B 303 (1988) 607.
- [2] P. Nason, S. Dawson, R.K. Ellis, The one particle inclusive differential cross section for heavy quark production in hadronic collisions, Nucl. Phys. B 327 (1989) 49.

- [3] UA1 Collaboration, Beauty production at the CERN proton–anti-proton collider, Phys. Lett. B 186 (1987) 237.
- [4] UA1 Collaboration, Measurement of the bottom quark production cross section in proton–anti-proton collisions at $\sqrt{s} = 0.63$ TeV, Phys. Lett. B 213 (1988) 405.
- [5] CDF Collaboration, Measurement of the ratio of the b quark production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 630$ GeV and $\sqrt{s} = 1800$ GeV, Phys. Rev. D 66 (2002) 032002.
- [6] CDF Collaboration, Measurement of the bottom quark production cross-section using semileptonic decay electron in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 71 (1993) 500.
- [7] CDF Collaboration, Measurement of the B meson differential cross-section, $d\sigma/dp_T$, in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 75 (1995) 1451.
- [8] CDF Collaboration, Measurement of the B^+ total cross section and B^+ differential cross section $d\sigma/dp_T$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D 65 (2002) 052005.
- [9] D0 Collaboration, Inclusive μ and B quark production cross-sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 74 (1995) 3548.
- [10] D0 Collaboration, Small angle muon and bottom quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 84 (2000) 5478.
- [11] D0 Collaboration, Cross section for b jet production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. 85 (2000) 5068.
- [12] CDF Collaboration, Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV, Phys. Rev. D 71 (2005) 032001.
- [13] CDF Collaboration, Measurement of the B^+ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV, Phys. Rev. D 75 (2007) 012010.
- [14] CDF Collaboration, Measurement of the b -hadron production cross section using decays to $\mu^- D^0 X$ final states in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV, Phys. Rev. D 79 (2009) 092003.
- [15] M. Cacciari, S. Frixione, M. Mangano, et al., QCD analysis of first b cross-section data at 1.96 TeV, JHEP 0407 (2004) 033.
- [16] LHCb Collaboration, Measurement of $\sigma(b\bar{b})$ at $\sqrt{s} = 7$ TeV in the forward region, Phys. Lett. B 694 (2010) 209.
- [17] LHCb Collaboration, Measurement of J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C 71 (2011) 1645.
- [18] LHCb Collaboration, Measurement of the B^\pm production cross-section in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 1204 (2012) 093.
- [19] CMS Collaboration, Measurement of the B^+ production cross section in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. Lett. 106 (2011) 112001.
- [20] CMS Collaboration, Measurement of the B^0 production cross section in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. Lett. 106 (2011) 252001.
- [21] CMS Collaboration, Measurement of the B_s^0 production cross section with $B_s^0 \rightarrow J/\psi \phi$ decays in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. D 84 (2011) 052008.
- [22] CMS Collaboration, Inclusive b -hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 1103 (2011) 090.
- [23] CMS Collaboration, Measurement of the cross section for production of $b\bar{b}X$, decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 1206 (2012) 110.
- [24] ALICE Collaboration, Measurement of prompt and non-prompt J/ψ production cross sections at mid-rapidity in pp collisions at $\sqrt{s} = 7$ TeV, arXiv:1205.5880v1.
- [25] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, JINST 3 (2008) S08003.
- [26] K. Nakamura, et al., Particle Data Group, J. Phys. G 37 (2010) 075021.
- [27] T. Sjostrand, S. Mrenna, P. Skands, PYTHIA 6.4 physics and manual, JHEP 0605 (2006) 026.
- [28] ATLAS Collaboration, Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC, New J. Phys. 13 (2011) 053033.
- [29] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823.
- [30] S. Agostinelli, et al., GEANT4: A simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250.
- [31] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, JHEP 0206 (2002) 029.
- [32] S. Frixione, P. Nason, B.R. Webber, Matching NLO QCD and parton showers in heavy flavour production, JHEP 0308 (2003) 007.
- [33] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, JHEP 0411 (2004) 040.
- [34] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, JHEP 0709 (2007) 126.

- [35] G. Corcella, et al., HERWIG 6: an event generator for hadron emission reactions with interfering gluons, JHEP 0101 (2001) 010.
- [36] P.M. Nadolsky, Implications of CTEQ global analysis for collider observables, Phys. Rev. D 78 (2008) 013004.
- [37] B.R. Webber, A QCD model for jet fragmentation including soft gluon interference, Nucl. Phys. B 238 (1984) 492.
- [38] B. Anderson, et al., Parton fragmentation and string dynamics, Phys. Rep. 97 (1983) 31.
- [39] M.G. Bowler, e^+e^- production of heavy quarks in the string model, Z. Phys. C 11 (1981) 169.
- [40] B. Anderson, G. Gustafson, B. Soederberg, A general model for jet fragmentation, Z. Phys. C 20 (1983) 317.
- [41] C. Peterson, et al., Scaling violations in inclusive e^+e^- annihilation spectra, Phys. Rev. D 27 (1983) 105.
- [42] ATLAS Collaboration, Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton–proton collisions at $\sqrt{s} = 7$ TeV, Nucl. Phys. B 850 (2011) 387.
- [43] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 71 (2011) 1630.
- [44] ATLAS Collaboration, Updated luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, ATLAS-CONF-2011-011, 2011.
- [45] G. Cowan, A survey of unfolding methods for particle physics, in: Proc. Advanced Statistical Techniques in Particle Physics, Durham, 2002.
- [46] G. Cowan, Statistical Data Analysis, Oxford University Press, 1998.
- [47] V. Blobel, Unfolding methods in high energy physics, DESY 84-118 (1982), CERN 85-02 (1985).
- [48] G. Zech, Comparing statistical data to Monte Carlo simulation – parameter fitting and unfolding, DESY 95-113, 1995.
- [49] G. D’Agostini, A multidimensional unfolding method based on Bayes’ theorem, Nucl. Instrum. Meth. A 362 (1995) 487.

ATLAS Collaboration

G. Aad⁴⁸, B. Abbott¹¹¹, J. Abdallah¹¹, S. Abdel Khalek¹¹⁵,
 A.A. Abdelalim⁴⁹, O. Abdinov¹⁰, B. Abi¹¹², M. Abolins⁸⁸,
 O.S. AbouZeid¹⁵⁸, H. Abramowicz¹⁵³, H. Abreu¹³⁶, E. Acerbi^{89a,89b},
 B.S. Acharya^{164a,164b}, L. Adamczyk³⁷, D.L. Adams²⁴, T.N. Addy⁵⁶,
 J. Adelman¹⁷⁶, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²²,
 J.A. Aguilar-Saavedra^{124b,a}, M. Agustoni¹⁶, M. Aharrouche⁸¹,
 S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴⁰, G. Aielli^{133a,133b},
 T. Akdogan^{18a}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴,
 M.S. Alam¹, M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksa²⁹,
 I.N. Aleksandrov⁶⁴, F. Alessandria^{89a}, C. Alexa^{25a}, G. Alexander¹⁵³,
 G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob^{164a,164c}, M. Aliev¹⁵,
 G. Alimonti^{89a}, J. Alison¹²⁰, B.M.M. Allbrooke¹⁷, P.P. Allport⁷³,
 S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷²,
 A. Alonso⁷⁹, B. Alvarez Gonzalez⁸⁸, M.G. Alviggi^{102a,102b}, K. Amako⁶⁵,
 C. Amelung²², V.V. Ammosov¹²⁸, A. Amorim^{124a,b}, N. Amram¹⁵³,
 C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁵, T. Andeen³⁴,
 C.F. Anders^{58b}, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{89a,89b},
 V. Andrei^{58a}, X.S. Anduaga⁷⁰, P. Anger⁴³, A. Angerami³⁴,
 F. Anghinolfi²⁹, A. Anisenkov¹⁰⁷, N. Anjos^{124a}, A. Annovi⁴⁷,

A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a},
 S. Aoun⁸³, L. Aperio Bella⁴, R. Apolle^{118,c}, G. Arabidze⁸⁸,
 I. Aracena¹⁴³, Y. Arai⁶⁵, A.T.H. Arce⁴⁴, S. Arfaoui¹⁴⁸, J.-F. Arguin¹⁴,
 E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, V. Arnal⁸⁰,
 C. Arnault¹¹⁵, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²⁰,
 S. Asai¹⁵⁵, R. Asfandiyarov¹⁷³, S. Ask²⁷, B. Åsman^{146a,146b}, L. Asquith⁵,
 K. Assamagan²⁴, A. Astbury¹⁶⁹, B. Aubert⁴, E. Auge¹¹⁵, K. Augsten¹²⁷,
 M. Auresseau^{145a}, G. Avolio¹⁶³, R. Avramidou⁹, D. Axen¹⁶⁸,
 G. Azuelos^{93,d}, Y. Azuma¹⁵⁵, M.A. Baak²⁹, G. Baccaglioni^{89a},
 C. Bacci^{134a,134b}, A.M. Bach¹⁴, H. Bachacou¹³⁶, K. Bachas²⁹,
 M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b},
 S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁸, T. Bain¹⁵⁸, J.T. Baines¹²⁹,
 O.K. Baker¹⁷⁶, M.D. Baker²⁴, S. Baker⁷⁷, E. Banas³⁸, P. Banerjee⁹³,
 Sw. Banerjee¹⁷³, D. Banfi²⁹, A. Bangert¹⁵⁰, V. Bansal¹⁶⁹, H.S. Bansil¹⁷,
 L. Barak¹⁷², S.P. Baranov⁹⁴, A. Barbaro Galtieri¹⁴, T. Barber⁴⁸,
 E.L. Barberio⁸⁶, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁴,
 T. Barillari⁹⁹, M. Barisonzi¹⁷⁵, T. Barklow¹⁴³, N. Barlow²⁷,
 B.M. Barnett¹²⁹, R.M. Barnett¹⁴, A. Baroncelli^{134a}, G. Barone⁴⁹,
 A.J. Barr¹¹⁸, F. Barreiro⁸⁰, J. Barreiro Guimarães da Costa⁵⁷,
 P. Barrillon¹¹⁵, R. Bartoldus¹⁴³, A.E. Barton⁷¹, V. Bartsch¹⁴⁹,
 R.L. Bates⁵³, L. Batkova^{144a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹,
 F. Bauer¹³⁶, H.S. Bawa^{143,e}, S. Beale⁹⁸, T. Beau⁷⁸, P.H. Beauchemin¹⁶¹,
 R. Beccherle^{50a}, P. Bechtel²⁰, H.P. Beck¹⁶, A.K. Becker¹⁷⁵, S. Becker⁹⁸,
 M. Beckingham¹³⁸, K.H. Becks¹⁷⁵, A.J. Beddall^{18c}, A. Beddall^{18c},
 S. Bedikian¹⁷⁶, V.A. Bednyakov⁶⁴, C.P. Bee⁸³, M. Begel²⁴,
 S. Behar Harpaz¹⁵², M. Beimforde⁹⁹, C. Belanger-Champagne⁸⁵,
 P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵³, L. Bellagamba^{19a}, F. Bellina²⁹,
 M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova^{107,f}, K. Belotskiy⁹⁶,
 O. Beltramello²⁹, O. Benary¹⁵³, D. Benckekroun^{135a}, K. Bendtz^{146a,146b},
 N. Benekos¹⁶⁵, Y. Benhammou¹⁵³, E. Benhar Noccioli⁴⁹,
 J.A. Benitez Garcia^{159b}, D.P. Benjamin⁴⁴, M. Benoit¹¹⁵, J.R. Bensinger²²,
 K. Benslama¹³⁰, S. Bentvelsen¹⁰⁵, D. Berge²⁹, E. Bergeaas Kuutmann⁴¹,
 N. Berger⁴, F. Berghaus¹⁶⁹, E. Berglund¹⁰⁵, J. Beringer¹⁴, P. Bernat⁷⁷,
 R. Bernhard⁴⁸, C. Bernius²⁴, T. Berry⁷⁶, C. Bertella⁸³, A. Bertin^{19a,19b},
 F. Bertolucci^{122a,122b}, M.I. Besana^{89a,89b}, G.J. Besjes¹⁰⁴, N. Besson¹³⁶,
 S. Bethke⁹⁹, W. Bhimji⁴⁵, R.M. Bianchi²⁹, M. Bianco^{72a,72b}, O. Biebel⁹⁸,
 S.P. Bieniek⁷⁷, K. Bierwagen⁵⁴, J. Biesiada¹⁴, M. Biglietti^{134a},

H. Bilokon⁴⁷, M. Bindi^{19a,19b}, S. Binet¹¹⁵, A. Bingul^{18c}, C. Bini^{132a,132b},
 C. Biscarat¹⁷⁸, U. Bitenc⁴⁸, K.M. Black²¹, R.E. Blair⁵,
 J.-B. Blanchard¹³⁶, G. Blanchot²⁹, T. Blazek^{144a}, C. Blocker²²,
 J. Blocki³⁸, A. Blondel⁴⁹, W. Blum⁸¹, U. Blumenschein⁵⁴,
 G.J. Bobbink¹⁰⁵, V.B. Bobrovnikov¹⁰⁷, S.S. Bocchetta⁷⁹, A. Bocci⁴⁴,
 C.R. Boddy¹¹⁸, M. Boehler⁴¹, J. Boek¹⁷⁵, N. Boelaert³⁵, J.A. Bogaerts²⁹,
 A. Bogdanchikov¹⁰⁷, A. Bogouch^{90,*}, C. Bohm^{146a}, J. Bohm¹²⁵,
 V. Boisvert⁷⁶, T. Bold³⁷, V. Boldea^{25a}, N.M. Bolnet¹³⁶, M. Bomben⁷⁸,
 M. Bona⁷⁵, M. Boonekamp¹³⁶, C.N. Booth¹³⁹, S. Bordini⁷⁸, C. Borer¹⁶,
 A. Borisov¹²⁸, G. Borissov⁷¹, I. Borjanovic^{12a}, M. Borri⁸², S. Borroni⁸⁷,
 V. Bortolotto^{134a,134b}, K. Bos¹⁰⁵, D. Boscherini^{19a}, M. Bosman¹¹,
 H. Boterenbrood¹⁰⁵, D. Botterill¹²⁹, J. Bouchami⁹³, J. Boudreau¹²³,
 E.V. Bouhova-Thacker⁷¹, D. Boumediene³³, C. Bourdarios¹¹⁵,
 N. Bousson⁸³, A. Boveia³⁰, J. Boyd²⁹, I.R. Boyko⁶⁴,
 I. Bozovic-Jelisavcic^{12b}, J. Bracinik¹⁷, P. Branchini^{134a}, A. Brandt⁷,
 G. Brandt¹¹⁸, O. Brandt⁵⁴, U. Bratzler¹⁵⁶, B. Brau⁸⁴, J.E. Brau¹¹⁴,
 H.M. Braun¹⁷⁵, S.F. Brazzale^{164a,164c}, B. Brelief¹⁵⁸, J. Bremer²⁹,
 K. Brendlinger¹²⁰, R. Brenner¹⁶⁶, S. Bressler¹⁷², D. Britton⁵³,
 F.M. Brochu²⁷, I. Brock²⁰, R. Brock⁸⁸, E. Brodet¹⁵³, F. Broggi^{89a},
 C. Bromberg⁸⁸, J. Bronner⁹⁹, G. Brooijmans³⁴, T. Brooks⁷⁶,
 W.K. Brooks^{31b}, G. Brown⁸², H. Brown⁷, P.A. Bruckman de Renstrom³⁸,
 D. Bruncko^{144b}, R. Bruneliere⁴⁸, S. Brunet⁶⁰, A. Bruni^{19a}, G. Bruni^{19a},
 M. Bruschi^{19a}, T. Buanes¹³, Q. Buat⁵⁵, F. Bucci⁴⁹, J. Buchanan¹¹⁸,
 P. Buchholz¹⁴¹, R.M. Buckingham¹¹⁸, A.G. Buckley⁴⁵, S.I. Buda^{25a},
 I.A. Budagov⁶⁴, B. Budick¹⁰⁸, V. Büscher⁸¹, L. Bugge¹¹⁷, O. Bulekov⁹⁶,
 A.C. Bundock⁷³, M. Bunse⁴², T. Buran¹¹⁷, H. Burckhart²⁹, S. Burdin⁷³,
 T. Burgess¹³, S. Burke¹²⁹, E. Busato³³, P. Bussey⁵³, C.P. Buszello¹⁶⁶,
 B. Butler¹⁴³, J.M. Butler²¹, C.M. Buttar⁵³, J.M. Butterworth⁷⁷,
 W. Buttinger²⁷, S. Cabrera Urbán¹⁶⁷, D. Caforio^{19a,19b}, O. Cakir^{3a},
 P. Calafiura¹⁴, G. Calderini⁷⁸, P. Calfayan⁹⁸, R. Calkins¹⁰⁶,
 L.P. Caloba^{23a}, R. Caloi^{132a,132b}, D. Calvet³³, S. Calvet³³,
 R. Camacho Toro³³, P. Camarri^{133a,133b}, D. Cameron¹¹⁷,
 L.M. Caminada¹⁴, S. Campana²⁹, M. Campanelli⁷⁷, V. Canale^{102a,102b},
 F. Canelli^{30,g}, A. Canepa^{159a}, J. Cantero⁸⁰, R. Cantrill⁷⁶,
 L. Capasso^{102a,102b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a},
 M. Caprini^{25a}, D. Capriotti⁹⁹, M. Capua^{36a,36b}, R. Caputo⁸¹,
 R. Cardarelli^{133a}, T. Carli²⁹, G. Carlino^{102a}, L. Carminati^{89a,89b},

B. Caron⁸⁵, S. Caron¹⁰⁴, E. Carquin^{31b}, G.D. Carrillo Montoya¹⁷³,
 A.A. Carter⁷⁵, J.R. Carter²⁷, J. Carvalho^{124a,h}, D. Casadei¹⁰⁸,
 M.P. Casado¹¹, M. Cascella^{122a,122b}, C. Caso^{50a,50b,*},
 A.M. Castaneda Hernandez^{173,i}, E. Castaneda-Miranda¹⁷³,
 V. Castillo Gimenez¹⁶⁷, N.F. Castro^{124a}, G. Cataldi^{72a}, P. Catastini⁵⁷,
 A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai²⁹, G. Cattani^{133a,133b},
 S. Caughron⁸⁸, P. Cavalleri⁷⁸, D. Cavalli^{89a}, M. Cavalli-Sforza¹¹,
 V. Cavasinni^{122a,122b}, F. Ceradini^{134a,134b}, A.S. Cerqueira^{23b}, A. Cerri²⁹,
 L. Cerrito⁷⁵, F. Cerutti⁴⁷, S.A. Cetin^{18b}, A. Chafaq^{135a},
 D. Chakraborty¹⁰⁶, I. Chalupkova¹²⁶, K. Chan², B. Chapleau⁸⁵,
 J.D. Chapman²⁷, J.W. Chapman⁸⁷, E. Chareyre⁷⁸, D.G. Charlton¹⁷,
 V. Chavda⁸², C.A. Chavez Barajas²⁹, S. Cheatham⁸⁵, S. Chekanov⁵,
 S.V. Chekulaev^{159a}, G.A. Chelkov⁶⁴, M.A. Chelstowska¹⁰⁴, C. Chen⁶³,
 H. Chen²⁴, S. Chen^{32c}, X. Chen¹⁷³, Y. Chen³⁴, A. Cheplakov⁶⁴,
 R. Cherkaoui El Moursli^{135e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁸,
 L. Chevalier¹³⁶, G. Chiefari^{102a,102b}, L. Chikovani^{51a}, J.T. Childers²⁹,
 A. Chilingarov⁷¹, G. Chiodini^{72a}, A.S. Chisholm¹⁷, R.T. Chislett⁷⁷,
 A. Chitan^{25a}, M.V. Chizhov⁶⁴, G. Choudalakis³⁰, S. Chouridou¹³⁷,
 I.A. Christidi⁷⁷, A. Christov⁴⁸, D. Chromek-Burckhart²⁹, M.L. Chu¹⁵¹,
 J. Chudoba¹²⁵, G. Ciapetti^{132a,132b}, A.K. Ciftci^{3a}, R. Ciftci^{3a}, D. Cinca³³,
 V. Cindro⁷⁴, C. Ciocca^{19a,19b}, A. Ciocio¹⁴, M. Cirilli⁸⁷, P. Cirkovic^{12b},
 M. Citterio^{89a}, M. Ciubancan^{25a}, A. Clark⁴⁹, P.J. Clark⁴⁵, R.N. Clarke¹⁴,
 W. Cleland¹²³, J.C. Clemens⁸³, B. Clement⁵⁵, C. Clement^{146a,146b},
 Y. Coadou⁸³, M. Cobal^{164a,164c}, A. Coccaro¹³⁸, J. Cochran⁶³,
 J.G. Cogan¹⁴³, J. Coggeshall¹⁶⁵, E. Cogneras¹⁷⁸, J. Colas⁴,
 A.P. Colijn¹⁰⁵, N.J. Collins¹⁷, C. Collins-Tooth⁵³, J. Collot⁵⁵,
 T. Colombo^{119a,119b}, G. Colon⁸⁴, P. Conde Muiño^{124a}, E. Coniavitis¹¹⁸,
 M.C. Conidi¹¹, S.M. Consonni^{89a,89b}, V. Consorti⁴⁸, S. Constantinescu^{25a},
 C. Conta^{119a,119b}, G. Conti⁵⁷, F. Conventi^{102a,j}, M. Cooke¹⁴,
 B.D. Cooper⁷⁷, A.M. Cooper-Sarkar¹¹⁸, K. Copic¹⁴, T. Cornelissen¹⁷⁵,
 M. Corradi^{19a}, F. Corriveau^{85,k}, A. Cortes-Gonzalez¹⁶⁵, G. Cortiana⁹⁹,
 G. Costa^{89a}, M.J. Costa¹⁶⁷, D. Costanzo¹³⁹, T. Costin³⁰, D. Côté²⁹,
 L. Courneyea¹⁶⁹, G. Cowan⁷⁶, C. Cowden²⁷, B.E. Cox⁸², K. Cranmer¹⁰⁸,
 F. Crescioli^{122a,122b}, M. Cristinziani²⁰, G. Crosetti^{36a,36b}, R. Crupi^{72a,72b},
 S. Crépe-Renaudin⁵⁵, C.-M. Cuciuc^{25a}, C. Cuenca Almenar¹⁷⁶,
 T. Cuhadar Donszelmann¹³⁹, M. Curatolo⁴⁷, C.J. Curtis¹⁷,
 C. Cuthbert¹⁵⁰, P. Cwetanski⁶⁰, H. Czirr¹⁴¹, P. Czodrowski⁴³,

Z. Czynszula¹⁷⁶, S. D’Auria⁵³, M. D’Onofrio⁷³, A. D’Orazio^{132a,132b},
M.J. Da Cunha Sargedas De Sousa^{124a}, C. Da Via⁸², W. Dabrowski³⁷,
A. Dafinca¹¹⁸, T. Dai⁸⁷, C. Dallapiccola⁸⁴, M. Dam³⁵, M. Dameri^{50a,50b},
D.S. Damiani¹³⁷, H.O. Danielsson²⁹, V. Dao⁴⁹, G. Darbo^{50a},
G.L. Darlea^{25b}, W. Davey²⁰, T. Davidek¹²⁶, N. Davidson⁸⁶,
R. Davidson⁷¹, E. Davies^{118,c}, M. Davies⁹³, A.R. Davison⁷⁷,
Y. Davygora^{58a}, E. Dawe¹⁴², I. Dawson¹³⁹,
R.K. Daya-Ishmukhametova²², K. De⁷, R. de Asmundis^{102a},
S. De Castro^{19a,19b}, S. De Cecco⁷⁸, J. de Graat⁹⁸, N. De Groot¹⁰⁴,
P. de Jong¹⁰⁵, C. De La Taille¹¹⁵, H. De la Torre⁸⁰, F. De Lorenzi⁶³,
L. de Mora⁷¹, L. De Nooij¹⁰⁵, D. De Pedis^{132a}, A. De Salvo^{132a},
U. De Sanctis^{164a,164c}, A. De Santo¹⁴⁹, J.B. De Vivie De Regie¹¹⁵,
G. De Zorzi^{132a,132b}, W.J. Dearnaley⁷¹, R. Debbe²⁴, C. Debenedetti⁴⁵,
B. Dechenaux⁵⁵, D.V. Dedovich⁶⁴, J. Degenhardt¹²⁰, C. Del Papa^{164a,164c},
J. Del Peso⁸⁰, T. Del Prete^{122a,122b}, T. Delemontex⁵⁵, M. Deliyergiyev⁷⁴,
A. Dell’Acqua²⁹, L. Dell’Asta²¹, M. Della Pietra^{102a,j},
D. della Volpe^{102a,102b}, M. Delmastro⁴, P.A. Delsart⁵⁵, C. Deluca¹⁰⁵,
S. Demers¹⁷⁶, M. Demichev⁶⁴, B. Demirkoz^{11,l}, J. Deng¹⁶³,
S.P. Denisov¹²⁸, D. Derendarz³⁸, J.E. Derkaoui^{135d}, F. Derue⁷⁸,
P. Dervan⁷³, K. Desch²⁰, E. Devetak¹⁴⁸, P.O. Deviveiros¹⁰⁵,
A. Dewhurst¹²⁹, B. DeWilde¹⁴⁸, S. Dhaliwal¹⁵⁸, R. Dhullipudi^{24,m},
A. Di Ciaccio^{133a,133b}, L. Di Ciaccio⁴, A. Di Girolamo²⁹,
B. Di Girolamo²⁹, S. Di Luise^{134a,134b}, A. Di Mattia¹⁷³, B. Di Micco²⁹,
R. Di Nardo⁴⁷, A. Di Simone^{133a,133b}, R. Di Sipio^{19a,19b}, M.A. Diaz^{31a},
E.B. Diehl⁸⁷, J. Dietrich⁴¹, T.A. Dietzsch^{58a}, S. Diglio⁸⁶,
K. Dindar Yagci³⁹, J. Dingfelder²⁰, F. Dinut^{25a}, C. Dionisi^{132a,132b},
P. Dita^{25a}, S. Dita^{25a}, F. Dittus²⁹, F. Djama⁸³, T. Djobava^{51b},
M.A.B. do Vale^{23c}, A. Do Valle Wemans^{124a,n}, T.K.O. Doan⁴,
M. Dobbs⁸⁵, R. Dobinson^{29,*}, D. Dobos²⁹, E. Dobson^{29,o}, J. Dodd³⁴,
C. Doglioni⁴⁹, T. Doherty⁵³, Y. Doi^{65,*}, J. Dolejsi¹²⁶, I. Dolenc⁷⁴,
Z. Dolezal¹²⁶, B.A. Dolgoshein^{96,*}, T. Dohmae¹⁵⁵, M. Donadelli^{23d},
J. Donini³³, J. Dopke²⁹, A. Doria^{102a}, A. Dos Anjos¹⁷³, A. Dotti^{122a,122b},
M.T. Dova⁷⁰, A.D. Doxiadis¹⁰⁵, A.T. Doyle⁵³, M. Dris⁹, J. Dubbert⁹⁹,
S. Dube¹⁴, E. Duchovni¹⁷², G. Duckeck⁹⁸, A. Dudarev²⁹, F. Dudziak⁶³,
M. Dührssen²⁹, I.P. Duerdoth⁸², L. Dufлот¹¹⁵, M.-A. Dufour⁸⁵,
M. Dunford²⁹, H. Duran Yildiz^{3a}, R. Duxfield¹³⁹, M. Dwuznik³⁷,
F. Dydak²⁹, M. Düren⁵², J. Ebke⁹⁸, S. Eckweiler⁸¹, K. Edmonds⁸¹,

C.A. Edwards⁷⁶, N.C. Edwards⁵³, W. Ehrenfeld⁴¹, T. Eifert¹⁴³,
 G. Eigen¹³, K. Einsweiler¹⁴, E. Eisenhandler⁷⁵, T. Ekelof¹⁶⁶,
 M. El Kacimi^{135c}, M. Ellert¹⁶⁶, S. Elles⁴, F. Ellinghaus⁸¹, K. Ellis⁷⁵,
 N. Ellis²⁹, J. Elmsheuser⁹⁸, M. Elsing²⁹, D. Emeliyanov¹²⁹,
 R. Engelmann¹⁴⁸, A. Engl⁹⁸, B. Epp⁶¹, A. Eppig⁸⁷, J. Erdmann⁵⁴,
 A. Ereditato¹⁶, D. Eriksson^{146a}, J. Ernst¹, M. Ernst²⁴, J. Ernwein¹³⁶,
 D. Errede¹⁶⁵, S. Errede¹⁶⁵, E. Ertel⁸¹, M. Escalier¹¹⁵, H. Esch⁴²,
 C. Escobar¹²³, X. Espinal Curull¹¹, B. Esposito⁴⁷, F. Etienne⁸³,
 A.I. Etienvre¹³⁶, E. Etzion¹⁵³, D. Evangelakou⁵⁴, H. Evans⁶⁰,
 L. Fabbri^{19a,19b}, C. Fabre²⁹, R.M. Fakhruddinov¹²⁸, S. Falciano^{132a},
 Y. Fang¹⁷³, M. Fanti^{89a,89b}, A. Farbin⁷, A. Farilla^{134a}, J. Farley¹⁴⁸,
 T. Farooque¹⁵⁸, S. Farrell¹⁶³, S.M. Farrington¹¹⁸, P. Farthouat²⁹,
 P. Fassnacht²⁹, D. Fassouliotis⁸, B. Fatholahzadeh¹⁵⁸, A. Favareto^{89a,89b},
 L. Fayard¹¹⁵, S. Fazio^{36a,36b}, R. Febbraro³³, P. Federic^{144a}, O.L. Fedin¹²¹,
 W. Fedorko⁸⁸, M. Fehling-Kaschek⁴⁸, L. Feligioni⁸³, D. Fellmann⁵,
 C. Feng^{32d}, E.J. Feng⁵, A.B. Fenyuk¹²⁸, J. Ferencei^{144b}, W. Fernando⁵,
 S. Ferrag⁵³, J. Ferrando⁵³, V. Ferrara⁴¹, A. Ferrari¹⁶⁶, P. Ferrari¹⁰⁵,
 R. Ferrari^{119a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁷, D. Ferrere⁴⁹,
 C. Ferretti⁸⁷, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³⁰, F. Fiedler⁸¹,
 A. Filipčič⁷⁴, F. Filthaut¹⁰⁴, M. Fincke-Keeler¹⁶⁹, M.C.N. Fiolhais^{124a,h},
 L. Fiorini¹⁶⁷, A. Firan³⁹, G. Fischer⁴¹, M.J. Fisher¹⁰⁹, M. Flechl⁴⁸,
 I. Fleck¹⁴¹, J. Fleckner⁸¹, P. Fleischmann¹⁷⁴, S. Fleischmann¹⁷⁵,
 T. Flick¹⁷⁵, A. Floderus⁷⁹, L.R. Flores Castillo¹⁷³, M.J. Flowerdew⁹⁹,
 T. Fonseca Martin¹⁶, A. Formica¹³⁶, A. Forti⁸², D. Fortin^{159a},
 D. Fournier¹¹⁵, H. Fox⁷¹, P. Francavilla¹¹, S. Franchino^{119a,119b},
 D. Francis²⁹, T. Frank¹⁷², S. Franz²⁹, M. Fraternali^{119a,119b}, S. Fratina¹²⁰,
 S.T. French²⁷, C. Friedrich⁴¹, F. Friedrich⁴³, R. Froeschl²⁹,
 D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁶, E. Fullana Torregrosa²⁹,
 B.G. Fulson¹⁴³, J. Fuster¹⁶⁷, C. Gabaldon²⁹, O. Gabizon¹⁷², T. Gadfort²⁴,
 S. Gadomski⁴⁹, G. Gagliardi^{50a,50b}, P. Gagnon⁶⁰, C. Galea⁹⁸,
 E.J. Gallas¹¹⁸, V. Gallo¹⁶, B.J. Gallop¹²⁹, P. Gallus¹²⁵, K.K. Gan¹⁰⁹,
 Y.S. Gao^{143,e}, A. Gaponenko¹⁴, F. Garbersen¹⁷⁶, M. Garcia-Sciveres¹⁴,
 C. García¹⁶⁷, J.E. García Navarro¹⁶⁷, R.W. Gardner³⁰, N. Garelli²⁹,
 H. Garitaonandia¹⁰⁵, V. Garonne²⁹, J. Garvey¹⁷, C. Gatti⁴⁷,
 G. Gaudio^{119a}, B. Gaur¹⁴¹, L. Gauthier¹³⁶, P. Gauzzi^{132a,132b},
 I.L. Gavrilenko⁹⁴, C. Gay¹⁶⁸, G. Gaycken²⁰, E.N. Gazis⁹, P. Ge^{32d},
 Z. Gece¹⁶⁸, C.N.P. Gee¹²⁹, D.A.A. Geerts¹⁰⁵, Ch. Geich-Gimbel²⁰,

K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a}, A. Gemmell ⁵³, M.H. Genest ⁵⁵,
 S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁶, P. Gerlach ¹⁷⁵,
 A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, N. Ghodbane ³³,
 B. Giacobbe ^{19a}, S. Giagu ^{132a,132b}, V. Giakoumopoulou ⁸, V. Giangiobbe ¹¹,
 F. Gianotti ²⁹, B. Gibbard ²⁴, A. Gibson ¹⁵⁸, S.M. Gibson ²⁹, D. Gillberg ²⁸,
 A.R. Gillman ¹²⁹, D.M. Gingrich ^{2,d}, J. Ginzburg ¹⁵³, N. Giokaris ⁸,
 M.P. Giordani ^{164c}, R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁵, P. Giovannini ⁹⁹,
 P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, P. Giusti ^{19a}, B.K. Gjelsten ¹¹⁷,
 L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ⁴⁸, A. Glazov ⁴¹, K.W. Glitza ¹⁷⁵,
 G.L. Glonti ⁶⁴, J.R. Goddard ⁷⁵, J. Godfrey ¹⁴², J. Godlewski ²⁹,
 M. Goebel ⁴¹, T. Göpfert ⁴³, C. Goeringer ⁸¹, C. Gössling ⁴², S. Goldfarb ⁸⁷,
 T. Golling ¹⁷⁶, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴¹, R. Gonçalves ⁷⁶,
 J. Goncalves Pinto Firmino Da Costa ⁴¹, L. Gonella ²⁰, S. Gonzalez ¹⁷³,
 S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹¹, M.L. Gonzalez Silva ²⁶,
 S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ²⁹,
 P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁴, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁵,
 B. Gorini ²⁹, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁸, B. Gosdzik ⁴¹,
 A.T. Goshaw ⁵, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁴, I. Gough Eschrich ¹⁶³,
 M. Gouighri ^{135a}, D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸,
 C. Goy ⁴, S. Gozpinar ²², I. Grabowska-Bold ³⁷, P. Grafström ^{19a,19b},
 K.-J. Grahn ⁴¹, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁵, V. Grassi ¹⁴⁸,
 V. Gratchev ¹²¹, N. Grau ³⁴, H.M. Gray ²⁹, J.A. Gray ¹⁴⁸, E. Graziani ^{134a},
 O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³, Z.D. Greenwood ^{24,m},
 K. Gregersen ³⁵, I.M. Gregor ⁴¹, P. Grenier ¹⁴³, J. Griffiths ¹³⁸,
 N. Grigalashvili ⁶⁴, A.A. Grillo ¹³⁷, S. Grinstein ¹¹, Y.V. Grishkevich ⁹⁷,
 J.-F. Grivaz ¹¹⁵, E. Gross ¹⁷², J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷²,
 K. Grybel ¹⁴¹, D. Guest ¹⁷⁶, C. Guicheney ³³, A. Guida ^{72a,72b},
 S. Guindon ⁵⁴, U. Gul ⁵³, H. Guler ^{85,p}, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁴,
 P. Gutierrez ¹¹¹, N. Guttman ¹⁵³, O. Gutzwiller ¹⁷³, C. Guyot ¹³⁶,
 C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁴³, S. Haas ²⁹, C. Haber ¹⁴,
 H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ²⁰, F. Hahn ²⁹, S. Haider ²⁹,
 Z. Hajduk ³⁸, H. Hakobyan ¹⁷⁷, D. Hall ¹¹⁸, J. Haller ⁵⁴, K. Hamacher ¹⁷⁵,
 P. Hamal ¹¹³, M. Hamer ⁵⁴, A. Hamilton ^{145b,q}, S. Hamilton ¹⁶¹, L. Han ^{32b},
 K. Hanagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁴, C. Handel ⁸¹, P. Hanke ^{58a},
 J.R. Hansen ³⁵, J.B. Hansen ³⁵, J.D. Hansen ³⁵, P.H. Hansen ³⁵,
 P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷, T. Harenberg ¹⁷⁵, S. Harkusha ⁹⁰,
 D. Harper ⁸⁷, R.D. Harrington ⁴⁵, O.M. Harris ¹³⁸, J. Hartert ⁴⁸,

F. Hartjes¹⁰⁵, T. Haruyama⁶⁵, A. Harvey⁵⁶, S. Hasegawa¹⁰¹,
 Y. Hasegawa¹⁴⁰, S. Hassani¹³⁶, S. Haug¹⁶, M. Hauschild²⁹, R. Hauser⁸⁸,
 M. Havranek²⁰, C.M. Hawkes¹⁷, R.J. Hawking²⁹, A.D. Hawkins⁷⁹,
 D. Hawkins¹⁶³, T. Hayakawa⁶⁶, T. Hayashi¹⁶⁰, D. Hayden⁷⁶,
 C.P. Hays¹¹⁸, H.S. Hayward⁷³, S.J. Haywood¹²⁹, M. He^{32d}, S.J. Head¹⁷,
 V. Hedberg⁷⁹, L. Heelan⁷, S. Heim⁸⁸, B. Heinemann¹⁴,
 S. Heisterkamp³⁵, L. Helary²¹, C. Heller⁹⁸, M. Heller²⁹,
 S. Hellman^{146a,146b}, D. Hellmich²⁰, C. Helsens¹¹, R.C.W. Henderson⁷¹,
 M. Henke^{58a}, A. Henrichs⁵⁴, A.M. Henriques Correia²⁹,
 S. Henrot-Versille¹¹⁵, C. Hensel⁵⁴, T. Henß¹⁷⁵, C.M. Hernandez⁷,
 Y. Hernández Jiménez¹⁶⁷, R. Herrberg¹⁵, G. Herten⁴⁸, R. Hertenberger⁹⁸,
 L. Hervas²⁹, G.G. Hesketh⁷⁷, N.P. Hessey¹⁰⁵, E. Higón-Rodríguez¹⁶⁷,
 J.C. Hill²⁷, K.H. Hiller⁴¹, S. Hillert²⁰, S.J. Hillier¹⁷, I. Hinchliffe¹⁴,
 E. Hines¹²⁰, M. Hirose¹¹⁶, F. Hirsch⁴², D. Hirschbuehl¹⁷⁵, J. Hobbs¹⁴⁸,
 N. Hod¹⁵³, M.C. Hodgkinson¹³⁹, P. Hodgson¹³⁹, A. Hoecker²⁹,
 M.R. Hoferkamp¹⁰³, J. Hoffman³⁹, D. Hoffmann⁸³, M. Hohlfield⁸¹,
 M. Holder¹⁴¹, S.O. Holmgren^{146a}, T. Holy¹²⁷, J.L. Holzbauer⁸⁸,
 T.M. Hong¹²⁰, L. Hooft van Huysduynen¹⁰⁸, C. Horn¹⁴³, S. Horner⁴⁸,
 J.-Y. Hostachy⁵⁵, S. Hou¹⁵¹, A. Hoummada^{135a}, J. Howard¹¹⁸,
 J. Howarth⁸², I. Hristova¹⁵, J. Hrivnac¹¹⁵, T. Hryn'ova⁴, P.J. Hsu⁸¹,
 S.-C. Hsu¹⁴, Z. Hubacek¹²⁷, F. Hubaut⁸³, F. Huegging²⁰,
 A. Huettmann⁴¹, T.B. Huffman¹¹⁸, E.W. Hughes³⁴, G. Hughes⁷¹,
 M. Huhtinen²⁹, M. Hurwitz¹⁴, U. Husemann⁴¹, N. Huseynov^{64,r},
 J. Huston⁸⁸, J. Huth⁵⁷, G. Iacobucci⁴⁹, G. Iakovidis⁹, M. Ibbotson⁸²,
 I. Ibragimov¹⁴¹, L. Iconomidou-Fayard¹¹⁵, J. Idarraga¹¹⁵, P. Iengo^{102a},
 O. Igonkina¹⁰⁵, Y. Ikegami⁶⁵, M. Ikeno⁶⁵, D. Iliadis¹⁵⁴, N. Ilic¹⁵⁸,
 T. Ince²⁰, J. Inigo-Golfín²⁹, P. Ioannou⁸, M. Iodice^{134a}, K. Iordanidou⁸,
 V. Ippolito^{132a,132b}, A. Irles Quiles¹⁶⁷, C. Isaksson¹⁶⁶, M. Ishino⁶⁷,
 M. Ishitsuka¹⁵⁷, R. Ishmukhametov³⁹, C. Issever¹¹⁸, S. Istin^{18a},
 A.V. Ivashin¹²⁸, W. Iwanski³⁸, H. Iwasaki⁶⁵, J.M. Izen⁴⁰, V. Izzo^{102a},
 B. Jackson¹²⁰, J.N. Jackson⁷³, P. Jackson¹⁴³, M.R. Jaekel²⁹, V. Jain⁶⁰,
 K. Jakobs⁴⁸, S. Jakobsen³⁵, T. Jakoubek¹²⁵, J. Jakubek¹²⁷, D.K. Jana¹¹¹,
 E. Jansen⁷⁷, H. Jansen²⁹, A. Jantsch⁹⁹, M. Janus⁴⁸, G. Jarlskog⁷⁹,
 L. Jeanty⁵⁷, I. Jen-La Plante³⁰, P. Jenni²⁹, A. Jeremie⁴, P. Jež³⁵,
 S. Jézéquel⁴, M.K. Jha^{19a}, H. Ji¹⁷³, W. Ji⁸¹, J. Jia¹⁴⁸, Y. Jiang^{32b},
 M. Jimenez Belenguer⁴¹, S. Jin^{32a}, O. Jinnouchi¹⁵⁷, M.D. Joergensen³⁵,
 D. Joffe³⁹, M. Johansen^{146a,146b}, K.E. Johansson^{146a}, P. Johansson¹³⁹,

S. Johnert⁴¹, K.A. Johns⁶, K. Jon-And^{146a,146b}, G. Jones¹⁷⁰,
 R.W.L. Jones⁷¹, T.J. Jones⁷³, C. Joram²⁹, P.M. Jorge^{124a}, K.D. Joshi⁸²,
 J. Jovicevic¹⁴⁷, T. Jovin^{12b}, X. Ju¹⁷³, C.A. Jung⁴², R.M. Jungst²⁹,
 V. Juranek¹²⁵, P. Jussel⁶¹, A. Juste Rozas¹¹, S. Kabana¹⁶, M. Kaci¹⁶⁷,
 A. Kaczmarska³⁸, P. Kadlecik³⁵, M. Kado¹¹⁵, H. Kagan¹⁰⁹, M. Kagan⁵⁷,
 E. Kajomovitz¹⁵², S. Kalinin¹⁷⁵, L.V. Kalinovskaya⁶⁴, S. Kama³⁹,
 N. Kanaya¹⁵⁵, M. Kaneda²⁹, S. Kaneti²⁷, T. Kanno¹⁵⁷, V.A. Kantserov⁹⁶,
 J. Kanzaki⁶⁵, B. Kaplan¹⁷⁶, A. Kapliy³⁰, J. Kaplon²⁹, D. Kar⁵³,
 M. Karagounis²⁰, K. Karakostas⁹, M. Karnevskiy⁴¹, V. Kartvelishvili⁷¹,
 A.N. Karyukhin¹²⁸, L. Kashif¹⁷³, G. Kasieczka^{58b}, R.D. Kass¹⁰⁹,
 A. Kastanas¹³, M. Kataoka⁴, Y. Kataoka¹⁵⁵, E. Katsoufis⁹, J. Katzy⁴¹,
 V. Kaushik⁶, K. Kawagoe⁶⁹, T. Kawamoto¹⁵⁵, G. Kawamura⁸¹,
 M.S. Kayl¹⁰⁵, V.A. Kazanin¹⁰⁷, M.Y. Kazarinov⁶⁴, R. Keeler¹⁶⁹,
 R. Kehoe³⁹, M. Keil⁵⁴, G.D. Kekelidze⁶⁴, J.S. Keller¹³⁸, M. Kenyon⁵³,
 O. Kepka¹²⁵, N. Kerschen²⁹, B.P. Kerševan⁷⁴, S. Kersten¹⁷⁵,
 K. Kessoku¹⁵⁵, J. Keung¹⁵⁸, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁵,
 A. Khanov¹¹², D. Kharchenko⁶⁴, A. Khodinov⁹⁶, A. Khomich^{58a},
 T.J. Khoo²⁷, G. Khoriauli²⁰, A. Khoroshilov¹⁷⁵, V. Khovanskiy⁹⁵,
 E. Khramov⁶⁴, J. Khubua^{51b}, H. Kim^{146a,146b}, S.H. Kim¹⁶⁰, N. Kimura¹⁷¹,
 O. Kind¹⁵, B.T. King⁷³, M. King⁶⁶, R.S.B. King¹¹⁸, J. Kirk¹²⁹,
 A.E. Kiryunin⁹⁹, T. Kishimoto⁶⁶, D. Kisielewska³⁷, T. Kittelmann¹²³,
 E. Kladiva^{144b}, M. Klein⁷³, U. Klein⁷³, K. Kleinknecht⁸¹, M. Klemetti⁸⁵,
 A. Klier¹⁷², P. Klimek^{146a,146b}, A. Klimentov²⁴, R. Klingenberg⁴²,
 J.A. Klinger⁸², E.B. Klinkby³⁵, T. Klioutchnikova²⁹, P.F. Klok¹⁰⁴,
 S. Klous¹⁰⁵, E.-E. Kluge^{58a}, T. Kluge⁷³, P. Kluit¹⁰⁵, S. Kluth⁹⁹,
 N.S. Knecht¹⁵⁸, E. Kneringer⁶¹, E.B.F.G. Knoops⁸³, A. Knue⁵⁴,
 B.R. Ko⁴⁴, T. Kobayashi¹⁵⁵, M. Kobel⁴³, M. Kocian¹⁴³, P. Kodys¹²⁶,
 K. Köneke²⁹, A.C. König¹⁰⁴, S. Koenig⁸¹, L. Köpke⁸¹, F. Koetsveld¹⁰⁴,
 P. Koevesarki²⁰, T. Koffas²⁸, E. Koffeman¹⁰⁵, L.A. Kogan¹¹⁸,
 S. Kohlmann¹⁷⁵, F. Kohn⁵⁴, Z. Kohout¹²⁷, T. Kohriki⁶⁵, T. Koi¹⁴³,
 G.M. Kolachev¹⁰⁷, H. Kolanoski¹⁵, V. Kolesnikov⁶⁴, I. Koletsou^{89a},
 J. Koll⁸⁸, M. Kollefrath⁴⁸, A.A. Komar⁹⁴, Y. Komori¹⁵⁵, T. Kondo⁶⁵,
 T. Kono^{41,s}, A.I. Kononov⁴⁸, R. Konoplich^{108,t}, N. Konstantinidis⁷⁷,
 S. Koperny³⁷, K. Korcyl³⁸, K. Kordas¹⁵⁴, A. Korn¹¹⁸, A. Korol¹⁰⁷,
 I. Korolkov¹¹, E.V. Korolkova¹³⁹, V.A. Korotkov¹²⁸, O. Kortner⁹⁹,
 S. Kortner⁹⁹, V.V. Kostyukhin²⁰, S. Kotov⁹⁹, V.M. Kotov⁶⁴, A. Kotwal⁴⁴,
 C. Kourkoumelis⁸, V. Kouskoura¹⁵⁴, A. Koutsman^{159a},

R. Kowalewski¹⁶⁹, T.Z. Kowalski³⁷, W. Kozanecki¹³⁶, A.S. Kozhin¹²⁸,
V. Kral¹²⁷, V.A. Kramarenko⁹⁷, G. Kramberger⁷⁴, M.W. Krasny⁷⁸,
A. Krasznahorkay¹⁰⁸, J. Kraus⁸⁸, J.K. Kraus²⁰, S. Kreiss¹⁰⁸, F. Krejci¹²⁷,
J. Kretzschmar⁷³, N. Krieger⁵⁴, P. Krieger¹⁵⁸, K. Kroeninger⁵⁴,
H. Kroha⁹⁹, J. Kroll¹²⁰, J. Kroseberg²⁰, J. Krstic^{12a}, U. Kruchonak⁶⁴,
H. Krüger²⁰, T. Kruker¹⁶, N. Krumnack⁶³, Z.V. Krumshteyn⁶⁴,
A. Kruth²⁰, T. Kubota⁸⁶, S. Kудay^{3a}, S. Kuehn⁴⁸, A. Kugel^{58c}, T. Kuhl⁴¹,
D. Kuhn⁶¹, V. Kukhtin⁶⁴, Y. Kulchitsky⁹⁰, S. Kuleshov^{31b}, C. Kummer⁹⁸,
M. Kuna⁷⁸, J. Kunkle¹²⁰, A. Kupco¹²⁵, H. Kurashige⁶⁶, M. Kurata¹⁶⁰,
Y.A. Kurochkin⁹⁰, V. Kus¹²⁵, E.S. Kuwertz¹⁴⁷, M. Kuze¹⁵⁷, J. Kvita¹⁴²,
R. Kwee¹⁵, A. La Rosa⁴⁹, L. La Rotonda^{36a,36b}, L. Labarga⁸⁰, J. Labbe⁴,
S. Lablak^{135a}, C. Lacasta¹⁶⁷, F. Lacava^{132a,132b}, H. Lacker¹⁵, D. Lacour⁷⁸,
V.R. Lacuesta¹⁶⁷, E. Ladygin⁶⁴, R. Lafaye⁴, B. Laforge⁷⁸, T. Lagouri⁸⁰,
S. Lai⁴⁸, E. Laisne⁵⁵, M. Lamanna²⁹, L. Lambourne⁷⁷, C.L. Lampen⁶,
W. Lampl⁶, E. Lancon¹³⁶, U. Landgraf⁴⁸, M.P.J. Landon⁷⁵, J.L. Lane⁸²,
V.S. Lang^{58a}, C. Lange⁴¹, A.J. Lankford¹⁶³, F. Lanni²⁴, K. Lantzsch¹⁷⁵,
S. Laplace⁷⁸, C. Lapoire²⁰, J.F. Laporte¹³⁶, T. Lari^{89a}, A. Lerner¹¹⁸,
M. Lassnig²⁹, P. Laurelli⁴⁷, V. Lavorini^{36a,36b}, W. Lavrijsen¹⁴,
P. Laycock⁷³, O. Le Dortz⁷⁸, E. Le Guirriec⁸³, C. Le Maner¹⁵⁸,
E. Le Menedeu¹¹, T. LeCompte⁵, F. Ledroit-Guillon⁵⁵, H. Lee¹⁰⁵,
J.S.H. Lee¹¹⁶, S.C. Lee¹⁵¹, L. Lee¹⁷⁶, M. Lefebvre¹⁶⁹, M. Legendre¹³⁶,
F. Legger⁹⁸, C. Leggett¹⁴, M. Lehmacher²⁰, G. Lehmann Miotto²⁹,
X. Lei⁶, M.A.L. Leite^{23d}, R. Leitner¹²⁶, D. Lellouch¹⁷², B. Lemmer⁵⁴,
V. Lendermann^{58a}, K.J.C. Leney^{145b}, T. Lenz¹⁰⁵, G. Lenzen¹⁷⁵,
B. Lenzi²⁹, K. Leonhardt⁴³, S. Leontsinis⁹, F. Lepold^{58a}, C. Leroy⁹³,
J.-R. Lessard¹⁶⁹, C.G. Lester²⁷, C.M. Lester¹²⁰, J. Levêque⁴, D. Levin⁸⁷,
L.J. Levinson¹⁷², A. Lewis¹¹⁸, G.H. Lewis¹⁰⁸, A.M. Leyko²⁰,
M. Leyton¹⁵, B. Li⁸³, H. Li^{173,u}, S. Li^{32b,v}, X. Li⁸⁷, Z. Liang^{118,w},
H. Liao³³, B. Liberti^{133a}, P. Lichard²⁹, M. Lichtnecker⁹⁸, K. Lie¹⁶⁵,
W. Liebig¹³, C. Limbach²⁰, A. Limosani⁸⁶, M. Limper⁶², S.C. Lin^{151,x},
F. Linde¹⁰⁵, J.T. Linnemann⁸⁸, E. Lipeles¹²⁰, A. Lipniacka¹³,
T.M. Liss¹⁶⁵, D. Lissauer²⁴, A. Lister⁴⁹, A.M. Litke¹³⁷, C. Liu²⁸,
D. Liu¹⁵¹, H. Liu⁸⁷, J.B. Liu⁸⁷, L. Liu⁸⁷, M. Liu^{32b}, Y. Liu^{32b},
M. Livan^{119a,119b}, S.S.A. Livermore¹¹⁸, A. Lleres⁵⁵, J. Llorente Merino⁸⁰,
S.L. Lloyd⁷⁵, E. Lobodzinska⁴¹, P. Loch⁶, W.S. Lockman¹³⁷,
T. Loddenkoetter²⁰, F.K. Loebinger⁸², A. Loginov¹⁷⁶, C.W. Loh¹⁶⁸,
T. Lohse¹⁵, K. Lohwasser⁴⁸, M. Lokajicek¹²⁵, V.P. Lombardo⁴,

R.E. Long⁷¹, L. Lopes^{124a}, D. Lopez Mateos⁵⁷, J. Lorenz⁹⁸,
 N. Lorenzo Martinez¹¹⁵, M. Losada¹⁶², P. Loscutoff¹⁴,
 F. Lo Sterzo^{132a,132b}, M.J. Losty^{159a}, X. Lou⁴⁰, A. Lounis¹¹⁵,
 K.F. Loureiro¹⁶², J. Love²¹, P.A. Love⁷¹, A.J. Lowe^{143,e}, F. Lu^{32a},
 H.J. Lubatti¹³⁸, C. Luci^{132a,132b}, A. Lucotte⁵⁵, A. Ludwig⁴³, D. Ludwig⁴¹,
 I. Ludwig⁴⁸, J. Ludwig⁴⁸, F. Luehring⁶⁰, G. Luijckx¹⁰⁵, W. Lukas⁶¹,
 D. Lumb⁴⁸, L. Luminari^{132a}, E. Lund¹¹⁷, B. Lund-Jensen¹⁴⁷,
 B. Lundberg⁷⁹, J. Lundberg^{146a,146b}, O. Lundberg^{146a,146b}, J. Lundquist³⁵,
 M. Lungwitz⁸¹, D. Lynn²⁴, E. Lytken⁷⁹, H. Ma²⁴, L.L. Ma¹⁷³,
 G. Maccarrone⁴⁷, A. Macchiolo⁹⁹, B. Maček⁷⁴, J. Machado Miguens^{124a},
 R. Mackeprang³⁵, R.J. Madaras¹⁴, W.F. Mader⁴³, R. Maenner^{58c},
 T. Maeno²⁴, P. Mättig¹⁷⁵, S. Mättig⁴¹, L. Magnoni²⁹, E. Magradze⁵⁴,
 K. Mahboubi⁴⁸, S. Mahmoud⁷³, G. Mahout¹⁷, C. Maiani¹³⁶,
 C. Maidantchik^{23a}, A. Maio^{124a,b}, S. Majewski²⁴, Y. Makida⁶⁵,
 N. Makovec¹¹⁵, P. Mal¹³⁶, B. Malaescu²⁹, Pa. Malecki³⁸, P. Malecki³⁸,
 V.P. Maleev¹²¹, F. Malek⁵⁵, U. Mallik⁶², D. Malon⁵, C. Malone¹⁴³,
 S. Maltezos⁹, V. Malyshev¹⁰⁷, S. Malyukov²⁹, R. Mameghani⁹⁸,
 J. Mamuzic^{12b}, A. Manabe⁶⁵, L. Mandelli^{89a}, I. Mandić⁷⁴,
 R. Mandrysch¹⁵, J. Maneira^{124a}, P.S. Mangeard⁸⁸,
 L. Manhaes de Andrade Filho^{23a}, A. Mann⁵⁴, P.M. Manning¹³⁷,
 A. Manousakis-Katsikakis⁸, B. Mansoulie¹³⁶, A. Mapelli²⁹,
 L. Mapelli²⁹, L. March⁸⁰, J.F. Marchand²⁸, F. Marchese^{133a,133b},
 G. Marchiori⁷⁸, M. Marcisovsky¹²⁵, C.P. Marino¹⁶⁹, F. Marroquim^{23a},
 Z. Marshall²⁹, F.K. Martens¹⁵⁸, L.F. Marti¹⁶, S. Marti-Garcia¹⁶⁷,
 B. Martin²⁹, B. Martin⁸⁸, J.P. Martin⁹³, T.A. Martin¹⁷, V.J. Martin⁴⁵,
 B. Martin dit Latour⁴⁹, S. Martin-Haugh¹⁴⁹, M. Martinez¹¹,
 V. Martinez Outschoorn⁵⁷, A.C. Martyniuk¹⁶⁹, M. Marx⁸²,
 F. Marzano^{132a}, A. Marzin¹¹¹, L. Masetti⁸¹, T. Mashimo¹⁵⁵,
 R. Mashinistov⁹⁴, J. Masik⁸², A.L. Maslennikov¹⁰⁷, I. Massa^{19a,19b},
 G. Massaro¹⁰⁵, N. Massol⁴, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁵,
 P. Matricon¹¹⁵, H. Matsunaga¹⁵⁵, T. Matsushita⁶⁶, C. Mattravers^{118,c},
 J. Maurer⁸³, S.J. Maxfield⁷³, A. Mayne¹³⁹, R. Mazini¹⁵¹, M. Mazur²⁰,
 L. Mazzaferro^{133a,133b}, M. Mazzanti^{89a}, S.P. Mc Kee⁸⁷, A. McCarn¹⁶⁵,
 R.L. McCarthy¹⁴⁸, T.G. McCarthy²⁸, N.A. McCubbin¹²⁹,
 K.W. McFarlane⁵⁶, J.A. Mcfayden¹³⁹, H. McGlone⁵³, G. Mchedlidze^{51b},
 T. McLaughlan¹⁷, S.J. McMahon¹²⁹, R.A. McPherson^{169,k}, A. Meade⁸⁴,
 J. Mechnich¹⁰⁵, M. Mechtel¹⁷⁵, M. Medinnis⁴¹, R. Meera-Lebbai¹¹¹,

T. Meguro¹¹⁶, R. Mehdiyev⁹³, S. Mehlhase³⁵, A. Mehta⁷³, K. Meier^{58a},
 B. Meirose⁷⁹, C. Melachrinou³⁰, B.R. Mellado Garcia¹⁷³, F. Meloni^{89a,89b},
 L. Mendoza Navas¹⁶², Z. Meng^{151,u}, A. Mengarelli^{19a,19b}, S. Menke⁹⁹,
 E. Meoni¹⁶¹, K.M. Mercurio⁵⁷, P. Mermod⁴⁹, L. Merola^{102a,102b},
 C. Meroni^{89a}, F.S. Merritt³⁰, H. Merritt¹⁰⁹, A. Messina^{29,y}, J. Metcalfe¹⁰³,
 A.S. Mete¹⁶³, C. Meyer⁸¹, C. Meyer³⁰, J.-P. Meyer¹³⁶, J. Meyer¹⁷⁴,
 J. Meyer⁵⁴, T.C. Meyer²⁹, W.T. Meyer⁶³, J. Miao^{32d}, S. Michal²⁹,
 L. Micu^{25a}, R.P. Middleton¹²⁹, S. Migas⁷³, L. Mijović⁴¹,
 G. Mikenberg¹⁷², M. Mikestikova¹²⁵, M. Mikuž⁷⁴, D.W. Miller³⁰,
 R.J. Miller⁸⁸, W.J. Mills¹⁶⁸, C. Mills⁵⁷, A. Milov¹⁷²,
 D.A. Milstead^{146a,146b}, D. Milstein¹⁷², A.A. Minaenko¹²⁸,
 M. Miñano Moya¹⁶⁷, I.A. Minashvili⁶⁴, A.I. Mincer¹⁰⁸, B. Mindur³⁷,
 M. Mineev⁶⁴, Y. Ming¹⁷³, L.M. Mir¹¹, G. Mirabelli^{132a}, J. Mitrevski¹³⁷,
 V.A. Mitsou¹⁶⁷, S. Mitsui⁶⁵, P.S. Miyagawa¹³⁹, J.U. Mjörnmark⁷⁹,
 T. Moa^{146a,146b}, V. Moeller²⁷, K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁸,
 W. Mohr⁴⁸, R. Moles-Valls¹⁶⁷, J. Monk⁷⁷, E. Monnier⁸³,
 J. Montejo Berlingen¹¹, S. Montesano^{89a,89b}, F. Monticelli⁷⁰,
 S. Monzani^{19a,19b}, R.W. Moore², G.F. Moorhead⁸⁶, C. Mora Herrera⁴⁹,
 A. Moraes⁵³, N. Morange¹³⁶, J. Morel⁵⁴, G. Morello^{36a,36b}, D. Moreno⁸¹,
 M. Moreno Llácer¹⁶⁷, P. Morettini^{50a}, M. Morgenstern⁴³, M. Morii⁵⁷,
 A.K. Morley²⁹, G. Mornacchi²⁹, J.D. Morris⁷⁵, L. Morvaj¹⁰¹,
 H.G. Moser⁹⁹, M. Mosidze^{51b}, J. Moss¹⁰⁹, R. Mount¹⁴³,
 E. Mountricha^{9,z}, S.V. Mouraviev⁹⁴, E.J.W. Moyse⁸⁴, F. Mueller^{58a},
 J. Mueller¹²³, K. Mueller²⁰, T.A. Müller⁹⁸, T. Mueller⁸¹,
 D. Muenstermann²⁹, Y. Munwes¹⁵³, W.J. Murray¹²⁹, I. Mussche¹⁰⁵,
 E. Musto^{102a,102b}, A.G. Myagkov¹²⁸, M. Myska¹²⁵, J. Nadal¹¹,
 K. Nagai¹⁶⁰, K. Nagano⁶⁵, A. Nagarkar¹⁰⁹, Y. Nagasaka⁵⁹, M. Nagel⁹⁹,
 A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁵, T. Nakamura¹⁵⁵,
 I. Nakano¹¹⁰, G. Nanava²⁰, A. Napier¹⁶¹, R. Narayan^{58b}, M. Nash^{77,c},
 T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶², H.A. Neal⁸⁷,
 P.Yu. Nechaeva⁹⁴, T.J. Neep⁸², A. Negri^{119a,119b}, G. Negri²⁹,
 S. Nektarijevic⁴⁹, A. Nelson¹⁶³, T.K. Nelson¹⁴³, S. Nemecek¹²⁵,
 P. Nemethy¹⁰⁸, A.A. Nepomuceno^{23a}, M. Nessi^{29,aa}, M.S. Neubauer¹⁶⁵,
 A. Neusiedl⁸¹, R.M. Neves¹⁰⁸, P. Nevski²⁴, P.R. Newman¹⁷,
 V. Nguyen Thi Hong¹³⁶, R.B. Nickerson¹¹⁸, R. Nicolaidou¹³⁶,
 B. Nicquevert²⁹, F. Niedercorn¹¹⁵, J. Nielsen¹³⁷, N. Nikiforou³⁴,
 A. Nikiforov¹⁵, V. Nikolaenko¹²⁸, I. Nikolic-Audit⁷⁸, K. Nikolics⁴⁹,

K. Nikolopoulos²⁴, H. Nilsen⁴⁸, P. Nilsson⁷, Y. Ninomiya¹⁵⁵,
 A. Nisati^{132a}, R. Nisius⁹⁹, T. Nobe¹⁵⁷, L. Nodulman⁵, M. Nomachi¹¹⁶,
 I. Nomidis¹⁵⁴, M. Nordberg²⁹, P.R. Norton¹²⁹, J. Novakova¹²⁶,
 M. Nozaki⁶⁵, L. Nozka¹¹³, I.M. Nugent^{159a}, A.-E. Nuncio-Quiroz²⁰,
 G. Nunes Hanninger⁸⁶, T. Nunnemann⁹⁸, E. Nurse⁷⁷, B.J. O'Brien⁴⁵,
 S.W. O'Neale^{17,*}, D.C. O'Neil¹⁴², V. O'Shea⁵³, L.B. Oakes⁹⁸,
 F.G. Oakham^{28,d}, H. Oberlack⁹⁹, J. Ocariz⁷⁸, A. Ochi⁶⁶, S. Oda⁶⁹,
 S. Odaka⁶⁵, J. Odier⁸³, H. Ogren⁶⁰, A. Oh⁸², S.H. Oh⁴⁴,
 C.C. Ohm^{146a,146b}, T. Ohshima¹⁰¹, H. Okawa¹⁶³, Y. Okumura³⁰,
 T. Okuyama¹⁵⁵, A. Olariu^{25a}, A.G. Olchevski⁶⁴, S.A. Olivares Pino^{31a},
 M. Oliveira^{124a,h}, D. Oliveira Damazio²⁴, E. Oliver Garcia¹⁶⁷,
 D. Olivito¹²⁰, A. Olszewski³⁸, J. Olszowska³⁸, A. Onofre^{124a,ab},
 P.U.E. Onyisi³⁰, C.J. Oram^{159a}, M.J. Oreglia³⁰, Y. Oren¹⁵³,
 D. Orestano^{134a,134b}, N. Orlando^{72a,72b}, I. Orlov¹⁰⁷, C. Oropeza Barrera⁵³,
 R.S. Orr¹⁵⁸, B. Osculati^{50a,50b}, R. Ospanov¹²⁰, C. Osuna¹¹,
 G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁵, M. Ouchrif^{135d},
 E.A. Ouellette¹⁶⁹, F. Ould-Saada¹¹⁷, A. Ouraou¹³⁶, Q. Ouyang^{32a},
 A. Ovcharova¹⁴, M. Owen⁸², S. Owen¹³⁹, V.E. Ozcan^{18a}, N. Ozturk⁷,
 A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴,
 E. Paganis¹³⁹, F. Paige²⁴, P. Pais⁸⁴, K. Pajchel¹¹⁷, G. Palacino^{159b},
 C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{124a}, J.D. Palmer¹⁷,
 Y.B. Pan¹⁷³, E. Panagiotopoulou⁹, P. Pani¹⁰⁵, N. Panikashvili⁸⁷,
 S. Panitkin²⁴, D. Pantea^{25a}, A. Papadelis^{146a}, Th.D. Papadopoulou⁹,
 A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,ac}, M.A. Parker²⁷,
 F. Parodi^{50a,50b}, J.A. Parsons³⁴, U. Parzefall⁴⁸, S. Pashapour⁵⁴,
 E. Pasqualucci^{132a}, S. Passaggio^{50a}, A. Passeri^{134a}, F. Pastore^{134a,134b},
 Fr. Pastore⁷⁶, G. Pásztor^{49,ad}, S. Pataraja¹⁷⁵, N. Patel¹⁵⁰, J.R. Pater⁸²,
 S. Patricelli^{102a,102b}, T. Pauly²⁹, M. Pecsny^{144a}, M.I. Pedraza Morales¹⁷³,
 S.V. Peleganchuk¹⁰⁷, D. Pelikan¹⁶⁶, H. Peng^{32b}, B. Penning³⁰,
 A. Penson³⁴, J. Penwell⁶⁰, M. Perantoni^{23a}, K. Perez^{34,ae},
 T. Perez Cavalcanti⁴¹, E. Perez Codina^{159a}, M.T. Pérez García-Estañ¹⁶⁷,
 V. Perez Reale³⁴, L. Perini^{89a,89b}, H. Pernegger²⁹, R. Perrino^{72a},
 P. Perrodo⁴, V.D. Peshekhonov⁶⁴, K. Peters²⁹, B.A. Petersen²⁹,
 J. Petersen²⁹, T.C. Petersen³⁵, E. Petit⁴, A. Petridis¹⁵⁴, C. Petridou¹⁵⁴,
 E. Petrolu^{132a}, F. Petrucci^{134a,134b}, D. Petschull⁴¹, M. Petteni¹⁴²,
 R. Pezoa^{31b}, A. Phan⁸⁶, P.W. Phillips¹²⁹, G. Piacquadio²⁹, A. Picazio⁴⁹,
 E. Piccaro⁷⁵, M. Piccinini^{19a,19b}, S.M. Piec⁴¹, R. Piegai²⁶,

D.T. Pignotti¹⁰⁹, J.E. Pilcher³⁰, A.D. Pilkington⁸², J. Pina^{124a,b},
 M. Pinamonti^{164a,164c}, A. Pinder¹¹⁸, J.L. Pinfold², B. Pinto^{124a},
 C. Pizio^{89a,89b}, M. Plamondon¹⁶⁹, M.-A. Pleier²⁴, E. Plotnikova⁶⁴,
 A. Poblaguev²⁴, S. Poddar^{58a}, F. Podlyski³³, L. Poggioli¹¹⁵,
 T. Poghosyan²⁰, M. Pohl⁴⁹, G. Polesello^{119a}, A. Policicchio^{36a,36b},
 A. Polini^{19a}, J. Poll⁷⁵, V. Polychronakos²⁴, D. Pomeroy²², K. Pommès²⁹,
 L. Pontecorvo^{132a}, B.G. Pope⁸⁸, G.A. Popeneciu^{25a}, D.S. Popovic^{12a},
 A. Poppleton²⁹, X. Portell Bueso²⁹, G.E. Pospelov⁹⁹, S. Pospisil¹²⁷,
 I.N. Potrap⁹⁹, C.J. Potter¹⁴⁹, C.T. Potter¹¹⁴, G. Poulard²⁹, J. Poveda⁶⁰,
 V. Pozdnyakov⁶⁴, R. Prabhu⁷⁷, P. Pralavorio⁸³, A. Pranko¹⁴, S. Prasad²⁹,
 R. Pravahan²⁴, S. Prell⁶³, K. Pretzl¹⁶, D. Price⁶⁰, J. Price⁷³, L.E. Price⁵,
 D. Prieur¹²³, M. Primavera^{72a}, K. Prokofiev¹⁰⁸, F. Prokoshin^{31b},
 S. Protopopescu²⁴, J. Proudfoot⁵, X. Prudent⁴³, M. Przybycien³⁷,
 H. Przysieznik⁴, S. Psoroulas²⁰, E. Ptacek¹¹⁴, E. Pueschel⁸⁴,
 J. Purdham⁸⁷, M. Purohit^{24,ac}, P. Puzo¹¹⁵, Y. Pylypchenko⁶², J. Qian⁸⁷,
 A. Quadt⁵⁴, D.R. Quarrie¹⁴, W.B. Quayle¹⁷³, F. Quinonez^{31a}, M. Raas¹⁰⁴,
 V. Radescu⁴¹, P. Radloff¹¹⁴, T. Rador^{18a}, F. Ragusa^{89a,89b}, G. Rahal¹⁷⁸,
 A.M. Rahimi¹⁰⁹, D. Rahm²⁴, S. Rajagopalan²⁴, M. Rammensee⁴⁸,
 M. Rammes¹⁴¹, A.S. Randle-Conde³⁹, K. Randrianarivony²⁸,
 F. Rauscher⁹⁸, T.C. Rave⁴⁸, M. Raymond²⁹, A.L. Read¹¹⁷,
 D.M. Rebuffi^{119a,119b}, A. Redelbach¹⁷⁴, G. Redlinger²⁴, R. Reece¹²⁰,
 K. Reeves⁴⁰, E. Reinherz-Aronis¹⁵³, A. Reinsch¹¹⁴, I. Reisinger⁴²,
 C. Rembser²⁹, Z.L. Ren¹⁵¹, A. Renaud¹¹⁵, M. Rescigno^{132a},
 S. Resconi^{89a}, B. Resende¹³⁶, P. Reznicek⁹⁸, R. Rezvani¹⁵⁸, R. Richter⁹⁹,
 E. Richter-Was^{4,af}, M. Ridel⁷⁸, M. Rijpstra¹⁰⁵, M. Rijssenbeek¹⁴⁸,
 A. Rimoldi^{119a,119b}, L. Rinaldi^{19a}, R.R. Rios³⁹, I. Riu¹¹,
 G. Rivoltella^{89a,89b}, F. Rizatdinova¹¹², E. Rizvi⁷⁵, S.H. Robertson^{85,k},
 A. Robichaud-Veronneau¹¹⁸, D. Robinson²⁷, J.E.M. Robinson⁷⁷,
 A. Robson⁵³, J.G. Rocha de Lima¹⁰⁶, C. Roda^{122a,122b},
 D. Roda Dos Santos²⁹, A. Roe⁵⁴, S. Roe²⁹, O. Røhne¹¹⁷, S. Rolli¹⁶¹,
 A. Romaniouk⁹⁶, M. Romano^{19a,19b}, G. Romeo²⁶, E. Romero Adam¹⁶⁷,
 L. Roos⁷⁸, E. Ros¹⁶⁷, S. Rosati^{132a}, K. Rosbach⁴⁹, A. Rose¹⁴⁹,
 M. Rose⁷⁶, G.A. Rosenbaum¹⁵⁸, E.I. Rosenberg⁶³, P.L. Rosendahl¹³,
 O. Rosenthal¹⁴¹, L. Rosselet⁴⁹, V. Rossetti¹¹, E. Rossi^{132a,132b},
 L.P. Rossi^{50a}, M. Rotaru^{25a}, I. Roth¹⁷², J. Rothberg¹³⁸, D. Rousseau¹¹⁵,
 C.R. Royon¹³⁶, A. Rozanov⁸³, Y. Rozen¹⁵², X. Ruan^{32a,ag}, F. Rubbo¹¹,
 I. Rubinskiy⁴¹, B. Ruckert⁹⁸, N. Ruckstuhl¹⁰⁵, V.I. Rud⁹⁷, C. Rudolph⁴³,

G. Rudolph⁶¹, F. Rühr⁶, A. Ruiz-Martinez⁶³, L. Rummyantsev⁶⁴,
 Z. Rurikova⁴⁸, N.A. Rusakovich⁶⁴, J.P. Rutherford⁶, C. Ruwiedel¹⁴,
 P. Ruzicka¹²⁵, Y.F. Ryabov¹²¹, P. Ryan⁸⁸, M. Rybar¹²⁶, G. Rybkin¹¹⁵,
 N.C. Ryder¹¹⁸, A.F. Saavedra¹⁵⁰, I. Sadeh¹⁵³, H.F.-W. Sadrozinski¹³⁷,
 R. Sadykov⁶⁴, F. Safai Tehrani^{132a}, H. Sakamoto¹⁵⁵, G. Salamanna⁷⁵,
 A. Salamon^{133a}, M. Saleem¹¹¹, D. Salek²⁹, D. Salihagic⁹⁹,
 A. Salnikov¹⁴³, J. Salt¹⁶⁷, B.M. Salvachua Ferrando⁵, D. Salvatore^{36a,36b},
 F. Salvatore¹⁴⁹, A. Salvucci¹⁰⁴, A. Salzburger²⁹, D. Sampsonidis¹⁵⁴,
 B.H. Samset¹¹⁷, A. Sanchez^{102a,102b}, V. Sanchez Martinez¹⁶⁷,
 H. Sandaker¹³, H.G. Sander⁸¹, M.P. Sanders⁹⁸, M. Sandhoff¹⁷⁵,
 T. Sandoval²⁷, C. Sandoval¹⁶², R. Sandstroem⁹⁹, D.P.C. Sankey¹²⁹,
 A. Sansoni⁴⁷, C. Santamarina Rios⁸⁵, C. Santoni³³, R. Santonico^{133a,133b},
 H. Santos^{124a}, J.G. Saraiva^{124a}, T. Sarangi¹⁷³, E. Sarkisyan-Grinbaum⁷,
 F. Sarri^{122a,122b}, G. Sartisohn¹⁷⁵, O. Sasaki⁶⁵, N. Sasao⁶⁷,
 I. Satsounkevitch⁹⁰, G. Sauvage⁴, E. Sauvan⁴, J.B. Sauvan¹¹⁵,
 P. Savard^{158,d}, V. Savinov¹²³, D.O. Savu²⁹, L. Sawyer^{24,m}, D.H. Saxon⁵³,
 J. Saxon¹²⁰, C. Sbarra^{19a}, A. Sbrizzi^{19a,19b}, O. Scallon⁹³,
 D.A. Scannicchio¹⁶³, M. Scarcella¹⁵⁰, J. Schaarschmidt¹¹⁵, P. Schacht⁹⁹,
 D. Schaefer¹²⁰, U. Schäfer⁸¹, S. Schaepe²⁰, S. Schatzel^{58b},
 A.C. Schaffer¹¹⁵, D. Schaile⁹⁸, R.D. Schamberger¹⁴⁸, A.G. Schamov¹⁰⁷,
 V. Scharf^{58a}, V.A. Schegelsky¹²¹, D. Scheirich⁸⁷, M. Schernau¹⁶³,
 M.I. Scherzer³⁴, C. Schiavi^{50a,50b}, J. Schieck⁹⁸, M. Schioppa^{36a,36b},
 S. Schlenker²⁹, E. Schmidt⁴⁸, K. Schmieden²⁰, C. Schmitt⁸¹,
 S. Schmitt^{58b}, M. Schmitz²⁰, B. Schneider¹⁶, U. Schnoor⁴³,
 A. Schöning^{58b}, A.L.S. Schorlemmer⁵⁴, M. Schott²⁹, D. Schouten^{159a},
 J. Schovancova¹²⁵, M. Schram⁸⁵, C. Schroeder⁸¹, N. Schroer^{58c},
 M.J. Schultens²⁰, J. Schultes¹⁷⁵, H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁵,
 M. Schumacher⁴⁸, B.A. Schumm¹³⁷, Ph. Schune¹³⁶,
 C. Schwanenberger⁸², A. Schwartzman¹⁴³, Ph. Schwemling⁷⁸,
 R. Schwienhorst⁸⁸, R. Schwierz⁴³, J. Schwindling¹³⁶, T. Schwindt²⁰,
 M. Schwoerer⁴, G. Sciolla²², W.G. Scott¹²⁹, J. Searcy¹¹⁴, G. Sedov⁴¹,
 E. Sedykh¹²¹, S.C. Seidel¹⁰³, A. Seiden¹³⁷, F. Seifert⁴³, J.M. Seixas^{23a},
 G. Sekhniaidze^{102a}, S.J. Sekula³⁹, K.E. Selbach⁴⁵, D.M. Seliverstov¹²¹,
 B. Sellén^{146a}, G. Sellers⁷³, M. Seman^{144b}, N. Semprini-Cesari^{19a,19b},
 C. Serfon⁹⁸, L. Serin¹¹⁵, L. Serkin⁵⁴, R. Seuster⁹⁹, H. Severini¹¹¹,
 A. Sfyrla²⁹, E. Shabalina⁵⁴, M. Shamim¹¹⁴, L.Y. Shan^{32a}, J.T. Shank²¹,
 Q.T. Shao⁸⁶, M. Shapiro¹⁴, P.B. Shatalov⁹⁵, K. Shaw^{164a,164c},

D. Sherman ¹⁷⁶, P. Sherwood ⁷⁷, A. Shibata ¹⁰⁸, S. Shimizu ²⁹,
 M. Shimojima ¹⁰⁰, T. Shin ⁵⁶, M. Shiyakova ⁶⁴, A. Shmeleva ⁹⁴,
 M.J. Shochet ³⁰, D. Short ¹¹⁸, S. Shrestha ⁶³, E. Shulga ⁹⁶, M.A. Shupe ⁶,
 P. Sicho ¹²⁵, A. Sidoti ^{132a}, F. Siegert ⁴⁸, Dj. Sijacki ^{12a}, O. Silbert ¹⁷²,
 J. Silva ^{124a}, Y. Silver ¹⁵³, D. Silverstein ¹⁴³, S.B. Silverstein ^{146a},
 V. Simak ¹²⁷, O. Simard ¹³⁶, Lj. Simic ^{12a}, S. Simion ¹¹⁵, E. Simioni ⁸¹,
 B. Simmons ⁷⁷, R. Simoniello ^{89a,89b}, M. Simonyan ³⁵, P. Sinervo ¹⁵⁸,
 N.B. Sinev ¹¹⁴, V. Sipica ¹⁴¹, G. Siragusa ¹⁷⁴, A. Sircar ²⁴, A.N. Sisakyan ⁶⁴,
 S.Yu. Sivoklov ⁹⁷, J. Sjölin ^{146a,146b}, T.B. Sjursen ¹³, L.A. Skinnari ¹⁴,
 H.P. Skottowe ⁵⁷, K. Skovpen ¹⁰⁷, P. Skubic ¹¹¹, M. Slater ¹⁷, T. Slavicek ¹²⁷,
 K. Sliwa ¹⁶¹, V. Smakhtin ¹⁷², B.H. Smart ⁴⁵, S.Yu. Smirnov ⁹⁶,
 Y. Smirnov ⁹⁶, L.N. Smirnova ⁹⁷, O. Smirnova ⁷⁹, B.C. Smith ⁵⁷,
 D. Smith ¹⁴³, K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷,
 A.A. Snesev ⁹⁴, S.W. Snow ⁸², J. Snow ¹¹¹, S. Snyder ²⁴, R. Sobie ^{169,k},
 J. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷, J. Solc ¹²⁷,
 E.Yu. Soldatov ⁹⁶, U. Soldevila ¹⁶⁷, E. Solfaroli Camillocci ^{132a,132b},
 A.A. Solodkov ¹²⁸, O.V. Solovyanov ¹²⁸, N. Soni ², V. Sopko ¹²⁷,
 B. Sopko ¹²⁷, M. Sosebee ⁷, R. Soualah ^{164a,164c}, A. Soukharev ¹⁰⁷,
 S. Spagnolo ^{72a,72b}, F. Spanò ⁷⁶, R. Spighi ^{19a}, G. Spigo ²⁹, F. Spila ^{132a,132b},
 R. Spiwoks ²⁹, M. Spousta ¹²⁶, T. Spreitzer ¹⁵⁸, B. Spurlock ⁷,
 R.D. St. Denis ⁵³, J. Stahlman ¹²⁰, R. Stamen ^{58a}, E. Stanecka ³⁸,
 R.W. Stanek ⁵, C. Stanescu ^{134a}, M. Stanescu-Bellu ⁴¹, S. Stapnes ¹¹⁷,
 E.A. Starchenko ¹²⁸, J. Stark ⁵⁵, P. Staroba ¹²⁵, P. Starovoitov ⁴¹,
 R. Staszewski ³⁸, A. Staude ⁹⁸, P. Stavina ^{144a}, G. Steele ⁵³, P. Steinbach ⁴³,
 P. Steinberg ²⁴, I. Stekl ¹²⁷, B. Stelzer ¹⁴², H.J. Stelzer ⁸⁸,
 O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵², S. Stern ⁹⁹, G.A. Stewart ²⁹,
 J.A. Stillings ²⁰, M.C. Stockton ⁸⁵, K. Stoerig ⁴⁸, G. Stoicea ^{25a},
 S. Stonjek ⁹⁹, P. Strachota ¹²⁶, A.R. Stradling ⁷, A. Straessner ⁴³,
 J. Strandberg ¹⁴⁷, S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁷, M. Strang ¹⁰⁹,
 E. Strauss ¹⁴³, M. Strauss ¹¹¹, P. Strizenec ^{144b}, R. Ströhmer ¹⁷⁴,
 D.M. Strom ¹¹⁴, J.A. Strong ^{76,*}, R. Stroynowski ³⁹, J. Strube ¹²⁹,
 B. Stugu ¹³, I. Stumer ^{24,*}, J. Stupak ¹⁴⁸, P. Sturm ¹⁷⁵, N.A. Styles ⁴¹,
 D.A. Soh ^{151,w}, D. Su ¹⁴³, HS. Subramania ², A. Succurro ¹¹, Y. Sugaya ¹¹⁶,
 C. Suhr ¹⁰⁶, M. Suk ¹²⁶, V.V. Sulin ⁹⁴, S. Sultansoy ^{3d}, T. Sumida ⁶⁷,
 X. Sun ⁵⁵, J.E. Sundermann ⁴⁸, K. Suruliz ¹³⁹, G. Susinno ^{36a,36b},
 M.R. Sutton ¹⁴⁹, Y. Suzuki ⁶⁵, Y. Suzuki ⁶⁶, M. Svatos ¹²⁵, S. Swedish ¹⁶⁸,
 I. Sykora ^{144a}, T. Sykora ¹²⁶, J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵, K. Tackmann ⁴¹,

A. Taffard ¹⁶³, R. Tafirout ^{159a}, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹, H. Takai ²⁴,
 R. Takashima ⁶⁸, H. Takeda ⁶⁶, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁵, M. Talby ⁸³,
 A. Talyshev ^{107,f}, M.C. Tamsett ²⁴, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁵,
 S. Tanaka ¹³¹, S. Tanaka ⁶⁵, A.J. Tanasijczuk ¹⁴², K. Tani ⁶⁶, N. Tannoury ⁸³,
 S. Tapprogge ⁸¹, D. Tardif ¹⁵⁸, S. Tarem ¹⁵², F. Tarrade ²⁸, G.F. Tartarelli ^{89a},
 P. Tas ¹²⁶, M. Tasevsky ¹²⁵, E. Tassi ^{36a,36b}, M. Tatarkhanov ¹⁴,
 Y. Tayalati ^{135d}, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b},
 M. Teinturier ¹¹⁵, M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶,
 K.K. Temming ⁴⁸, H. Ten Kate ²⁹, P.K. Teng ¹⁵¹, S. Terada ⁶⁵,
 K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Testa ⁴⁷, R.J. Teuscher ^{158,k}, J. Therhaag ²⁰,
 T. Theveneaux-Pelzer ⁷⁸, S. Thoma ⁴⁸, J.P. Thomas ¹⁷, E.N. Thompson ³⁴,
 P.D. Thompson ¹⁷, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³,
 L.A. Thomsen ³⁵, E. Thomson ¹²⁰, M. Thomson ²⁷, R.P. Thun ⁸⁷, F. Tian ³⁴,
 M.J. Tibbetts ¹⁴, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ^{107,f},
 S. Timoshenko ⁹⁶, P. Tipton ¹⁷⁶, F.J. Tique Aires Viegas ²⁹, S. Tisserant ⁸³,
 T. Todorov ⁴, S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁹,
 S. Tokár ^{144a}, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹,
 L. Tompkins ³⁰, K. Toms ¹⁰³, A. Tonoyan ¹³, C. Topfel ¹⁶, N.D. Topilin ⁶⁴,
 I. Torchiani ²⁹, E. Torrence ¹¹⁴, H. Torres ⁷⁸, E. Torr o Pastor ¹⁶⁷,
 J. Toth ^{83,ad}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ²⁹,
 A. Tricoli ²⁹, I.M. Trigger ^{159a}, S. Trincaz-Duvoid ⁷⁸, M.F. Tripiana ⁷⁰,
 W. Trischuk ¹⁵⁸, B. Trocm e ⁵⁵, C. Troncon ^{89a}, M. Trotter-McDonald ¹⁴²,
 M. Trzebinski ³⁸, A. Trzupek ³⁸, C. Tsarouchas ²⁹, J.C.-L. Tseng ¹¹⁸,
 M. Tsiakiris ¹⁰⁵, P.V. Tsiarehka ⁹⁰, D. Tsionou ^{4,ah}, G. Tsipolitis ⁹,
 V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁴,
 J.-W. Tsung ²⁰, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{25a},
 V. Tudorache ^{25a}, J.M. Tuggle ³⁰, M. Turala ³⁸, D. Turecek ¹²⁷,
 I. Turk Cakir ^{3e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁴, A. Tykhonov ⁷⁴,
 M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, G. Tzanakos ⁸, K. Uchida ²⁰, I. Ueda ¹⁵⁵,
 R. Ueno ²⁸, M. Ugland ¹³, M. Uhlenbrock ²⁰, M. Uhrmacher ⁵⁴,
 F. Ukegawa ¹⁶⁰, G. Unal ²⁹, A. Undrus ²⁴, G. Unel ¹⁶³, Y. Unno ⁶⁵,
 D. Urbaniec ³⁴, G. Usai ⁷, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³,
 V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁴, J. Valenta ¹²⁵, P. Valente ^{132a},
 S. Valentini ^{19a,19b}, A. Valero ¹⁶⁷, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷,
 S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, H. van der Graaf ¹⁰⁵,
 E. van der Kraaij ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵,
 D. van der Ster ²⁹, N. van Eldik ²⁹, P. van Gemmeren ⁵, I. van Vulpen ¹⁰⁵,

M. Vanadia⁹⁹, W. Vandelli²⁹, A. Vaniachine⁵, P. Vankov⁴¹,
 F. Vannucci⁷⁸, R. Vari^{132a}, T. Varol⁸⁴, D. Varouchas¹⁴, A. Vartapetian⁷,
 K.E. Varvell¹⁵⁰, V.I. Vassilakopoulos⁵⁶, F. Vazeille³³,
 T. Vazquez Schroeder⁵⁴, G. Vegni^{89a,89b}, J.J. Veillet¹¹⁵, F. Veloso^{124a},
 R. Veness²⁹, S. Veneziano^{132a}, A. Ventura^{72a,72b}, D. Ventura⁸⁴,
 M. Venturi⁴⁸, N. Venturi¹⁵⁸, V. Vercesi^{119a}, M. Verducci¹³⁸,
 W. Verkerke¹⁰⁵, J.C. Vermeulen¹⁰⁵, A. Vest⁴³, M.C. Vetterli^{142,d},
 I. Vichou¹⁶⁵, T. Vickey^{145b,ai}, O.E. Vickey Boeriu^{145b},
 G.H.A. Viehhauser¹¹⁸, S. Viel¹⁶⁸, M. Villa^{19a,19b}, M. Villaplana Perez¹⁶⁷,
 E. Vilucchi⁴⁷, M.G. Vincter²⁸, E. Vinek²⁹, V.B. Vinogradov⁶⁴,
 M. Virchaux^{136,*}, J. Virzi¹⁴, O. Vitells¹⁷², M. Viti⁴¹, I. Vivarelli⁴⁸,
 F. Vives Vaque², S. Vlachos⁹, D. Vladioiu⁹⁸, M. Vlasak¹²⁷, A. Vogel²⁰,
 P. Vokac¹²⁷, G. Volpi⁴⁷, M. Volpi⁸⁶, G. Volpini^{89a}, H. von der Schmitt⁹⁹,
 J. von Loeben⁹⁹, H. von Radziewski⁴⁸, E. von Toerne²⁰, V. Vorobel¹²⁶,
 V. Vorwerk¹¹, M. Vos¹⁶⁷, R. Voss²⁹, T.T. Voss¹⁷⁵, J.H. Vossebeld⁷³,
 N. Vranjes¹³⁶, M. Vranjes Milosavljevic¹⁰⁵, V. Vrba¹²⁵, M. Vreeswijk¹⁰⁵,
 T. Vu Anh⁴⁸, R. Vuillermet²⁹, I. Vukotic¹¹⁵, W. Wagner¹⁷⁵, P. Wagner¹²⁰,
 H. Wahlen¹⁷⁵, S. Wahrmund⁴³, J. Wakabayashi¹⁰¹, S. Walch⁸⁷,
 J. Walder⁷¹, R. Walker⁹⁸, W. Walkowiak¹⁴¹, R. Wall¹⁷⁶, P. Waller⁷³,
 C. Wang⁴⁴, H. Wang¹⁷³, H. Wang^{32b,aj}, J. Wang¹⁵¹, J. Wang⁵⁵,
 R. Wang¹⁰³, S.M. Wang¹⁵¹, T. Wang²⁰, A. Warburton⁸⁵, C.P. Ward²⁷,
 M. Warsinsky⁴⁸, A. Washbrook⁴⁵, C. Wasicki⁴¹, P.M. Watkins¹⁷,
 A.T. Watson¹⁷, I.J. Watson¹⁵⁰, M.F. Watson¹⁷, G. Watts¹³⁸, S. Watts⁸²,
 A.T. Waugh¹⁵⁰, B.M. Waugh⁷⁷, M. Weber¹²⁹, M.S. Weber¹⁶, P. Weber⁵⁴,
 A.R. Weidberg¹¹⁸, P. Weigell⁹⁹, J. Weingarten⁵⁴, C. Weiser⁴⁸,
 H. Wellenstein²², P.S. Wells²⁹, T. Wenaus²⁴, D. Wendland¹⁵,
 Z. Weng^{151,w}, T. Wengler²⁹, S. Wenig²⁹, N. Wermes²⁰, M. Werner⁴⁸,
 P. Werner²⁹, M. Werth¹⁶³, M. Wessels^{58a}, J. Wetter¹⁶¹, C. Weydert⁵⁵,
 K. Whalen²⁸, S.J. Wheeler-Ellis¹⁶³, A. White⁷, M.J. White⁸⁶,
 S. White^{122a,122b}, S.R. Whitehead¹¹⁸, D. Whiteson¹⁶³, D. Whittington⁶⁰,
 F. Wicek¹¹⁵, D. Wicke¹⁷⁵, F.J. Wickens¹²⁹, W. Wiedenmann¹⁷³,
 M. Wielers¹²⁹, P. Wienemann²⁰, C. Wiglesworth⁷⁵,
 L.A.M. Wiik-Fuchs⁴⁸, P.A. Wijeratne⁷⁷, A. Wildauer¹⁶⁷, M.A. Wildt^{41,s},
 I. Wilhelm¹²⁶, H.G. Wilkens²⁹, J.Z. Will⁹⁸, E. Williams³⁴,
 H.H. Williams¹²⁰, W. Willis³⁴, S. Willocq⁸⁴, J.A. Wilson¹⁷,
 M.G. Wilson¹⁴³, A. Wilson⁸⁷, I. Wingerter-Seez⁴, S. Winkelmann⁴⁸,
 F. Winklmeier²⁹, M. Wittgen¹⁴³, S.J. Wollstadt⁸¹, M.W. Wolter³⁸,

H. Wolters^{124a,h}, W.C. Wong⁴⁰, G. Wooden⁸⁷, B.K. Wosiek³⁸,
 J. Wotschack²⁹, M.J. Woudstra⁸², K.W. Wozniak³⁸, K. Wraight⁵³,
 C. Wright⁵³, M. Wright⁵³, B. Wrona⁷³, S.L. Wu¹⁷³, X. Wu⁴⁹,
 Y. Wu^{32b,ak}, E. Wulf³⁴, B.M. Wynne⁴⁵, S. Xella³⁵, M. Xiao¹³⁶, S. Xie⁴⁸,
 C. Xu^{32b,z}, D. Xu¹³⁹, B. Yabsley¹⁵⁰, S. Yacoob^{145b}, M. Yamada⁶⁵,
 H. Yamaguchi¹⁵⁵, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁵,
 T. Yamamura¹⁵⁵, T. Yamanaka¹⁵⁵, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁵,
 Y. Yamazaki⁶⁶, Z. Yan²¹, H. Yang⁸⁷, U.K. Yang⁸², Y. Yang⁶⁰,
 Z. Yang^{146a,146b}, S. Yanush⁹¹, L. Yao^{32a}, Y. Yao¹⁴, Y. Yasu⁶⁵,
 G.V. Ybeles Smit¹³⁰, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²³,
 K. Yorita¹⁷¹, R. Yoshida⁵, C. Young¹⁴³, C.J. Young¹¹⁸, S. Youssef²¹,
 D. Yu²⁴, J. Yu⁷, J. Yu¹¹², L. Yuan⁶⁶, A. Yurkewicz¹⁰⁶, B. Zabinski³⁸,
 R. Zaidan⁶², A.M. Zaitsev¹²⁸, Z. Zajacova²⁹, L. Zanello^{132a,132b},
 A. Zaytsev¹⁰⁷, C. Zeitnitz¹⁷⁵, M. Zeman¹²⁵, A. Zemla³⁸, C. Zender²⁰,
 O. Zenin¹²⁸, T. Ženiš^{144a}, Z. Zinonos^{122a,122b}, S. Zenz¹⁴, D. Zerwas¹¹⁵,
 G. Zevi della Porta⁵⁷, Z. Zhan^{32d}, D. Zhang^{32b,aj}, H. Zhang⁸⁸, J. Zhang⁵,
 X. Zhang^{32d}, Z. Zhang¹¹⁵, L. Zhao¹⁰⁸, T. Zhao¹³⁸, Z. Zhao^{32b},
 A. Zhemchugov⁶⁴, J. Zhong¹¹⁸, B. Zhou⁸⁷, N. Zhou¹⁶³, Y. Zhou¹⁵¹,
 C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁷, Y. Zhu^{32b}, X. Zhuang⁹⁸,
 V. Zhuravlov⁹⁹, D. Ziemska⁶⁰, N.I. Zimin⁶⁴, R. Zimmermann²⁰,
 S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁴,
 L. Živković³⁴, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷³, A. Zoccoli^{19a,19b},
 M. zur Nedden¹⁵, V. Zutshi¹⁰⁶, L. Zwalinski²⁹

¹ University at Albany, Albany, NY, United States

² Department of Physics, University of Alberta, Edmonton, AB, Canada

³ (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Dumlupinar University, Kutahya;

(c) Department of Physics, Gazi University, Ankara; (d) Division of Physics, TOBB University of Economics and Technology, Ankara; (e) Turkish Atomic Energy Authority, Ankara, Turkey

⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁵ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

⁶ Department of Physics, University of Arizona, Tucson, AZ, United States

⁷ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

⁸ Physics Department, University of Athens, Athens, Greece

⁹ Physics Department, National Technical University of Athens, Zografou, Greece

¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

¹² (a) Institute of Physics, University of Belgrade, Belgrade; (b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

¹⁵ Department of Physics, Humboldt University, Berlin, Germany

¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

- ¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ¹⁸ (a) Department of Physics, Bogazici University, Istanbul; (b) Division of Physics, Dogus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep; (d) Department of Physics, Istanbul Technical University, Istanbul, Turkey
- ¹⁹ (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- ²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany
- ²¹ Department of Physics, Boston University, Boston, MA, United States
- ²² Department of Physics, Brandeis University, Waltham, MA, United States
- ²³ (a) Universidade Federal do Rio de Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁴ Physics Department, Brookhaven National Laboratory, Upton, NY, United States
- ²⁵ (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) University Politehnica Bucharest, Bucharest; (c) West University in Timisoara, Timisoara, Romania
- ²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ²⁸ Department of Physics, Carleton University, Ottawa, ON, Canada
- ²⁹ CERN, Geneva, Switzerland
- ³⁰ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States
- ³¹ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ³² (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui; (c) Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong, China
- ³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubiere Cedex, France
- ³⁴ Nevis Laboratory, Columbia University, Irvington, NY, United States
- ³⁵ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ³⁶ (a) INFN Gruppo Collegato di Cosenza; (b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy
- ³⁷ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- ³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ³⁹ Physics Department, Southern Methodist University, Dallas, TX, United States
- ⁴⁰ Physics Department, University of Texas at Dallas, Richardson, TX, United States
- ⁴¹ DESY, Hamburg and Zeuthen, Germany
- ⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
- ⁴⁴ Department of Physics, Duke University, Durham, NC, United States
- ⁴⁵ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁶ Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3, 2700 Wiener Neustadt, Austria
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵⁰ (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵¹ (a) E. Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- ⁵⁸ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (c) ZITI Institut für Technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

- ⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States
⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶² University of Iowa, Iowa City, IA, United States
⁶³ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁸ Kyoto University of Education, Kyoto, Japan
⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁷⁹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁰ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸³ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁴ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁵ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
⁸⁷ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁸⁹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹³ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁷ Skobel'syn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰¹ Graduate School of Science, Nagoya University, Nagoya, Japan
¹⁰² ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York, NY, United States
¹⁰⁹ Ohio State University, Columbus, OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States

- 113 Palacký University, RCPTM, Olomouc, Czech Republic
- 114 Center for High Energy Physics, University of Oregon, Eugene, OR, United States
- 115 LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- 116 Graduate School of Science, Osaka University, Osaka, Japan
- 117 Department of Physics, University of Oslo, Oslo, Norway
- 118 Department of Physics, Oxford University, Oxford, United Kingdom
- 119 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- 120 Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
- 121 Petersburg Nuclear Physics Institute, Gatchina, Russia
- 122 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- 123 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
- 124 ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa, Portugal; ^(b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
- 125 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- 126 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- 127 Czech Technical University in Prague, Praha, Czech Republic
- 128 State Research Center Institute for High Energy Physics, Protvino, Russia
- 129 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 130 Physics Department, University of Regina, Regina, SK, Canada
- 131 Ritsumeikan University, Kusatsu, Shiga, Japan
- 132 ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- 133 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- 134 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
- 135 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l’Energie des Sciences Techniques Nucleaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- 136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l’Univers), CEA Saclay (Commissariat à l’Energie Atomique), Gif-sur-Yvette, France
- 137 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
- 138 Department of Physics, University of Washington, Seattle, WA, United States
- 139 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 140 Department of Physics, Shinshu University, Nagano, Japan
- 141 Fachbereich Physik, Universität Siegen, Siegen, Germany
- 142 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
- 143 SLAC National Accelerator Laboratory, Stanford, CA, United States
- 144 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- 145 ^(a) Department of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 146 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- 147 Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 148 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
- 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 150 School of Physics, University of Sydney, Sydney, Australia
- 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
- 152 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 158 Department of Physics, University of Toronto, Toronto, ON, Canada
- 159 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
- 160 Institute of Pure and Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8571, Japan

- 161 *Science and Technology Center, Tufts University, Medford, MA, United States*
 162 *Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia*
 163 *Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States*
 164 ^(a) *INFN Gruppo Collegato di Udine*; ^(b) *ICTP, Trieste*; ^(c) *Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy*
 165 *Department of Physics, University of Illinois, Urbana, IL, United States*
 166 *Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
 167 *Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain*
 168 *Department of Physics, University of British Columbia, Vancouver, BC, Canada*
 169 *Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada*
 170 *Department of Physics, University of Warwick, Coventry, United Kingdom*
 171 *Waseda University, Tokyo, Japan*
 172 *Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel*
 173 *Department of Physics, University of Wisconsin, Madison, WI, United States*
 174 *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany*
 175 *Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
 176 *Department of Physics, Yale University, New Haven, CT, United States*
 177 *Yerevan Physics Institute, Yerevan, Armenia*
 178 *Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France*
- ^a Also at Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa, Portugal.
^b Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal.
^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.
^d Also at TRIUMF, Vancouver, BC, Canada.
^e Also at Department of Physics, California State University, Fresno, CA, United States.
^f Also at Novosibirsk State University, Novosibirsk, Russia.
^g Also at Fermilab, Batavia, IL, United States.
^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal.
ⁱ Also at Department of Physics, UASLP, San Luis Potosi, Mexico.
^j Also at Università di Napoli Parthenope, Napoli, Italy.
^k Also at Institute of Particle Physics (IPP), Canada.
^l Also at Department of Physics, Middle East Technical University, Ankara, Turkey.
^m Also at Louisiana Tech University, Ruston, LA, United States.
ⁿ Also at Departamento de Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.
^o Also at Department of Physics and Astronomy, University College London, London, United Kingdom.
^p Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.
^q Also at Department of Physics, University of Cape Town, Cape Town, South Africa.
^r Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
^s Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
^t Also at Manhattan College, New York, NY, United States.
^u Also at School of Physics, Shandong University, Shandong, China.
^v Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^w Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China.
^x Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^y Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.
^z Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Énergie Atomique), Gif-sur-Yvette, France.
^{aa} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{ab} Also at Departamento de Física, Universidade de Minho, Braga, Portugal.
^{ac} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^{ad} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

^{ae} Also at California Institute of Technology, Pasadena, CA, United States.

^{af} Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^{ag} Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

^{ah} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.

^{ai} Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{aj} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

^{ak} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

* Deceased.