

Glossary terms:

Affective brain-computer interfaces (aBCI): devices that allow the detection of the affective state of their users based on the neurophysiological activity associated with such states.

Brain-computer interfaces (BCI): devices that allow for the control of devices and applications based on the neurophysiological activity of a user, thereby bypassing muscular pathways.

Electroencephalography (EEG): a portable neuroimaging method for the temporally high-resolved recording of variations in electrophysiological brain activity from the scalp.

Event-related potentials (ERP): a stereotyped electrophysiological response to a specific stimulus or event that is estimated by averaging the recorded EEG traces recorded immediately after several occurrences of the same event.

Functional magnetic resonance imaging (fMRI): a neuroimaging method for the spatially high-resolved recording of brain activity by detecting associated changes in blood flow.

Functional near-infrared spectroscopy (fNIRS): a portable neuroimaging method for the recording of brain activity by detecting associated changes in blood flow via magnetic impulses.

Magnetoencephalography (MEG): a neuroimaging method for the temporally high-resolved recording of variations in electric brain activity by detecting associated changes in the magnetic fields.

Positron emission tomography (PET): a neuroimaging method for the spatially high-resolved recording of brain activity by detecting associated changes in blood flow via radioactive tracers.

Affective Brain-Computer Interfaces

Neuroscientific Approaches to Affect Detection

Christian Mühl, Dirk Heylen, Anton Nijholt

Abstract

The brain is involved in the registration, evaluation, and representation of emotional events, and in the subsequent planning and execution of adequate actions. Novel interface technologies – so-called affective brain-computer interfaces (aBCI) - can use this rich neural information, occurring in response to affective stimulation, for the detection of the affective state of the user. This chapter gives an overview of the promises and challenges that arise from the possibility of neurophysiology-based affect detection, with a special focus on electrophysiological signals. After outlining the potential of aBCI relative to other sensing modalities, the reader is introduced to the neurophysiological and neurotechnological background of this interface technology. Potential application scenarios are situated in a general framework of brain-computer interfaces. Finally, the main scientific and technological challenges that have to be solved on the way toward reliable affective brain-computer interfaces are discussed.

Keywords/keyphrases

Brain-computer interfaces, emotion, neurophysiology, electroencephalography

1. Introduction

Affect-sensitive human-computer interaction (HCI), in order to provide the choice of adequate responses to adapt the computer to the affective states of its user, requires a reliable detection of these states, that is, of the user's emotions. A number of behavioural cues, such as facial expression, posture, and voice, can be informative about these states.

Other sources, less open to conscious control and therefore more reliable in situations where behavioural cues are concealed, can be assessed in the form of physiological responses to emotional events, for example changes in heart rate and skin conductance. A special set of physiological responses is that originating from the most complex organ of the human body, the brain. These neurophysiological responses to emotionally significant events can, alone or in combination with other sources of affective information, be used to detect affective states continuously, clarify the context in which they occur, and help to guide affect-sensitive HCI. In this chapter, we will elucidate the motivation and background of affective brain-computer interfaces (aBCI) – the devices that enable the transformation of neural activity into affect-sensitive HCI -- outline their working principles and their applications in a general framework of BCI, and discuss main challenges of this novel affect-sensing technology.

1.1 The motivation behind affective BCI

The brain is an interesting organ for the detection of cues about the affective state. Numerous lesion studies, neuroimaging evidence, and theoretical arguments have strengthened the notion that the brain is not only the seat of our rational thought, but also heavily involved in emotional responses that often are perceived as disruptive to our rational behaviour (Damasio, 2000). Scherer's Component Process Model (Scherer, 2005) postulates the existence of several components of affective responses that reside in the central nervous system, including processes of emotional event perception and evaluation, self-monitoring, and action planning and execution¹.

¹ See also Kemp and colleagues' chapter in the current handbook, which highlights the importance of brain and body responses and their integration.

Therefore, the brain seems to possess great potential to differentiate affective states in terms of their neurophysiological characteristics, mostly of the neural responses that occur after encountering an emotionally salient stimulus event. Such emotional responses occur within tens of milliseconds; they are not under the volitional control of a person and hence are reliable in terms of their true nature. Such fast and automatic neurophysiological responses are contrasted by slower physiological responses in the range of seconds after the event and with behavioural cues that are more amenable to conscious influence.

In addition to the promises for a fast and reliable differentiation of affective states, the complexity of the brain also holds the potential to reveal *details* about an on-going emotional response elicited by emotional stimulus events. Visual or auditory cortices reflect the modality-specific processing resources allocated to emotionally salient events (Mühl et al., 2011) allowing for conscious identification of the object which elicited the emotional response. Similarly, motor regions might reveal behavioural dispositions, that is, planned and prepared motor responses, to an emotional stimulus event.

Finally, certain patient populations that lose the capability to communicate with the outside world due to the loss of musculature or its control, need alternative communication channels – using the information available from unimpaired physiological and neurophysiological processes -- that are able to reflect their emotions to loved ones as well as to caretakers.

However, the realisation of all this potential, including the advantages of neurophysiological signals over other sources of information on affect, are dependent on the advancement of research within several disciplines: psychology, affective

neuroscience, and machine learning. We will start with the introduction of relevant sensor technologies, before discussing the neurophysiological basis, the technological principles and applications of aBCI.

1.2 Sensor modalities assessing neurophysiological activity

Several sensor technologies enable the assessment of neurophysiological activity. Two types of methods can be distinguished by the way they function: one measures cortical electric or magnetic fields, directly resulting from the nerve impulses of groups of pyramidal neurons, while the other one measures metabolic activity within cortical structures, for example blood oxygenation resulting from increased activity of these structures.

The first type of electrophysiological methods, including sensor modalities such as electroencephalography (EEG) and magnetoencephalography (MEG), has a high temporal resolution of neural activity recordings (instantaneous signals with millisecond resolution), but lacks high spatial resolution due to the smearing of the signals on their way through multiple layers of cerebrospinal fluid, bone, and skin. Most of the methods of the second type, including sensor modalities such as functional magnetic resonance imaging (fMRI) or positron emission tomography (PET), have a high spatial resolution (in the range of millimeters), but are slow due to the dependence on metabolic changes (resulting in a lag of several seconds) and due to their working principle (resulting in measurement rhythms of seconds rather than milliseconds).

Each of the neuroimaging methods mentioned above has its advantages and their use depends on researchers' goals. Regarding affective computing scenarios, EEG seems to

be the most practicable method: EEG has the advantage of being relatively unobtrusive and can be recorded using wearable devices, increasing the mobility and options for locations in which data is collected. Furthermore, the technology is affordable for private households and relatively easy to set up, especially the cheaper commercial versions for the general public, although these have limitations for research. Comparable wearable sensor modalities that are based on the brain metabolism, such as functional near-infrared spectroscopy (fNIRS), are currently neither affordable, nor featuring a high spatial resolution.

To focus on the technologies relevant for aBCI in the normal, healthy population, in the next section we will briefly review the affect-related neural structures of the central nervous system and then introduce the neurophysiological correlates of affect that are the basis for aBCI systems using EEG technology as their sensor modality.

2 Neurophysiological Measurements of Affect

2.1 The Neural Structures of Affect

The brain comprises a number of structures that have been associated with affective responses by different types of evidence. Much of the early evidence of the function of certain brain regions comes from observations of the detrimental effects of lesions in animals and humans. More recently, functional imaging approaches, such as PET or fMRI, have yielded insights into the processes occurring during affective responses in normal functioning (for reviews see Barrett, Mesquita, Ochsner, & Gross, 2007; Lindquist, Wager, Kober, Bliss-moreau, & Barrett, 2011). Here we will only briefly discuss the most prominent structures that have been identified as central during the

evaluation of the emotional significance of stimulus events and the processes that lead to the emergence of the emotional experience. The interested reader can refer to Barrett et al. (2007) for a detailed description of the structures and processes involved.

The core of the system involved in the translation of external and internal events to the affective state is a set of neural structures in the ventral portion of the brain: medial temporal lobe (including the amygdala, insula, and striatum), orbitofrontal cortex (OFC), and ventromedial prefrontal cortex (VMPFC). These structures compose two related functional circuits, which represent the sensory information about the stimulus event and its somatovisceral impact, as remembered or predicted from previous experience.

The first circuit, comprised of the basolateral complex of the amygdala, the ventral and lateral aspects of the OFC, and the anterior insula, is involved in the gathering and binding of information from external and internal sensory sources. Both the amygdala and the OFC structures possess connections to the sensory cortices, enabling information exchange about perceived events and objects. While the amygdala is coding the original value of the stimulus, the OFC creates a flexible experience- and context-dependent representation of the object's value. The insula represents interoceptive information from the inner organs and skin, playing a role in forming awareness about the state of the body. By the integration of sensory information and information about the body's state, a value-based representation of the event or object is created.

The second circuit, composed of the VMPFC (including the anterior cingulate cortex (ACC)) and the amygdala, is involved in the modulation of parts of the value-based representation via its control over autonomous, chemical, and behavioural visceromotor responses. Specifically, the VMPFC links the sensory information about the event, as

integrated by the first circuit, to its visceromotor outcomes. It can be considered as an affective working memory, which informs judgments and choices, and is active during decisions based on intuitions and feelings.

Both circuits project directly and indirectly to the hypothalamus and brainstem, which are involved in a fast and efficient computation of object values, and influence autonomous chemical and behavioural responses. The outcome of the complex interplay of ventral cortical structures, amygdala, hypothalamus, and brainstem establishes the “core affective” state that the event induced: an event-specific perturbation of the internal milieu of the body that directs the body to prepare for the responses necessary to deal with the event. These responses include the attentional orienting to the source of the stimulation, the enhancement of sensory processes, and the preparation of motor behaviour. The perturbation of the visceromotor state is also the basis of the conscious experience of the pleasantness and physical and cortical arousal that accompany affective responses. However, as stated by Barrett et al. (2007), the emotional experience is unlikely to be the outcome of one of the structures involved in establishing the “core affect,” but rather emerges on the system level, as the result of the activity of many or all of the involved structures².

2.2 Correlates of Affect in EEG

² This constructivist position, readily compatible with functional appraisal models of emotion and with evidence collected by neuroimaging meta-analyses (Lindquist et al., 2011), is opposed by the localist position, which is defended by the proponents of basic emotion models. For a neuroimaging meta-analysis supporting the localist position see (Vytal & Hamann, 2010). The interested reader is also referred to the chapter by Kemp and colleagues contained in the current handbook.

Before reviewing the electrophysiological correlates of affect, we shall note that due to the working principles and the resulting limited spatial resolution of the EEG, a simple measurement of the activation of affect-related structures, as obtainable by fMRI, is not possible. Furthermore, most of the core-affective structures are located in the ventral part of the brain (but see Davidson, 1992; Harmon-Jones, 2003), making a direct assessment of their activity by EEG, focusing on signals from superficial neocortical regions, difficult. Hence, we concentrate on electrophysiological signals that have been associated with affect and on their cognitive functions, but mention their neural origins if available.

Time-domain Correlates. A significant body of research has focused on the time domain and explores the consequences of emotional stimulation on event-related potentials. Event-related potentials (ERP) are prototypical deflections of the recorded EEG trace in response to a specific stimulus event, for example a picture stimulus. ERPs are computed by (sample-wise) averaging of the traces following multiple stimulation events of the same condition, which reduces sporadic parts of the EEG trace not associated with the functional processes involved in response to the stimulus but originating from artefacts or background EEG.

Examples of ERPs responsive to affective manipulations include early and late potentials. Early potentials, for example P1 or N1, indicate processes involved in the initial perception and automatic evaluation of the presented stimuli. They are affected by the emotional value of a stimulus; differential ERPs are observed in response to negative and positive valence as well as low and high arousal stimuli (Olofsson, Nordin, Sequeira, &

Polich, 2008). However, the evidence is far from parsimonious as the variety of the findings shows.

Late event-related potentials are supposed to reflect higher-level processes, which are already more amenable to the conscious evaluation of the stimulus. The two most prominent potentials that have been found susceptible to affective manipulation are the P300 and the late positive potential (LPP). The P300 has been associated with attentional mechanisms involved in the orientation toward an especially salient stimulus, for example very rare (deviants) or expected stimuli (Polich, 2007). Coherently, P300 components show a greater amplitude in response to highly salient emotional stimuli, especially aversive ones (Briggs & Martin, 2009). The LPP has been observed after emotionally arousing visual stimuli (Schupp et al., 2000), and was associated with a stronger perceptive evaluation of emotionally salient stimuli as evidenced by increased activity of posterior visual cortices (Sabatinelli, Lang, Keil, & Bradley, 2006).

As in real-world applications the averaging of several epochs of EEG traces with respect to the onset of a repeatedly presented stimulus is not feasible; the use of such time-domain analysis techniques is limited for affective BCIs. An alternative to ERPs - more feasible in a context without known stimulus onsets or repetitive stimulation - are effects on brain rhythms observed in the frequency domain.

Frequency-domain Correlates The frequency domain can be investigated with two simple, but fundamentally different power extraction methods, yielding evoked and induced oscillatory responses to a stimulus event (Tallon-Baudry, Bertrand, Baudry, & Bertrand, 1999). Evoked frequency responses are computed by a frequency

transformation applied to the averaged EEG trace, yielding a frequency-domain representation of the ERP components. Induced frequency responses, on the other hand, are computed by applying the frequency transform on the single EEG traces before then averaging the frequency responses. Induced responses therefore capture oscillatory characteristics of the EEG traces that are not phase-locked to the stimulus onset and averaged out in the evoked oscillatory response. In an everyday context, where the mental states or processes of interest are not elicited by repetitive stimulation, with a known stimulus onset and short stimulus duration, the use of evoked oscillatory responses is equally limited as the use of ERPs. Therefore, the induced oscillatory responses are of specific interest when attempting the detection of affect based on a single and unique emotional event or period.

The analysis of oscillatory activity in the EEG has a tradition that reaches back over almost 90 years to the 20s of the last century, when Hans Berger reported the existence of certain oscillatory characteristics in the EEG, now referred to as alpha and beta rhythms (Berger, 1929). The decades of research since then led to the discovery of a multitude of cognitive and affective functions that bear influence upon the oscillatory activity in different frequency ranges. Below we will briefly review the frequency ranges of the conventional broad frequency bands, namely delta, theta, alpha, beta, and gamma, their cognitive functions and their association with affect.

The *delta frequency band* comprises the frequencies between 0.5 and 4 Hz. Delta oscillations are especially prominent during the late stages of sleep (Steriade, McCormick, & Sejnowski, 1993). However, during waking they have been associated

with motivational states such as hunger and drug craving (see Knyazev, 2012). In such states, they are supposed to reflect the workings of the brain reward system, some of the structures of which are believed to be generators of delta oscillations (Knyazev, 2012). Delta activity has also been identified as a correlate of the P300 potential, which is seen in response to salient stimuli. This has led to the belief that delta oscillations play a role in the detection of emotionally salient stimuli. Congruously, increases of delta band power have been reported in response to more arousing stimuli (Aftanas, Varlamov, Pavlov, Makhnev, & Reva, 2002; Balconi & Lucchiari, 2006; Klados et al., 2009).

The *theta rhythm* comprises the frequencies between 4 to 8 Hz. Theta activity has been observed in a number of cognitive processes, and its most prominent form, fronto-medial theta, is believed to originate from limbic and associated structures (i.e., ACC) (Başar, Schürmann, & Sakowitz, 2001). It is a hallmark of working memory processes and has been found to increase with higher memory demands in various experimental paradigms (see Klimesch, Freunberger, Sauseng, & Gruber, 2008). Specifically, theta oscillations subserve central executive function, integrating different sources of information, as necessary in working memory tasks (Kawasaki, Kitajo, & Yamaguchi, 2010).

Concerning affect, early reports mention a “hedonic theta” that was reported to occur with the interruption of pleasurable stimulation. However, studies in children between 6 months and 6 years of age showed increases in theta activity upon exposure to pleasurable stimuli (see Niedermeyer, 2005). Recent studies on musically induced feelings of pleasure and displeasure found an increase of fronto-medial theta activity with more positive valence (Lin, Duann, Chen, & Jung, 2010; Sammler, Grigutsch, Fritz, &

Koelsch, 2007), which originated from ventral structures in the ACC. For emotionally arousing stimuli, increases in theta band power have been reported over frontal (Balconi & Lucchiari, 2006; Balconi & Pozzoli, 2009) and over frontal and parietal regions (Aftanas et al., 2002). Congruously, a theta increase was also reported during anxious personal compared to non-anxious object rumination (Andersen, Moore, Venables, Corr, & Venables, 2009).

The *alpha rhythm* comprises the frequencies between 8 and 13 Hz. It is most prominent over parietal and occipital regions, especially during the closing of the eyelid, and decreases in response to sensory stimulation, especially during visual, but in a weaker manner also during auditory and tactile stimulation, or during mental tasks. More anterior alpha rhythms have been specifically associated with sensorimotor activity (central mu-rhythm; Pfurtscheller, Brunner, Schlögl, & Lopes da Silva, 2006) and with auditory processing (tau-rhythm; Lehtelä, Salmelin, & Hari, 1997). The observed decrease of the alpha rhythm in response to (visual) stimulation, the event-related desynchronisation in the alpha band, is believed to index the increased sensory processing, and hence has been associated with an activation of task-relevant (sensory) cortical regions. The opposite phenomenon, an event-related synchronization in the alpha band, has been reported in a variety of studies on mental activities, such as working memory tasks, and is believed to support an active process of cortical inhibition of task-irrelevant regions (see Klimesch, Sauseng, & Hanslmayr, 2007).

The most prominent association between affective states and neurophysiology has been reported in the form of frontal alpha asymmetries (Coan & Allen, 2004), which vary as a

function of valence (Silberman, 1986) or motivational direction (Davidson, 1992; Harmon-Jones, 2003). The stronger rightward-lateralization of frontal alpha power during positive or approach-related emotions compared to negative or withdrawal-related emotions is believed to originate from the stronger activation of left compared to right prefrontal structures involved in affective processes. Despite fMRI studies (e.g., Engels et al., 2007) suggesting that such simple models of lateralization underestimate the complexity of the human brain, evidence for alpha asymmetry has been found in response to a variety of different induction procedures, using pictures (Balconi & Mazza, 2010; Huster, Stevens, Gerlach, & Rist, 2009), music pieces (Altenmüller, Schürmann, Lim, & Parlitz, 2002; Schmidt & Trainor, 2001; Tsang, Trainor, Santesso, Tasker, & Schmidt, 2006), or film excerpts (Jones & Fox, 1992).

The alpha rhythm has also been associated with a relaxed and wakeful state of mind (Niedermeyer, 2005). Coherently, increases of alpha power are observed during states of relaxation, as indexed by physiological measures (Barry, Clarke, Johnstone, & Brown, 2009; Barry, Clarke, Johnstone, Magee, & Rushby, 2007) and subjective self-report (Nowlis & Kamiya, 1970; Teplan & Krakovska, 2009).

The *beta rhythm* comprises the frequencies between 13 and 30 Hz. Central beta activity has been associated with the sensory-motor system as it is weak during motor activity, motor imagination or tactile stimulation, but increases afterwards (Neuper et al., 2006).

That has led to the view that the beta rhythm is a sign of an “idling” motor cortex (Pfurtscheller et al., 1996). A recent proposal for a general theory of the function of the beta rhythm, however, suggests that beta oscillations impose the maintenance of the

sensorimotor set for the upcoming time interval (or “signals the status quo”; see Engel & Fries, 2010). Concerning affect, increases of beta band activity have been observed over temporal regions in response to visual and self-induced positive, compared to negative emotions (Cole & Ray, 1985; Onton & Makeig, 2009). A general decrease of beta band power has been reported for stimuli that had an emotional impact on the subjective experience, compared with those that were not experienced as emotional (Dan Gläuser & Scherer, 2008; see gamma rhythm for elaboration). A note of caution for the interpretation of high frequency bands of beta and gamma is in order, as their power increases during the tension of (scalp) muscles (Goncharova et al., 2003), which are also involved in frowning and smiling.

The *gamma rhythm* comprises the frequencies above 30 Hz. Gamma band oscillations are supposed to be a key mechanism in the integration of information represented in different sensory and non-sensory cortical networks (Fries, 2009). Accordingly, they have been observed in association with a number of cognitive processes, such as attention (Gruber, Müller, Keil, & Elbert, 1999), multi-sensory integration (Daniel Senkowski, Schneider, Tandler, & Engel, 2009), memory (Jensen, Kaiser, & Lachaux, 2007), and even consciousness (Ward, 2003).

Concerning valence, temporal gamma rhythms have been found to increase with increasingly positive valence (Müller, Keil, Gruber, & Elbert, 1999; Onton & Makeig, 2009). For arousal, posterior increases of gamma band power have been associated with the processing of high versus low arousing visual stimuli (Aftanas, Reva, Varlamov, Pavlov, & Makhnev, 2004; Balconi & Pozzoli, 2009; Keil et al., 2001). Similarly,

increases of gamma activity over somatosensory cortices have also been linked to the awareness to painful stimuli (Gross, Schnitzler, Timmermann, & Ploner, 2007; Senkowski, Kautz, Hauck, Zimmermann, & Engel, 2011). However, Dan Glauser and Scherer (2008) found lower (frontal) gamma power for emotion for stimuli *with* compared to those *without* an emotional impact on the subjective experience. They interpreted their findings as a correlate of the *on-going* emotional processing in those trials that were not (yet) identified as having a specific emotional effect, and hence without impact on subjective experience. In general, increases in gamma power are often interpreted as synonymous with an increase of activity in the associated region.

Taken together, the different frequency bands of the EEG have been associated with changes in the affective state as well as with a multitude of cognitive functions. Consequently, it is rather unlikely to find simple one-to-one mappings between any oscillatory activity and a given affective or cognitive function. In Section 4 we will elaborate on the challenge that many-to-one mappings pose for aBCI. Nevertheless, there is an abundance of studies evidencing the association of brain rhythms with affective responses. Affective brain-computer interfaces can thus make use of the frequency domain as a source of information about their users' affective states. In the following section, we will introduce the concept of affective brain-computer interfaces in more detail.

3 Affective Brain-Computer Interfaces

The term *affective brain-computer interfaces (aBCI)* is a direct result of the nomenclature of the field that motivates their existence: *affective computing*. aBCI research and affective computing aim at the same ends with different means: the detection of the user's emotional state for the enrichment of human-computer interaction. While affective computing tries to integrate all the disciplines involved in this endeavour, from sensing of affect to its effective integration into human-computer interaction processes, affective brain-computer interface research is mainly concerned with the detection of the affective state from neurophysiological measurements. Information about successfully detected affective states can then be used in a variety of applications, ranging from unobtrusive mental state monitoring and the corresponding adaptation of interfaces to neurofeedback-guided relaxation.

Originally, the term *brain-computer interface* was defined as “a communication system in which messages or commands that an individual sends to the external world do not pass through the brain's normal output pathways of peripheral nerves and muscles” (Wolpaw, Birbaumer, McFarland, Pfurtscheller, & Vaughan, 2002). The notion of an individual (volitionally) sending commands directly from the brain to a computer, circumventing standard means of communication, is of great importance considering the original target population of patients with severe neuromuscular disorders. More recently, the human-computer interaction community developed great interest in the application of BCI approaches for larger groups of users that are not dependent on BCIs as their sole means of communication. This development and the ensuing research projects hold great potential for the further development of devices, algorithms, and approaches for BCI, also

necessary for its advancement for patient populations. Simultaneously to the development of this broad interest for BCI, parts of the BCI community slowly started to incorporate new BCI approaches, such as aBCI, in its research portfolio, softening the confinement of BCI to interfaces serving purely volitional means of control (Nijboer, Clausen, Allison, & Haselager, 2011).

Below, we will briefly introduce the parts of the affective BCI: signal acquisition, signal processing (feature extraction and translation algorithm), feedback, and protocol. Then we will give an overview of the various existing and possible approaches to affective BCI, based on a general taxonomy of BCI approaches.

3.1 Parts of an Affective BCI

Being an instance of general BCI systems (Wolpaw et al., 2002), the affective BCI is defined by a sequence of procedures that transform neurophysiological signals into control signals. We will briefly outline the successive processing steps that a signal has to undergo in a BCI (see Figure 1.1), starting with the acquisition of the signal from the user, and finishing with the application feedback given back to the user.




Figure 1.1: The schematic of a general BCI system as defined by Wolpaw et al. (2002). The neurophysiological signal is recorded from the user, and the relevant features, those that are informative

about user intent or state, are extracted. They are then translated into the control parameters that are used by the application to respond adequately to the user's state or intent.

Signal Acquisition BCIs can make use of several sensor modalities that measure brain activity. Roughly, we can differ between invasive and non-invasive measures. While invasive measures, implanted electrodes or electrode grids, enable a more direct recording of neurophysiological activity from the cortex, and have therefore a better signal-to-noise ratio, they are currently reserved for patient populations – and hence are less relevant for the current overview. Non-invasive measures, on the other hand, as recorded with EEG, fNIRS, or fMRI, are also available for the healthy population. Furthermore, some of the non-invasive signal acquisition devices, especially EEG, are already available for consumers in the form of easy-to-handle and affordable headsets³. The present work focuses on EEG as a neurophysiological measurement tool, for which we will detail the following processing steps in the BCI pipeline. A further distinction in terms of the acquired signals can be made, differing between those signals that are partially dependent of the standard output pathways of the brain (e.g. moving the eyes to direct the gaze toward a specific stimulus), and those that are independent on these output pathways, merely registering user intention or state. These varieties of BCI are referred to as dependent and independent BCIs, respectively. Affective BCIs, measuring the affective state of the user, are usually a variety of the latter sort of BCIs.

Signal Processing - Feature Extraction From the signals that are captured from the scalp, several signal features can be computed. We can differentiate between features in

³ Examples of such consumer EEG devices are the Emotive headset with 14 sensors (<http://www.emotiv.com>) and the Neurosky headset with 1 sensor (<http://www.neurosky.com>).

the time and in the frequency domain. An example for features in the time domain is amplitude of stimulus-evoked potentials occurring at well-known time points after a stimulus event was observed. One of the event-related potentials used in BCI is the P300, occurring in the interval between 300 to 500 ms after an attended stimulus event. An example for signal features in the frequency domain is the power of a certain frequency band. A well-known frequency band that is used in BCI paradigms is the alpha band, which comprises the frequencies between 8 - 13 Hz. Both time- and frequency-domain features of the EEG have been found to respond to the manipulation of affective states and are therefore in principle interesting for the detection of affective states (see Section 2). However, aBCI studies almost exclusively use features from the frequency domain (see Table 1.1 in Mühl, 2012). Conveniently, however, frequency-domain features, such as the power in the lower frequency bands (< 13 Hz) are correlated with the amplitude of event-related potentials, especially the P300, and hence partially include information about time-domain features.

Standard BCI approaches focus on very specific features, for example the mu rhythm over central scalp regions in case of motor-imagery paradigms (Pfurtscheller & Neuper, 2001), or the mean signal amplitude between 200 and 500 ms associated with each attended stimulus in P300 spellers (Farwell & Donchin, 1988). Affective BCI approaches, however, to date often lack such clear-cut information on affect-related responses. Most of the current aBCI approaches make use of a wide spectrum of frequency bands, as these have been found responsive to affect manipulation (see Section 2.2), resulting in a large number of potential features. However, large numbers of features require a large number of trials to train a classifier (the “curse of dimensionality”; Lotte,

Congedo, Lécuyer, Lamarche, & Arnaldi, 2007), which are seldom available due to the limitations of affect induction (e.g., the habituation of the responses toward affective stimulation with time). Therefore, one of the tasks on the road toward affective BCI is the evaluation and identification of reliable signal features that carry information about the affective state, especially in the complexity of real-world environments. Another important task is the development of potent affect-induction procedures, for example using naturally affect-inducing stimuli that increase the likelihood of inducing affective responses.

Signal Processing - Translation Algorithms The core part of the BCI is the translation of the selected signal features into a command for the application or device, such as a cursor movement for active BCIs or the creation of an emotion label for affective BCIs. The simple one-to-one mapping between feature and command requires a feature that conveniently mirrors the state in such manner. Because such ideal features are rare in the neurophysiological signal domain, most BCI studies use machine learning approaches that are trained to find a mapping between a number of signal features and the labels for two or more classes (see Lotte et al. (2007) for an overview of BCI classifiers). These classifiers have to adapt to the signal characteristics of the particular user, adapt to changes over time and changing contexts of interaction, and deal with the changes in brain activity due to the user trying to learn and adapt to the system. Classifiers used for affective BCI include linear discriminant analysis (Chanel et al., 2005; Chanel, Kierkels, Soleymani, & Pun, 2009; Chanel, Rebetz, Bétrancourt, Pun, & Bétrancourt, 2011; Makeig et al., 2011; Murugappan, 2010; Winkler, Jäger, Mihajlović, & Tsoneva, 2010)

and support vector machines (Frantzidis et al., 2010; Horlings, Datcu, & Rothkrantz, 2008; Koelstra et al., 2010; Li & Lu, 2009; Y. P. Lin, Wang, Wu, Jeng, & Chen, 2009; Petrantonakis & Hadjileontiadis, 2010; Soleymani, Lichtenauer, Pun, & Pantic, 2011; Takahashi, 2004).

The Output Device / Feedback Depending on the application the affective BCI is serving, the output can assume different forms. For BCI in general, the most prominent output devices are a monitor and speakers, providing visual and auditory feedback about the user and BCI performance. In a few cases robots (a wheelchair or car) have been controlled (Hongtao, Ting, & Zhenfeng, 2010; Leeb et al., 2007). An exceptional example of BCI output, however, is control of one's own hand by the BCI-informed functional electrical stimulation of a paralyzed hand (Pfurtscheller, Müller-Putz, Pfurtscheller, & Rupp, 2005). In the case of standard BCIs, the output has a major function, relating to the adaptation of the user to the BCI mentioned above. As BCI control can be considered to be a skill, any learning necessitates the provision of feedback about successful and unsuccessful performance.

In the specific case of aBCI the same is possible, but the smaller proportion of applications requiring active and volitional mental control, typical for standard BCI systems, and the dominance of passive paradigms (see Section 3.2) make explicit performance-based feedback an option rather than mandatory. Depending on their function, aBCI systems will vary in the output device and the type of feedback employed. For example, for implicit tagging or affect monitoring (for later evaluation), the feedback is not immediate. It might take hours, days, or weeks until the information is used (e.g.

during affect-tagged media replay) and then it might be in a subtle way that escapes the user's attention. Such cases, in which there is no clear relation between state and feedback perceivable, make the notion of feedback in these aBCI applications almost obsolete. However, in many other aBCI applications the feedback is still existent and relevant, since the affective data is used to produce a system response in a reasonably near future. Examples are the applications that reflect the current affective state (e.g., in a game like "alpha World of Warcraft", Plass-Oude Bos et al., 2010), any neurofeedback-like application (e.g., warn of unhealthy states or reward healthy states), the active self-induction of affective states (e.g., relaxation), or the adaptation of games or e-learning applications to the state of the user.

The Operating Protocol The operating protocol guides the operation of the BCI system, for example switching it on and off (how/when), if the actions are triggered by the system (synchronous) or by the user (asynchronous), and when and in which manner feedback is given to the user. Other characteristics of the interaction that are defined by the protocol are whether the information is actively produced by the user or passively read by the system and whether the information is gathered dependent of a specific stimulus event (stimulus dependent/independent). These two characteristics of BCI, voluntariness and stimulus-dependency, are also the basis for the characterization of different BCI approaches in the next section.

Below, we will outline the different existing applications and approaches to affective BCI, and try to locate affective BCI within the general landscape of BCI.

3.2 The Different aBCI Approaches

There are several possible applications of neurophysiology-informed affect sensing that can be categorized in terms of their dependence on stimuli and user volition. In the following, a two-dimensional classification of some of these BCI paradigms will be given. It is derived from the three-category classification for BCI approaches (active, reactive, and passive BCI) suggested by Zander & Kothe (2011). The dimensions of this classification are defined by (i) the dependence on external stimuli and (ii) the dependence on an intention to create a neural activity pattern as illustrated in Figure 1.2.




Figure 1.2: A classification of BCI paradigms, spanning voluntariness (passive vs. active) and stimulus dependency (user self-induced vs. stimulus-evoked).

Axis (i) stretches from exogenous (or evoked) to endogenous (or induced) input. The former covers all forms of BCI, which necessarily presuppose an external stimulus. Steady-state visually-evoked potentials (Farwell & Donchin, 1988) as neural correlates of (target) stimulus frequencies, for instance, may be detected if and only if evoked by a stimulus. They are therefore a clear example of exogenous input. Endogenous input, on the other hand, does not presuppose an external stimulus, but is generated by the user either volitionally, as seen in motor-imagery based BCIs (Pfurtscheller & Neuper, 2001) or involuntarily, as during the monitoring of affective or cognitive states. In the case of involuntary endogenous input, for example during general affect monitoring, the distinction between stimulus-dependent and -independent input might not always be possible, as affective responses are often induced by external stimulus events, though these might not always be obvious.

Axis (ii) stretches from active to passive input. Active input presupposes an intention to control brain activity while passive input does not require any effort on the side of the user. Imagined movements, for instance, can only be detected when users intend to perform these, making the paradigm a prototypical application of active BCI. All methods that probe the user's mental state, on the other hand, can also be measured when the users do not exhibit an intention to produce it. Affective BCI approaches can be located in several of the four quadrants (categories) spanned by the two dimensions, as quite different approaches to affective BCI have been suggested and implemented.

Q I. Induced-active BCIs. This category is well-known in terms of neurofeedback systems, which encourage the user to attain a certain goal state. While neurofeedback

approaches do not necessarily focus on affective states, a long line of this research is concerned with the decrease of anxiety or depression by making the users more aware of their bodily and mental states (Hammond, 2005). Neurophysiological features that have been associated with a certain favourable state (e.g., relaxed wakefulness) are visualized or sonified, enabling the users of such feedback systems to learn to self-induce them. More recently, it has been shown that affective self-induction techniques, such as relaxation, are a viable control modality in gaming applications (George, Lotte, Abad, & Lecuyer, 2011; Hjelm, 2003; but see Mühl et al., 2010). Furthermore, induced-passive approaches (see below) might also turn into active approaches, for example when players realize that their affective state has an influence on game parameters, and therefore begin to self-induce states to manipulate the gaming environment according to their preferences.

Q II. Induced-passive BCIs. This category includes the typical affect-sensing method for application in HCI scenarios where a response of an application to the user state is critical. Information that identifies the affective state of a user can be used to adapt the behaviour of an application to keep the user satisfied or engaged. For example, studies found neurophysiological responses in the theta and alpha frequency bands to differentiate between episodes of frustrating and normal game play (Reuderink, Mühl, & Poel, 2013). Applications could respond to the frustration of the user with helpful advice or clarifying information. Alternatively, parameters of computer games or e-learning applications could be adjusted to keep users engaged in the interaction, for example by

decreasing or increasing difficulty to counteract the detected episodes of frustration or boredom, respectively (Chanel et al., 2011).

Another approach is the manipulation of the game world in response to the player's affective state, as demonstrated in "alpha World of Warcraft" (Plass-Oude Bos et al., 2010), where the avatar shifts its shape according to the degree of relaxation the user experiences. Such reactive games could strengthen the players' association with their avatars, leading to a stronger immersion and an increased sense of presence in the game world.

Q III. Evoked-passive BCIs. BCI research has suggested that evoked responses can be informative about the state of the user. Allison & Polich (2008) have used evoked responses to simple auditory stimuli to probe the workload of a user during a computer game, a measure that might reflect attentional and affective engagement. Similarly, neurophysiology-based lie detection, assessing neurophysiological orientation responses (P300) to compromising stimuli, has been shown to be feasible (Abootaleb et al. 2009). A similar approach is the detection of error-potentials in response to errors in human-machine interaction. It was shown that such errors evoke specific neurophysiological responses, for example the error-related negativity (ERN), that can be detected and used to trigger system adaptation (Buttfield, Ferrez, & Millán, 2006; Zander & Jatzev, 2009). Given that goal conduciveness is a determining factor of affective responses, such error-related potentials could be understood as being affective in nature (Scherer, 2005). More directly related to affect, however, are those responses observed to media, such as songs, music videos, or films. Assuming the genuine affective nature of the response to

experiences delivered by such stimuli, it might be possible to detect the user states that are associated with them. A possible use for such approaches are media recommendation systems, which monitor the user response to media exposure and label or tag the media with the affective state it produced. Later on, such systems could selectively offer or automatically play back media items that are known to induce a certain affective state in the user. Research toward such neurophysiology-based implicit tagging approaches of multimedia content has suggested its feasibility (Koelstra et al., 2012; Soleymani et al., 2011). Furthermore, assuming that general indicators of affect can be identified using music excerpts or film clips for affect-induction protocols, such multi-modal and natural media seem suited to collect data for the training of aBCIs that detect affective states occurring in rather uncontrolled, real-life environments.

Q IV. Evoked-(re-)active BCI. This category seems less likely to be used for aBCI approaches, as the volitional control of affect in response to presented stimuli is as yet unexplored. However, standard BCI paradigms that use evoked brain activity to enable users to select from several choices were the first approaches to BCI and have been thoroughly explored. A prominent example is the P300 speller, which relies on the enhanced P300 potential observed in response to attended compared to unattended stimuli (Farwell & Donchin, 1988). Similarly, BCI control via steady-state evoked potentials relies on the increase of an EEG frequency response when a stimulus oscillating with the same frequency (e.g., a flicker, vibration, or sound) is attended (Vidal, 1973).

Summarizing, there are a multitude of possible applications for aBCI that can be categorized according to the axes of induced/evoked and active/passive control. Main applications, however, are those that cover the passive control of applications. The challenges that have to be dealt with to move beyond proof-of-concept studies and toward aBCIs working reliably in the complexity of the real world are addressed in the final section.

4. Controversies, challenges, conclusion

Though the possibility of neurophysiology-based affect detection has been suggested by theoretical and empirical works (see Section 2 and 3), several neuroscientific and neurotechnological challenges remain on the way toward reliable aBCIs.

4.1 Neuroscientific challenges

The primary neuroscientific challenge is the lack of reliable signal features that characterize affective states in non-invasive electrophysiological measures, such as EEG. It is often argued that EEG has neither the spatial resolution nor the necessary sensitivity to register core affective neural activity from deep subcortical structures of the limbic system. While this might *partially* be true, especially in comparison to techniques like fMRI, many studies report electrophysiological correlates of emotion manipulations in terms of amplitude changes of either potentials or oscillations (see Section 2.2). However, it is indeed seldom assessed which parts of these responses to affective stimulation are reflected within these differentiating signal features: *core affective correlates versus cognitive co-activations of affect*. Modern emotion theories, for example the Component Process Model of Scherer (2005), acknowledge the complex and interwoven nature of

affective and cognitive concepts and processes that are present during emotional responses. Therefore, it has to be acknowledged as well, that different affective states are not only differentiated by the correlates of their core affective features, but also by concurrent co-activations of regions and processes that can be observed independently of affect as well. An example is enhanced sensory processing, which can be observed in response to emotionally arousing stimuli as well as during heightened levels of attention (see Mühl, 2012 for further elaboration).

Consequently, to avoid misclassification of cognitive state changes as affective state changes, a major challenge for aBCI is the identification of the nature of affect correlates and the development of methods that allow focus on reliable indicators of affect, while still making use of the indicative power of those correlates that are not of purely affective nature. As noted earlier, richer information about the response to an affective event, for example its origin or its behavioural consequences, is one of the major promises of aBCIs. To resolve the uncertainties pertaining to the nature of neurophysiological correlates of affect and to develop the next generation of affect-sensitive, but context-aware aBCIs, the design of affect-induction approaches needs special care⁴. Beside the need to carefully balance all factors but the induced emotion to avoid confounds, affect-induction designs should vary factors that are co-occurring with affective responses and known to be reflected in brain activity. Examples are visual or auditory attention processes as elicited by the use of stimuli in the respective sensory modalities (Mühl et al., 2011).

⁴Interested readers may wish to refer to the Handbook of Emotion Elicitation and its Assessment by Coan & Allen in this regard.

However, this requirement for a stringently controlled affect-induction protocol conflicts with another condition for the study of reliable neurophysiological indicators: an *ecologically valid affect induction*. To ensure the generalisation of the classifier from training to real-world context, the training samples need to be collected in a context as similar as possible to the envisioned application scenario. Unfortunately, this often means that the affect-induction approach would be of a complex nature, either using complex (e.g., multimedia) stimuli or complex interactive tasks. The many factors involved in realistic scenarios in which affect detection would be used make the limitation of changes to the factor that is to be manipulated (i.e., emotion) rather difficult, leading to the occurrence of confounding variables (e.g., stimulus features, motor responses).

Furthermore, factoring out those variables that potentially reflect cognitive co-activations (see above) underlies practical limitations of experiment design (e.g., time, number of participants).

To satisfy these contradictory demands on affect-induction protocols, researchers need to carefully analyse the factors implied in a given application scenario. Knowing these factors, they can devise experiment designs that manipulate the affect-relevant factors with as little variation in other factors, or that manipulate affective and non-affective factors in an independent and counter-balanced manner to factor out the most prominent cognitive co-activations.

Related to the search for reliable correlates of core affect is the exploration of *novel signal features* that are informative of the affective state. As mentioned in Section 2, the neurophysiological features that have been associated with affect manipulations are not

uniquely affective in nature. These potentials and oscillations are also implied in cognitive processes. Therefore, the discriminatory value of novel signal features, such as cross-regional or cross-frequency coherence (Miskovic & Schmidt, 2010), assessing the interaction between neural regions and mental processes, or the chronology of different neural processes (Grandjean & Scherer, 2008), need to be explored in the context of affect. Researchers can profit from existing neurophysiological databases (Koelstra et al., 2012; Soleymani et al., 2011) when exploring such novel features.

4.2 Neurotechnological challenges

Neurotechnological challenges exist for software as well as for hardware components of aBCIs. Concerning *software*, the development of appropriate signal processing and classification algorithms are key issues. *Signal processing algorithms* need to become able to deconstruct the electrode signals into their components: neural activity originating from within the skull, and so-called artefacts, originating from eyes, facial musculature and other non-neural sources. One can differ between informative and destructive artefacts. Muscular activity (EMG), for example, is treated as a potentially confounding influence in conventional EEG studies and hence always removed. However, in an applied context EMG can, though it is not of neural origin, inform about the user state, especially taking into account how involved the facial musculature is during emotional episodes. On the other hand, artefacts - independent of origin - might conceal much smaller neural signals and therefore have to be removed. Nevertheless, it makes sense to also examine these artefacts for their informativeness. Techniques like independent component analysis (ICA; Onton & Makeig, 2009) are able to deconstruct the

electrophysiological signals into neural, ocular, and muscular components and might allow an independent assessment of the information of these sources.

Classification algorithms have to be able to take the complexity of the neurophysiological signals into account. Assuming a possible differentiation between core affective and associated cognitive correlates, machine learning approaches that are able to deal with these complex signals are needed. They need to be able to ignore or penalize the learning of those features that are only co-varying with affect, thus avoiding misclassifications due to the cognitive parts of the affective response (e.g., falsely recognizing increased visual attention as visually-induced emotion). Alternatively, they could learn to use these co-activations to differentiate contextual details of the emotional episodes, such as its origin or its intended behavioural consequence.

Another challenge for learning algorithms is the capability to learn from relatively few examples. The induction of affective states is limited by effects of habituation and the requirement of ecological validity, leading to a restricted number of samples for training and testing. A possible alternative is the development of classifiers that learn from a pool of samples of several participants, rendering their results subject-independent, making subject-specific training sessions thereby obsolete.

Concerning *hardware*, the main challenge concerns the wearability and ease of use of aBCI systems. To ensure optimal user experience, the system should have as few sensors as possible, reducing the time for setup and its intrusiveness during use. There are already several commercial devices that enable the recording of EEG from a small number of

sensors (1 to 16 compared to 32 to 256 electrodes in research devices) and function without conductive gel. The small number of electrodes minimizes the laborious optimization of electrode contacts to improve signal quality and thereby increases usability. Furthermore, the achievable signal quality of dry or contact-less electrode systems seems close to that of gel-based systems (Zander et al., 2011). However, signal processing techniques like ICA require a certain number of electrodes to deconstruct neural and non-neural signal components, posing problems for a reliable EEG/EMG differentiation. Alternatively to EEG-only aBCI systems, such systems can be combined with other affect-sensing modalities, assessing physiological or behavioural cues. Such hybrid or multimodal BCI systems (Pfurtscheller et al., 2010) have the potential to assess the constellation of different aspects of an affective response, for example preparatory homeostatic or communicative aspects, but also to enable the use of redundant information from these sources and therefore decrease the susceptibility to artefacts and increase the reliability of the prediction. Please refer to the chapter of Kemp and colleagues for information regarding the integration of signals from body and brain.

Taken together, the main challenges for reliable aBCIs are affect-induction protocols that allow the identification and differentiation of core affective correlates and cognitive co-activations, pre-processing methods that can differentiate between neural and non-neural signal sources, and classification methods that are able to automatically acquire that information from a limited set of electrodes and samples. Should the development of smaller and cheaper sensor technology continue, wearable and easy-to-use aBCI systems

could soon become an effective alternative or addition to behaviour- and physiology-based affect detection.

Acknowledgements

The authors gratefully acknowledge the support of the BrainGain Smart Mix Programme of the Netherlands Ministry of Economic Affairs and the Netherlands Ministry of Education, Culture and Science.

References

- Aftanas, L. I., Varlamov, A. A., Pavlov, S. V., Makhnev, V. P., & Reva, N. V. (2002). Time-dependent cortical asymmetries induced by emotional arousal: EEG analysis of event-related synchronization and desynchronization in individually defined frequency bands. *International Journal of Psychophysiology*, *44*(1), 67–82.
- Aftanas, L. I., Reva, N. V., Varlamov, A. A., Pavlov, S. V., & Makhnev, V. P. (2004). Analysis of evoked EEG synchronization and desynchronization in conditions of emotional activation in humans: temporal and topographic characteristics. *Neuroscience and behavioral physiology*, *34*(8), 859–867.
- Allison, B. Z., & Polich, J. (2008). Workload assessment of computer gaming using a single-stimulus event-related potential paradigm. *Biological Psychology*, *77*(3), 277–283.
- Altenmüller, E., Schürmann, K., Lim, V. K., & Parlitz, D. (2002). Hits to the left, flops to the right: different emotions during listening to music are reflected in cortical lateralisation patterns. *Neuropsychologia*, *40*(13), 2242–2256.
- Andersen, S. B., Moore, R. A., Venables, L., Corr, P. J., & Venebles, L. (2009). Electrophysiological correlates of anxious rumination. *International Journal of Psychophysiology*, *71*(2), 156–169.
- Balconi, M., & Lucchiari, C. (2006). EEG correlates (event-related desynchronization) of emotional face elaboration: a temporal analysis. *Neuroscience letters*, *392*(1-2), 118–23.
- Balconi, M., & Mazza, G. (2010). Lateralisation effect in comprehension of emotional facial expression: a comparison between EEG alpha band power and behavioural inhibition (BIS) and activation (BAS) systems. *Laterality*, *15*(3), 361–84.
- Balconi, M., & Pozzoli, U. (2009). Arousal effect on emotional face comprehension: frequency band changes in different time intervals. *Physiology & behavior*, *97*(3-4), 455–62.
- Barrett, L. F., Mesquita, B., Ochsner, K. N., & Gross, J. J. (2007). The experience of emotion. *Annual Review of Psychology*, *58*(1), 373–403.
- Barry, R. J., Clarke, A. R., Johnstone, S. J., & Brown, C. R. (2009). EEG differences in children between eyes-closed and eyes-open resting conditions. *Clinical Neurophysiology*, *120*(10), 1806–1811.

- Barry, R. J., Clarke, A. R., Johnstone, S. J., Magee, C. A., & Rushby, J. A. (2007). EEG differences between eyes-closed and eyes-open resting conditions. *Clinical Neurophysiology*, *118*(12), 2765–2773.
- Başar, E., Schürmann, M., & Sakowitz, O. (2001). The selectively distributed theta system: functions. *International Journal of Psychophysiology*, *39*(2-3), 197–212.
- Berger, H. (1929). Über das Elektrenkephalogramm des Menschen. *Archiv für Psychiatrie und Nervenkrankheiten*, *87*, 527–570.
- Briggs, K. E., & Martin, F. H. (2009). Affective picture processing and motivational relevance: arousal and valence effects on ERPs in an oddball task. *International Journal of Psychophysiology*, *72*(3), 299–306.
- Buttfield, A., Ferrez, P. W., & Millán, J. del R. (2006). Towards a robust BCI: error potentials and online learning. *IEEE transactions on neural systems and rehabilitation engineering : a publication of the IEEE Engineering in Medicine and Biology Society*, *14*(2), 164–8.
- Chanel, G., Kierkels, J. J. M., Soleymani, M., & Pun, T. (2009). Short-term emotion assessment in a recall paradigm. *International Journal of Human-Computer Studies*, *67*(8), 607–627.
- Chanel, G., Rebetz, C., Bétrancourt, M., Pun, T., & Bétrancourt, M. (2011). Emotion Assessment From Physiological Signals for Adaptation of Game Difficulty. *IEEE Transactions on Systems, Man, and Cybernetics, Part A: Systems and Humans*, *41*(6), 1052–1063.
- Chanel, G., Rebetz, C., Bétrancourt, M., Pun, T., Kronegg, J., & Grandjean, D. (2005). Emotion Assessment: Arousal Evaluation Using EEG's and Peripheral Physiological Signals. In B. Günsel, A. Jain, A. Tekalp, & B. Sankur (Eds.), *Multimedia Content Representation, Classification and Security in Lecture Notes of Computer Science* (Vol. 4105, pp. 1052–1063). Istanbul, Turkey: Springer Berlin / Heidelberg.
- Coan, J. A., & Allen, J. J. B. (2004). Frontal EEG asymmetry as a moderator and mediator of emotion. *Biological Psychology*, *67*(1-2), 7–50. doi:10.1016/j.biopsycho.2004.03.002
- Cole, H. W., & Ray, W. J. (1985). EEG correlates of emotional tasks related to attentional demands. *International Journal of Psychophysiology*, *3*(1), 33–41.
- Damasio, A. R. (2000). *The Feeling of what Happens*. Vintage U.K. Random House.
- Dan Glauser, E. S., & Scherer, K. (2008). Neuronal Processes Involved in Subjective Feeling Emergence: Oscillatory Activity During an Emotional Monitoring Task. *Brain Topography*, *20*(4), 224–231.
- Davidson, R. R. J. (1992). Anterior cerebral asymmetry and the nature of emotion. *Brain and Cognition*, *20*(1), 125–51.
- Engel, A. K., & Fries, P. (2010). Beta-band oscillations--signalling the status quo? *Current Opinion in Neurobiology*, *20*(2), 156–65.
- Engels, A. S., Heller, W., Mohanty, A., Herrington, J. D., Banich, M. T., Webb, A. G., & Miller, G. A. (2007). Specificity of regional brain activity in anxiety types during emotion processing. *Psychophysiology*, *44*(3), 352–63.
- Farwell, L. A., & Donchin, E. (1988). Talking off the top of your head: toward a mental prosthesis utilizing event-related brain potentials. *Electroencephalography and Clinical Neurophysiology*, *70*(6), 510–523.
- Frantzidis, C. A., Bratsas, C., Papadelis, C. L., Konstantinidis, E., Pappas, C., & Bamidis, P. D. (2010). Toward emotion aware computing: an integrated approach using multichannel neurophysiological recordings and affective visual stimuli. *IEEE Transactions on Information Technology in Biomedicine*, *14*(3), 589–597.
- Fries, P. (2009). Neuronal gamma-band synchronization as a fundamental process in cortical computation. *Annual Review of Neuroscience*, *32*, 209–24.
- George, L., Lotte, F., Abad, R. V., & Lecuyer, A. (2011). Using scalp electrical biosignals to control an object by concentration and relaxation tasks: design and evaluation. In

- Proceedings of the 33th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. (Vol. 2011, pp. 6299–302). Boston, MA, USA: IEEE.
- Goncharova, I., McFarland, D., Vaughan, T., Wolpaw, J., J, M. D., R, V. J., & R, W. J. (2003). EMG contamination of EEG: spectral and topographical characteristics. *Clinical Neurophysiology*, *114*(9), 1580–1593.
- Grandjean, D., & Scherer, K. (2008). Unpacking the cognitive architecture of emotion processes. *Emotion*, *8*(3), 341–351.
- Gross, J., Schnitzler, A., Timmermann, L., & Ploner, M. (2007). Gamma oscillations in human primary somatosensory cortex reflect pain perception. *PLoS Biology*, *5*(5), e133.
- Gruber, T., Müller, M. M., Keil, A., & Elbert, T. (1999). Selective visual-spatial attention alters induced gamma band responses in the human EEG. *Clinical Neurophysiology*, *110*(12), 2074–2085.
- Hammond, D. C. (2005). Neurofeedback Treatment of Depression and Anxiety. *Journal of Adult Development*, *12*(2), 131–137.
- Harmon-Jones, E. (2003). Clarifying the emotive functions of asymmetrical frontal cortical activity. *Psychophysiology*, *40*(6), 838–848. doi:10.1111/1469-8986.00121
- Hjelm, S. I. (2003). Research + design: the making of Brainball. *Interactions*, *10*(1), 26–34.
- Hongtao, W., Ting, L., & Zhenfeng, H. (2010). Remote control of an electrical car with SSVEP-based BCI. In *2010 IEEE International Conference on Information Theory and Information Security* (pp. 837–840). Beijing, China: IEEE.
- Horlings, R., Datcu, D., & Rothkrantz, L. J. M. (2008). Emotion recognition using brain activity. In *CompSysTech '08 Proceedings of the 9th International Conference on Computer Systems and Technologies and Workshop for PhD Students in Computing*. Gabrovo, Bulgaria: ACM New York, NY, USA.
- Huster, R. J., Stevens, S., Gerlach, A. L., & Rist, F. (2009). A spectralanalytic approach to emotional responses evoked through picture presentation. *International Journal of Psychophysiology*, *72*(2), 212–216.
- Jensen, O., Kaiser, J., & Lachaux, J. P. (2007). Human gamma-frequency oscillations associated with attention and memory. *Trends in Neurosciences*, *30*(7), 317–324.
- Jones, N. A., & Fox, N. A. (1992). Electroencephalogram asymmetry during emotionally evocative films and its relation to positive and negative affectivity. *Brain and Cognition*, *20*(2), 280–299.
- Kawasaki, M., Kitajo, K., & Yamaguchi, Y. (2010). Dynamic links between theta executive functions and alpha storage buffers in auditory and visual working memory. *The European Journal of Neuroscience*, *31*(9), 1683–9.
- Keil, A., Müller, M. M., Gruber, T., Wienbruch, C., Stolarova, M., & Elbert, T. (2001). Effects of emotional arousal in the cerebral hemispheres: a study of oscillatory brain activity and event-related potentials. *Clinical Neurophysiology*, *112*(11), 2057–2068.
- Klados, M. A., Frantzidis, C., Vivas, A. B., Papadelis, C., Lithari, C., Pappas, C., & Bamidis, P. D. (2009). A Framework Combining Delta Event-Related Oscillations (EROs) and Synchronisation Effects (ERD/ERS) to Study Emotional Processing. *Computational Intelligence and Neuroscience*.
- Klimesch, W., Freunberger, R., Sauseng, P., & Gruber, W. (2008). A short review of slow phase synchronization and memory: evidence for control processes in different memory systems? *Brain Research*, *1235*, 31–44.
- Klimesch, W., Sauseng, P., & Hanslmayr, S. (2007). EEG alpha oscillations: the inhibition-timing hypothesis. *Brain Research Reviews*, *53*(1), 63–88.
- Knyazev, G. G. (2012). EEG delta oscillations as a correlate of basic homeostatic and motivational processes. *Neuroscience and Biobehavioral Reviews*, *36*(1), 677–95.

- Koelstra, S., Mühl, C., Soleymani, M., Lee, J.-S., Yazdani, A., Ebrahimi, T., ... Patras, I. (2012). DEAP : A Database for Emotion Analysis using Physiological Signals. *IEEE Transactions on Affective Computing*, 3(1), 18 – 31.
- Koelstra, S., Yazdani, A., Soleymani, M., Mühl, C., Lee, J.-S., Nijholt, A., ... Patras, I. (2010). Single trial classification of EEG and peripheral physiological signals for recognition of emotions induced by music videos. In *Proceedings of the 2010 International Conference on Brain informatics (BI 2010)* (Vol. 6334, pp. 89–100). Toronto, Canada: Springer.
- Leeb, R., Friedman, D., Müller-Putz, G. R., Scherer, R., Slater, M., & Pfurtscheller, G. (2007). Self-paced (asynchronous) BCI control of a wheelchair in virtual environments: a case study with a tetraplegic. *Computational Intelligence and Neuroscience*, 2007, 79642.
- Lehtelä, L., Salmelin, R., & Hari, R. (1997). Evidence for reactive magnetic 10-Hz rhythm in the human auditory cortex. *Neuroscience Letters*, 222(2), 111–114.
- Li, M., & Lu, B.-L. (2009). Emotion classification based on gamma-band EEG. In *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society*. (pp. 1223–1226). Minneapolis, MN, USA: IEEE Computer Society Press.
- Lin, Y. P., Wang, C. H., Wu, T. L., Jeng, S. K., & Chen, J. H. (2009). EEG-based emotion recognition in music listening: A comparison of schemes for multiclass support vector machine. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing* (pp. 489–492). IEEE Computer Society.
- Lin, Y.-P., Duann, J.-R., Chen, J.-H., & Jung, T.-P. (2010). Electroencephalographic dynamics of musical emotion perception revealed by independent spectral components. *NeuroReport*, 21(6), 410–415. Retrieved from
- Lindquist, K. A., Wager, T. D., Kober, H., Bliss-moreau, E., & Barrett, L. F. (2011). The brain basis of emotion : A meta-analytic review. *Behavioral and Brain Sciences*, 173(4), 1–86.
- Lotte, F., Congedo, M., Lécuyer, A., Lamarche, F., & Arnaldi, B. (2007). A review of classification algorithms for EEG-based brain-computer interfaces. *Journal of Neural Engineering*, 4(2), R1–R13.
- Makeig, S., Leslie, G., Mullen, T., Sarma, D., Bigdely-Shamlo, N., & Kothe, C. (2011). First demonstration of a musical emotion BCI. In *Proceedings of the 4th International Conference on Affective Computing and Intelligent Interaction and Workshops, 2011 (ACII 2011), 2nd Workshop on Affective Brain-Computer Interfaces* (Vol. 6975, pp. 487–496). Memphis, TN, USA: Springer.
- Miskovic, V., & Schmidt, L. a. (2010). Cross-regional cortical synchronization during affective image viewing. *Brain Research*, 1362, 102–11.
- Mühl, C. (2012). *Toward Affective Brain-Computer Interfaces*. University of Twente.
- Mühl, C., Gürkök, H., Plass-Oude Bos, D., Thurlings, M. E., Scherffig, L., Duvinage, M., ... Heylen, D. (2010). Bacteria Hunt - Evaluating multi-paradigm BCI interaction. *Journal on Multimodal User Interfaces*, 4(1), 11–25.
- Mühl, C., van den Broek, E., Brouwer, A.-M., Nijboer, F., van Wouwe, N., & Heylen, D. (2011). Multi-modal affect induction for affective brain-computer interfaces. In S. D’Mello, A. Graesser, B. Schuller, & J.-C. Martin (Eds.), *Proceedings of the 4th International Conference on Affective Computing and Intelligent Interaction and Workshops, 2011 (ACII 2011)* (Vol. 6974, pp. 235–245). Memphis, TN, USA: Springer Berlin Heidelberg.
- Müller, M. M., Keil, A., Gruber, T., & Elbert, T. (1999). Processing of affective pictures modulates right-hemispheric gamma band EEG activity. *Clinical Neurophysiology*, 110(11), 1913–1920.
- Murugappan, M. (2010). Inferring of Human Emotional States using Multichannel EEG. *European Journal of Scientific Research*, 48(2), 281–299.

- Niedermeyer, E. (2005). The normal EEG of the waking adult. In E. Niedermeyer & F. Lopes Da Silva (Eds.), *Electroencephalography Basic Principles Clinical Applications and Related Fields* (pp. 167–192). Williams & Wilkins.
- Nijboer, F., Clausen, J., Allison, B. Z., & Haselager, P. (2011). The Asilomar Survey: Stakeholders' Opinions on Ethical Issues Related to Brain-Computer Interfacing. *Neuroethics*.
- Nowlis, D. P., & Kamiya, J. (1970). The control of electroencephalographic alpha rhythms through auditory feedback and the associated mental activity. *Psychophysiology*, 6(4), 476–484.
- Olofsson, J. K., Nordin, S., Sequeira, H., & Polich, J. (2008). Affective picture processing: an integrative review of ERP findings. *Biological Psychology*, 77(3), 247–265.
- Onton, J., & Makeig, S. (2009). High-frequency Broadband Modulations of Electroencephalographic Spectra. *Frontiers in Human Neuroscience*, 3.
- Petrantonakis, P. C., & Hadjileontiadis, L. J. (2010). Emotion Recognition from Brain Signals Using Hybrid Adaptive Filtering and Higher Order Crossings Analysis. *IEEE Transactions on Affective Computing*, 1(2), 81–97.
- Pfurtscheller, G., Brunner, C., Schlögl, A., & Lopes da Silva, F. H. (2006). Mu rhythm (de)synchronization and EEG single-trial classification of different motor imagery tasks. *NeuroImage*, 31(1), 153–9.
- Pfurtscheller, G., & Neuper, C. (2001). Motor imagery and direct brain-computer communication. *Proceedings of the IEEE*, 89(7), 1123–1134. doi:10.1109/5.939829
- Pfurtscheller, Gert, Allison, B. Z., Brunner, C., Bauernfeind, G., Solis-Escalante, T., Scherer, R., ... Birbaumer, N. (2010). The hybrid BCI. *Frontiers in Neuroscience*, 4, 30.
- Pfurtscheller, Gert, Müller-Putz, G. R., Pfurtscheller, J., & Rupp, R. (2005). EEG-Based Asynchronous BCI Controls Functional Electrical Stimulation in a Tetraplegic Patient. *EURASIP Journal on Advances in Signal Processing*, 2005(19), 3152–3155.
- Pfurtscheller, Gert, Stancák, A., & Neuper, C. (1996). Post-movement beta synchronization. A correlate of an idling motor area? *Electroencephalography and Clinical Neurophysiology*, 98(4), 281–293.
- Plass-Oude Bos, D., Reuderink, B., Laar, B., Gürkök, H., Mühl, C., Poel, M., ... Heylen, D. (2010). Brain-Computer Interfacing and Games. In D. S. Tan & A. Nijholt (Eds.), *Brain-Computer Interfaces: Applying Our Minds to Human-Computer Interaction* (pp. 149–178). Springer London.
- Polich, J. (2007). Updating P300: an integrative theory of P3a and P3b. *Clinical Neurophysiology*, 118(10), 2128–2148.
- Reuderink, B., Mühl, C., & Poel, M. (2013). Valence, arousal and dominance in the EEG during game play. *International Journal of Autonomous and Adaptive Communication Systems*, 6(1).
- Sabatinelli, D., Lang, P. J. J., Keil, A., & Bradley, M. M. M. (2006). Emotional Perception: Correlation of Functional MRI and Event-Related Potentials. *Cerebral Cortex*, 17(5), 1085–1091.
- Sammler, D., Grigutsch, M., Fritz, T., & Koelsch, S. (2007). Music and emotion: Electrophysiological correlates of the processing of pleasant and unpleasant music. *Psychophysiology*, 44(2), 293–304.
- Scherer, K. R. (2005). What are emotions? And how can they be measured? *Social Science Information*, 44(4), 695–729.
- Schmidt, L. A., & Trainor, L. J. (2001). Frontal brain electrical activity (EEG) distinguishes valence and intensity of musical emotions. *Cognition and Emotion*, 487–500.
- Schupp, H. T., Cuthbert, B. N., Bradley, M. M., Cacioppo, J. T., Ito, T., & Lang, P. J. (2000). Affective picture processing: the late positive potential is modulated by motivational relevance. *Psychophysiology*, 37(2), 257–261.

- Senkowski, D., Kautz, J., Hauck, M., Zimmermann, R., & Engel, A. K. (2011). Emotional Facial Expressions Modulate Pain-Induced Beta and Gamma Oscillations in Sensorimotor Cortex. *Journal of Neuroscience*, 31(41), 14542–14550.
- Senkowski, Daniel, Schneider, T. R., Tandler, F., & Engel, A. K. (2009). Gamma-band activity reflects multisensory matching in working memory. *Experimental Brain Research*, 198(2-3), 363–372.
- Silberman, E. (1986). Hemispheric lateralization of functions related to emotion. *Brain and Cognition*, 5(3), 322–353.
- Soleymani, M., Lichtenauer, J., Pun, T., & Pantic, M. (2011). A Multimodal Database for Affect Recognition and Implicit Tagging. *IEEE Transactions on Affective Computing*, 3(1), 42–55.
- Steriade, M., McCormick, D. A., & Sejnowski, T. J. (1993). Thalamocortical oscillations in the sleeping and aroused brain. *Science*, 262(5134), 679–685.
- Takahashi, K. (2004). Remarks on Emotion Recognition from BioPotential Signals. In S. C. Mukhopadhyay & S. G. Gupta (Eds.), *Proceedings of the 2nd International Conference on Autonomous Robots and Agents* (pp. 186–191). Palmerston North, New Zealand.
- Tallon-Baudry, C., Bertrand, O., Baudry, T., & Bertrand. (1999). Oscillatory gamma activity in humans and its role in object representation. *Trends in Cognitive Sciences*, 3(4), 151–162.
- Teplan, M., & Krakovska, A. (2009). EEG features of psycho-physiological relaxation. In *Proceedings of the 2nd International Symposium on Applied Sciences in Biomedical and Communication Technologies (ISABEL 2009)*. Bratislava, Slovakia: IEEE.
- Tsang, C. D., Trainor, L. J., Santesso, D. L., Tasker, S. L., & Schmidt, L. A. (2006). Frontal EEG Responses as a Function of Affective Musical Features. *Annals of the New York Academy of Sciences*, 930(1), 439–442.
- Vidal, J. J. (1973). Toward direct brain-computer communication. *Annual Review of Biophysics and Bioengineering*, 2, 157–80.
- Vytal, K., & Hamann, S. (2010). Neuroimaging support for discrete neural correlates of basic emotions: a voxel-based meta-analysis. *Journal of Cognitive Neuroscience*, 22(12), 2864–2885.
- Winkler, I., Jäger, M., Mihajlovic, V., & Tsoneva, T. (2010). Frontal EEG Asymmetry Based Classification of Emotional Valence using Common Spatial Patterns. *World Academy of Science, Engineering and Technology*, 69, 373–378.
- Wolpaw, J. R., Birbaumer, N., McFarland, D. J., Pfurtscheller, G., & Vaughan, T. M. (2002). Brain-computer interfaces for communication and control. *Clinical Neurophysiology*, 113(6), 767–91.
- Zander, T. O., & Kothe, C. (2011). Towards passive brain-computer interfaces: applying brain-computer interface technology to human-machine systems in general. *Journal of neural engineering*, 8(2), 025005.
- Zander, T. O., & Jatzev, S. (2009). Detecting affective covert user states with passive Brain-Computer Interfaces. In J. Cohn, A. Nijholt, & M. Pantic (Eds.), *Proceedings of the 3rd International Conference on Affective Computing and Intelligent Interaction (ACII2009), Part II*. Amsterdam, The Netherlands: IEEE Computer Society Press.
- Zander, T. O., Lehne, M., Ihme, K., Jatzev, S., Correia, J., Kothe, C., ... Nijboer, F. (2011). A dry EEG-system for scientific research and brain-computer interfaces. *Frontiers in Neuroscience*, 5.