

Constraint

Jon Umerez, Matteo Mossio

▶ To cite this version:

Jon Umerez, Matteo Mossio. Constraint. W. Dubitzky, O. Wolkenhauer, K.-H. Cho, H. Yokota. Encyclopedia of Systems Biology, Springer, pp.490-493, 2013, 978-1-4419-9863-7. 10.1007/978-1-4419-9863-7. halshs-00792440

HAL Id: halshs-00792440

https://halshs.archives-ouvertes.fr/halshs-00792440

Submitted on 19 Aug 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Constraint

Published in Encyclopedia of Systems Biology

The final publication is available at http://link.springer.com/referenceworkentry/10.1007/978-1-4419-9863-7 56

Jon Umerez & Matteo Mossio

IAS-Research Philosophy of Biology Group -Department of Logic and Philosophy of Science University of the Basque Country (UPV/EHU), Donostia – San Sebastian, Spain

Synonyms

(approx.) boundary condition, control

Definition

Constraint refers to a reduction on the degrees of freedom of the elements of a system exerted by some collection of elements, or a limitation or bias on the variability or possibilities of change in the kind of such elements.

Although it has several meanings in diverse scientific fields, the idea of constraint is usually employed in relation to conceptualizations in terms of levels or hierarchies. Some general features of constraints such understood are the following: constraints do not interact with the elements they influence and their dynamics; they arise from dynamics at different levels of organization; constraint relations are always asymmetric, and may give rise to new phenomena.

In the tradition of the theories of emergent evolution of the early XXth century and, even clearer, in the theory of levels of integration of the organicist tradition of the 30s, higher levels are understood as arising from lower level elements or processes, whose laws all obey, but concurrently exerting some specific influence on those very elements or processes (see Blitz 1992). Later on, in most approaches to hierarchy theory, the very concept of constraint is profusely used to account for the specificity of non-trivial inter-level relation where lower level and upper level act upon each other but in different ways (see, i.e., Allen & Starr 1982, Salthe 1985). Even the introduction of some specific senses of constraint in evolutionary biology (as developmental constraints and historical constraints) is due to the attempt to accommodate different explanations, stemming from diverse factors or forces and potentially alternative, if not rival, to adaptive selection, in an unavoidably multilevel explanatory construction.

Characteristics

The development of more specific characterizations of constraint (or alike) are attempts to spell out the interaction among levels of organization by deriving them from epistemologically legitimate concepts grounded in the physical sciences or in their explanatory armory.

The difficult issue of interlevel relation is rendered more concrete by Polanyi's (1968) account of organisms (and machines) as dual control systems, which relies on an indistinct concept of boundary conditions. Polanyi deliberately employs the machine example to introduce his idea of boundary conditions "harnessing the laws of nature" that govern matter and the forces acting on it. In a machine, the harnessing is exerted with a goal, which makes easier to describe the dual control: the design of the machine, by which the machine does what it is intended for, and the laws of physics and chemistry, that the components of the machine and the machine itself must obey.

In the organism "its structure serves as a boundary condition harnessing the physical-chemical processes by which its organs perform their functions" (p. 1308). The machine analogy goes on to compare morphogenesis, as the process that develops that structure, with the shaping of the machine. Yet, as Polanyi emphasizes, the analogy ends here: although both are systems under dual control (unlike inanimate systems which may exhibit boundary conditions without being subject to dual control), organisms are not artificially designed. Therefore the harnessing principle in organisms has to be autonomous, task that Polanyi attributes to the informational account of heredity.

Is precisely this the challenge that Pattee (see, i.e., 1968, 1970) undertakes in his research on the origin of life and the nature of biological function and heredity, using the concept of constraint as an explanatory tool derived from Mechanics. He develops in several papers the concept and the relevant distinction between holonomic (structural-like) and non-holonomic (functional-like) kinds. Pattee claims that, in order to explain hereditary storage, transmission and the action of genetic instructions, we should understand them in terms of non-holonomic constraints acting in the context of a very specific kind of interlevel relation (semantic closure).

Following his description we may recall that, in Physics, initial conditions and laws of movement provide, in principle, an exhaustive description of the possible behavior, future and past, of a mechanical system. No other conditions are needed. The choice of the coordinates of the system that specifies its space of configuration or space of states, defines all the possible degrees of freedom in the system or all the possible trajectories of movement of its elements. These coordinates establish the variables of the movement equations of the system. In this context, constraints are those additional equations that are introduced as auxiliary conditions in order to define the specific mechanical system subject to calculation (see, i.e. Sommerfeld 1952). In other areas of Physics, constraints may be expressed in a more general form as boundary conditions. In Chemistry, constraints refer to the steady state of elementary particles (chemical bonds). When referred to dissipative systems the concept acquires an even more specific sense as it becomes dynamical (an unstable macroscopic pattern that remains as long as there is energy contribution). Finally, its presence is patent in any form of biological regulation (starting from a membrane) and more controversial in its contribution to the understanding of evolutionary paths. In social and artificial systems is clearly manifested in the form of rules. In sum, constraints refer to certain conditions or rules additional to the laws of dynamics (that are taken as basic), that rule/govern the behavior of the elements and that arise from the aggregation of those.

Whereas natural laws are, in principle, inexorable and incorporeal, constraints are, by

necessity, accidental or arbitrary, and require some distinct physical materialization (as molecules, membranes or surfaces). Constraints are alternative descriptions of part of the system. Namely, constraints cannot be expressed in the same language than the microscopic description of matter. In fact, what a constraint does is to selectively ignore microscopic degrees of freedom in order to obtain a simplification in the prediction or explanation of movement. The concept of constraint means a selective loose of detail or a predetermined rule about what is going to be ignored.

Therefore, for Physics constraining forces are, unavoidably, linked to a new hierarchical level of description. When in Physics a constraint equation is added to the equations of movement, we are always dealing with two languages at the same time. The language of the equation of movement relates the detailed trajectory or the state of the system with dynamical time, whereas the language of the constraint does not deal at all with the same kind of system, but with another situation in which the dynamical detail has been purposely ignored. In other words, constriction forces are not detailed forces of the individual particles but forces of the collections of particles or, sometimes, forces of simple units averaged out in time. In any case, some form of statistical averaging process has substituted microscopic detail. In Physics, then, in order to describe a constraint, the detailed dynamical description has to be abandoned. A constraint requires, therefore, an alternative description.

Another relevant contribution to naturalize the concept of constraint in the biological domain has been provided by theoretical biologist Stuart Kauffman, who has recently proposed the idea of the "Work-Constraint cycle" (Kauffman 2000; 2003). The Work-Constraint cycle is supposed to capture what Kauffman takes as a central feature of all biological organisms, namely the fact of acting "on their own behalf" (Kauffman 2003, 1089). Whereas this idea appears to be in accordance with common intuition, Kauffman's scientific challenge consists in giving a naturalized and consistent account of it. The concept of Work-Constraint cycle plays precisely this role. The main idea is to link the idea of action to that of 'work', the latter being defined, following Atkins, as "constrained release of energy into relatively few degrees of freedom" (Kauffman 2003, 1094). In this definition, the concepts of work and constraints are related: work is constrained release of energy. This connection gives a way to interpret the slogan acting "on their own behalf." A system acts on its own behalf if it is able to use its work to re-generate at least some of the constraints that make work possible. When this occurs, a Work-Constraint cycle is realized. In physical terms, it requires very specific conditions to occur. Actually, the cycle is inevitably a thermodynamic irreversible process, which dissipates energy and requires couplings between exergonic (spontaneous, which release energy) reactions and endergonic (non spontaneous, which require energy) ones, such that exergonic processes are constrained in a specific way to produce a work that may be used to generate endergonic processes, which in turn generate those constraints canalizing exergonic processes. In Kauffman's terms, "Work begets constraints beget work" (Kauffman 2000).

In evolutionary biology the concept of constraint has mainly been introduced as a challenge by developmental approaches regarding the scope of selection and the extent to which adaptation remains the main explanatory factor (see developmental explanation). Besides the specific issue of connecting developmental with evolutionary accounts, the concept of constraint plays an important role, for instance, in the criticisms to adaptationism, in the discussion regarding the relevance of stasis and other macroevolutionary patterns, or in the morphologically oriented proposals of structuralism or complexity theories (see Orzack & Sober 2001).

In an already classic paper that may be considered to be an attempt to build a "consensus" position on the subject, a developmental constraint is defined as "a bias on the production of

variant phenotypes or a limitation on phenotypic variability caused by the structure, character, composition, or dynamics of the developmental system" (Maynard Smith et al 1985, 266). The origin of this bias or limitation may be attributed to various sources (materiality, genetic dynamics, evolutionary pathways, complexity regime) but what is agreed upon is that they have an impact in evolution. A distinction is also drawn between universal constraints, deriving from general laws of physics or from invariant properties of some material or complex systems, and local constraints, confined to particular taxa.

Amundson (1994), while accepting that constraint "implies some sort of restriction on variety or on change", claims that the key rests on the answer to the question regarding "what is being constrained". Thus, he identifies two possible answers depending on whether the explanandum is adaptation or form. We would therefore have to distinguish between understanding the effect of developmental principles on evolution as constraints on adaptation, i.e. as restrictions imposed by embryology on the adaptive optimality of adult organisms on the potential of adaptation, or constraints on form, in the sense that in the morphospace there are morphologies that cannot be achieved by the process of development.

This distinction is orthogonal to the previous one between local and universal kinds of constraints since both of them may operate, irrespectively, on the prospects on reaching more optimal adaptations and on the scope of generation of organic form.

Sometimes, other kinds of constraints are mentioned in the context of contending evolutionary explanations, eve if they are not generally accepted as specific constraints. For instance, historical constraints are often brought up to contrast with developmental ones though maintaining the same feature of imposing restriction on adaptation, but they are due to more "evolutionary" common factors such as contingency or accident creating some kind of bias. Ecological constraints can also be sometimes evoked.

Regarding these uses and besides those distinctions about how to understand the concept, there is another point worth mentioning since it allows connecting the concept of developmental constraint with the more general idea defined in the beginning of this entry. According to Schwenk & Wagner (2003) this collective definition highlights the separation between constraint and selection by distinguishing the "generation of variation from the operation of selection on that variation" (p. 54). In this sense, the force of selection would assume here the role of the general law upon which some rules are imposed and, therefore, we my say that, here too, some potential degrees of freedom are reduced due to what Polanyi was calling boundary conditions and Pattee constraints in their more general approaches.

Cross-References

Adaptation

Autonomy

Complexity

Constraint, developmental

Constraint, holonomic

Constraint, nonholonomic

Explanation, developmental

Explanation, evolutionary

Explanation, functional

Function

Hierarchy

Inter-level causation

Organization

References

Allen, T.F.H. & Starr, T.B. (1982) *Hierarchy. Perspectives for Ecological Complexity*. Chicago: The University of Chicago Press.

Amundson, R. (1994) Two Concepts of Constraint: Adaptationism and the Challenge from Developmental Biology. *Philosophy of Science 61*, pp. 556-578.

Blitz, D. (1992) Emergent Evolution. Qualitative Novelty and the Levels of Reality. Dordrecht: Kluwer

Kauffman S. (2000) *Investigations*. Oxford: Oxford University Press.

Kauffman S. (2003) Molecular Autonomous Agents. *Philosophical Transactions of the Royal Society A* 361: 1089-1099.

Maynard Smith, J., Burian, R., Kauffman, S., Alberch, P., Campbell, J., Goodwin, B., Lande, R., Raup, D. & Wolpert, L. (1985) Developmental Constraints and Evolution: A Perspective from the Mountain Lake Conference on Development and Evolution. *The Quarterly Review of Biology* 60(3), pp. 265-286.

Orzack, S.H. & Sober, E. (eds.) (2001) *Adaptationism and Optimality*. Cambridge: Cambridge University Press.

Pattee, H.H. (1968) The physical basis of coding and reliability in biological evolution. In Waddington, C.H. (Ed.), *Towards a Theoretical Biology 1, Prolegomena*, Edinburgh University Press, Edinburgh, pp. 67–93.

Pattee, H.H. (1972) Laws and constraints, symbols and languages. In: Waddington, C.H. (Ed.), Towards a Theoretical Biology 4, Essays, Edinburgh University Press, Edinburgh, pp. 248–258.

Polanyi, M. (1968) Life's Irreducible Structure. Science 160, pp. 1308-1312.

Schwenk, K. & Wagner, G.P. (2003) Constraint. In B.K. Hall & W. M. Olson (eds.) Keywords in Evolutionary Developmental Biology, Cambridge, MA: Harvard University Press, pp. 52-61.

Salthe, S.N. (1985) *Evolving Hierarchical Systems. Their Structure and Representation*. New York, NY: Columbia University Press.

Sommerfeld A. (1952[2^a ed.]) *Mechanics*. New York, NY: Academic Press.