brought to you by 🏋 CORE

Geophysical Research Abstracts Vol. 18, EGU2016-2996, 2016 EGU General Assembly 2016 © Author(s) 2016. CC Attribution 3.0 License.



Middle atmosphere OH NLTE model and spectroscopy sensitivity study

Sandra Vázquez-Martín (1), Javier Martín-Torres (1,2), María-Paz Zorzano (1,3)

(1) Atmospheric Science Group, Space Technology. Department of Computer Science, Electrical and Space Engineering. Luleå University of Technology (LTU), Kiruna, Sweden, (2) Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR), Armilla, Granada, Spain, (3) Centro de Astrobiología (INTA-CSIC), Torrejón de Ardoz, Madrid, Spain

In the middle atmosphere, the OH Meinel bands, which involve high-lying vibrational and rotational levels transitions, are in Non-Local Thermodynamic Equilibrium (NLTE) conditions. In this work we present a state-of-art NLTE model for the Meinel bands of OH including the most recent collisional rates and spectroscopic data, and we perform a sensitivity analysis of the spectroscopy uncertainties and their impact in the interpretation of atmospheric data.

A comparison with previous modeling and data analysis shows that major efforts are needed in the understanding of the spectroscopy of OH.