



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Performance of non-uniform tidal turbine arrays in uniform flow

Citation for published version:

Bonar, P, Adcock, TAA, Venugopal, V & Borthwick, A 2018, 'Performance of non-uniform tidal turbine arrays in uniform flow', *Journal of Ocean Engineering and Marine Energy*. <https://doi.org/10.1007/s40722-018-0118-x>

Digital Object Identifier (DOI):

[10.1007/s40722-018-0118-x](https://doi.org/10.1007/s40722-018-0118-x)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Journal of Ocean Engineering and Marine Energy

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





Performance of non-uniform tidal turbine arrays in uniform flow

Paul A. J. Bonar¹ · Thomas A. A. Adcock²  · Vengatesan Venugopal¹ · Alistair G. L. Borthwick¹

Received: 6 March 2018 / Accepted: 20 July 2018
© The Author(s) 2018

Abstract

Theoretical models suggest that in order to maximise their collective power output, tidal turbines should be arranged in a single cross-stream row and optimally spaced to exploit local blockage effects. However, because it is assumed that the turbines within these arrays are identical, such models do not consider the possibility of enhanced power production through the exploitation of spanwise variations in local blockage and resistance. In this paper, we use depth-averaged numerical simulations to investigate whether the performance of a tidal turbine array can be further enhanced by varying solely the local blockage, solely the local resistance, or both local blockage and resistance together, across the array width. Our results suggest that for an initially uniform flow field, the optimal tidal turbine array is also uniform, that is to say that it comprises turbines of equal size, spacing, and resistance. This finding is encouraging because it is more cost-effective and much simpler to design each turbine to be the same and to operate in the same way. Together with earlier findings, these results also suggest a more general, and perhaps unsurprising, conclusion that tidal turbine arrays perform best when designed to match site-specific natural flow conditions.

Keywords Tidal stream power · Tidal turbine array · Shallow water equations · Actuator disc · Non-uniform

1 Introduction

In designing a wind or tidal turbine, one of the key challenges is to understand how the performance of the turbine is defined by its interactions with the flow field. This problem is complicated by the need to describe fluid–structure interactions over multiple length scales; a task which becomes exceedingly complex for turbines within large arrays (Adcock et al. 2015; Vennell et al. 2015). One way to approach this problem is to use a simple theoretical model to analyse the performance of an idealised turbine in an idealised flow field. The simplest of these models is actuator disc theory, which approximates the spinning turbine rotor as a porous disc of uniform resistance (Burton et al. 2001). Simplifying the turbine structure in this way eliminates the need to resolve flow features at smaller scales and allows arguments of mass, momentum, and energy to describe how factors such as the geometric blockage ratio and resistance of the turbine affect its performance.

One of the earliest applications of actuator disc theory produced what is commonly termed the Betz limit; a well-known theoretical result which establishes that a wind turbine can extract no more than $\sim 59.3\%$ of the kinetic energy of the air which would pass through the swept area in the absence of the turbine (Betz 1920; Joukowsky 1920; Okulov and van Kuik 2012). Despite the simplifications involved in its development, the Betz limit has proven a useful benchmark for wind turbine performance and has inspired numerous extensions to the classical turbine model. In recent years, actuator disc theory has provided valuable insights into the performance of tidal stream turbines, having been extended to approximate more closely the flow conditions that such turbines experience (Garrett and Cummins 2007; Whelan et al. 2009; Houlsby et al. 2008; Vennell 2010; Draper et al. 2016) and to analyse their performance when placed in different arrangements (Nishino and Willden 2012, 2013; Vogel et al. 2016; Draper and Nishino 2014a, b).

Vennell (2010) has shown that in order to maximise their collective power output, tidal turbines should be placed side-by-side to create a single cross-stream row. By maximising the global blockage ratio, which is defined as the ratio of array swept area to channel cross-sectional area, this arrangement allows the turbines not only to extract more power (Garrett

✉ Paul A. J. Bonar
p.bonar@ed.ac.uk

¹ School of Engineering, University of Edinburgh, Mayfield Road, Edinburgh EH9 3FB, UK

² Department of Engineering Science, University of Oxford, Parks Road, Oxford OX1 3PJ, UK

and Cummins 2007) but to do so more efficiently, with less power lost in wake mixing (Draper et al. 2010). By making a number of additional assumptions, Nishino and Willden (2012, 2013) and Vogel et al. (2016) have shown that the performance of a cross-stream row can be further enhanced by adjusting the lateral spacing between the turbines to optimise the local blockage ratio, which is defined as the ratio of turbine swept area to local flow cross-sectional area. Further analysis by Draper and Nishino (2014a, b) suggests that a single, carefully spaced, cross-stream row is in fact the optimal arrangement for tidal turbines, ensuring both a higher power output per turbine and approximately equal distributions of thrust and power among the turbines. The two-scale actuator disc model of Nishino and Willden (2012) appears, therefore, to provide the simplest description of an optimal tidal turbine arrangement. However, because the two-scale model assumes that each turbine within the array is identical and that the depth of the idealised channel is uniform across its width, it does not consider the possibility that more power could be produced by exploiting the spanwise variations in local blockage and resistance which may naturally arise in practice.

In this paper, numerical simulations are used to investigate whether the performance of a tidal turbine array can be further enhanced by exploiting such variations. The combined array and channel model developed by Bonar (2017) is first used to simulate steady, uniform, and depth-averaged flow through an idealised channel with low background roughness. A sub-grid-scale actuator disc model is used to introduce an array of global blockage 0.1 and the turbines are arranged to achieve near-optimal uniform local blockage and resistance profiles. Non-uniform profiles are then used to investigate whether the performance of the array can be further enhanced by varying solely the local blockage, solely the local resistance, or both local blockage and resistance together, across the array width. This analysis extends the works of Hunter et al. (2015) and Adcock (2015) to consider the effects of spanwise variations in local blockage as well as local resistance, and to measure array performance in terms of both the collective power output of the turbines and their global power coefficient. The analysis also complements the work of Draper et al. (2016) by examining the performance of a turbine array idealised by a non-uniform local resistance in a uniform flow field, as compared to that of a turbine represented by a uniform local resistance in a non-uniform flow field.

2 Model

Bonar (2017) has developed an idealised numerical model to explore the potential for local blockage effects to enhance the performance of turbines in tidal channels. In the present study, the same model is used to analyse the performance of

non-uniform tidal turbine arrays in uniform flow. The main features of the model are described as follows.

2.1 Channel-scale flow

Channel-scale flow is simulated by using the open-source hydrodynamic model ADCIRC to solve the depth-averaged shallow water equations by means of a discontinuous Galerkin (DG) finite element scheme (Kubatko et al. 2006, 2009). As illustrated in Fig. 1, the domain of interest is an idealised channel of depth 20 m, width 4 km, and length 20 km. The channel walls are set to allow tangential slip and a steady current is produced by establishing a fixed head difference ζ between the two ocean boundaries, which are placed in deep water (in this case, in water 1 km deep) and positioned far upstream and downstream of the channel (at distances of 50 km) in order to minimise reflections (Adcock 2015). The contours in Fig. 1a describe a typical variation in free surface elevation, as flow is driven from the upstream ocean boundary at $x/d = -3000$, through the central channel located between $x/d = -500$ and $x/d = +500$ (where the depth drops slightly below the still water level), and toward the downstream ocean boundary at $x/d = +3000$. The contours in Fig. 1b show the corresponding variation in depth-averaged velocity magnitude, with continuity ensuring that velocities are highest in the shallow central channel and practically negligible at the ocean boundaries where the depth is much greater. Figure 1b also demonstrates the formation of an array-scale wake around the single row of turbines located at $x/d = 0$, and shows that this wake extends beyond the end of the shallow channel and into deeper water.

In the absence of turbines, the flow loses energy to seabed drag, changes in cross-section, and turbulent mixing. The drag due to seabed roughness is calculated as $\mathbf{F} = \rho A_b \mathbf{u} |\mathbf{u}| C_d$, in which ρ is the fluid density, A_b is the plan area of the seabed, \mathbf{u} is the depth-averaged velocity vector, and C_d is a dimensionless seabed drag coefficient. For large-scale tidal models such as these, C_d values of ~ 0.0025 are typical (Soulsby 1997) but, in this study, a much lower seabed drag coefficient is chosen to ensure that the results from the numerical model are comparable to those of the frictionless two-scale actuator disc theory. A value of $C_d = 0.0005$ is found by iteration to provide a good compromise between minimising the effects of channel background roughness and maintaining model stability. A relatively small head difference of $\zeta = 0.05$ m, which produces an unexploited channel velocity of $u_0 \approx 0.964$ m/s, is then selected to ensure that the model remains stable even for very high turbine resistance. Mixing is controlled by a spatially and temporally constant horizontal eddy viscosity coefficient, the value of which is calculated, following Borthwick and Barber (1992) and Kuipers and Vreugdenhil (1973), as $\nu = 5.9h|\mathbf{u}|\sqrt{C_d} \approx 2.55$ m²/s, in which $h = d + \eta$ is the




Fig. 1 Plan views of the model domain showing (near) steady-state contours of: **a** surface elevation $\eta(x, y)$ normalised by channel still water depth d and **b** depth-averaged velocity magnitude $u(x, y)$ normalised

by unexploited channel velocity u_0 . A steady current is driven from left to right by a fixed head difference ζ and the turbine array is extended inward from one side of the channel (colour online)

total depth of flow, with d the still water depth and η the free surface elevation above still water level.

2.2 Local-scale flow

The extraction of energy and resulting changes to the flow field are simulated using the open channel actuator disc model derived by Houlby et al. (2008). Following Draper et al. (2010) and Draper (2011), Serhadlioglu (2014) introduced this actuator disc model into the DG-ADCIRC code at sub-grid scale, thereby enabling idealised turbines, each defined by a local blockage ratio and local resistance coefficient, to be inserted between numerical elements within the computational grid. The channel-scale flow between these elements provides boundary conditions for the turbine model within their shared edge, which calculates the extracted power and imposes the associated loss of momentum as a discontinuous reduction in fluid depth (Draper et al. 2010). Coupling the DG-ADCIRC and actuator disc models in this way allows the largely two-dimensional array-scale flow problem to be solved numerically, whilst the highly three-dimensional local-scale problem is modelled analytically at sub-grid scale. Though simplistic, this line sink modelling approach has been shown by laboratory experiment to be a reasonably accurate means of describing the momentum deficit imparted by model-scale rows of porous discs (Draper et al. 2013).

The local blockage ratio is defined, following Nishino and Willden (2012) and Vogel et al. (2016), as $B_L = A_T/hw_L$, in which A_T is the swept area of the turbine, h is the total depth of flow, and w_L is the width of the local flow passage. Assuming a single cross-stream row comprising turbines of equal size and spacing, the global blockage may then be expressed as $B_G = nA_T/hw_C$, in which n is the number of turbines and w_C is the channel width; and the array blockage defined as $B_A = hw_A/hw_C$, in which $w_A (= nw_L)$ is the array width (see Fig. 2). The local resistance is represented, following Houlby et al. (2008) and Draper et al. (2010), by a local wake velocity coefficient α_{4L} , which is defined as the ratio

of the velocity at the pressure equalisation point in the near wake of the turbine to the velocity measured far upstream of the turbine. In this particular code, the local blockage and resistance of the turbine(s) within a given numerical edge are determined by the average of the B_L and α_{4L} values assigned to the two computational nodes which the edge connects (see Fig. 2). The depth and velocity of the flow passing through the turbine(s) are similarly obtained as the averages of the values calculated at these two connected nodes. The actuator disc model allows array performance to be measured using different metrics, three of which are considered in this study: the extractable power P_{ex} , which is defined as the total amount of power removed from the flow; the available power P_{av} , which is defined as the amount remaining when the power dissipated in local-scale mixing is subtracted from P_{ex} ; and the global power coefficient C_{PG} , which is defined as the ratio of P_{av} to the kinetic energy flux of channel-scale flow measured just downstream of the channel entrance.

2.3 Validation

A non-uniform, unstructured grid is used to discretise the model domain into 17,436 triangular elements, with short sides ranging in length from 100 m in the central channel to 2 km at the ocean boundaries. A single cross-stream row of turbines with global blockage $B_G = 0.1$ is then extended inward from one side of the channel, and a steady current is produced by establishing a fixed head difference of $\zeta = 0.05$ m between the upstream and downstream ocean boundaries. Linear basis functions are specified and the model solutions are advanced in time using a second-order Runge–Kutta scheme with a 1 s time step. The model is allowed to spin up from still water conditions for 2 days, after which results from the following 12 hours are extracted and time-averaged. In this steady, low roughness flow, a high turbine resistance produces a gently undulating array-scale wake, broadly similar to that which may be observed behind a bluff body at subcritical Reynolds




Fig. 2 Schematic representations (cross-sectional views) of turbine arrays with non-uniform local blockage profiles and their implied reflectional symmetries (colour online)

Fig. 3 Comparisons between numerical (solid lines) and theoretical (dotted lines) model results for uniform arrays in channels with seabed drag coefficient C_d and flow driven by head difference $\zeta = 0.0025d$: **a** estimates of maximum extractable power P_{ex}^{max} for very large, full-width arrays and **b** variation in maximum global power coefficient C_{PG}^{max} with local blockage B_L for the chosen array (colour online)





Fig. 4 Variation in normalised: **a** global power coefficient C_{PG} and **b** available power P_{av} ; with centre and end local resistance α_{4L}^{centre} and α_{4L}^{end} for arrays of near-optimal uniform local blockage (colour online)



number. The effect of this unsteadiness is to extend greatly the amount of time required for the model to achieve a (near) steady state and thus ensure that the chosen sampling period overestimates the performance of high resistance arrays. Whilst this problem is thought not to affect the overall conclusions of the present work, the effect of unsteady wakes on power production will clearly require further investigation with a more sophisticated numerical model.

Despite key differences in the underlying assumptions, the numerical array and channel models are shown to reproduce quite well the predictions from the corresponding theoretic-

cal models. Estimates of the channel's maximum extractable power (also known as the channel's 'potential'), calculated for different seabed drag coefficients and using very large, full-width arrays ($B_L = B_G = 0.8$), are found to match with predictions from the theoretical channel model of Garrett and Cummins (2005) (Fig. 3a); whilst the measured variation in maximum global power coefficient with local blockage is found to agree well with results from the two-scale actuator disc theory of Nishino and Willden (2012) (Fig. 3b). The agreement with two-scale theory is shown to be poorer at high local blockage where the model is known to overesti-

Fig. 5 Variation in normalised: **a** global power coefficient C_{PG} and **b** available power P_{av} ; with centre and end local blockage B_L^{centre} and B_L^{end} for arrays of near-optimal uniform local resistance (colour online)




Fig. 6 Variation in normalised global power coefficient C_{PG} with centre and end local resistance α_{4L}^{centre} and α_{4L}^{end} for arrays with: **a** higher local blockage at their ends ($B_L^{end} = 0.7$) than at their centre ($B_L^{centre} = 0.4$) and **b** higher local blockage at their centre ($B_L^{centre} = 0.7$) than at their ends ($B_L^{end} = 0.4$) (colour online)





Fig. 7 Variation in normalised available power P_{av} with centre and end local resistance α_{4L}^{centre} and α_{4L}^{end} for arrays with: **a** higher local blockage at their ends ($B_L^{end} = 0.4$) than at their centre ($B_L^{centre} = 0.1$) and **b** higher local blockage at their centre ($B_L^{centre} = 0.4$) than at their ends ($B_L^{end} = 0.1$) (colour online)



mate the performance of the array, but clearly sufficient to capture the leading-order physics.

3 Results

Optimal uniform turbine arrangements are first identified by interpolating between uniform local blockage B_L and local resistance α_{4L} profiles. The following near-optimal uniform arrangements (to the nearest whole number of turbine edges) are then chosen as the starting points for the analysis: $B_L = 0.5714$ and $\alpha_{4L} = 0.583$, which produce a global power coefficient C_{PG} of ~ 0.966 ; and $B_L = 0.2$ and $\alpha_{4L} = 0.424$, which yield an available power P_{av} of ~ 2.311 MW, or $\sim 16\%$ of the channel's ~ 14.6 MW poten-

tial. The arrangements which maximise P_{av} and C_{PG} are quite different, in this case, because the low background roughness makes the channel-scale kinetic energy flux quite sensitive to the turbine resistance (Bonar 2017).

Starting with these near-optimal uniform arrangements, the effects of non-uniformity on array performance are explored by varying B_L and α_{4L} across the width of the array. The resulting non-uniform profiles are considered bilaterally symmetric due to their reflectional symmetry about the mainland boundary from which the array is extended into the channel (see Figs. 1, 2), and include arrays with uniform B_L but non-uniform α_{4L} , uniform α_{4L} but non-uniform B_L , and select examples for which both B_L and α_{4L} are non-uniform. In all cases, B_L and α_{4L} are varied linearly across the turbine edges, with variations denoted by the extreme values at the edges nearest to (centre edge) and furthest from (end edge) the channel wall (see Fig. 2). In addition to C_{PG} and P_{av} , the

effects of non-uniform local blockage and resistance on the local-scale extraction efficiency, which is defined as the ratio of P_{av} to P_{ex} , and channel-scale kinetic energy flux are also considered. For brevity, however, the corresponding figures for these additional metrics are placed in an appendix.

3.1 Non-uniform local resistance

The analysis begins by exploring the performance of arrays with uniform local blockage B_L but non-uniform local resistance α_{4L} . Figure 4a, b illustrate the variations in global power coefficient C_{PG} and available power P_{av} with centre and end local resistance α_{4L} , normalised by the values obtained using the initial uniform arrangements.

Although the values of C_{PG} obtained using non-uniform α_{4L} are not quite as high as that obtained using uniform α_{4L} , Fig. 4a shows that a considerable range of non-uniform local resistance profiles produce global power coefficients within $\sim 3\%$ of this value. Figure 4b reveals a similar trend for P_{av} , for which the corresponding range is even greater. (The corresponding variations in local-scale extraction efficiency and channel-scale kinetic energy flux are shown in the appendix—see Figs. 10, 11.) These findings agree with those of Adcock (2015), who used a similar DG-ADCIRC model to show that although linear variations in local resistance can produce up to 5% more power in horizontally sheared flow, the performance of the array is relatively insensitive to the local resistance profile.

3.2 Non-uniform local blockage

Arrays with uniform local resistance α_{4L} but non-uniform local blockage B_L are considered next. Figure 5a, b illustrate the variations in global power coefficient C_{PG} and available power P_{av} with centre and end local blockage B_L , normalised by the values obtained using the initial uniform arrangements. (Figures 12 and 13 show the corresponding variations in local-scale extraction efficiency and channel-scale kinetic energy flux.) The solution space is reduced in this case because the variation in B_L is subject to the additional constraint that the global blockage ratio B_G must always equal 0.1.

Figure 5a shows that, as with non-uniform α_{4L} , there is a significant range of non-uniform B_L profiles which produce C_{PG} values quite close to that of the uniform arrangement. Figure 5b reveals that the trend for P_{av} is again similar to that for C_{PG} and, that for both metrics, there is clear advantage

to placing the larger turbines (i.e. those with higher values of B_L) on the ends of the array rather than in the centre.

3.3 Non-uniform local blockage and resistance

Lastly, four examples of arrays with both non-uniform local blockage B_L and non-uniform local resistance α_{4L} are considered. Figures 6 and 7 illustrate the variations in normalised global power coefficient C_{PG} and normalised available power P_{av} with centre and end local resistance α_{4L} for arrays with higher local blockage B_L at their ends than at their centre, and for arrays with higher B_L at their centre than at their ends. (Figures 14, 15, 16, 17 show the corresponding variations in local-scale extraction efficiency and channel-scale kinetic energy flux.) The selected local blockage profiles vary from $B_L = 0.4$ to $B_L = 0.7$ for C_{PG} and from $B_L = 0.1$ to $B_L = 0.4$ for P_{av} .

Figures 6 and 7 clearly demonstrate that the performance of the uniform arrays cannot be exceeded, or even matched, by varying both B_L and α_{4L} together across the width. These figures also show that arrays with larger turbines at their ends consistently outperform those with larger turbines at their centre. The peak normalised C_{PG} for the array with higher B_L at its ends is not only higher than that of the array with higher B_L at its centre (~ 0.99 vs. ~ 0.96), but is achieved with less variation in α_{4L} across the width ($\sim 0.48 \leq \alpha_{4L} \leq \sim 0.71$ vs. $\sim 0.44 \leq \alpha_{4L} \leq \sim 0.76$), a higher normalised channel-scale kinetic energy flux (~ 1.14 vs. ~ 1.01 —see Fig. 15), and only slightly lower normalised local-scale extraction efficiency (~ 1.02 vs. ~ 1.04 —see Fig. 14). The results for P_{av} are again similar: the array with larger turbines at its ends produces a higher peak normalised P_{av} (~ 0.96 vs. ~ 0.85), with less spanwise variation in α_{4L} ($\sim 0.33 \leq \alpha_{4L} \leq \sim 0.58$ vs. $\sim 0.33 \leq \alpha_{4L} \leq \sim 0.62$), a higher channel-scale kinetic energy flux (~ 0.96 vs. ~ 0.86 —see Fig. 17), and only slightly lower local-scale efficiency (~ 1.08 vs. ~ 1.11 —see Fig. 16). It is also worth noting that for all non-uniform arrays considered, power performance is maximised by tuning the smaller turbines (i.e. those with lower values of B_L) to present higher local resistances (i.e. lower values of α_{4L}) than the larger turbines.

4 Discussion

Given that turbine performance is a function of both blockage and resistance, it is unsurprising that the performance of a turbine array in an initially uniform flow field cannot be

Fig. 8 Variation in normalised: **a** local power coefficient C_{PL} and **b** local thrust coefficient C_{TL} ; across the array width W for near-optimally tuned uniform and non-uniform arrays (colour online)





Fig. 9 Variation in normalised: **a** available power P_{av} and **b** applied thrust T ; across the array width W for near-optimally tuned uniform and non-uniform arrays (colour online)



improved by varying solely the local blockage B_L or solely the local resistance α_{4L} across the width. For a given B_L , there exists a unique α_{4L} to maximise either the available power P_{av} or average global power coefficient C_{PG} . It seems intuitive, then, that varying B_L and α_{4L} independently of each other simply results in sub-optimal performance for the vast majority of turbines within the array. This finding agrees with Hunter et al. (2015), who used three-dimensional Reynolds-averaged Navier–Stokes simulations of porous discs to show that the average global power coefficient C_{PG} for a cross-stream row of uniform B_L is maximised by a uniform α_{4L} . The finding does not agree, however, with Cooke et al. (2016), who used a three-scale actuator disc model to show that a cross-stream row with uniform α_{4L} but non-uniform B_L can produce a higher peak C_{PG} than can be produced using the two-scale actuator disc model of Nishino and Willden (2012), for which both B_L and α_{4L} are uniform. That being said, it should also be noted that the third scale of mixing introduced by Cooke et al. (2016) divides the single row of turbines into

multiple sub-rows within the same plane, thereby creating non-uniform B_L profiles much more complicated than the simple linear variations considered here.

Interestingly, it appears that neither can array performance be improved by varying both B_L and α_{4L} together across the array width. Figures 8 and 9 show that although certain non-uniform configurations can produce similar values of C_{PG} or P_{av} to those of the uniform arrays, the operation of these non-uniform arrays is fundamentally different at local scale, requiring large variations in both power and thrust among the turbines, which are undesirable from a design perspective.

For all non-uniform arrays considered, the optimum strategy appears to be to tune the smaller turbines to present higher local resistances than the larger turbines. This does not appear to be a means by which to compensate for the variation in local blockage across the array width because it is not the most uniform variations in thrust and power which produce peak array performance. Rather, it implies that there is some advantage in tuning the smaller turbines, which produce the

least power, sub-optimally in order to divert more flow into the path of the larger turbines which produce the most power. This would also explain why it appears to be better to place the smaller, more resistant turbines at the centre of the array rather than at its ends—because placing the smaller, more resistant turbines at the centre ensures that there are larger turbines either side to take full advantage of the flow which is diverted both left and right.

5 Conclusions

Simple theoretical models have provided a number of valuable insights to inform the design of tidal turbine arrays, but have only recently begun to account for the non-uniformity inherent in the flow conditions that tidal turbines experience. The work of Draper et al. (2016), which extends the classical actuator disc model to incorporate an inviscid shear flow, represents a considerable advance toward this goal. To investigate the effects of sheared flow, Draper et al. (2016) analyse the performance of an idealised turbine represented by a uniform local resistance in a non-uniform flow field. Draper et al. (2016) also note, however, that their analysis could be extended to incorporate non-uniform local resistances in order to provide a better approximation of a tidal turbine array.

In this paper, we take the first step toward such an extension by using depth-averaged numerical simulations to investigate the performance of non-uniform tidal turbine arrays in uniform flow. Results from the combined array and channel model of Bonar (2017) suggest that the performance of a tidal turbine array in an initially uniform flow field cannot be improved by varying solely the local blockage, solely the local resistance, or both local blockage and resistance together, across the array width. Certain non-uniform configurations are found to produce similar power outputs and global power coefficients to those of uniform arrays, but the operation of these non-uniform arrays is shown to require large and undesirable variations in thrust and power among the turbines. These results suggest that for an initially uni-

form flow field, the optimal tidal turbine array is also uniform, that is to say that it comprises turbines of equal size, spacing, and resistance. This finding is encouraging because it is more cost-effective and much simpler to design each turbine to be the same and to operate in the same way. The result is also somewhat intuitive and, together with the findings of Adcock (2015) and Draper et al. (2016) on the performance of turbines in horizontally and vertically sheared flows, suggests a more general, and perhaps unsurprising, conclusion that tidal turbine arrays perform best when designed to account specifically for the flow conditions that they are to experience.

Finally, we note that our analysis can, of course, be extended in many different ways. The present model can be adapted, for instance, to explore the effects of varying both local blockage and resistance in non-uniform flow fields, or to incorporate channel-scale dynamics and time-variable turbine tuning strategies (e.g. Vennell and Adcock 2014; Vennell 2016). A more thorough analysis will, however, require a more sophisticated numerical model to describe more accurately the individual and collective interactions with the flow which define the performance of tidal turbines in arrays.

Acknowledgements This paper is based on part of the first author's PhD studies, which were supported by the Energy Technology Partnership and Scotland's Saltire Prize Challenge competitors: Aquamarine Power, MeyGen Ltd, Pelamis Wave Power, ScottishPower Renewables, and West Islay Tidal Energy Park Ltd, under Scottish Government Grant R43039 (Saltire Studentship). The authors wish to thank Prof. Matthew Piggott, Prof. Paolo Perona, and three anonymous reviewers for providing valuable feedback on this work.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

Appendix

See Figs. 10, 11, 12, 13, 14, 15, 16 and 17.

Fig. 10 Variation in normalised: **a** local-scale extraction efficiency η_L and **b** channel-scale kinetic energy flux E_{KG} , corresponding to Fig. 4a (colour online)




Fig. 11 Variation in normalised: **a** local-scale extraction efficiency η_L and **b** channel-scale kinetic energy flux E_{KG} , corresponding to Fig. 4b (colour online)




Fig. 12 Variation in normalised: **a** local-scale extraction efficiency η_L and **b** channel-scale kinetic energy flux E_{KG} , corresponding to Fig. 5a (colour online)




Fig. 13 Variation in normalised: **a** local-scale extraction efficiency η_L and **b** channel-scale kinetic energy flux E_{KG} , corresponding to Fig. 5b (colour online)




Fig. 14 Variation in normalised local-scale extraction efficiency η_L corresponding to: **a** Fig. 6a and **b** Fig. 6b (colour online)




Fig. 15 Variation in normalised channel-scale kinetic energy flux E_{KG} corresponding to: **a** Fig. 6a and **b** Fig. 6b (colour online)




Fig. 16 Variation in normalised local-scale extraction efficiency η_L corresponding to: **a** Fig. 7a and **b** Fig. 7b (colour online)





Fig. 17 Variation in normalised channel-scale kinetic energy flux E_{KG} corresponding to: **a** Fig. 7a and **b** Fig. 7b (colour online)



References

- Adcock TAA, Draper S, Nishino T (2015) Tidal power generation—a review of hydrodynamic modelling. *Proc Inst Mech Eng A* 229(7):755–771. <https://doi.org/10.1177/0957650915570349>
- Adcock TAA (2015) On tidal stream turbines placed off headlands. *J Renew Sustain Energy* 7(6):061706. <https://doi.org/10.1063/1.4936361>
- Betz A (1920) Das Maximum der Theoretisch Möglichen Ausnützung des Windes durch Windmotoren. *Z Gesamte Turbinenwesen* 26(307–309):8
- Bonar PAJ (2017) Toward best practice in the design of tidal turbine arrays. PhD Thesis, University of Edinburgh, Edinburgh
- Borthwick AGL, Barber RW (1992) River and reservoir flow modelling using the transformed shallow water equations. *Int J Numer Methods Fluids* 14(10):1193–1217. <https://doi.org/10.1002/flid.1650141005>
- Burton T, Sharpe D, Jenkins N, Bossanyi E (2001) *Wind energy handbook*. Wiley, New York
- Cooke SC, Willden RHJ, Byrne BW (2016) The potential of cross-stream aligned sub-arrays to increase tidal turbine efficiency. *Renew Energy* 97:284–292. <https://doi.org/10.1016/j.renene.2016.05.087>
- Draper S, Housby GT, Oldfield MLG, Borthwick AGL (2010) Modelling tidal energy extraction in a depth-averaged coastal domain. *IET Renew Power Gener* 4(6):545–554. <https://doi.org/10.1049/iet-rpg.2009.0196>
- Draper S (2011) Tidal stream energy extraction in coastal basins. DPhil thesis, University of Oxford, Oxford
- Draper S, Stallard T, Stansby P, Way S, Adcock T (2013) Laboratory scale experiments and preliminary modelling to investigate basin scale tidal stream energy extraction. In: *Proceedings of the 10th European wave and tidal energy conference*, Aalborg
- Draper S, Nishino T (2014a) Centred and staggered arrangements of tidal turbines. *J Fluid Mech* 739:72–93. <https://doi.org/10.1017/jfm.2013.593>
- Draper S, Nishino T (2014b) Centred and staggered arrangements of tidal turbines—erratum. *J Fluid Mech* 743:636. <https://doi.org/10.1017/jfm.2014.53>
- Draper S, Nishino T, Adcock TAA, Taylor PH (2016) Performance of an ideal turbine in an inviscid shear flow. *J Fluid Mech* 796:86–112. <https://doi.org/10.1017/jfm.2016.247>
- Garrett C, Cummins P (2005) The power potential of tidal currents in channels. *Proc R Soc A* 461(2060):2563–2572. <https://doi.org/10.1098/rspa.2005.1494>
- Garrett C, Cummins P (2007) The efficiency of a turbine in a tidal channel. *J Fluid Mech* 588:243–251. <https://doi.org/10.1017/S0022112007007781>
- Housby GT, Draper S, Oldfield MLG (2008) Application of linear momentum actuator disc theory to open channel flow. In: *Technical report OUEL 2296/08*, Department of Engineering Science, University of Oxford, Oxford
- Hunter W, Nishino T, Willden RHJ (2015) Investigation of tidal turbine array tuning using 3D Reynolds-averaged Navier–Stokes simulations. *Int J Mar Energy* 10:39–51. <https://doi.org/10.1016/j.ijome.2015.01.002>
- Joukowsky NE (1920) Windmill of the NEJ type. *Transactions of the Central Institute for Aero-Hydrodynamics, Moscow*
- Kubatko EJ, Westerink JJ, Dawson C (2006) hp discontinuous Galerkin methods for advection dominated problems in shallow water flow. *Comput Method Appl Mech Eng* 196(1–3):437–451. <https://doi.org/10.1016/j.cma.2006.05.002>
- Kubatko EJ, Bunya S, Dawson C, Westerink JJ, Mirabito C (2009) A performance comparison of continuous and discontinuous finite element shallow water models. *J Sci Comput* 40(1–3):315–339. <https://doi.org/10.1007/s10915-009-9268-2>
- Kuipers J, Vreugdenhil CB (1973) Calculations of two-dimensional horizontal flow. In: *Research report S163 Pt. 1*. Delft Hydraulics Laboratory, The Netherlands
- Nishino T, Willden RHJ (2012) The efficiency of an array of tidal turbines partially blocking a wide channel. *J Fluid Mech* 708:596–606. <https://doi.org/10.1017/jfm.2012.349>
- Nishino T, Willden RHJ (2013) Two-scale dynamics of flow past a partial cross-stream array of tidal turbines. *J Fluid Mech* 730:220–244. <https://doi.org/10.1017/jfm.2013.340>
- Okulov VL, van Kuik GAM (2012) The Betz–Joukowsky limit: on the contribution to rotor aerodynamics by the British, German, and Russian scientific schools. *Wind Energy* 15(2):335–344. <https://doi.org/10.1002/we.464>
- Serhadlioglu S (2014) Tidal stream resource assessment of the Anglesey Skerries and the Bristol Channel. DPhil thesis, University of Oxford, Oxford
- Soulsby RL (1997) *Dynamics of marine sands: a manual for practical applications*. Telford, London
- Whelan JJ, Graham JMR, Peiró J (2009) A free-surface and blockage correction for tidal turbines. *J Fluid Mech* 624:281–291. <https://doi.org/10.1017/S0022112009005916>
- Vennell R (2010) Tuning turbines in a tidal channel. *J Fluid Mech* 663:253–267. <https://doi.org/10.1017/S0022112010003502>
- Vennell R, Adcock TAA (2014) Energy storage inherent in large tidal turbine farms. *Proc R Soc A* 470(2166):20130580. <https://doi.org/10.1098/rspa.2013.0580>
- Vennell R, Funke SW, Draper S, Stevens C, Divett T (2015) Designing large arrays of tidal turbines: a synthesis and review. *Renew Sustain Energy Rev* 41:454–472. <https://doi.org/10.1016/j.rser.2014.08.022>
- Vennell R (2016) An optimal tuning strategy for tidal turbines. *Proc R Soc A* 472(2195):20160047. <https://doi.org/10.1098/rspa.2016.0047>
- Vogel CR, Housby GT, Willden RHJ (2016) Effect of free surface deformation on the extractable power of a finite width turbine array. *Renew Energy* 88:317–324. <https://doi.org/10.1016/j.renene.2015.11.050>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.