**Places and Technologies 2015** 

# **KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES**

Nova Gorica, Slovenia, 18.–19.6.2015

# BOOK OF CONFERENCE PROCEEDINGS

A healthy city is one that is continually creating and improving those physical and social environments and expanding those community resources which enable people to mutually support each other in performing all the functions of life and developing to their maximum potential.

Health Promotion Glossary (1998)



Универзитет у Београду - Архитектонски факултет University of Belgrade - Faculty of Architecture www.arh.bg.ac.rs





University of Ljubljana Faculty of Architecture



University of Belgrade, Faculty of Architecture, Serbia

University of Ljubljana, Faculty of Architecture, Slovenia

Professional Association, Urban Laboratory, Serbia

General Hospital, »Dr Franca Derganca« Nova Gorica, Slovenia

#### **SPONZORS:**



KREAL, Creative Aluminium, Kidričevo, Slovenia

#### **SUPPORTERS:**

















CIP - Kataložni zapis o publikaciji Narodna in univerzitetna knjižnica, Ljubljana

614:711.4(082)(0.034.2)

INTERNATIONAL Academic Conference Places and Technologies (2 ; 2015 ; Nova Gorica)

Keeping up with technologies to make healthy places [Elektronski vir]: book of conference proceedings / [2nd International Academic Conference] Places and Technologies 2015, Nova Gorica, 18.-19. 6. 2015; editors Alenka Fikfak ... [et al.]. - Ljubljana: Faculty of Architecture, 2015

ISBN 978-961-6823-68-5

1. Gl. stv. nasl. 2. Dodat. nasl. 3. Fikfak, Alenka 279986432

# **Places and Technologies 2015**

# KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES

**BOOK OF CONFERENCE PROCEEDINGS** 

## **Editors:**

Alenka Fikfak, Eva Vaništa Lazarević, Nataša Fikfak, Milena Vukmirović, Peter Gabrijelčič

Nova Gorica, Slovenia





# **Contents**

INTRODUCTION	10
HEALTHY CITY - TECHNOLOGY AND URBAN RESILIENCE  EVA VANIŠTA LAZAREVIĆ	11
A PLACE FOR PLACES: LIVE AND STAY	13
Nataša Fikfak	
NOVA GORICA	14
MATEJ ARČON HEALTHY CITY - TECHNOLOGY AND URBAN RESILIENCE	17
RUŽICA BOŽOVIĆ STAMENOVIĆ	17
INNOVATING AT LISBON'S WATERFRONT PLACE,	
THE "TAGUS PLATFORM" PROJECT	19
PEDRO RESSANO GARCIA	
TOPIC I: Architecture and Health	19
HEALTHY BUILDINGS: THE ICF CLASSIFICATION AS A DESIGNING TOOL	20
ALBERTO ARENGHI, DANIELE MALGRATI, MICHELE SCARAZZATO	
THE HEALTH ASPECTS OF SUSTAINABLE ARCHITECTURE	26
Kosara Kujundžić	
UNIVERSITY AND DWELLERS' ASSOCIATIONS TOGETHER FOR	
CREATING SUSTAINABLE AND HEALTHY URBAN ENVIRONMENTS	32
Lucia Martincigh, Francesco Bianchi, Cecilia De Marinis, Marina Di Guida, Giovanni Perrucci	
"VERTICAL" CITY	39
Damjana Lojaničić	
HEALTHY WORKPLACE: UTOPIA OR REALITY OF MODERN	
ARCHITECTURAL DESIGN IN BOSNIA AND HERZEGOVINA	45
Tijana Vujičić, Tanja Trkulja	
SUSTAINABLE DESIGN FOR IMPROVEMENT OF HEALTHY BUILT ENVIRONM	ENT52
ALEKSANDAR PETROVSKI, OGNEN MARINA, GEORGI DIMKOV, DIMITAR PAPASTEREVSKI	
HEALTHCARE DESIGN REVISITED – NEW APPROACHES	
TO USER – CENTRIC, EFFICIENT AN EFFECTIVE DESIGN	59
EVA VANIŠTA LAZAREVIĆ, JELENA MARIĆ, MILENA VUKMIROVIĆ, GORAN RADOVIĆ	
BUILDING MATERIALS AND HUMAN HEALTH: DESIGNERS' PERSPECTIVE	74
Saja Kosanović, Alenka Fikfak, Mirko Grbić	





TOWARDS A NEW UNDERSTANDING OF HEALTHY PLACE	80
Saja Kosanović, Eva Vaništa Lazarević, Slađan Timotijević	
ENVIRONMENTAL FEATURES OF BUILDING MATERIALS OF TRADITIONAL OHRID HOUSE AND THEIR CONTRIBUTION TO ITS HUMAN DESIGN	86
RADMILA TOMOVSKA, ANA RADIVOJEVIĆ	
HEALTHY ARCHITECTURE AS A RESULT OF BALANCED INTEGRATION OF ARTIFICIAL AND NATURAL RULES	93
Dženana Bijedić, Rada Čahtarević, Senaida Halilović	
HEALTHY ARCHITECTURE FOR CHILDREN	101
JULIJA ALEKSIĆ	
MEDICINE AND ARCHITECTURE IN THE CONTEMPORARY SOCIETY  ILKA ČERPES	107
MARGINALISATION OF LOCAL COMMUNITIES	
ALONG THE STRAIT OF SINGAPORE	115
Magnus Nickl, Verena Stecher	
THE SCALE OF ACUTE CARE HOSPITALS IN SERBIA -	
THE NEED FOR RETHINKING	121
Marko Matejić	
ARCHITECTURE AND HEALTHY LIVING SPACE	127
GORAN RADOVIĆ	
TOPIC II: Physical Planning and Quality of Place	140
DEVELOPMENT DIRECTIONS OF URBAN STRUCTURE THROUGH	
REGISTRATION OF CHANGES OF SEGMENTS OF URBAN COMPLEX	141
VELIMIR STOJANOVIĆ	
THE TRANSFORMATION OF THE SQUARE	
CARICA MILICA IN NOVI SAD (SERBIA)	147
Ivana Sentić, Ksenija Hiel	
VARESE LIGURE: AN ITALIAN RURAL MUNICIPALITY WHICH HAS	
IMPLEMENTED AN EXEMPLARY MODEL OF SUSTAINABLE DEVELOPMENT	154
GIOVANNI SERGI, CARLO BERIO, GIULIA CANTON, GIACOMO CROVO	
CYBERPARKS CHALLENGES - NEW DIGITAL MEDIA FOR ATTRACTIVE	
URBAN OPEN SPACES	163
Ina Šuklie Erjavec, Carlos Smaniotto Costa	
MEDIA ARCHITECTURE AND SUSTAINABLE ENVIRONMENT	171
Jasna Čikić-Tovarović, Jelena Ivanović-Šekularac, Nenad Šekularac	





IMPLEMENTATION OF NORWEGIAN EXPERIENCE TO SLOVENIAN HOSPITAL SECTOR 1	179
ALENKA TEMELIOTOV-SALAJ, SVEIN BJOERBERG, SIMON VRHUNEC, ANDREJ BARIČIČ	
TOWARDS OPEN, THERMODYNAMIC CITY P&T 2015	186
Marija Bojović, Irena Rajković, Sanja Paunović Žarić	
INTERWEAVING OF BANJALUKA'S URBAN AND RURAL LANDSCAPES 1	194
DIJANA SIMONOVIĆ	
AN APPLICATION OF THE "ENVIRONMENTAL ISLAND": A PRESCRIPTIVE TOOL TO CREATE HEALTHIER URBAN ENVIRONMENTS 2	201
Lucia Martincigh, Cecilia De Marinis, Janet Hetman	
DEVELOPMENT OF PUBLIC SQUARES IN NORTH WESTERN EUROPEAN CITY CENTRES 2	209
BOB GIDDINGS, JAMES CHARLTON	
MUSIC AND SOUND AS A TOOL INTO DESIGNING HEALTHIER ENVIRONMENT 2  ANJA KOSTANJŠAK, MORANA PAP, TENA LAZAREVIĆ	216
DESIGNING PARKING STRUCTURES IN SERVICE OF PUBLIC HEALTH 2	225
Tanja Trkulja, Tijana Vujičić	
DESIGNING THE WORKING ENVIRONMENT	
WHEN PLANNING BUSINESS ZONES 2	232
Gregor Čok	
FOUR PARADIGMS FOR THE VENETO REGION'S CENTRAL AREA 2	240
ENRICO ANGUILLARI	
MUNICIPALITY POLICY AS KEY FACTOR FOR THE ROLE OF ARCHITECTURE AND TECHNOLOGY IN PUBLIC HEALTH 2	248
DEJAN VASOVIĆ, NATAŠA ĆUKOVIĆ IGNJATOVIĆ, DUŠAN IGNJATOVIĆ	
INDUSTRIAL HERITAGE IN ALBANIA AND THE OPPORTUNITIES FOR REGENERATION AND ADAPTIVE RE-USE 2	255
FLORIAN NEPRAVISHTA	
THE POSSIBILITIES OF THE APPLICATION OF THE CONCEPT OF HEALTHY CITY IN ILLEGAL SETTLEMENTS IN SERBIA 2	266
Branislav Antonić, Biserka Mitrović	
URBAN REGENERATION AS A TOOL FOR POPULATION HEALTH IMPROVEMENT 2	272
FILIP PETROVIĆ	
URBANIZATION OF METROPOLITAN AREAS – THE IMPORTANCE OF NEW SPATIAL DATA ANALYSIS TOOLS  HANNA OBRACHT-PRONDZYNSKA	281





AQUAPONICS BASED ARTIFICIAL BIOSPHERE INCLUDED IN ARCHITECTU MITIGATION OF NEGATIVE IMPACTS TO POSITIVE ADDED VALUES OF U		
SPATIAL STRUCTURES ON LOCAL, REGIONAL AND GLOBAL SCALE PIOTR MAREK SMOLNICKI	288	
INSTITUTIONAL CHALLENGES IN THE URBAN PLANNING WATER SENSITIVE PLACES  VIŠNJA SRETOVIĆ BRKOVIĆ, MATIJA BRKOVIĆ	297	
TOPIC III: Lifetime Communities and Participation	308	
COHOUSING FOR BUILDING REUSE  ADOLFO BARATTA, FABRIZIO FINUCCI, ANNALISA METTA, LUCA MONTUORI	309	
HOW TO DESIGN HEALTHY BUILDING FOR HEALTHY LIVING?  Anja Jutraž, Sanja Štimac	315	
PARTICIPATORY URBAN PLANNING AND PUBLIC POLICY VIŠNJA KUKOČ	326	
TOPIC IV: Cultural Patterns and Sensitivity	332	
SENSE OF PLACE IN ARCHITECTURAL DESIGN: TOWARDS HEALTHY PLACES P&T 2015  EGLÉ NAVICKIENÉ	333	
HOLIDAY HOMES IN THE VICINITY OF SPLIT, CROATIA, DESIGNED BY FRANO GOTOVAC – CONTINUITY OF ARCHITECTURAL HERITAGE VESNA PERKOVIĆ JOVIĆ	341	
ARCHITECTURE AND ITS AFTERLIFE; GREEN URBANITY  GABRIELLA MEDVEGY, GÁBOR VERES	347	
INVESTIGATION OF RELATIONSHIP BETWEEN CULTURE OF THE INHABITANTS AND QUALITY OF HOUSING ANA ŠPIRIĆ, SANJA TRIVIĆ	353	
UTOPIAN PROJECTS DRAWINGS AS INDICATORS OF MODERN SOCIETY NEEDS VLADIMIR KOVAČ	361	
YOUTH AND THE FEELING OF SAFETY IN PUBLIC SPACES	368	





TOPIC V: Health Intensive Care	375
OPTICAL COHERENCE TOMOGRAPHY - GUIDED PRIMARY PERCUTANEOUS CORONARY INTERVENTION IN ACUTE MYOCARDIAL INFARCTION IGOR KRANJEC	375
FRACTAL ARCHITECTURE OF THE CORONARY ARTERY TREE  MATJAŽ KLEMENC	386
HUMANIZATION OF DIALYSIS: GREEN AND COZY  JADRANKA BUTUROVIĆ-PONIKVAR	392
CONTEMPORARY CHALLENGES OF PUBLIC HEALTH AND AN ACTIVE APPROACH TO OVERCOME THEM Marko Vudrag	397
ANALYSIS AND CONTEMPORARY APPROACH OF SPACE DESIGN OF INTESIVE PSYCHIATRIC CARE UNIT NEVENA DUTINA, ALEKSANDRA DUTINA	406
TOPIC VI: Inclusive and Accessible Environment	413
TOWARDS INCLUSIVE FIRE SAFETY DESIGN  VALERIA TATANO, ELISABETTA CARATTIN	414
INCLUSIVE AND THERAPEUTIC URBAN ENVIRONMENT: INVOLVING USERS IN THE DESIGN PROCESS ILARIA GAROFOLO, BARBARA CHIARELLI	422
DEVELOPING INNOVATIVE SOCIAL HOUSING TO FOSTER INCLUSIVE COMMUNITIES  SILVIA GRION, PAOLA COLONI	429
URBAN PUBLIC SPACES ACCESSIBLE FOR ALL: A CASE STUDY IN A HISTORICAL DISTRICT OF ROME LUCIA MARTINCIGH, CECILIA DE MARINIS	436
ECOLOGICAL LANDSCAPE, PHYTODEPURATION AND MANMADE WETLANDS IN MAGOK LAKE PARK, SEOUL CRISTIAN SUAU, CARMELO ZAPPULLA	445
ADVANCED SYSTEMS FOR IMPROVING COMMON HEALTH	458
URŠKA KALČIČ, JANEZ PETER GROM	466
INCLUSIVE AND ACCESSIBLE ENVIRONMENT: PLANNING FOR THE FUTURE  SANKALP SHUKLA, APOORVA GANGRADE, ANSHULA GUMBER	466
FACTS4STOPS – USER NEEDS REGARDING PUBLIC TRANSPORT STATIONS AND ENVIRONMENT CHRISTINE CHALOUPKA-RISSER, DANIEL BELL	472





TOPIC VII: Environmentally Friendly Transport	4/8
SHIFTING TO MORE ENVIRONMENTALLY FRIENDLY MODES IN LONG-DISTANCE TRANSPORT ALEKSANDRA NEŠIĆ, IVANA ČAVKA, OLJA ČOKORILO	479
ASSESSING PUBLIC TRANSPORT EFFICIENCY IN THE CONTEXT OF SUSTAINABLE DEVELOPMENT EVGENIA YOSIFOVA	485
THE ROLE OF PUBLIC TRANSPORT PRIORITY IN SUSTAINABLE URBAN MOBILITY DINO ŠOJAT, DAVOR BRČIĆ, MARKO SLAVULI	492
APPLICATION OF PV MODULES ON NOISE BARRIERS	498
BUDIMIR SUDIMAC, ANDJELA DUBLJEVIĆ	
PLANNING OF ELECTRIC TRANSPORTATION IN THE KRŠKO REGION  ANA TIVADAR, STANKO MANOJLOVIĆ, SIMON PODKORITNIK	505
INTELLIGENT TRANSPORT SYSTEMS FOR SMART CITIES BIA MANDŽUKA, LJUPKO ŠIMUNOVIĆ, MARIO ĆOSIĆ	511
TOPIC VIII: Building Technologies	518
RETROFITTING OF MULTI-FAMILY BUILDINGS TOWARDS HEALTHIER SETTLEMENTS	519
ALEKSANDRA KRSTIĆ-FURUNDŽIĆ, ALEKSANDRA ĐUKIĆ	
FERROCEMENT ARCHITECTURAL STRUCTURES FROM THE ASPECT OF SOCIAL WELL-BEING	526
ALEKSANDRA NENADOVIĆ	
DAYLIGHT ANALYSES OF "READY-MADE" FAÇADES WITH MODULAR OPENINGS - CASE STUDY LOCATION IN PODGORICA	532
Sanja Paunović Žarić, Irena Rajković, Marija Bojović	
ACTIVE SOLAR SYSTEMS – STUDY OF POTENTIAL FOR APPLICATION IN THE MATERIALIZATION OF TOURIST FACILITIES IN MONTENEGRO	539
Irena Rajković, Sanja Paunović Žarić, Marija Bojović	
PREFABRICATED PASSIVE HOUSE VENTILATED FAÇADE PANEL SYSTEM WITH RECYCLED CONCRETE	548
Ljubomir Miščević, Ivana Banjad Pečur, Bojan Milovanović	
POTENTIAL ANALYSIS OF DYNAMIC, THERMAL BUILDING SIMULATIONS AND DEVELOPMENT OF MEASUREMENT AIDED SIMULATION TECHNIQUE ISTVÁN KISTELEGDI, BÁLINT BARANYAI, BÁLINT BACHMANN	556





TOPIC IX: Adaptive Reuse and Urban Renewal	561
COMPARISON OF THE SUSTAINABILITY OF DIFFERENT TECHNIQUES FOR THE STRENGTHENING OF REINFORCED CONCRETE SLABS  TANYA CHARDAKOVA, MARINA TRAYKOVA	562
SYSTEMS FOR THE REQUALIFICATION OF NON-LISTED ARCHITECTURE: THE "ADAPTIVE EXOSKELETON"  FRANCESCA GUIDOLIN	569
RECONSTRUCTION AND REVITALIZATION OF THE COMPLEX SENARA, WITHII THE MONASTERY HILANDAR, IN ORDER TO ADAPT TO MODERN TRENDS AN SOCIAL CHANGES	
Jelena Ivanović-Šekularac, Jasna Čikić-Tovarović, Nenad Šekularac	
RENEWAL OF JUGOMONT PREFABRICATED RESIDENTIAL BUILDINGS JU-61  IVAN MLINAR, LEA PETROVIĆ KRAJNIK, TAMARA MARIĆ	582
BROWNFIELDS AS PLACES AND RENEWABLE ENERGY SYSTEMS AS TECHNOLOGIES: POTENTIALS AND RISKS IN CASE OF SERBIA ANITA STOILKOV-KONESKI, ZORAN KONESKI	588
LANDFILL JAKUŠEVEC IN ZAGREB – POTENTIAL FOR NEW SPACE IDENTITY AND ENHANCEMENT OF QUALITY OF LIFE LEA PETROVIĆ KRAJNIK, DAMIR KRAJNIK, IVAN MLINAR	595
TOPIC X: Active Living and Health	601
OPEN PUBLIC SPACES FOR HEALTHIER CITIES	602
Aleksandra Stupar, Aleksandra Đukić	
RESPONSIBILITY TO THE EMPLOYEES' HEALTH UNAVOIDABLE	
IN THE CREATIVE AND INNOVATIVE DESIGN OF OFFICE SPACES	610
Nikola Z. Furundžić, Dijana P. Furundžić, Aleksandra Krstić- Furundžić	C17
HEALTHY PLACES, ACTIVE PEOPLE  KATARINA ANA LESTAN, IVAN ERŽEN, MOJCA GOLOBIČ	617
THE IMPACT OF QUALITY OF PEDESTRIAN SPACES ON	
WALKING AS A MODERATE PHYSICAL ACTIVITY	623
Milena Vukmirović, Eva Vaništa Lazarević	
TOPIC XI: Health Promotion, Protection and Prevention	638
OUTDOOR GYMS: "NO MORE EXCUSES FOR PEOPLE WHO CANNOT AFFORD MEMBERSHIPS. GET OUT AND GET IN SHAPE!"  ANNE-KATHRIN WILL	639





STUDENT PHYSICAL EDUCATION FOR HEALTHY LIFESTYLE	646
ALES GOLIA KEY POINTS OF HUMAN AWARENESS AND EMERGENCY	
PLANNING. SCHOOLS AS A CASE STUDY	655
Maddalena Coccagna	
ANOTHER SIDE OF THE COMFORT OF LIVING –	
ELECTROMAGNETIC POLLUTION	661
Nebojša Arsić, Jordan Radosavljević, Nataša Fikfak, Saša Štatkić	
RECOMMENDATIONS FOR UNIVERSAL DESIGN OF OUTDOOR	667
LEISURE AND RECREATIONAL AREAS  LARA SLIVNIK	667
LAKA JLIVNIK	
TOPIC XII: Social Networks and Human Basic Needs	673
	070
VISUAL REPRESENTATION AND EXPERIENCE OF PLACE:	0,3
VISUAL REPRESENTATION AND EXPERIENCE OF PLACE: CASE STUDY ALHAMBRA IN GRANADA	674
CASE STUDY ALHAMBRA IN GRANADA	
CASE STUDY ALHAMBRA IN GRANADA Isidora Karan, Vedrana Ikalović	
CASE STUDY ALHAMBRA IN GRANADA ISIDORA KARAN, VEDRANA IKALOVIĆ BEYOND THE QUANTIFIED SELF: A LOOK AT	674
CASE STUDY ALHAMBRA IN GRANADA ISIDORA KARAN, VEDRANA IKALOVIĆ BEYOND THE QUANTIFIED SELF: A LOOK AT THE SOCIAL DIMENSION OF HEALTH	674
CASE STUDY ALHAMBRA IN GRANADA ISIDORA KARAN, VEDRANA IKALOVIĆ BEYOND THE QUANTIFIED SELF: A LOOK AT THE SOCIAL DIMENSION OF HEALTH SVEA HEINEMANN	674
CASE STUDY ALHAMBRA IN GRANADA ISIDORA KARAN, VEDRANA IKALOVIĆ  BEYOND THE QUANTIFIED SELF: A LOOK AT THE SOCIAL DIMENSION OF HEALTH SVEA HEINEMANN  SKYSCRAPER'S PUBLIC AREAS: THE IMPACT ON SPACE AND SOCIAL LIFE ALICIA STEFAŃSKA  THE IMPACT OF SOCIAL NETWORKS USE ON REDUCTION	674 680 686
CASE STUDY ALHAMBRA IN GRANADA ISIDORA KARAN, VEDRANA IKALOVIĆ BEYOND THE QUANTIFIED SELF: A LOOK AT THE SOCIAL DIMENSION OF HEALTH SVEA HEINEMANN SKYSCRAPER'S PUBLIC AREAS: THE IMPACT ON SPACE AND SOCIAL LIFE ALICIA STEFAŃSKA	674





# ENVIRONMENTAL FEATURES OF BUILDING MATERIALS OF TRADITIONAL OHRID HOUSE AND THEIR CONTRIBUTION TO ITS HUMAN DESIGN

#### Radmila Tomovska

PhD student, Teaching Assistant, Facility of Architecture, MIT University, Bulevar Treta Makedonska Brigada 69, Skopje, Republic of Macedonia, radmila.tomovska@mit.edu.mk

## Ana Radivojević<sup>1</sup>

PhD, Associate Professor, Faculty of Architecture, University of Belgrade, Bulevar Kralja Aleksandra 73/II, Belgrade, Serbia, ana@arh.bg.ac.rs

#### ABSTRACT

Selection of materials for the construction of a house can significantly affect the extent to which it will be characterized as a "healthy home". Having this in mind, the paper discusses the environmental impact of applied building materials in the case of a traditional Ohrid house which was selected as a representative of vernacular architecture in the Balkan region. Respecting the principle of relying on local resources which is a characteristic of vernacular architecture, materials used for the construction of Ohrid houses are natural, non-toxic, most of them are organic, and none of them causes environmental pollution during the deconstruction, i.e., does not threaten its natural course.

Consideration of the impact of building materials on the environment emphasizes the positive characteristics of selected natural materials as well as sustainable character of building principles of Ohrid masters. The following criteria were analysed: the amount of energy embodied in the particular material; the use of natural materials; locally produced building materials; use of durable materials; level of toxicity; recyclability; waste minimization; reuse of materials and the biodegradability of materials.

The aim of this paper is to point out that the principles of environmentally responsible construction applied on the case of the Ohrid vernacular architecture are timeless guidelines in construction of healthy and sustainable architecture. The established character of being ecologically friendly and healthy which is typical for applied materials on selected examples of vernacular architecture, offers the opportunity for a review of sustainable strategies that are used for several centuries, but still keep their significance in contemporary sustainable practices and environmental design.

**Keywords**: traditional Ohrid house, natural materials, non-toxic materials, low-embodied-energy materials, biodegradability.

-

<sup>&</sup>lt;sup>1</sup> Corresponding author

PLACES AND
TECHNOLOGIES 2015

KEEPING UP WITH TECHNOLOGIES
TO MAKE HEALTHY PLACES

18 ® 19 JUNE 2015 NOVA GORICA SLOVENIA



#### Introduction

Sustainable construction is defined as "the creation and responsible management of a healthy built environment based on resource efficient and ecological principles" (SABD, 2002). Careful selection of environmentally sustainable building materials is the easiest way for architects to start with incorporation of sustainable design principles in buildings. Having this in mind, the issue of the use of materials is increasingly being observed through their ecological aspect, i.e. their environmental profile. This term represents a method for identification and assessment of environmental impacts associated with building materials, covering various aspects of interaction between a material and the environment: embodied energy and pollution, waste generation and recycling possibilities, but also the issue of energy conservation and energy efficiency (Jong-Jin and Righton, 1998). Negative environmental impact can be mitigated through the use of sustainably harvested building materials and finishes, materials with low toxicity in manufacturing and installation, as well as through reuse or recycling of building materials (SABD, 2002).

The principles of Life Cycle Design provide important guidelines for the selection of building materials (Jong-Jin and Righton, 1998) since the environmental impact of each step of the manufacturing process is examined -from the extraction of raw materials, manufacture, distribution, and installation, till the ultimate ending in a form of reuse, recycling or disposal. Material's life cycle could be observed into three phases: Pre-Building, Building, and Post-Building (Jong-Jin and Righton, 1998) that correspond with the life cycle phases of the building itself. Evaluation of an environmental impact of a building material at each stage enables creation of a healthy built environment, based on resource efficient and ecological principles. The objective of this paper is to identify an environmental impact of building materials that were applied in the Ohrid vernacular architecture in all three phases of material's life cycle. The study was conducted through the following steps: elaboration of the basic characteristics of the traditional Ohrid house, followed by identification of applied building materials as a direct object of this research. Finally, the generally accepted sustainable qualities of building materials were presented as criteria for determination and elaboration of "green features" of analysed building.

#### BASIC CHARACTERISTICS OF THE TRADITIONAL OHRID HOUSE

The term Ohrid's vernacular architecture refers to the traditional secular architecture of the town of Ohrid represented by the traditional, Ohrid house. This house can be characterized as a regional variant of the Ottoman type of urban house with specific indigenous characteristics, which are specifically related to the spatial plan and structural details. The Ohrid region has a Mediterranean - continental climate, which imposed that this house is organized in two parts — a winter and a summer apartment (Чипан, 1982). Even though the buildings form a very dense

2ND INTERNATIONAL ACADEMIC CONFERENCE

## PLACES AND TECHNOLOGIES 2015

KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES

18 ® 19 JUNE 2015 NOVA GORICA SLOVENIA



urban matrix, every house enjoys plenty of sunshine, fresh air, and a beautiful view (Fig. 1).





Figure 1: House of the Robev family and part of the house Uranija (left), Traditional Ohrid houses along the street St. Sofija (right).

The traditional Ohrid house is constructed from various traditional building materials, presented and described in Table 1. Two main building materials - stone and wood, were applied in the two constructive systems: massive stone masonry - lower part of the house representing the winter apartment, and a light wooden structure, the so-called *bondruk* system -upper parts of the house representing the summer apartment (Хаџиева Алексиевска, 1985). In that way the house responses in the best way to the climate conditions during the year (Чипан, 1982).

Table 1: Building materials of traditional Ohrid house.

Type of building material	Origin, basic characteristics of the material and its application on the Ohrid house
Stone	untreated (crushed) and/or treated stone blocks, excavated from the immediate surroundings or from the local quarry; the treated stone blocks originated often from previous buildings and monuments from the site;
Wood	beech or fir wood from the immediate surroundings;
Mud mortar	the most common binder of the stone walls;
"Čok" plaster	traditional plaster applied to the exterior surfaces of the <i>bondruk</i> wall; made of hydrated lime, fine sand, offcuts of timber, and straw or animal fibber;
Lime based plaster	traditional plaster applied to the interior surfaces of the <i>bondruk</i> wall; made of hydrated lime or dry pulverized lime, river sand, and a small amount of a material with pozzolanic features (ground volcanic stone, powder dust from clay tiles or pozzolanic earth);
Glass	glass commonly used at the territory of the Balkans in the 19 <sup>th</sup> and at the beginning of 20 <sup>th</sup> century;
Clay tiles	made of clay from the immediate surroundings;

2ND INTERNATIONAL ACADEMIC CONFERENCE PLACES AND TECHNOLOGIES 2015 KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES

18 ® 19 JUNE 2015 NOVA GORICA SLOVENIA



The massive system was constructed of stone walls, built of stone blocks and bonded with mud which was the most common binder, although there are examples where lime mortar was also applied. It represented a very durable structure. On the other hand, the bondruk wall which was constructed of basic timber frames consisting of post and beam structures with trusses or braces supporting at the corner points. This type of timber frames was widely applied, since it allowed the houses to be built quite quickly and the timber material did not have to be of a top quality (Radivojević et al., 2014). One of the peculiarities of the Ohrid house is the bondruk wall itself - 18 cm thick wall. Such wall, which is a combination of two layers of wooden-frame walls and an intermediate air layer represents a very light construction with good insulating properties.

#### THE SUSTAINABLE QUALITIES OF THE ANALYSED BUILDING MATERIALS

Three groups of criteria are identified in this research on the basis of material's life cycle. They are used in further analyses in order to determine and compare environmental or "green" features of the building materials used for construction of the traditional Ohrid house (Table 2) that represent sustainable qualities of a particular material that was designed, manufactured, and applied with environmental considerations (Jong-Jin and Righton, 1998). The presence of one or more of "green features" in a building material can assist in determining its relative sustainability.

Table 2: Sustainable "Green" Features of Building Materials of Ohrid Traditional House.

Material's life cycle phase	Criteria	stone	poom	clay tiles	earth (mud)	čok plaster	interior	glass
Pre-building	waste reduction	+	+		+	+	+	
phase:	pollution prevention	+	+	+	+	+	+	
Manufacture	recycled content					+	+	
	embodied energy reduction	+	+	+	+	+	+	
	use of natural and/or naturally based materials	+	+	+	+	+	+	+
Building phase: Use	reduction in construction waste	+	+	+	+	+	+	
	use of local materials	+	+	+	+	+	+	
	energy efficiency	+	+					
	use of non-toxic or less- toxic materials	+	+	+	+	+	+	+
	durability	+		+				+
Post-building	reusability	+	+	+				
phase: Disposal	recyclability - hypothetically		+	+	+			+
	biodegradability		+	+	+	+	+	

PLACES AND TECHNOLOGIES 2015

KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES

18 ® 19 JUNE 2015 NOVA GORICA SLOVENIA



The organic material basis of the house, as well as its characteristics of biodegradability, reveal a natural cycle of these buildings. The use of local, natural, non-toxic, and biodegradable materials enables a comfort in the quality of life during the whole lifecycle of the building. In many cases materials were obtained locally, even at the building site itself. Natural materials used in the example of the Ohrid house are lower in embodied energy and toxicity, in comparison with manmade materials. They required less processing and are less damaging to the environment. Their biodegradable feature enables saving energy in the process of disposing of the construction waste in the post-building phase.

Application of durable materials with low maintenance requirements represent another sustainable feature detected in the example of the Ohrid house. The ground floor of Ohrid house is built from treated and untreated blocks of stone, which is a material that is well-known for its durability. The applied treated stone was usually in form of a stone capital, part of tombstone, etc. It originated from the 6<sup>th</sup> till 9<sup>th</sup> century and in 18<sup>th</sup> or 19<sup>th</sup> century was incorporated into the massive walls of Ohrid houses (H.У. Завод и Музеј Охрид, 2010). Unlike the stone, wood cannot be characterized as durable material. However, in the example of Ohrid traditional house beech wood from the immediate surroundings, which is hard and durable, was the most commonly used wood type. A significant ecological feature observed in the Ohrid house is the way the wood is protected and its life extended. Wood protection consisted of natural resources, such as: vinegar, oil, wax and tar (Чипан, 1982). They are non-toxic, eco-friendly products, while today, most commonly used materials for wood protection are chemical coatings that are often toxic and significantly more expensive than the natural materials.

From today's point of view, the materials implemented in the traditional Ohrid house (such as wood, clay tiles, and glass) can be easily dismantled, sorted into common groups of materials, and recycled. Some of the materials used in the construction of Ohrid house posses the so called recycled content feature of a building material. In the analysed case, the traditional plasters applied to the interior and exterior surfaces of the *bondruk* wall of Ohrid houses can be characterized as materials produced partially from construction waste.

#### **CONCLUSIONS**

It can be concluded that the identified "green features" implemented on the analysed case that are in correlation with the contemporary defined sustainable "green" features of building materials. Saving energy and resources were the primary goals of the master-builder of the traditional Ohrid house. The economy and rationality, as important virtues of the master builder, contributed in a large extent to finding smart solutions with regards to on-site waste minimization. Even in the pre-building stage, i.e. in the very process of design and the organic perception of architecture, the basic, conceptual foundations of the modern sustainable architectural design could be traced. The use of standard dimensions





and the modular coordination in the design process (Хаџиева Алексиевска, 1985) allowed reusability of the elements of construction and finalization. Implementation of this sustainable strategy, the so-called design for reuse (Jong-Jin and Righton, 1998) reveals the relevance of the concept of this vernacular architecture for the modern, sustainable practice. This kind of building cycle represents a perfect form of circulation of the material that is in a good shape, so the use of new raw materials and resources is kept to a necessary minimum.

The use of non-toxic materials for the construction of buildings is vital to the health of construction workers and the user house. Local, natural and non-toxic materials (stone, wood, earth, sand, pozzolana, gravel, animal hair, straw, brick and glass) representing the material base of Ohrid houses are responsible for a healthy indoor environment ecological house. Applied organic materials are biodegradable, so during the deconstruction they do not pollute the environment.

From the results of presented analyses one can assume that the sustainable architecture is not derived just from the application of the latest technological advances to reduce negative impact of buildings on the environment, but it is also achieved by a simple application of local materials and building techniques, good site planning, smart management of the building materials and environmentally conscious design. It is believed to be the solution for creating healthy, ecological and timeless architecture. This is also a strong argument for the significance of the protection and conservation, not only of this particular type of traditional house, but of vernacular heritage in general.

#### REFERENCES

Jong-Jin Kim and Brenda Righton. 1998. Sustainable Architecture Module: Qualities, Use, and Examples of Sustainable Building Materials. Michigan: National Pollution Prevention Center for Higher Education, College of Architecture and Urban Planning, The University of Michigan.

Н.У. Завод и Музеј Охрид. 2010. *Елаборат за ревалоризација на стариот дел на градот Охрид*. [Study on the revalorization of the old part of the town of Ohrid] Охрид: Н. У. Завод за заштита на спомениците на културата и Музеј-Охрид.

Radivojević Ana, Mirjana Roter Blagojević and Aleksandar Rajčić. 2014. "The issue of thermal performance and protection and modernization of traditional half-timbered (bondruk) style houses in Serbia." *Journal of Architectural Conservation* 20-3: 209-225.

Sustainable Architecture and Building Design (SABD). Last modified August 10, 2002. Accessed November 24, 2009. http://www.arch.hku.hk/research/BEER/sustain.htm/

Хаџиева Алексиевска Јасмина. 1985. *Мерки, Антропоморфност и модуларни пропорции кај старата македонска куќа*. [Measures, Anthropomorphism and modular proportions in the old Macedonian house] Скопје: Студентски збор.

PLACES AND TECHNOLOGIES 2015

KEEPING UP WITH TECHNOLOGIES TO MAKE HEALTHY PLACES



18 ® 19 JUNE 2015 NOVA GORICA SLOVENIA

Чипан Борис. 1982. Старата градска архитектура во Охрид. [The old urban architecture in Ohrid] Скопје: Македонска книга.