

University of Mississippi

eGrove

APCRL Policy Briefs

Center for Population Studies

4-13-2020

COVID-19 in the Rural South: A Perfect Storm of Disease, Health Access, and Co-Morbidity

Anne Cafer

University of Mississippi, amcafer@olemiss.edu

Meagen Rosenthal

University of Mississippi, mmrosent@olemiss.edu

Follow this and additional works at: https://egrove.olemiss.edu/apcrl_policybriefs



Part of the [Public Affairs, Public Policy and Public Administration Commons](#), and the [Public Health Commons](#)

Recommended Citation

Cafer, Anne and Rosenthal, Meagen, "COVID-19 in the Rural South: A Perfect Storm of Disease, Health Access, and Co-Morbidity" (2020). *APCRL Policy Briefs*. 2.
https://egrove.olemiss.edu/apcrl_policybriefs/2

This Article is brought to you for free and open access by the Center for Population Studies at eGrove. It has been accepted for inclusion in APCRL Policy Briefs by an authorized administrator of eGrove. For more information, please contact egrove@olemiss.edu.

COVID-19 in the Rural South: A Perfect Storm of Disease, Health Access, and Co-Morbidity

Anne Cafer & Meagen Rosenthal


The novel coronavirus (COVID-19) has thrown into sharp contrast the growing inequalities of the rural-urban divide. While urban centers have been hit hard in the US, a recent report highlights a sharp uptick of micropolitan cases¹. This is important because nearly 5% of micropolitan and rural residents nation-wide, and nearly 8% of rural south residents, commute to urban hubs further increasing the spread of COVID-19.

Rural spaces, while having some protective factors like lower population density, are projected to experience more severe cases of COVID-19 cases and suffer more over the long-term². Rural spaces are home to higher percentages of elderly, who are disproportionately impacted by COVID-19, and have higher prevalence of residents with co-morbidities such as diabetes and respiratory disease, while experiencing reduced access to health care facilities².

No place is this more germane than the rural south. As of March 25, 2020, confirmed COVID-19 cases in the south range from between 101-500 (ex. Mississippi and Alabama) to between 1001-5000 (ex. Louisiana and Florida). To date the average testing rate in the rural south is 27% less than the national average suggesting that the number of cases in the rural south is vastly underestimated^{3,4}.

	Positive	Negative	Hospitalized	Deaths	Total Tests	Tests/million
US	214039	965550	31501	4809	1179589	3625
Rural South	33487	261495	5230	767	294982	2634
AL	1116	7503	32	32	8619	1758
AR	624	7836	90	10	8460	2901
FL	7559	60356	1043	97	67915	3162
GA	4748	15690	1013	154	20438	1925
KY	680	7220	20	20	7900	1768
LA	6424	39352	1498	273	45776	9847
MS	1073	4334	332	22	5407	1817
NC	1584	24659	204	10	26243	2502
SC	1293	5033	349	26	6326	1229
TN	2683	29769	200	24	32452	4749
TX	3997	43860	196	58	47857	1650
VA	1706	15883	305	41	17589	2061

The APCRL Policy Brief Series is intended to stimulate and inform discussions at the intersection of research and policy. The ideas expressed here are the authors' own and do not necessarily reflect the University of Mississippi Center for Population Studies as a whole.



Key Recommendations

- 1 Provide key supports like testing facilities, clinical staff, etc. to rural areas
- 2 Continue to remind and enforce CDC recommendations for social distancing
- 3 Narrow the scope of essential personnel
- 4 Begin NOW to plan for investments in rural healthcare infrastructure

Are You High Risk?

These people are at higher risk of getting very sick from COVID-19.
Take actions to reduce your risk of getting sick.



Those in **close household contact** with person diagnosed with COVID-19



People **65+ years old**



People with **underlying health conditions** (ie. heart/lung/kidney disease, diabetes, weakened immune system, etc.)

With little expectation that the spread of COVID-19 will stop or even slow substantially, ensuring the health of people living in the rural south becomes imperative (the number of confirmed cases in the US rose from ~4200 on March 16 to ~120,000 on March 29). Data from countries like Italy and China suggest that this illness has a much higher mortality rate in patients over the age of 60 (range 3.5-20.2%)^{2,5}. However, the immediate impact will not be limited to this population. A recent report from the CDC evaluating voluntarily submitted data from US states found that roughly 20% of patients admitted to the hospital with the infection are between the ages of 20 and 64, and of these patients between 12-36% are admitted to the ICU⁶. This represents a significant percentage of the working age population.

Patients in the rural south are also already at higher risk of adverse health events due to increased rates of obesity, diabetes, hypertension, and heart disease. Current data suggests that these co-morbid conditions result in more serious complications for those infected with COVID-19. A meta-analysis of co-morbidities found that hypertension and diabetes, followed by cardiovascular disease and respiratory system disease were the most prevalent co-morbidities and each of these were at least twice as likely to occur in severe cases as non-severe cases of COVID-19¹². A recent report from the UK that examined COVID-19 cases in London hospitals found that most people admitted to intensive care were male (70%) and were either overweight or obese (63%)¹³.

As rural spaces are hit hard by COVID-19, managing the influx of patients likely to require hospitalization is complicated by the number of rural hospital closures that have taken place in the south over the last decade. According to The Cecil G. Sheps Center for Health Services Research, based out of the University of North Carolina, 128 rural hospitals have closed since 2010¹⁴. Nearly half of those (54) were located in the rural south¹⁴. This is exacerbated by an increasing number of closures of independent pharmacies in rural areas, further diminishing access to healthcare resources in these settings¹⁵. Not surprisingly these closures correspond to continued

health care gaps in rural areas related to cost, and a scarcity of available services, healthcare providers, and transportation¹⁶. Early estimates from Medical Associates in Britain suggest that rural hospital needs for intensive care beds may rise by as much as 600% in the coming weeks¹⁷. These existing issues will be compounded as healthcare workers, who are at high risk of exposure and infection, are forced to either self-isolate, or become patients in need of care themselves¹⁷.

As the logistics of the multi-trillion-dollar emergency aid package are rolled out, national and state legislators, particularly in the rural south, must consider and begin to plan for long-term community resilience¹⁸. This involves consideration of BOTH (1) immediate quarantine concerns to stem the tide of COVID-19 cases, such as a national shelter-at-home order and increased testing, as well as (2) investment in rural health infrastructure to manage future potential pandemics and promote population health in vulnerable spaces. Eight of the twelve southern states have “shelter-at-home” orders¹⁹. States like Mississippi and Alabama expressed clear opposition to shelter-at-home policies early in the pandemic. These were tied mostly to a desire to keep the economy open^{20,21}. This economic argument is likely in response to the soaring unemployment claims, now 3.2 million in the US, and looming 13% unemployment—higher than the Great Recession levels²².

	Obesity ⁷ (%)	Diabetes ⁸ (%)	Hypertension ⁹ (%)	Heart Disease ¹⁰ *	Chronic Respiratory Disease ¹¹ *
US	37.7	10.5	33.2	163	39.7
Rural South	34.7	13.2	37.2	186	48.9
AL	36.2	14.5	41.9	224	58.0
AR	37.1	14.1	41.3	217	61.7
FL	30.7	12.4	34.6	143	37.0
GA	32.5	12.6	33.1	175	45.7
KY	36.6	13.8	39.4	198	62.1
LA	36.8	14.1	39.0	212	43.1
MS	39.5	14.3	40.8	222	59.9
NC	33.0	12.1	34.7	155	42.6
SC	34.3	13.3	38.1	167	45.8
TN	34.4	13.9	38.7	202	55.9
TX	34.8	12.5	32.5	170	39.7
VA	30.4	10.5	32.4	148	34.7

But it comes at the cost of both rural communities and the elderly. For example, both Mississippi and Alabama are majority rural, with 53% and 23% of their respective populations living in rural spaces²³. A failure to reduce the amount of commuting between rural and urban centers and providing supports for social distancing measures increases the risk to already vulnerable communities. Additionally, while pop-up testing centers are helping to increasing the number of tested individuals, their temporary and ephemeral nature mean that more systemic solutions are needed and resources should be provided to more permanent testing sites.

Investment in rural health infrastructure is a critical step to promoting national and community resilience and, currently, addresses a range of the economic arguments southern governors are making to justify opposition to shelter-at-home orders. Rural hospitals are important “economic anchors” for their communities^{24,25}. Every dollar spent by a hospital supports \$2.30 of additional business activity within the community and hospitals are a top source of private sector jobs²⁴. When rural hospitals close it doesn't just translate to loss of healthcare access, critical in a pandemic, but also results in job loss and outmigration for already precarious demographics—significantly reducing the tax base.

Given upcoming elections any suggestion that rural communities, and

especially older residents, sacrifice themselves for the sake of the economy, in a largely rural region like the South, while simultaneously refusing to invest in the economic and health boosting infrastructure of rural hospitals, is both dangerous and short-sighted²⁶.

Taken together the likelihood that COVID-19 will continue to spread as micropolitan and rural workers commute to urban hubs for work, the higher risk profile of patients, the impact it could have on the healthcare workforce, and low baseline healthcare access there is little doubt of the potential devastation in the rural south. The immediacy of this pandemic will tax system level resources and trap communities, especially rural communities, in a reactive, crisis management approach, rather than a proactive, resilience building model. Unless communities and regions can stymie the flow of new COVID-19 cases, and begin to build resilience through an integrated systems response and planning (via rural health infrastructure), the likelihood of future pandemics wreaking havoc on local economies, population health, and overall wellbeing in the rural south remains.

About the authors: Anne Cafer (amcafer@olemiss.edu; @annecafer) is an assistant professor of sociology at the University of Mississippi. Meagen Rosenthal (mmrosent@olemiss.edu) is an assistant professor of Pharmacy Administration at the University of Mississippi. Cafer and Rosenthal co-direct the UM Community First Research Center for Wellbeing & Creative Achievement (UM CREW)

References

1. Sun, Y. COVID-19 cases are clustered in large urban hubs, but rural areas surrounding those hubs are also increasingly affected. <https://lernercenter.syr.edu/wp-content/uploads/2020/03/Yue.pdf> Published March 2020. Accessed March 27, 2020.
2. Monnat, S. Why coronavirus could hit rural areas harder. <https://lernercenter.syr.edu/wp-content/uploads/2020/03/Monnat.pdf>. Published March 2020. Accessed March 27, 2020.
3. Center for Disease Control. Coronavirus Disease 2019 (COVID-19) cases in the US. <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/cases-in-us.html#epi-curve> Published March 2020. Accessed March 28, 2020
4. The COVID Tracking Project. Most recent data. <https://covidtracking.com/data/> Published March 2020. Accessed March 28, 2020.
5. Onder G, Rezza G, Brusaferro S. Case-fatality rate and characteristics of patients dying in relation to COVID-19 in Italy. *JAMA*. Published online March 23, 2020. doi:10.1001/jama.2020.4683
6. Centers for Disease Control. Severe outcomes among patients with Coronavirus disease 2019 (COVID-19)—United States February 12-March 16, 2020. <https://www.cdc.gov/mmwr/volumes/69/wr/mm6912e2.htm>. Published March, 2020. Accessed March 28, 2020.
7. Robert Wood Johnson Foundation. State of childhood obesity: Adult obesity rates. <https://stateofchildhoodobesity.org/adult-obesity/> Published 2019. Accessed March 28, 2020.
8. Robert Wood Johnson Foundation. State of childhood obesity: Adult diabetes rates. <https://stateofchildhoodobesity.org/diabetes/> Published 2019. Accessed March 28, 2020.
9. Robert Wood Johnson Foundation. State of childhood obesity: Adult hypertension rates. <https://stateofchildhoodobesity.org/hypertension/> Published 2019. Accessed March 28, 2020.
10. CDC National Center for Health Statistics. Heart disease mortality by state. https://www.cdc.gov/nchs/pressroom/sosmap/heart_disease_mortality/heart_disease.htm Published February 2020. Accessed March 28, 2020.
11. CDC National Center for Health Statistics. Chronic lower respiratory disease mortality by state. https://www.cdc.gov/nchs/pressroom/sosmap/lung_disease_mortality/lung_disease.htm Published February 2020. Accessed March 28, 2020.
12. Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Ji, R., Wang, H., Wang, Y., Zhou, Y. Prevalence of comorbidities in the novel Wuhan coronavirus (COVID-19) infection: a systemic review and meta-analysis. *International Journal of Infectious Diseases*. In press. <https://doi.org/10.1016/j.ijid.2020.03.017> Published March 12, 2020. Accessed March 28, 2020.
13. ICNARC. ICNARC report on COVID-19 in critical care. <https://www.icnarc.org/> Published March 2020. Accessed March 28, 2020.
14. UNC Cecil G. Sheps Center for Health Services Research. 170 rural hospital closures: January 2005-present (128 since 2020). <https://www.shepscenter.unc.edu/programs-projects/rural-health/rural-hospital-closures/> Published 2014. Accessed March 28, 2020.
15. Salako, A., Ullrich, F., Mueller, K. Update: Interdependently owned pharmacy closures in rural America, 2003-2018. RUPRI Center for Rural Health Policy Analysis Brief No. 2018-2. <https://rupri-public-health-uiowa.edu.umiss.idm.oclc.org/publications/policybriefs/2018/2018%20Pharmacy%20Closures.pdf> Published July 2018. Accessed March 28, 2020.
16. Douthit, N., Kiv, S., Dwolatzky, T., Biswas, S. Exposing some important barriers to health care access in the rural USA. *Public Health* 129(6): 611-620.
17. The Guardian. Doctors warn coronavirus could overwhelm NHS ‘within weeks’. <https://www.theguardian.com/world/2020/mar/21/doctors-warn-coronavirus-could-overwhelm-nhs-intensive-care?fbclid=IwAR3DhbF4ZioNXXUf2a0ZeJtBcVNAAwUqLvs9j367kpB8lCOy3cj9ZoNspBE> Published March 2020. Accessed March 28, 2020.
18. Cafer, A., Green, J.J., Goreham, G. A Community resilience framework for community development practitioners building equity and adaptive capacity. *Community Development* 50(2): 201-216. <https://doi.org/10.1080/15575330.2019.1574851>
19. AXIOS. America's incomplete coronavirus shutdown. <https://www.axios.com/coronavirus-state-stay-at-home-orders-d24a664b-c2cb-4f63-9436-729d3f634588.html> Published March 2020. Accessed March 28, 2020.
20. Jackson Free Press. Governor rejects state lockdown for COVID-19: ‘Mississippi’s never going to be China.’ <https://www.jacksonfreepress.com/news/2020/mar/23/governor-rejects-state-lockdown-covid-19-mississippi/> Published March 2020. Accessed March 28, 2020.
21. The Washington Post. Alabama governor won't issue stay-at-home order because 'we are not California.' By population, it's worse. <https://www.washingtonpost.com/politics/2020/03/27/alabama-governor-wont-order-shelter-in-place-because-we-are-not-california-by-population-its-worse/> Published March 2020. Accessed March 28, 2020.
22. CBC. U.S. jobless claims soared to record 3.2million last week as COVID-19 crisis took hold. <https://www.cbc.ca/news/business/jobless-us-covid-1.5510560?fbclid=IwAR2yLzIDGydcNGNVaRWSDrDHLvcbqlq01OPqx5BBm7f4tS2XeXyZQARNo> Published March 2020. Accessed March 28, 2020.
23. Jackson Free Press. Executive Order 1466 Signed. <https://www.jacksonfreepress.com/documents/2020/apr/01/executive-order-1466-signed/>. Published April, 2020. Accessed April 2, 2020.
24. RHIhub. Key federal and state resources to address COVID-19: rural response to COVID-19. www.ruralhealthinfo.org Published March 2020. Accessed March 28, 2020.
25. American Hospital Association. Hospitals are economic anchors in their communities. <https://www.aha.org/statistics/2018-03-29-hospitals-are-economic-anchors-their-communities> Published January 2017. Accessed March 28, 2020.
26. American Hospital Association. Rural report: Challenges facing rural communities and the roadmap to ensure local access to high-quality, affordable care. <https://www.aha.org/system/files/2019-02/rural-report-2019.pdf> Published February 2019. Accessed March 28, 2020.
27. CBC. Politicians who consider sacrificing the old for the sake of the economy face a backlash: Don Pittis. https://www.cbc.ca/news/business/coronavirus-covid-economy-seniors-1.5510079?fbclid=IwAR3bBF0I4DwKzst6zQebJAWoCoZJRdpdy-gEGpc3eMSjBwxs_YvQWJNebA0 Published March 2020. Accessed March 28, 2020.