

University of Massachusetts Medical School  
**eScholarship@UMMS**

---

Coronavirus COVID-19 Publications by UMMS Authors

---

2020-04-21

## COVID-19, Postacute Care Preparedness, and Nursing Homes

Jerry H. Gurwitz  
*University of Massachusetts Medical School*

Let us know how access to this document benefits you.

Follow this and additional works at: <https://escholarship.umassmed.edu/covid19>

 Part of the [Geriatrics Commons](#), [Health Services Administration Commons](#), [Infectious Disease Commons](#), and the [Virus Diseases Commons](#)

---

### Repository Citation

Gurwitz JH. (2020). COVID-19, Postacute Care Preparedness, and Nursing Homes. Coronavirus COVID-19 Publications by UMMS Authors. <https://doi.org/10.1111/jgs.16499>. Retrieved from <https://escholarship.umassmed.edu/covid19/16>

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in Coronavirus COVID-19 Publications by UMMS Authors by an authorized administrator of eScholarship@UMMS. For more information, please contact [Lisa.Palmer@umassmed.edu](mailto:Lisa.Palmer@umassmed.edu).



COVID-19, Postacute Care Preparedness, and Nursing Homes:

Flawed Policy in the Fog of War

Address correspondence to:

Jerry H. Gurwitz, MD, AGSF

Meyers Primary Care Institute

385 Grove Street

Worcester, MA 01605

508-791-7392

jerry.gurwitz@umassmed.edu

Amid the COVID-19 pandemic, well-intentioned health policy proposals are being hastily adopted, sometimes at the risk of serious unintended consequences for the most vulnerable among us - residents of long-term care and skilled nursing facilities. In the wake of the experience in Italy, and with hospitals in New York City beginning to be impacted by the pandemic, Grabowski and Joynt Maddox warned in a March 25, 2020 JAMA commentary,<sup>1</sup> that many patients with COVID-19 will need postacute care to recover from their illness, but that “postacute care facilities currently lack the capacity and capability to safely treat patients with

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process which may lead to differences between this version and the Version of Record. Please cite this article as doi: 10.1111/jgs.16499

COVID-19 as they transition from hospital to other care settings...” The authors suggested that postacute care could serve as a “pop-off valve” to increase hospital capacity by moving COVID-19 patients to such a setting once acute care was no longer needed. They went on to recommend a series of changes in postacute care delivery to enhance capacity for the surge of patients with COVID-19, including designating “certain postacute care facilities in each market to be ‘centers of excellence’ specializing in...the care of patients recovering from COVID-19.”

Within days of online publication of these recommendations, Massachusetts announced a “first-in-the-nation” plan to establish dedicated skilled nursing facilities to care for patients diagnosed with COVID-19. To create these facilities, the plan called for relocating hundreds of nursing home residents from up to a dozen nursing homes across the state.<sup>2</sup> According to the Governor of Massachusetts, the goals of the policy were to “ensure that we have the right kinds of beds in the right places to serve people once the surge arrives,” and to prevent the state from having to force nursing homes to accept patients recovering from COVID-19, triggering outbreaks in those facilities. In response to the announcement, Grabowski, one of the authors of the JAMA commentary, cautioned: “...I’d prefer they use other facilities, like closed nursing homes or hospitals at specialized sites, without moving longer-stay nursing home residents. It’s very disorienting for residents to switch environments and caregivers.”<sup>2</sup>

The first Massachusetts facility to begin relocating its residents to create these new COVID-19 postacute care sites was the Beaumont Rehabilitation and Skilled Nursing Center in Worcester, Massachusetts. On March 28, 2020, Beaumont began moving its 147 residents to other facilities across Central Massachusetts. After most of the residents had been moved, several of those still remaining in the facility tested positive for SARS—CoV-2.<sup>3</sup> Contact tracing for those residents who had already been transferred was hampered as these moves had occurred just as the surge of the pandemic across the state was beginning. While a second Massachusetts

nursing facility had announced on March 31, 2020 that it would move all of its residents to create a COVID-19 postacute care site, those plans were halted when 51 of 98 tested positive.<sup>4</sup>

The Massachusetts experience holds valuable lessons for states presently coping with the need for more postacute care beds or in planning for a possible resurgence later in the year. Past experiences from natural disasters reveal that older residents of long-term care and skilled nursing facilities do not fare well with emergency evacuations.<sup>5</sup> It follows that the rapid emptying of nursing homes to create postacute sites for the COVID-19 surge is likely to have similar adverse consequences. Abruptly relocating large numbers of long-term care residents to other facilities in the midst of a pandemic layers on additional risk, amplifying the negative effects on this highly susceptible population due to asymptomatic viral transmission.<sup>6</sup>

At this most challenging time, there is no place for blaming. We need to ask what did we learn, and how can we do things better. Several lessons are apparent. First, the emptying of nursing homes displacing large numbers of long-term care residents is the worst possible option for creating postacute care capacity to decompress hospitals. Second, nursing homes have become an epicenter for the shifting pandemic,<sup>7,8,9,10</sup> thus must be prepared to care for large numbers of residents with COVID-19 infection. At a minimum, this requires appropriate safety equipment and training to minimize risk to staff and uninfected residents. Third, testing in nursing homes is of paramount importance, especially with the high prevalence of asymptomatic infection. As stated by Dr. Deborah Birx, Coronavirus Response Coordinator for the White House Coronavirus Task Force, “No matter what we do in the future, we have to assure that nursing homes have sentinel surveillance; that we are actively testing in nursing homes both the residents and the workers at all times. That’s how we solve this in the beginning.”<sup>11</sup> Finally, this is not a time to stand on the sidelines. It is essential for geriatrics health professionals to be allowed to take a more active role in the formulation and implementation of policies that impact

the geriatric population during this health crisis. This is especially true for policies relating to postacute and long-term care.

Military metaphors have been overused in describing this horrible pandemic. Forgive me then when I say that the most vulnerable among us should not become the casualties of friendly fire and our good intentions.

Jerry H. Gurwitz, MD

Meyers Primary Care Institute and Division of Geriatric Medicine

University of Massachusetts Medical School

Worcester, Massachusetts

### **Acknowledgments**

*Conflict of Interest:* The author has no conflicts to report.

*Author Contributions:* The author is solely responsible for this work.

*Sponsor's Role:* No specific funding was received for this work.

### **References**

---

<sup>1</sup> Grabowski DC, Joynt Maddox KE. Postacute care preparedness for COVID-19: thinking ahead. JAMA. 2020 Mar 25. doi: 10.1001/jama.2020.4686. [Epub ahead of print]

---

<sup>2</sup> Weisman R, Krantz L. State hunting for 1,000 nursing home beds to treat recovering coronavirus patients. <https://www.bostonglobe.com/2020/03/31/metro/state-hunting-1000-nursing-home-beds-treat-recovering-coronavirus-patients/> (accessed April 4, 2020)

<sup>3</sup> Weisman R. Nursing home halts residents' move after a positive COVID-19 test, families say. <https://www.bostonglobe.com/2020/03/31/metro/nursing-home-halts-residents-move-after-positive-covid-19-test-families-say/> (accessed April 4, 2020)

<sup>4</sup> Creamer L. 51 of 98 residents in Wilmington nursing facility test positive for coronavirus. <https://www.wbur.org/commonhealth/2020/04/03/wilmington-nursing-home-covid-19-residents> (Accessed April 4, 2020)

<sup>5</sup> Willoughby M, Kipsaina C, Ferrah N, et al. Mortality in nursing homes following emergency evacuation: a systematic review. *J Am Med Dir Assoc.* 2017; 18:664-670.

<sup>6</sup> Kimball A, Hatfield KM, Arons M, et al. Asymptomatic and presymptomatic SARS-CoV-2 infections in residents of a long-term care skilled nursing facility – King County, Washington, March 2020. *MMWR Morb Mortal Wkly Rep.* 2020 Apr 3;69(13):377-381. doi: 10.15585/mmwr.mm6913e1.

<sup>7</sup> Barnett ML, Grawbowski DC. Nursing homes are ground zero for COVID-19 pandemic. <https://jamanetwork.com/channels/health-forum/fullarticle/2763666>

<sup>8</sup> Wilde Mathews AW, Kamp J. Coronavirus strikes at least 2,100 senior facilities across U.S. , killing 2,300 people. <https://www.wsj.com/articles/coronavirus-strikes-at-least-2-100-nursing-homes-across-u-s-killing-2-000-residents-11586554096> (accessed April 11, 2020)

---

<sup>9</sup> Harris AJ, Leland J, Tully T. Nearly 2,000 dead as coronavirus ravages nursing homes in N.Y. region. <https://www.nytimes.com/2020/04/11/nyregion/nursing-homes-deaths-coronavirus.html> (accessed April 11, 2020)

<sup>10</sup> Willon P, Dolan J. California moves to protect nursing home residents from the coronavirus. <https://www.latimes.com/california/story/2020-04-10/gavin-newsom-california-coronavirus-nursing-homes-mercy-ship-seniors> (accessed April 11, 2020)

<sup>11</sup> White House Coronavirus Task Force Press Briefing. April 9, 2020.